


4" X 6"
APPROVED
LABEL



GROVE CONCRETE & SUPPLY, INC.
18426 DURAND AVENUE P.O. BOX 363
UNION GROVE, WISCONSIN 53182
(262) 878-2030 FAX (262) 878-4222
GroveConcrete.com

NOTES:

1. REINFORCED CONCRETE 4,000 PSI MIN.
2. (GASKETED 4" OPENINGS) PRESS SEAL, TUFF TITE OR EQUAL.
3. ALL BAFFLES & FILTERS TO BE INSTALLED BY INSTALLER TO MEET STATE & LOCAL CODES.
4. IF USED AS PUMP OR HOLDING TANK, 6" MIN. HOLE NEAR BOTTOM OF CENTER DIVIDER WALL.
5. ALL BAFFLES & FILTERS TO BE INSTALLED TO MEET STATE & LOCAL CODES.
6. THIS TANK IS BUILT IN COMPLIANCE OF SECT. 905.40 I.L. PRIVATE SEWAGE CODE.
7. 42 GAL. PER INCH.

**2100 - 1 COMP
SEPTIC & PUMP-SEPTIC
GREASE OR HOLDING OR PUMP**

**FOR ANY MODIFICATIONS CALL
GROVE CONCRETE**

DRAWN BY: RAY	DATE: 5/15/19
SCALE: EST. WEIGHT: NTS 16,000 LBS. 6" TOP 19,990 LBS. 10" TOP	VERSION: 00001
DWG. # TNK-2100-1C	I.L. APPROVAL # 114

APPROVED BY:

THIS DRAWING AND THE INFORMATION CONTAINED HEREON IS THE EXCLUSIVE PROPERTY OF GROVE CONCRETE & SUPPLY, INC. AND SHALL NOT BE REPRODUCED, USED, OR DISCLOSED TO OTHERS EXCEPT AS AUTHORIZED THROUGH WRITTEN CONSENT FROM GROVE CONCRETE & SUPPLY, INC.