

# WIRE & CABLE

## THERMOPLASTIC PRIMARY WIRE

### Flat Two Conductor Copper Stranded

- **HEAVY DUTY** thermoplastic black and white insulated copper conductors. Gray plastic outer jacket.
- Wires laid parallel and covered with a high quality plastic jacket, oblong in shape.
- Jacket provides a compact cable and protects the insulated conductors against weather and acid conditions.
- Sizes 12 and 10 gauge are recommended for electric brake wire.
- Voltage rated at 60 volts or less. Temperature -22 F to 221 F.



J&B #	GAUGE	WIRE COLOR	QTY
*46140	10	Black / White	100'
*39430	12	Black / White	100'
39432	12	Black / White	500'
*41851	14	Black / White	100'
*39600	14	Black / White	500'
*46144	16	Black / White	100'
*46146	18	Black / White	100'

\* NO BROKEN ROLLS (OK TO BREAK 39432  
DOWN TO 25', 50' OR 250')

## THERMOPLASTIC PRIMARY WIRE

### Flat Three Conductor Copper Stranded

- **HEAVY DUTY** thermoplastic black, green and white insulated copper conductors. Gray plastic outer jacket.
- Wires laid parallel and covered with a high quality plastic jacket, oblong in shape.
- Jacket provides a compact cable and protects the insulated conductors against weather and acid conditions.
- Voltage rated at 60 volts or less. Temperature -22 F to 221 F.




J&B #	GAUGE	WIRE COLOR	QTY
*46431	12	Black / Green / White	100'
*46426	14	Black / Green / White	100'
*46428	16	Black / Green / White	100'

\* NO BROKEN ROLLS

# WIRE & CABLE

## TRAILER CABLE

- Heavy duty, all weather **BLACK JACKET**.
- Color coded, insulated copper conductors bound with fiber filler and separator.
- Temperature rating of 80 C (176 F).



7 CONDUCTOR		4 CONDUCTOR	
(1)12 GA	(6)14 GA	(4)14 GA	
J&B #	QTY	J&B #	QTY
* 39433	100 FT	39540	25 FT
		39542	100 FT

\* NO BROKEN ROLLS

## AUTOMOTIVE WIRE

High Temperature  
Cross-Link Polyethylene



- **Hi-temp**, thick wall, special purpose automotive wire is insulated with chemically cross-linked polyethylene.
- Withstands prolonged temperatures of up to **350°F** without melting or fusing.
- Insulation has a smooth surface finish.
- It is highly resistant to grease, oil, acids, brake fluid and abrasion.



J&B #	GAUGE	COLOR	QTY
*39435	14	BLACK	100'

\* NO BROKEN ROLLS

# WIRE & CABLE

---


## FLEX-GARD CONVOLUTED LOOM

Polyethylene - Black

- Flex-gard convoluted loom holds groups of wires in position and gives the wires excellent protection against abrasion and crushing.
- It is slit for easy insertion of wires, yet the slit remains basically closed when the loom is bent or twisted.
- Temperature range: -40° to +200°F.

J&B #	SIZE	QTY
*40610	1/4"	150' RL
*40612	3/8"	100' RL
*40613	1/2"	100' RL
*40615	3/4"	50' RL
*40617	1"	25' RL
*40619	1-1/2"	20' RL

\* No broken boxes




---

## SPEAKER WIRE

- Two strand 22 gauge, grey plastic, **RIP-TYPE** wire.
- Used specifically for connecting speakers in automotive and truck equipment, industrial plants and homes.

J&B #	QTY
22593	250' ROLL



# HOSE

---

## TRANSMISSION OIL COOLER

- Special hose for circulating transmission fluid at high temperatures.
- Tube and cover are designed to meet OEM and SAE J1532 requirements.
- Features a polyester reinforcement for high burst protection.
- Resistant to fuel, ozone, oil, grease and heat aging.

J&B #	I.D.	COLOR	LENGTH
21140	5/16	BLACK	25'
21141	3/8	BLACK	25'



### Construction

Tube: Nitrile

Reinforcement: Polyester

Cover: Nitrile/PVC


Temperature Resistance -30 F to +257 F.



# HOSE

## RED PREMIUM THERMAL HEATER HOSE 4 Spiral Polyester

- A blue insulating layer helps to minimize heat loss. Four spiral reinforcement for extra strength.
- A replacement for OE hose on most cars and light trucks.
- The high quality hose is similar to SAE20R3 Class D2, SAE J2387 for higher underhood temperatures.
- Resists weathering to provide a long, trouble-free service life.
- Withstands the abuse of corrosive solutions and additives.
- Temperature range = -40 F + 257 F (Not for steam use)



J&B #	I. D.	COLOR	LENGTH
21120	5/8"	RED	50'
21121	3/4"	RED	50'
21122	1"	RED	50'

- All heater hose packed in sturdy dispenser carton. Keeps hose fresh and clean.

## SILICONE HEATER HOSE Super-Sil

- Meets or exceeds SAE20R3 HT Class A, and GM 6149 specifications.
- A silicone rubber tube, spiraled aramid fiber, and silicone rubber cover complete the construction.
- It was developed for high temperature resistance to oils, coolants, ozone, and cooling system additives.
- Reinforcement is 2 spiral polyester yarn.
- Temperature range = -65 F + 350 F



J&B #	I. D.	LENGTH
46310	5/8"	25'
46311	3/4"	25'
46312	1"	25'


- All heater hose packed in sturdy dispenser carton. Keeps hose fresh and clean.

# HOSE

---

## BLACK OEM HEATER HOSE 2 Spiral Polyester

- A replacement for OE hose on most cars and light trucks.
- The high quality hose is similar to SAE20R3 Class D2, SAE J2387 for higher underhood temperatures.
- Resists weathering to provide a long, trouble-free service life.
- Withstands the abuse of corrosive solutions and additives.
- Temperature range = -40 F + 257 F (Not for steam use)



J&B #	I. D.	COLOR	LENGTH
21132	5/8"	BLACK	50'
21136	3/4"	BLACK	50'
21137	1"	BLACK	50'

- All heater hose packed in sturdy dispenser carton. Keeps hose fresh and clean.
- 

## BLACK STANDARD HEATER HOSE 2 Spiral Polyester

- A replacement for hose on most cars and light trucks.
- This standard grade hose is similar to SAE20R3 for normal duty service.
- Resists weathering to provide a long, trouble-free service life & withstands abuse of corrosive solutions & additives.
- Temperature range = -40 F + 212 F (Not for steam use)



J&B #	I.D.	COLOR	LENGTH
38738	1/2"	BLACK	50'

- All heater hose packed in sturdy dispenser carton. Keeps hose fresh and clean.
-

# HOSE

## FUEL INJECTION HOSE

- FI-Plus exceeds SAE30R9specs.
- Designed for the extremely high temperatures generated by today's fuel injected engines.
- -29°F to + 275°F (302°F intermittent)
- This special hose handles leaded, unleaded, alcohol-added, diesel, and even extended gasolines.



J&B #	HOSE I.D.	BURST PRESSURE P.S.I.	QTY
42170	1/4"	900	10'
42171	5/16"	900	10'
42172	3/8"	900	10'

## FUEL LINE HOSE

- Neoprene cover **resists** deterioration from oil, grease, and ozone and gives long service life.
- Meets all federal safety standards and regulations requiring fuel line hose to have one braid.



J&B #	HOSE I.D.	MAX WORK PRESSURE P.S.I.	MIN BURST PRESSURE P.S.I.	MIN. BEND RADIUS	QTY
21692	1/4"	40	175	2-1/2	25'
21693	5/16"	40	175	2-3/4	25'
21694	3/8"	40	175	3	25'



## TUBE CUTTER

- Easy to use tool that can cut all types of plastic or rubber tube & pipe up to 1-5/8", 42 mm outside diameter.
- Includes a X-Cel blade which is a quick change, reversible blade that equals 2 times blade life.
- No ratcheting or twisting required.
- Cutter has spring loaded handles for faster positioning.



J&B #	QTY
50317	EA

# FUEL LINE CONNECTORS

## ORIGINAL EQUIPMENT

### Quick Connectors




- Fuel line quick connectors are a press fit. Clamps not required.

**\*\*No broken packs\*\***

J&B #	TYPE	(A)	(B)	QTY
FM2964	90 ELBOW	5/16	8mm(5/16)	2
FM2972	90 ELBOW	3/8	8mm(5/16)	2
FM2971	90 ELBOW	3/8	10mm	2
FM2965	STRAIGHT	5/16	8mm(5/16)	2
FM2966	STRAIGHT	3/8	8mm(5/16)	2
FM2967	STRAIGHT	3/8	10mm	2
FM2973	STRAIGHT	1/4	8mm(5/16)	2
FM2978	STRAIGHT	5/16	10mm	2
FM2979	STRAIGHT	3/8	8mm(5/16)	2
FM3153C	90 ELBOW	5/16	8mm(5/16)	2
FM3155C	90 ELBOW	5/16	10mm	2
FM3154C	90 ELBOW	3/8	10mm	2

## FUEL LINE MEDIC

### Quick Connectors



- Fuel line quick connectors are a press fit. 2 Clamps are included.

**\*\*No broken packs\*\***

J&B# SUR&R	J&B# FMSI	TYPE	(A)	(B)	QTY
KP045	FM3403C	STRAIGHT	1/4	5/16	2
KP040	FM3394C	STRAIGHT	5/16	5/16	2
KP035	FM3393C	STRAIGHT	5/16	3/8	2
KP030		STRAIGHT	3/8	5/16	2
KP020	FM3391C	STRAIGHT	3/8	3/8	2
	FM3395C	STRAIGHT	10mm	10mm	2
KP135		90 ELBOW	5/16	5/16	2
KP120	FM3392C	90 ELBOW	5/16	3/8	2
KP130		90 ELBOW	3/8	5/16	2
KP125	FM3390C	90 ELBOW	3/8	3/8	2

# FUEL ATTACHING HARDWARE

## 360 DEGREE SEAL CLAMPS

- Positive 360 degree seal with no gaps on the inside of the clamp.
- Smooth inner band prevents damage to the tube or hose.



J&B #	SIZE	I.D.	APPLICATION	QTY
FM2940	7.0 mm	9/32	6mm – 1/4" nylon fuel lines	10
FM2950	8.7 mm	11/32	8mm – 5/16 nylon fuel lines	10
FM2980	9.5 mm	3/8	8mm – 5/16 nylon fuel lines	10
FM2981	10.5 mm	13/32	3/8" nylon fuel line	10
FM2982	11.3 mm	7/16	10mm – 3/8" nylon fuel lines	10
FM2983	12.3 mm	15/32	Fuel, transmission & coolant hose	10
FM2984	13.3 mm	1/2	Fuel, transmission & coolant hose	10
FM2985	14.5 mm	9/16	Fuel, transmission & coolant hose	10
FM2986	15.7 mm	7/8	1/4" shop air line	10
FM2987	17.0 mm	11/16	3/8" shop air line	10
FM2988	18.5 mm	23/32	3/8" shop air line	10
FM3227	19.8 mm	25/32	Fuel, transmission & coolant hose	10
FM2989	21.0 mm	13/16	Fuel, transmission & coolant hose	10
FM2990	24.1 mm	15/16	Use with FMSI# 4204 (5/8")	10
FM2991	25.6 mm	1	Fuel, transmission & coolant hose	10
FM2995	28.6 mm	1-1/8	Use with FMSI# 4205 (3/4")	10

\* SOLD IN FULL BOXES OF 10 CLAMPS ONLY

## NYLON FUEL LINE RING BARB



J&B #	DESCRIPTION	QTY
FM2994	1/4" (6mm)	2
FM2959	5/16" (8mm)	2
FM2968	10mm	2

\* SOLD IN FULL BOXES OF 2 ONLY

## CONVOLUTED NYLON REPAIR LINES



J&B #	TUBE O.D	LENGTH	QTY
FM2962CVT	5/16 (8mm)	10"	EA
FM2963CVT	10mm	10"	EA

## GM TANK SENDER HOSE LINE FITTINGS



J&B #	DESCRIPTION	QTY
FM4236	16mm x 1.5	EA
FM4237	14mm x 1.5	EA

## NYLON FUEL LINE REDUCER




J&B #	DESCRIPTION	QTY
FM3204	1/4 to 5/16 (8mm)	2
FM3205	5/16 (8mm) to 3/8	2

\* SOLD IN FULL BOXES OF 2 ONLY

# STEEL FUEL REPAIR LINES

## STEEL TO NYLON ADAPTER LINES



J&B #	SIZE	TYPE	APPLICATION	QTY
FM3118	5/16 x 3-3/4	B	For quick connector Ford/GM/Chrysler. (use with 5/16" (8mm) nylon tube)	2
FM3119	5/16 x 3-3/4	A	14mm fitting GM. (use with 5/16" nylon tube)	2
FM3119L	5/16 x 6"	A	14mm fitting GM. (use with 5/16" nylon tube)	2
FM3120	3/8 x 3-3/4	A	16mm fitting GM (use with 3/8" nylon tube)	2
FM3121	3/8 x 3-3/4	C	Hose end Ford/GM/Chrysler. (use with 3/8" nylon tube)	2
FM3122	5/16 x 3-3/4	C	Hose end Ford/GM/Chrysler. (use with 5/16" nylon tube)	1
FM3133	3/8 x 3-3/4	C	Hose end Ford/GM/Chrysler. (use with 10mm nylon tube)	2
FM3134	3/8 x 3-3/4	B	For quick connector Ford/GM/Chrysler. (use with 10mm nylon tube)	2
FM3135	3/8 x 3-3/4	A	16mm fitting GM (use with 10mm nylon tube)	2
FM3135L	3/8 x 6"	A	16mm fitting GM (use with 10mm nylon tube)	2

\* SOLD IN FULL BOXES ONLY

## SENDING UNIT REPAIR LINES



J&B #	SIZE	FITTINGS	QTY
FM3075	5/16 x 4-3/4	GM 14mm Fitting	EA
FM3074	3/8 x 4-3/4	GM 16mm Fitting	EA

J&B #	SIZE	FITTINGS	QTY
FM3073L	5/16 x 4-3/4	For quick connect	EA
FM3072L	3/8 x 4-3/4	For quick connect	EA

## DOMESTIC STEEL FUEL REPAIR LINES



J&B #	SIZE	FITTINGS	QTY
FM3181	5/16 x 6"	GM 14mm Fitting	EA
FM3180	3/8 x 6"	GM 16mm Fitting	EA

## TRANSMISSION REPAIR LINE



J&B #	SIZE	QTY
FM4511	3/8 x 4" ridge bead	EA

# HARDWARE

## FLEX LINE RETAINER CLIP



J&B #	QTY
FM3011	10

\* SOLD IN FULL BOXES ONLY

## FUEL INJECTION HOSE CLAMPS



J&B #	SIZE	QTY
FMF110	10mm – 12mm	10

\* SOLD IN FULL BOXES ONLY

## TRANSMISSION QUICK CONNECTOR RETAINER CLIP



J&B #	SIZE	QTY
FM4246	3/8	2
FM4247	1/2	2
FM4248	5/8	2

\* SOLD IN FULL BOXES ONLY

## FUEL LINE RETAINER CLIP



J&B #	SIZE	QTY
FM3107	5/16 Ford Transmission line	2

\* SOLD IN FULL BOXES ONLY

## GENERAL MOTORS FUEL LINE VITON O-RINGS



J&B #	SIZE	QTY
FM2881	5/16 fuel (return) line 14mm fitting	25
FM2880	3/8 fuel (filter) line 16mm fitting	25

\* SOLD IN FULL BOXES ONLY



# VACUUM PRODUCTS

## WINDSHIELD WASHER & VACUUM TUBING

- Flexible & non collapsible.
- Oil & heat resistant; compression proof.
- Temperature rating: -40° to +257°F.
- Use with connectors below.



J&B #	I. D.	FITS	COLOR	LENGTH
20952	3/32"	1/8" CONN	BLACK	50'
20911	7/64"	1/8" CONN	BLACK	50'
20912	5/32"	3/16" CONN	BLACK	50'
20913	7/32"	1/4" CONN	BLACK	50'
20953	9/32"	5/16" CONN	BLACK	50'

## HOSE CONNECTORS

High-Density Polyethylene

### UNION



J&B #	SIZE	QTY
20857	1/8	10
20858	3/16	10
20859	1/4	10
20860	5/16	10
20864	3/8	10

### TEE



J&B #	SIZE	QTY
20867	5/32	10
20868	3/16	10
20869	1/4	10
32336	5/16	10
32337	3/8	10


### REDUCERS



J&B #	SIZE	QTY
20865	1/4 x 3/16	10
20866	3/8 x 1/4	10

## 3-WAY UNIVERSAL BREAK-OFF TEE

- Provides up to **15** different size combinations for connecting various diameters of hose.
- Dual-grip serrations for positive leak-proof connections.
- **Not for use in fuel line.**



J&B #	SIZES	QTY
21329	1/8, 1/4, or 3/8	5/BX






# VACUUM PRODUCTS

SEE PAGES 667 & 668 FOR NYLON TUBING

## VACUUM CONNECTORS

- Withstands the higher underhood temperatures.
- Made of heat & chemical resistant **rubber**.
- For use on heater/A.C. vacuum systems & emission control systems.

J&B #	O.E.M. NUMBER	TYPE	A INCH/mm	B INCH/mm	QTY
40510	25517507	1	.110/2.85	.160/4.14	15
40512	12047609	1	.130/3.40	.230/5.50	15
40516	14084916	2	.135/3.43	.150/3.80	15
40517	12059749	2	.150/3.80	.220/5.59	15



## RUBBER CAPS

- Used for capping lines and hoses while testing carburetors, emission control systems, vacuum lines, etc.





J&B #	TUBE O.D.	INSIDE LENGTH	QTY
32332	1/8	.56	25
11597	3/16	.56	10
11596	1/4	.56	10
32333	5/16	.60	10
32334	3/8	.875	10
32335	1/2	.6875	10
32338	5/8	.875	10

# BATTERY PRODUCTS

## BATTERY CABLE

### General Purpose

- Copper stranded conductor, with a smooth vinyl plastic insulation, resistant to abrasion, weather, oil and acids.
- Temperature rating of 176 def F.
- Built to S.A.E. specification J-1127.



\*\*\* SOLD IN 25 FT ROLLS ONLY

BLACK			
J&B #	GAUGE	O.D.	QTY
38914	6	.330	25 FT
38930	4	.380	25 FT
38400	2	.410	25 FT
38404	1	.490	25 FT
38931	1/0	.550	25 FT
38932	2/0	.605	25 FT
38933	3/0	.695	25 FT

RED			
J&B #	GAUGE	O.D.	QTY
38401	6	.330	25 FT
38935	4	.380	25 FT
38403	2	.410	25 FT
38913	1	.490	25 FT
38936	1/0	.550	25 FT
38937	2/0	.605	25 FT

## WELDING CABLE

- High stranding & EPDM jacket for greater cold weather flexibility.
- Rated at 105 C (221 F).
- Rated to 600 volts.
- Excellent abrasion & chemical resistance.
- Nominal low temp rating of -50 C (-58 F).



J&B #	GAUGE	COLOR	O.D.	QTY
38911	4/0	RED	.725	25 FT
38919	4/0	BLACK	.725	25 FT

# BATTERY PRODUCTS

---

## SOLDER PELLETS

- Fast method for attaching battery lug to cable.

J&B #	GAUGE	COLOR	QTY
56978	4	gray	10
56979	2	green	10
56980	1	red	10
56981	1/0	black	10
56982	2/0	orange	10
56983	3/0	purple	10
56984	4/0	yellow	10



---

## SOLDER FLUX

Liquid solder flux is a chemical that serves several essential purposes for soldering battery cables and terminals. The liquid flux removes oxidation buildup in copper and solder. The oxidation buildup removal is done by the liquid solder flux to assist the metals during their bonding process. Liquid flux also reduces surface tension which allows the solder to flow more free and evenly along the surface of the application. Apply liquid flux when soldering for sturdy and clean solder joints.



2 Oz.

- Use one drop of liquid flux on the stripped copper wire to assist in your connection.
- Large cable sizes will require a few additional drops of liquid flux.
- If you are working in a confined space, wear protective eye gear when using liquid flux.

J&B #	QTY
56993	EA

# BATTERY TERMINALS

## BATTERY TERMINALS

### 3-WAY TOP POST



J&B #	WIRE SIZE	TYPE	QTY
*20172	6 to 1 GA	POSITIVE	5

### HEAVY DUTY TOP POST UNIVERSAL

- Designed for heavy duty use - truck, construction, industrial, farm, etc.



J&B #	WIRE SIZE	QTY
38942	2 to 4/0 GA	5

### H/D SIDE UNIVERSAL

- For batteries using side terminals.



J&B #	WIRE SIZE	QTY
38939	4-2/0 GA	EA

### UNIVERSAL



J&B #	WIRE SIZE	QTY
20167	6 to 1 GA	5

### UNIVERSAL LEAD FREE BATTERY TERMINAL



J&B #	WIRE SIZE	QTY
55797	4 & 6 GA	5

### UNIVERSAL BATTERY TERMINALS



J&B #	WIRE SIZE	QTY
21319	6 to 1 GA	10


# BATTERY TERMINALS

## H/D CAST COPPER CRIMP TERMINALS Tin Plated

- One piece, cast copper construction provides **greater conductivity** and less voltage drop.
- Can be crimped or soldered.
- Long barrel gives added strength and vibration resistance.
- Uniform wall thickness assures high reliability.
- Cable size is clearly designated on terminals to ensure correct size selection.
- Polarity shown to avoid mixing positive/negative connections which could destroy battery.


### STRAIGHT CLAMP

J&B #	WIRE SIZE	TYPE	QTY
39150	4 GA	UNIV	5
39151	1/0	POS	5
39152	1/0	NEG	5
39153	2/0	POS	5
39154	2/0	NEG	5
39155	3/0	POS	5
39156	3/0	NEG	5
39162	4/0	POS	4
39163	4/0	NEG	4



\* Supplied with battery bolt & nut


### RIGHT ELBOW



J&B #	WIRE SIZE	TYPE	QTY
39160	2/0	POS	5
39161	2/0	NEG	5

\* Supplied with battery bolt & nut

### FLAG TERMINAL



J&B #	WIRE SIZE	TYPE	QTY
39165	2/0	POS	4
39166	2/0	NEG	4

\* Supplied with battery bolt & nut

# BATTERY TERMINALS

## H/D CAST COPPER CRIMP TERMINALS Tin Plated

- Designed for threaded stud or side terminal batteries.
- Stackable for multiple battery hook-ups.
- Locking teeth "**bite**" into battery terminal for non-rotating connection.
- Different cable gauges can be stacked, for example: 2/0 gauge cable between batteries and 4/0 gauge cable to starter or ground.
- Cable size and polarity designated on terminal.

### STACKABLE TERMINALS END TERMINAL

J&B #	SIZE	TYPE	QTY
39402	2/0	UNIV	5
39403	3/0	UNIV	5



## BATTERY STUD & TERMINAL COVER

- Battery post and terminal cover protects the battery stud/post, battery terminal and cable from corrosion and other harmful debris.
- Provides a finished and professional look.
- Prolongs cable life.

J&B #	SIZES	STUD	COLOR	QTY
41780	2-2/0 GA	3/8	RED	5
41781	2-2/0 GA	3/8	BLACK	5
41782	2/0-3/0 GA	3/8	RED	5
41783	2/0-3/0 GA	3/8	BLACK	5



# BATTERY TERMINALS

## EXTRA HEAVY DUTY COPPER LUGS

Seamless Copper (Tin Plated)



- Thicker walls for greater strength and conductivity.
- Used for severe-duty applications. Tin-plated copper. Stackable.
- Gauge stamped on lug for easy identification. Can be crimped or soldered.

### LUGS

J&B #	WIRE SIZE	STUD SIZE	INDUSTRY COLOR	QTY
40488	6 GA	1/4	BLUE	5
40489	6 GA	5/16	BLUE	5
40490	6 GA	3/8	BLUE	5
40491	4 GA	1/4	GREY	5
40492	4 GA	5/16	GREY	5
40493	4 GA	3/8	GREY	5
40487	1-2 GA	5/16	PINK	5
40180	1-2 GA	3/8	PINK	5
40186	1/0	3/8	BLACK	5
40188	1/0	1/2	BLACK	5
40190	2/0	3/8	ORANGE	5
40192	2/0	1/2	ORANGE	5
40195	3/0	3/8	PURPLE	5
40196	3/0	1/2	PURPLE	5
40197	4/0	3/8	YELLOW	5
40198	4/0	1/2	YELLOW	5

### SPLICES

J&B #	WIRE SIZE	INDUSTRY COLOR	QTY
40518	8 GA	RED	5
40519	6 GA	BLUE	5
40160	4 GA	GREY	5
40162	2 GA	PINK	5
40166	1/0	BLACK	5
40168	2/0	ORANGE	5
40170	3/0	PURPLE	5
40172	4/0	YELLOW	5




# BATTERY TERMINALS

## BATTERY CABLE LUGS Seamless Copper

- Heavy duty closed end crimpable lugs designed for industrial, diesel, and marine applications.
- Manufactured from the highest grade electrolytic copper for **maximum conductivity**.
- All lugs are clearly marked with wire gauge for easy identification.

J&B #	WIRE SIZE	STUD SIDE	QTY
55809	8 GA	1/4	10
55810	8 GA	5/16	10
55811	8 GA	3/8	10
55812	8 GA	1/2	10
55813	6 GA	1/4	10
55814	6 GA	5/16	10
55815	6 GA	3/8	10
55816	6 GA	1/2	10
55817	4 GA	1/4	10
55818	4 GA	5/16	10
20476	4 GA	3/8	10
55819	4 GA	1/2	10
55824	2 GA	1/4	10
55825	2 GA	5/16	10
20477	2 GA	3/8	10
55826	2 GA	1/2	10
55820	1 GA	1/4	10
55821	1 GA	5/16	10
55822	1 GA	3/8	10
55823	1 GA	1/2	10
55806	1/0	1/4	10
55827	1/0	5/16	10
22190	1/0	3/8	10
55807	1/0	1/2	10
55828	2/0	1/4	10
55829	2/0	5/16	10
20478	2/0	3/8	10
20479	2/0	1/2	10
20481	3/0	3/8	10
22196	3/0	1/2	10
40016	4/0	3/8	10
40018	4/0	1/2	10






# CRIMPING TOOLS

## HEX CRIMPING TOOL Heavy Duty

- Designed for **heavy duty** battery terminals.
- Crimps all battery terminals, copper lugs and splices (8 GA - 4/0 GA).
- Puts **even** pressure on the terminal and wire, resulting in the best connection.
- Adjustable crimp dies permanently attached.
- Die settings have letter, number, and color codes.
- Insulated grips for comfort and safety.



J&B #	QTY
41058	EA

## CRIMPING TOOL

- Crimps 8 Ga. - 4/0 Ga. terminals.
- Use with hammer or vise.
- Crimping scale on side of tool prevents under-crimping.
- Spring loaded pin locks in 'up' position for loading terminal and cable. Pin is then released to hold terminal securely during crimping.


J&B #	QTY
39172	EA



# BATTERY PRODUCTS

## BATTERY ACCESSORIES

### BATTERY BOLT




J&B #	SIZE	QTY
10572	5/16-18 x 1-3/8	25

### BATTERY HOLD-DOWN BOLT



J&B #	SIZE	QTY
38972	5/16-18 x 12	10

### SIDE TERMINAL BOLT



J&B #	SIZE	QTY
38938	3/8-16	10

### HOLD-DOWN NUTS


Stainless Steel



J&B #	STYLE	HEAD	THREAD	QTY
39404	CLOSED	9/16	3/8-16	5
39281	OPEN	9/16	3/8-16	10

## CABLE CUTTER

- Cuts all copper cable thru 4/0.
- Made of high quality **forged** steel.
- Cushion grip handles.




J&B #	QTY
39170	EA

# BATTERY PRODUCTS


## BATTERY TERMINAL PROTECTORS

- Terminal protectors are **impregnated** with a corrosion preventative formula that will not dry, evaporate, or crack due to temperature changes.
- Stops corrosion causing acid fumes from escaping at the battery post by forming a perfect seal, eliminating voltage drop or battery discharge.
- Can be used on both positive and negative terminals.





J&B #	TYPE	QTY
38740	TOP MOUNT	50/CN
38742	SIDE MOUNT	50/CN

### TOP MOUNT TERMINALS



### SIDE MOUNT TERMINALS



## TERMINAL CLEANER

- This cleaner is shaped to fit snugly inside a battery cable terminal for removal of corrosion.
- The special shaped metal brush in the base fits over battery posts for quick cleaning and shaping.

J&B #	QTY
38941	EA




# CLIPS & CLAMPS

## HEAVY DUTY BATTERY CABLE CLAMPS

600 Amp

- Clamp is rated for over 600 amps.
- Handles are vinyl coated.



J&B #	COLOR	DESC.	QTY
38500	RED	600 AMP	EA
38501	BLACK	600 AMP	EA

## MINIATURE BATTERY CLAMPS

50 Amp



J&B #	COLOR	DESC.	QTY
42080	RED	50 AMP	EA
42082	BLACK	50 AMP	EA


## ALIGATOR CLIP

- 1-11/16" long, 5/16 jaw spread screw connection.



















J&B #	QTY
28463	5/BX
















## ALIGATOR CLIP INSULATOR


















J&B #	COLOR	QTY
22456	RED	5/BX
22457	BLACK	5/BX















# MINIATURE BULBS

J&B #	IND.#	QTY	
40954	K2-2 Krypton	10	
38300	PR2	10	
38988	24	10	
38989	37	10	
38962	E37	10	
21164	53	10	
20896	57	10	
20898	67	10	
21145	73	10	
20903	PC74	10	
21170	89	10	
38985	97	10	
21146	147	10	
20904	168	10	
20905	PC168	10	
21147	193	10	





J&B #	IND.#	QTY	
20937	194	10	
21165	194A	10	
20906	PC194	10	
20585	211	10	
20907	327	10	
20908	456	10	
38979	561	10	
20909	623	10	
38986	906	10	
20914	912	10	
20915	916	10	
20916	916A	10	
20917	921	10	
40965	922	10	
21167	1003	10	

# MINIATURE BULBS

J&B #	IND.#	QTY	
20918	1004	10	
20901	1073	10	
40955	1141	10	
40956	1142	10	
20511	1156	10	
20919	1156NA	10	
20902	1157	10	
20518	1157A	10	
22076	1157NA	10	
38525	1816	10	
21148	1819	10	
20921	1892	10	
38478	1893	10	
20922	1895	10	
21168	2057	10	

J&B #	IND.#	QTY	
20923	2057NA	10	
20924	2357	10	
20925	2357NA	10	
40950	2358 (3057)	10	
40952	2359 (3157)	10	
20926	3057NA (3057A)	10	
38987	3156	10	
20927	3156NA	10	
20928	3157NA	10	
20929	3456LL	10	
20930	3457 (3357)	10	
20931	3457NA (3357NA)	10	
40951	3757AK	10	
40957	3898	10	

# MINIATURE BULBS

J&B #	IND.#	QTY	
20932	4157LL	10	
20933	4157NALL (4157NA)	10	
20934	7440	10	
21149	7443	10	
20936	9004	1	
20938	9004LL	1	
20939	9005	1	
21152	9005XSLL	1	
20900	9006XSLL	1	
21150	9006	1	
20940	9007LL	1	

J&B #	IND.#	QTY	

## BULB CABINET

- 32 clear, rugged plastic trays.





J&B #	SIZE	QTY
20942	19" W 26-3/4" H 4" D	EA

# FUSES

## GLASS TUBE FUSES

J&B #	INDUSTRY NO.	SIZE	QTY
20048	AGC 1 amp	1/4 x 1-1/4	5
20070	AGC 2 amp	1/4 x 1-1/4	5
20052	AGC 3 amp	1/4 x 1-1/4	5
20067	AGC 5 amp	1/4 x 1-1/4	5
42702	AGC 7-1/2 amp	1/4 x 1-1/4	5
20055	AGC 10 amp	1/4 x 1-1/4	5
20056	AGC 15 amp	1/4 x 1-1/4	5
21262	AGC 20 amp	1/4 x 1-1/4	5
20068	AGC 25 amp	1/4 x 1-1/4	5
20057	AGC 30 amp	1/4 x 1-1/4	5
20063	SFE 14 amp	1/4 x 1-1/16	5
20064	SFE 20 amp	1/4 x 1-1/4	5
20065	SFE 30 amp	1/4 x 1-7/16	5
21264	GBC 16 amp	1/4 x 1	5



## FUSE BLOCK ACCESSORY CLIP

(For Add-On Electrical Equipment)

J&B #	QTY
20050	50





# FUSES

## AUTOFUSE (Blade Type)

- Engineered for easy servicing - plugs in and out of the new miniaturized fuse block quickly and easily.
- **No more** bent clips and broken glass.
- Color coded for easy identification; amperage clearly marked on end of fuse.





J&B #	INDUSTRY #	COLOR	QTY
38921	ATC 1	BLACK	10
38922	ATC 2	GREY	10
38620	ATC 3	VIOLET	10
38923	ATC 4	PINK	10
38621	ATC 5	TAN	10
38622	ATC 7-1/2	BROWN	10
38623	ATC 10	RED	10
38624	ATC 15	LT. BLUE	10
38625	ATC 20	YELLOW	10
38626	ATC 25	WHITE	10
38627	ATC 30	LT. GREEN	10
38924	ATC 40	AMBER	10

## BLADE TYPE FUSE TAP

- A quick, easy alternative to direct wiring when tapping the "hot side" of the fuse block.



J&B #	QTY
38619	25/BX



## FUSE PULLER

- Tri-puller removes glass, ceramic, ATOF and Mini fuses.

J&B #	QTY
86090	EA



# FUSES

## ATO SMART GLOW FUSE Automotive style Blade Type

- Smart Glow fuses are innovative automotive style fuses that feature an indicator light that glows when fuse is blown.
- Saves time to troubleshoot an open circuit.



J&B #	AMP RATING	COLOR	QTY
57390	5 AMP	TAN	5
57391	7-1/2 AMP	BROWN	5
57392	10 AMP	RED	5
57393	15 AMP	BLUE	5
57394	20 AMP	YELLOW	5
57395	25 AMP	NATURAL	5
57396	30 AMP	GREEN	5

## MINI SMART GLOW FUSE Automotive style Blade Type

- Smart Glow fuses are innovative automotive style fuses that feature an indicator light that glows when fuse is blown.
- Saves time to troubleshoot an open circuit.



J&B #	AMP RATING	COLOR	QTY
57400	5 AMP	TAN	5
57401	7-1/2 AMP	BROWN	5
57402	10 AMP	RED	5
57403	15 AMP	BLUE	5
57404	20 AMP	YELLOW	5
57405	25 AMP	NATURAL	5
57406	30 AMP	GREEN	5

## LOW PROFILE MINI FUSES (Blade Type)

- Provides the same quality features built into the ATO fuse but in a smaller more compact package.
- Low profile design is OEM on 2005-6 Toyota and GM products.



J&B #	AMP RATING	COLOR	QTY
20943	5 AMP	TAN	5
20944	7-1/2 AMP	BROWN	5
20945	10 AMP	RED	5
20946	15 AMP	BLUE	5
20947	20 AMP	YELLOW	5
20948	25 AMP	NATURAL	5
20949	30 AMP	GREEN	5

# FUSES

## MINI AUTOFUSE (Blade Type)

- Engineered for easy servicing - plugs in and out of the new miniaturized fuse block quickly and easily.
- **No more** bent clips and broken glass.
- Color coded for easy identification; amperage clearly marked on end of fuse.




(Mini)

J&B #	AMP RATING	COLOR	QTY
38601	2 AMP MINI	GREY	10
38603	3 AMP MINI	VIOLET	10
38604	4 AMP MINI	PINK	10
38605	5 AMP MINI	BROWN	10
38606	7-1/2 AMP MINI	DK. BROWN	10
38607	10 AMP MINI	RED	10
38608	15 AMP MINI	BLUE	10
38609	20 AMP MINI	YELLOW	10
38611	25 AMP MINI	TAN	10
38613	30 AMP MINI	GREEN	10

## MINI BLADE TYPE FUSE TAP

- A quick, easy alternative to direct wiring when tapping
- The “hot side” of the fuse block.

J&B #	QTY
38659	25/BX



# FUSES

## MAXI AUTOMOTIVE FUSES

- Use where a high amperage circuit is required.
- Replaces fusible link wire in many automotive applications.

J&B #	AMP RATING	COLOR	QTY
42176	20 AMP	YELLOW	EA
42178	30 AMP	GREEN	EA
42180	40 AMP	ORANGE	EA
42182	50 AMP	RED	EA
42184	60 AMP	BLUE	EA
42174	70 AMP	TAN	EA
42175	80 AMP	PURPLE	EA



## JCASE HIGH AMP FUSE

- Designed to replace the Maxi fuse and cartridge style fuses.
- Currently OEM on many new domestic and Japanese models.
- Patented technology provides both increased time delay and low voltage drop.
- Voltage rating characteristics = 32V AC/DC Slo-Blo.

J&B #	AMP RATING	COLOR	QTY
42705	20 AMP	BLUE	EA
42710	25 AMP	WHITE	EA
42706	30 AMP	PINK	EA
42707	40 AMP	GREEN	EA
42708	50 AMP	RED	EA
42709	60 AMP	YELLOW	EA



## AUTO LINK PAL FUSES

### Female Terminal

- Commonly found on many Japanese and Domestic built vehicles in current ratings up to 120 amperes.

J&B #	AMP RATING	COLOR	QTY
57420	20 AMP	BLUE	EA
57421	30 AMP	PINK	EA
57422	40 AMP	GREEN	EA
57423	50 AMP	RED	EA
57424	60 AMP	YELLOW	EA



## AUTO LINK PAL FUSES

### Mini Female Terminal

J&B #	AMP RATING	COLOR	QTY
57430	30 AMP	PINK	EA
57431	40 AMP	GREEN	EA



# FUSES

## LOW PROFILE JCASE FUSE

- Smaller space saving footprint is being designed in by many OEM's.
- Patented technology provides both increased time delay & low voltage drop.

J&B #	AMP RATING	COLOR	QTY
86110	20 AMP	BLUE	EA
86111	25 AMP	CLEAR	EA
86112	30 AMP	PINK	EA
86113	40 AMP	GREEN	EA
86114	50 AMP	RED	EA
86115	60 AMP	YELLOW	EA



## MCASE FUSE

- Cartridge style fuse with female terminals for 2.8 mm male terminals.
- Miniaturized footprint for optimal usage of space. Time delayed fuse.

J&B #	AMP RATING	COLOR	QTY
86091	15 AMP	TAN	EA
86092	20 AMP	BLUE	EA
86093	25 AMP	CLEAR	EA
86094	30 AMP	PINK	EA
86095	40 AMP	GREEN	EA



## MICRO2 BLADE FUSE

- Its sub-miniature design meets the need for more circuits to be protected while utilizing less space & its ability to cope with high temperatures in adverse environments makes the MICRO2 fuse the recommended choice for protection.

J&B #	AMP RATING	COLOR	QTY
86097	5 AMP	TAN	10
86098	7.5 AMP	BROWN	10
86099	10 AMP	RED	10
86100	15 AMP	BLUE	10
86101	20 AMP	YELLOW	10
86102	25 AMP	CLEAR	10
86103	30 AMP	GREEN	10



## MICRO3 BLADE FUSE

J&B #	AMP RATING	COLOR	QTY
86105	5 AMP	TAN	5
86106	7.5 AMP	BROWN	5
86107	10 AMP	RED	5
86108	15 AMP	BLUE	5



# FUSE HOLDERS

## NYLON IN-LINE H.D. FUSE HOLDER

- Black 12 ga. wire leads.
- Contains 30 amp fuse.

J&B #	QTY
20037	5/BX




## ENVIRONMENTALLY SEALED AUTOFUSE HOLDER

- Resistant to moisture, salt spray and engine compartment fluids.
- Withstands 50 g physical shock; Operating temperature range from -40° to 125°C.

INCLUDES: . . .

- Nylon body with latching cap
- Silicone rubber seals at wires and cap
- 12 gauge wire leads
- 3 to 30 Amp capacity - type ATC/ATO fuses



J&B #	QTY
40087	2/BX

## ATC & ATO WATERPROOF INLINE FUSE HOLDER


- Inline waterproof fuse holder is compatible with ATC & ATO blade fuses.
- Deluxe waterproof body & water resistant cap is ideal for marine applications or any application that is continually in wet environments.

J&B #	WIRE SIZE	MAX AMP	WIRE COLOR	QTY
45220	16 Ga.	10	RED	2/BX
45221	12 Ga.	30	RED	2/BX
45222	10 Ga.	35	RED	2/BX



## IN-LINE FUSE HOLDER FOR AUTOFUSES


- Comes with two 4" pigtails.



J&B #	AMP	VOLT	WIRE GA.	QTY
40086	20	32	16	5/BX
41900	30	32	12	5/BX
40094	COVER FOR 41900			5/BX

## SELF-STRIPPING FUSE HOLDER

- Mates with most plug-in, blade type fuses.
- For 18-14 gauge copper wire.



J&B #	QTY
40088	5/BX

# FUSE HOLDERS

## ENVIRONMENTALLY SEALED MINI FUSE HOLDER

- Holder for mini automotive fuse, 12 gauge wire, 4" long leads for 30 amps, 32 volts
- Protective cover included.

J&B #	QTY
40083	5/BX



## ENVIRONMENTALLY SEALED MAXI FUSE HOLDER

- Holder for maxi automotive fuse, 6 gauge wire, 5" long leads for up to 60 amps, 32 volts
- Protective cover included.

J&B #	QTY
40089	2/BX



## SMART GLOW ATC FUSE HOLDER

- For use with ATC fuses that light when they blow. 12 gauge, 4" leads, 40 amp, 12 volt.
- Protective cover included.

J&B #	QTY
40085	2/BX



## SMART GLOW MINI FUSE HOLDER

- For use with mini autofuses that light when they blow. 14 gauge, 6" leads, 30 amp, 12 volt.
- Protective cover included.

J&B #	QTY
40084	2/BX





# FUSE HOLDERS

---

## JCASE FUSE HOLDER

- This inline JCase fuse holder is a cartridge fuse holder that is designed to be used with standard and low profile JCase fuses.
- The fuse holder features a weatherproof housing and fusible connection for any automotive and marine system.
- Holders offer a compact and weight savings design compared to regular Maxi fuse holder.
- 4 inch wire leads with GXL insulation with protective cover for splash resistance.
- Rated up to 60 amps at 58V DC for operating temperatures of -40 degree F to 125 degree F.



J&B #	QTY
45223	2/BX




# CIRCUIT BREAKERS

## SNAP IN TYPE

- For 12 volt electrical circuit.


J&B #	AMPS	QTY
38980	10	1
38981	15	1
38982	20	1
38983	30	1
38984	40	1



## BLADE "PLUG-IN" TYPE (W/ Break-Off Tabs)

- Snap-off tabs allow **broad coverage** for most popular trucks and helps to minimize inventory.
- Heavy-duty replacement for ATC and ATO blade-type fuses.
- These breakers remain open until the trouble on the line is corrected, or the power is turned off.
- For 12 volt D.C. systems.

J&B #	AMPS	QTY
40960	10	2
40961	15	2
40962	20	2
40963	25	2
40964	30	2



VEHICLE REPLACEMENT GUIDE	
Terminal Position (A)	Ford Pick-up Trucks
Terminal Position (B)	Chrysler & Dodge Trucks Ford Trucks (Heavy) IH Trucks
Terminal Position (C)	Kenworth Trucks

# SWITCHES

## TOGGLE SWITCHES For Universal Applications

- Manufactured and tested to rigid standards to assure trouble-free performance and long life; mounting hardware supplied.



J&B #	QTY
39286	EA

**INCLUDES . . .**

- Two positions: On-Off
- 2 screw terminals
- 12 volt, D.C. lamp load
- 25 Amps
- Silver contacts
- Mounted stem 15/32" long
- Durable molded bakelite housings



J&B #	QTY
42380	EA

**TOGGLE SWITCH BOOT**

- Made from tough silicon rubber
- Protect switches from moisture dust and dirt
- Built in hex nut base
- UL listed



J&B #	QTY
39288	EA

**INCLUDES . . .**

- Three positions: On-Off-On
- 3 screw terminals
- 12 volt, D.C. inductive load
- 35 Amps
- Silver contacts
- Mounted stem 15/32" long
- Durable molded bakelite housings

## UNIVERSAL PUSH-PULL SWITCH

- Heavy gauge steel housings plated to resist corrosion.
- Extra heavy duty type for up to 36 volt applications.
- Mounting hardware supplied.

**INCLUDES . . .**

- Plastic screw-on knob
- 2 screw terminals with lockwashers
- Mounting stem 3/8" dia., 5/8" long
- Silver contacts



J&B #	QTY
39287	EA

## MOMENTARY PUSH BUTTON SWITCH

- For starter, signaling applications and momentary control of D.C. electrical circuits and equipment.
- Extra heavy duty for up to 36 volt applications.

**INCLUDES . . .**

- Silver contacts
- Grey rubber cap and mounting nut assembly
- Hex nut to adjust for panel thickness
- Two screw terminals with lockwashers
- Mounting stem 5/8-32 thread, 21/32" long
- Fits panels up to 7/32" thick



J&B #	QTY
39285	EA

# FLASHERS

## 12 lamp electronic flasher

FMVSS 108 SAE J945, J590, and 1690 class A

Heavy duty design

60-120 Flashes per minute

Fits all standard round sockets

11-15 volt, 25 amp, 1 to 12 lamp capacity

J&B #	PRONG	IND. #	QTY
20058	2	EF32	EA
20061	3	EF33	EA



## Self Adjusting LED flasher

FMVSS 108 SAE J945, J590, and 1690 class A

Heavy duty design, **External wire provides ground** **THESE MAY BE ROUND OR SQUARE**

Automatically adjusts to LED current draw

Steady flash rate for all LED applications

11-15 volt, 0.10 to 25 amp max capacity

ROUND PART #'S ARE EF32RL & EF33RL

J&B #	PRONG	IND. #	QTY
20059	2	EF32L	EA
20062	3	EF33L	EA



## 12 lamp electronic flasher

FMVSS 108 SAE J945, J590, and 1690 class A

H/D design rated for 100 hrs. of continuous operation.

60-120 Flashes per minute

Fits all standard round sockets

11-15 volt, 25 amp, 1 to 12 lamp capacity

J&B #	PRONG	IND. #	QTY
20060	2	EF32H	EA
20066	3	EF33H	EA



# FLASHERS

## H/D FLASHER




J&B #	INDUSTRY #	VOLTS	# OF PRONGS	# OF LAMPS	LAMP C.P.	TYPE OF BULB	QTY
20047	552/536	12	2	2 to 8	32	STANDARD/ LONG LIFE	EA


## H/D MOTORIZED FLASHERS

Wagner

- Replaces all 2 & 3 prong 12 volt truck flashers.
- 80-100 flashing cycles per minute.
- Lasts at least 5 times longer than other flashers.
- Gives greater protection when trucks are parked or disabled.



J&B #20046



J&B #20074

J&B #	INDUSTRY #	VOLT	PRONGS	COLOR	QTY
20046	852/5X	12	2	BLACK	EA
20074	850/5X	12	3	YELLOW	EA


# PIGTAIL CONNECTORS

---

## PIGTAIL CONNECTOR

Single Large Wire Lead - 12" Long

- For sockets housing single contact lights.




J&B #	QTY
40080	10/BX

---

## PIGTAIL CONNECTOR

Double Wire Lead - 12" Long Aligned Ears

- For sockets housing double contact lights.




J&B #	QTY
40082	10/BX

---

## ALTERNATOR PIGTAIL

- For use on cars with transistorized alternators.




J&B #	QTY
22256	5/BX

---

## FRONT AND REAR MARKER LIGHT ASSEMBLY

- Featuring a protective molded vinyl housing and twin 12" leads pre-stripped 1/4".




J&B #	QTY
21151	5/BX

# MUFFLER CLAMPS

---

## HEAVY DUTY CLAMPS

- 3/8" U-bolt.
- H.D. 11 ga. saddle.




J&B #	SIZE	QTY
21082	1-1/2	EA
21084	1-3/4	EA
21085	1-7/8	EA
21220	2	EA
21221	2-1/4	EA
21222	2-1/2	EA
38990	2-3/4	EA
38991	3	EA
38992	3-1/2	EA
38993	4	EA
38994	5	EA

# TAILPIPE HANGERS

## HEAVY DUTY 360° TAIL PIPE HANGER


- 360° swivel allows easy mounting in **any position**.
- Unique open lip installs without disassembling clamp.
- Elongated holes for easy positioning.
- Use for automotive, R.V., truck and bus applications.

J&B #	QTY
20235	EA




## UNIVERSAL TAILPIPE HANGER

- Elongated holes for easy positioning.



\* SWINGS LEFT AND RIGHT FROM ZERO TO 45° WITH RIGHT AND LEFT DEEP KNEE BENDS.

J&B #	QTY
21092	EA



# WHEEL WEIGHTS

## “REG” REGULAR STYLE WHEEL WEIGHTS

Steel Wheels (Passenger)

FOR USE ON ALL PASSENGER RIMS EXCEPT WHERE THERE IS LIMITED CLEARANCE FOR WHEEL WEIGHT DUE TO RESTRICTION BY FULL FLUSH WHEEL DISC. HEAVY CROSS SECTION ASSURES MAXIMUM STRENGTH AND RIGIDITY.

J&B #	WEIGHT	QTY
40800	1/4	50
40801	1/2	50
40802	3/4	50
40803	1	50
40804	1-1/4	50
40805	1-1/2	50
40806	1-3/4	50
40807	2	50
40808	2-1/4	50
40809	2-1/2	50
40810	2-3/4	50
40811	3	50



SOLD IN BOX QUANTITIES ONLY

## “AWC” O.E.M. ALLOY WHEEL WEIGHTS

Coated

J&B #	WEIGHT	QTY
40840	1/4	25
40841	1/2	25
40842	3/4	25
40843	1	25
40844	1-1/4	25
40845	1-1/2	25
40846	1-3/4	25
40847	2	25
40848	2-1/4	25
40849	2-1/2	25
40850	2-3/4	25
40851	3	25



SOLD IN BOX QUANTITIES ONLY

## ADHESIVE WHEEL WEIGHT STRIPS

Steel

- Holding fast with 3M acrylic tape.



J&B #	WEIGHT	SIZE OF STRIP	SIZE OF WEIGHT	SEGMENTS PER STRIP	QTY PER BOX
45665	1/4 oz.	3/4 x 7-5/8"	3/4 x 5/8	12	30 STRIPS (360 PIECES)
41229	1/2 oz.	3/4 x 7-5/8"	3/4 x 5/8	8	28 STRIPS (224 PIECES)
41237	1.00 oz.	3/4 x 6"	3/4 x 1"	6	15 STRIPS (90 PIECES)
41239	2.00 oz.	1-1/4 x 7-1/16"	1-1/4 x 1"	6	8 STRIPS (48 PIECES)

\* NO BROKEN BOXES



# WHEEL WEIGHTS

## “MCC” OEM ALLOY WHEEL WEIGHTS Coated

J&B #	WEIGHT	QTY
41089	1/4	25
41090	1/2	25
41091	3/4	25
41092	1	25
41093	1-1/4	25
41094	1-1/2	25
41095	1-3/4	25
41096	2	25
41097	2-1/4	25
41107	2-1/2	25
41108	2-3/4	25
41109	3	25



SOLD IN BOX QUANTITIES ONLY

## “LHC” OEM ALLOY WHEEL WEIGHTS Coated

J&B #	WEIGHT	QTY
45650	1/4	25
45651	1/2	25
45652	3/4	25
45653	1	25
45654	1-1/4	25
45655	1-1/2	25
45656	1-3/4	25
45657	2	25
45658	2-1/4	25
45659	2-1/2	25
45661	2-3/4	25
45662	3	25



SOLD IN BOX QUANTITIES ONLY

# WHEEL WEIGHTS

## “TSC” OEM ALLOY WHEEL WEIGHTS Coated

J&B #	WEIGHT	QTY
40787	1/4	25
40788	1/2	25
40789	3/4	25
40790	1	25
40791	1-1/4	25
40792	1-1/2	25
40793	1-3/4	25
40794	2	25
40795	2-1/4	25
40796	2-1/2	25
40797	2-3/4	25
40798	3	25



SOLD IN BOX QUANTITIES ONLY

## “ENC” OEM ALLOY WHEEL WEIGHTS Coated

J&B #	GRAMS	OUNCES	QTY
40776	10	1/4	25
40777	15	1/2	25
40778	20	3/4	25
40780	30	1	25
40781	35	1-1/4	25
40783	45	1-1/2	25
40784	50	1-3/4	25
40785	55	2	25



SOLD IN BOX QUANTITIES ONLY

# WHEEL WEIGHTS

## “FNC” OEM ALLOY WHEEL WEIGHTS Coated

J&B #	GRAMS	OUNCES	QTY
40692	5	11/64	25
40693	10	1/4	25
40694	15	1/2	25
40695	20	3/4	25
40696	25	7/8	25
40697	30	1	25
40698	35	1-1/4	25
40699	40	1-3/8	25
40701	45	1-1/2	25
40702	50	1-3/4	25
40703	55	2	25
40704	60	2-1/4	25



SOLD IN BOX QUANTITIES ONLY

## “IAWC” OEM ALLOY WHEEL WEIGHTS Coated

J&B #	GRAMS	OUNCES	QTY
40705	5	11/64	25
40706	10	1/4	25
40707	15	1/2	25
40708	20	3/4	25
40709	25	7/8	25
40711	30	1	25
40712	35	1-1/4	25
40713	40	1-3/8	25
40714	45	1-1/2	25
40715	50	1-3/4	25
40716	55	2	25
40717	60	2-1/4	25



SOLD IN BOX QUANTITIES ONLY

P

AW

MC

IAW

FN

T

EN

LH

# PASSENGER CARS - AUTOMOBILES

	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012
All Acura <sup>†</sup>	FN	FN	FN	FN	FN	FN	FN	FN	FN	FN	FN
All Audi <sup>†</sup>	EN	EN	EN	EN	EN	EN	EN	EN	EN	EN	EN
All BMW <sup>†</sup>	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW
All Buick	MC	MC	MC	MC	MC	MC	MC	MC	MC	MC	MC
All Cadillac	MC	MC	MC	MC	MC	MC	MC	MC	MC	MC	MC
<b>Chevrolet</b>											
Aveo			IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW
Corvette <sup>†</sup>	AW ADHESIVE	AW ADHESIVE	AW ADHESIVE	AW ADHESIVE	AW ADHESIVE	AW ADHESIVE	AW ADHESIVE	AW ADHESIVE	AW ADHESIVE	AW ADHESIVE	AW ADHESIVE
Epica				IAW	IAW	IAW					
Optra			IAW	IAW	IAW	IAW	IAW				
All Others	MC	MC	MC	MC	MC	MC	MC	MC	MC	MC	MC
<b>Crysler</b>											
300M, Concorde & LHS	LH	LH	LH	MC	MC	MC	MC	MC	MC	MC	MC
Crossfire			ADHESIVE	ADHESIVE	ADHESIVE	ADHESIVE	ADHESIVE	ADHESIVE			
Prowler	ADHESIVE										
PT Cruiser	LH	LH	LH	LH	LH	LH	LH	LH	LH		
Sebring (sedan, convertible)	LH	LH	LH	LH	LH	MC	MC	MC	MC	MC	MC
All others <sup>‡</sup>	LH	LH	LH	LH (MC)	LH (MC)	LH (MC)	LH (MC)	LH (MC)	LH (MC)	LH (MC)	LH (MC)
<b>All Daewoo</b>	FN										
<b>Dodge</b>											
Intrepid	LH	LH	LH	LH	LH						
Neon	LH	LH	LH	LH							
Stratus (sedan)	LH	LH	LH	LH	LH						
Viper <sup>†</sup>	MC ADHESIVE	MC ADHESIVE	MC ADHESIVE	MC ADHESIVE	MC ADHESIVE	MC ADHESIVE					
All others	LH	LH	LH	MC	MC	MC	MC	MC	MC	MC	MC
All Ford <sup>†</sup>	MC	MC	MC	MC	MC	MC	MC	MC	MC	MC	MC
All Honda <sup>†</sup>	FN	FN	FN	FN	FN	FN	FN	FN	FN	FN	FN
<b>Hyundai</b>											
Tiburon, Genesis	ADHESIVE	ADHESIVE	ADHESIVE	ADHESIVE	ADHESIVE	ADHESIVE	ADHESIVE	ADHESIVE	ADHESIVE	ADHESIVE	ADHESIVE
All others	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW
All Infiniti <sup>†</sup>	FN	FN	FN	FN	FN	FN	FN	FN	FN	FN	FN
All Isuzu	FN	FN	FN	FN	FN	FN					
All Jaguar <sup>†</sup>	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW
All Kia	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW



Use rim gauge RGP-1 to verify correct application clip on style weights.

P

AW

MC

IAW

FN

T


EN

LH

# PASSENGER CARS - AUTOMOBILES

	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012
All <b>Lexus</b> <sup>†</sup>	FN	FN	FN	FN	FN	FN	FN	FN	FN	FN	FN
All <b>Lincoln</b> <sup>†</sup>	MC	MC	MC	MC	MC	MC	MC	MC	MC	MC	MC
<b>Mazda</b>											
Mazda 6 <sup>†</sup> , 626	MC	MC	MC	MC	MC	MC	MC	MC	MC	MC	MC
All Others <sup>†</sup>	FN	FN	FN	FN	FN	FN	FN	FN	FN	FN	FN
All <b>Mercedes Benz</b> <sup>†</sup>	EN	EN	EN	EN	EN	EN	EN	EN	EN	EN	EN
All <b>Mercury</b> <sup>†</sup>	MC	MC	MC	MC	MC	MC	MC	MC	MC	MC	MC
All <b>Mini</b> <sup>†</sup>	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW
<b>Mitsubishi</b>											
Eclipse, Eclipse Spyder	IAW	IAW	IAW	MC	MC	MC	MC	MC	MC	MC	MC
Galant	IAW	IAW	IAW	MC	MC	MC	MC	MC	MC	MC	MC
All Others	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW
All <b>Nissan</b> <sup>†</sup>	FN	FN	FN	FN	FN	FN	FN	FN	FN	FN	FN
All <b>Oldsmobile</b>	MC	MC	MC	MC							
<b>Pontiac</b>											
G3, Wave			IAW	IAW	IAW	IAW	IAW	IAW			
GTO <sup>†</sup>			ADHESIVE	ADHESIVE	ADHESIVE	ADHESIVE					
Vibe <sup>†</sup>		FN	FN	FN	FN	FN	FN	FN			
All Others	MC	MC	MC	MC	MC	MC	MC	MC	MC	MC	MC
All <b>Porsche</b>	ADHESIVE	ADHESIVE	ADHESIVE	ADHESIVE	ADHESIVE	ADHESIVE	ADHESIVE	ADHESIVE	ADHESIVE	ADHESIVE	ADHESIVE
All <b>Saab</b>	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW
All <b>Saturn</b> <sup>†</sup>	MC	MC	MC	MC	MC	MC	MC	MC			
All <b>Scion</b> <sup>†</sup>				FN	FN	FN	FN	FN	FN	FN	FN
All <b>Smart</b> <sup>†</sup>					IAW	IAW	IAW	IAW	IAW	IAW	IAW
All <b>Subaru</b> <sup>†</sup>	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW
All <b>Suzuki</b> <sup>†</sup>	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW
All <b>Toyota</b> <sup>†</sup>	FN	FN	FN	FN	FN	FN	FN	FN	FN	FN	FN
All <b>Volkswagen</b> <sup>†</sup>	EN	EN	EN	EN	EN	EN	EN	EN	EN	EN	EN
All <b>Volvo</b> <sup>†</sup>	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW

Use rim gauge RGP-1 to verify correct application clip on style weights.



P

AW

MC

IAW

FN

T

EN

LH

# LIGHT TRUCKS, SUVS & MINIVANS

	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012
All <b>Acura</b>	FN	FN	FN	FN	FN	FN	FN	FN	FN	FN	FN
All <b>Audi</b> <sup>†</sup>					EN	EN	EN	EN	EN	EN	EN
All <b>Buick</b>	MC	MC	MC	MC	MC	MC	MC	MC	MC	MC	MC
All <b>BMW</b> <sup>†</sup>	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW
All <b>Cadillac</b>	MC T	MC T	MC T	MC T	MC T	MC T	MC T	MC T	MC T	MC T	MC T
All <b>Chevrolet</b>	MC T	MC T	MC T	MC T	MC T	MC T	MC T	MC T	MC T	MC T	MC T
All <b>Crysler</b>	LH	LH	LH	LH	LH	LH	LH	LH	MC	MC	MC
<b>Dodge</b>											
Grand Caravan	LH	LH	LH	LH	LH	LH	LH	LH	MC	MC	MC
All others <sup>‡</sup>	MC T	MC T	MC T	MC T	MC T	MC T	MC T	MC T	MC T	MC T	MC T
<b>Ford</b>											
Explorer	MC EN	MC EN	MC EN	MC EN	MC EN	MC	MC	MC	MC	MC	MC
Ranger	MC EN	MC EN	MC EN	MC EN	MC EN	MC	MC	MC	MC	MC	MC
All others <sup>‡</sup>	MC T	MC T	MC T	MC T	MC T	MC T	MC T	MC T	MC T	MC T	MC T
<b>GMC</b>											
Sierra, Silverado, Suburban	T	T	T	T	T	MC T	MC T	MC T	MC T	MC T	MC T
Savana	MC	MC	MC	MC	MC T	MC T	MC T	MC T	MC T	MC T	MC T
Yukon, Denali	MC	MC	MC T	MC T	MC T	MC T	MC T	MC T	MC T	MC T	MC T
All others	MC	MC	MC	MC	MC	MC	MC	MC	MC	MC	MC
<b>Honda</b>											
Passeport	IAW										
All others	FN	FN	FN	FN	FN	FN	FN	FN	FN	FN	FN
All <b>Hummer</b>		MC	MC	MC	MC	MC	MC	MC	MC	MC	MC
All <b>Hyundai</b>	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW
All <b>Infiniti</b> <sup>†</sup>	FN	FN	FN	FN	FN	FN	FN	FN	FN	FN	FN
All <b>Isuzu</b>		MC	MC	MC	MC	MC	MC	MC			
All <b>Jeep</b>	MC	MC	MC	MC	MC	MC	MC	MC	MC	MC	MC
All <b>Kia</b>	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW
All <b>Land Rover</b> <sup>†</sup>	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW



Use rim gauge RGP-1 to verify correct application clip on style weights.

# LIGHT TRUCKS, SUVS & MINIVANS

	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012
<b>All Lexus<sup>†</sup></b>	FN	FN	FN	FN	FN	FN	FN	FN	FN	FN	FN
<b>Lincoln</b>											
Aviator		ADHESIVE	ADHESIVE	ADHESIVE							
All Others	T	MC	MC	MC	MC	MC	MC	MC	MC	MC	MC
<b>Mazda</b>											
B Series	MC	MC	MC	MC	MC	MC	MC	MC	MC	MC	MC
Tribute	MC	MC	MC	MC	MC	MC	MC	MC	MC	MC	MC
All Others <sup>†</sup>	FN	FN	FN	FN	FN	FN	FN	FN	FN	FN	FN
<b>All Mercedes Benz<sup>†</sup></b>	EN	EN	EN	EN	EN	EN	EN	EN	EN	EN	EN
<b>Mercury</b>											
Mountaineer <sup>†</sup>	MC EN	MC EN	MC EN	MC EN	MC EN	MC	MC	MC	MC	MC	MC
Villager	FN										
All Others			MC	MC	MC	MC	MC	MC	MC	MC	MC
<b>Mitsubishi</b>											
Endeavor			IAW	IAW	MC	MC	MC	MC	MC	MC	MC
All Others	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW
<b>All Nissan<sup>†</sup></b>	FN	FN	FN	FN	FN	FN	FN	FN	FN	FN	FN
<b>All Oldsmobile</b>	MC	MC	MC								
<b>All Pontiac</b>	MC	MC	MC	MC	MC	MC	MC	MC	MC		
<b>All Saab</b>				MC	MC	MC	MC	MC	MC		
<b>All Saturn</b>	MC	MC	MC	MC	MC	MC	MC	MC	MC		
<b>All Scion<sup>†</sup></b>					FN	FN	FN	FN	FN	FN	FN
<b>All Subaru<sup>†</sup></b>	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW
<b>Suzuki</b>											
XL-7					MC	MC	MC	MC			
All Others	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW
<b>All Toyota<sup>†</sup></b>	FN	FN	FN	FN	FN	FN	FN	FN	FN	FN	FN
<b>Volkswagen<sup>†</sup></b>											
Routan	EN	EN	EN	EN	EN	EN	EN	EN	MC	MC	MC
All Others	EN	EN	EN	EN	EN	EN	EN	EN	EN	EN	EN
<b>All Volvo</b>	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW	IAW

Gram	Ounce	Gram	Ounce
10	0.25	35	1.25
15	0.50	40	1.375
20	0.75	45	1.5
25	0.875	50	1.75
30	1.00	55	2.00
35	1.25	60	2.25

Weight type	Unit	Color code
AW	OUNCE	RED
MC	OUNCE	YELLOW
FN	GRAM	ORANGE
IAW	GRAM	BLUE
EN	GRAM	GREEN
T	OUNCE	GRAY
LH	OUNCE	PURPLE

Color appears on label, application guide, rim gauge and storage bins.





Use rim gauge RGP-1 to verify correct application clip on style weights.

# WHEEL CHOCKS

---

- Made of molded nylon reinforced rubber.
- Recommended for **heavy** trucks, trailers, and road building equipment.
- Ideal for use on blacktop surface.
- Comes with eyebolt for attaching chain.



J&B #	WEIGHT	COLOR	QTY
39390	9 LBS.	BLACK	EA



# TIRE PRODUCTS

## VALVE CAPS



J&B #	DESCRIPTION	QTY
20458	Black Plastic Cap	25
39023	Black Plastic Cap with Seal	100
39009	Long Skirted Black Plastic Cap with Seal	100
39014	Gray Plastic Cap with Seal	100
39016	Green Plastic Cap with Seal	100
39017	Long Metal Dome Cap with Seal	50
20456	H.D. Metal Dome Cap with Seal	25
39019	Double Seal Valve Cap	25

## VALVE CORES

J&B #	QTY
20454	100



# TIRE PRODUCTS

## TUBELESS SNAP-IN TIRE VALVES

- Rubber snap-in type.
- 65 psi maximum cold inflation pressure.
- Supplied complete with cap and core.

J&B #	RIM HOLE SIZE	LENGTH	QTY
20460	.453	1-1/4"	50
20462	.453	1-1/2"	50
20461	.453	2"	50



## HIGH PRESSURE SNAP-IN TIRE VALVES

- Brass/Rubber.
- 80 psi maximum cold inflation pressure.

J&B #	RIM HOLE SIZE	LENGTH	QTY
41558	.453	1.27"	25



## TPMS SNAP-IN VALVE

- Rubber.


J&B #	QTY
39026	10



## 4-WAY VALVE TOOL

- Repairs, reconditions inside and outside valve threads; inserts and removes cores.
- Cadmium plated.

J&B #	QTY
38762	EA



# TIRE PRODUCTS

## TRUCK TIRE GAUGE

- Straight on truck service gauge. Dual chuck.
- 10-150 PSI.
- Xtra Seal Brand



J&B #	QTY
V9703	EA

## STRAIGHT FOOT DUAL HEAD AIR CHUCK

- Milton brand.
- Maximum air pressure of 150 lbs per square inch.



J&B #	SIZE	QTY
39146	1/4" Female N.P.T.	EA

## ANGLED DUAL-FOOT AIR CHUCK

- Master brand.



J&B #	SIZE	QTY
38940	1/4" Female N.P.T.	EA

## BALL FOOT CHUCK

J&B #	SIZE	QTY
38764	1/4" Female N.P.T.	EA



## LOCK-ON AIR CHUCK

Closed

- Maximum operating pressure = 150 psi.



J&B #	SIZE	QTY
39000	1/4" Female N.P.T.	EA

# TIRE PRODUCTS

---

## COMBINATION UNITS Square Lead-Wire

- For use in radial & bias ply tires.
- Designed for chemical or heat vulcanization.
- Patch portion has gray vulcanizing gum with blue poly backing.
- Stem portion is wrapped with gray vulcanizing gum.
- No special insert tools required. Install from the inside, pull through, and cut off wire.



J&B #	XTRA SEAL #	STYLE	PATCH SIZE	STEM DIAMETER	QTY
41294	13-673	Dipped	2-1/8"	1/4	24
41295	13-672C	Wrapped	1-5/8"	7/32	24
41296	13-673C	Wrapped	2-1/8"	5/16	24

\*\*\*\* CAN'T BREAK BOXES \*\*\*\*

---

## COTTON TIRE SWAB

- 15" cotton tire swab applicator.

J&B #	QTY
39022	EA



# TIRE PRODUCTS

## TUBELESS TIRE REPAIR Safety Seal

- 4" Fat.
- Brown.
- Tire patch instructions are on box.

J&B #	QTY
38760	60



## APPLICATOR

- Euro-Paste Application Brush.

J&B #	QTY
38761	EA



## EURO-PASTE

- Environmentally friendly. Non-toxic.
- Helps beads to seal properly.
- Protects tire beads from damage.
- Makes tire mounting/demounting easier.

J&B #	COLOR	QTY
38763	Blue	EA

4 in a case



6-1/2 lbs.

## X-TRA SLIK

### Tire Bead Lubricant with Rust Inhibitors

- Environmentally friendly. Non-toxic.
- Helps beads to seal properly.
- Protects tire beads from damage.
- Makes tire mounting/demounting easier.

J&B #	QTY
38765	EA

4 in a case



1 Gallon

## WHITE PAINT STICKS

- 1/2" Hex-shaped.

J&B #	QTY
20596	12

\* Sold in box of 12 only



# TIRE PRODUCTS

## CHEMICAL VULCANIZING CEMENT

- A flammable vulcanizing fast drying cement.

J&B #	QTY
38766	EA

12 in a case



32 Oz.

## RUBBER PREP

- For removing dirt, debris and mold lubricants from the repair area prior to buffing.
- A flammable pre-buff rubber cleaner.

J&B #	QTY
38769	EA

12 in a case



32 Oz.

## BEAD SEALER

- For sealing small air leaks between the tire bead and the wheel.
- Flammable.

J&B #	QTY
38771	EA

12 in a case



32 Oz.

## CHEMICAL VULCANIZING CEMENT

### FEATURES AND BENEFITS:

- For chemical or heat vulcanization.
- Flammable.

J&B #	QTY
38849	EA



8 Oz.

# MOULDING TAPE

## MTP-1 MOULDING TAPE PRIMER

- Designed to work inconjunction with IES Conform Tape.
- Specifically designed to leave an acrylic polymer film (adhesion promoter) on the surface to achieve maximum adhesion of attachment tape to the moulding.
- Mouldings made out of PVC and other certain plastics (see moulding tape application chart inside of tape package) require use of MTP-1 moulding tape primer to prevent expensive mouldings from falling off.



4 fl. Oz.

J&B #	CONTAINER	QTY
IES70774	DAUBER	EA

12 in a case

## CONFORM TAPE

Premium

Double-Sided Acrylic Foam Tape

- Acrylic foam / high-strength acrylic adhesive.
- Repositional.
- Closed-cell acrylic foam for clean cutting.
- Isolates and dampens vibration and shock.
- Maintains adhesion at sub-zero temperatures.
- Conforms to irregular substrates.
- Applications: Body side mouldings, accessories, emblems, garnish mouldings, rocker panel mouldings, interior trim panels.



J&B #	SIZE	THICKNESS	COLOR	QTY
IES70879	1/4" x 54 Ft.	3/64"	GRAY	EA
IES70880	1/2" x 54 Ft.	3/64"	GRAY	EA
IES70887	3/4" x 54 Ft.	3/64"	GRAY	EA

4 in a case

# PARTS FOR GM LOCKS

---

## TUMBLERS, SPRINGS, RETAINERS

J&B #	DESCRIPTION	QTY
13690	Retainer	25
13691	Spring	100
13692	Tumbler # 1	100
13693	Tumbler # 2	100
13694	Tumbler # 3	100
13695	Tumbler # 4	100
13696	Tumbler # 5	100



*(Retainer)*



*(Spring)*



*(Tumbler)*



# KEYS

---

## BLANK METAL ENGRAVING & STAMPING TAGS

Brass

- Each has a hole for fastening with finishing nails or screws.
- 18 ga./040" thick.

J&B #	TAG SIZE	HOLE DIA.	QTY
V58002	1-1/4"	3/16	10
V58001	1-1/2"	3/16	10




# KEY EQUIPMENT

---

## KEY DEPTH GAUGE

J&B #	ILCO	APPLICATION
SP	DG-FO-MA	FORD, MAZDA, FESTIVA
SP	DG-GM-CH	GENERAL MOTORS, CHRYSLER



NON-STOCK

---

## KEY RINGS

- Spring tempered steel.
- Nickel Plated.



J&B #	CENTER TO CENTER SIZE	QTY
41308	1"	100

# KEY EQUIPMENT

---

## NYLON BRUSH

- Replacement for most Ilco Unican, Taylor Lock, and Dominion Lock machines.

J&B #	ILCO #	SIZE	ARBOR HOLE	QTY
28466	814-00-51	3"	1/2"	EA



---

## FINE MILL CUTTER

- Fine, closely spaced teeth.
- Smooth cutting action.
- Greater service life compared to the rotary fily-type cutter.
- Used on machines:  
Taylor: KD1, KD1A, KD5, KD6, KD6A6, KD8, KD9.  
Ilco: 2177-ID, 2179-IM, 2175-IA, 178U.  
O.L.: 125, 125A, 126, 126M, 136, 136D, 146, 146D.



J&B #	ILCO #	MATERIAL	DIAMETER	THICKNESS	HOLE DIA.	QTY
28467	CU1	Tool Steel	2.25"	.25"	.5"	EA

# KEYS

J&B #	APPLICATION	PICTURE PAGE #
2269	GM-E	1086
2271	GM-H	1086
2532	GM-B	1086
2571	GM-A	1086
2946	GM-D	1086
KEY 1069	CABINET, CHRYSLER HUDSON, NATIONAL	1086
KEY 1092	MASTER/DEXTER	1086
KEY 1092N	MASTER/DEXTER	1086
KEY 1092V	MASTER/DEXTER	1086
KEY 1098DB	AMERICAN MOTORS BRIGGS & STRATTON RENAULT	1086
KEY 1098M	BRIGGS & STRATTON FREIGHTLINER MACK	1086
KEY 1145	SCHLAGE 5 PIN	1086
KEY 1176	DONNER	1086
KEY 1184FD	FORD	1087
KEY 1191ET	FORD	1087
KEY 1193FD	FORD	1087
KEY 1196FD	FORD	1087
KEY 320433	CHRYSLER	1087
KEY 320560	AMERICAN MOTORS INTERNATIONAL	1087
KEY B102-P	GENERAL MOTORS	1087
KEY B102GCP	GENERAL MOTORS	1087
KEY B106-P	SATURN	1087
KEY B86-P	GM	1087
KEY B86GP	GM	1087
KEY B88-P	SATURN	1087
KEY B89-P	GM	1088
KEY B89GP	GM	1088
KEY B91-P	CHEVROLET	1088
KEY B91GCP	GM	1088
KEY B96-P	SATURN	1088

J&B #	APPLICATION	PICTURE PAGE #
KEY H1098M	GM PETERBILT VOLKSWAGEN	1088
KEY H65-P	FORD	1088
KEY H67-P	FORD	1088
KEY H75-P	FORD, MERCURY	1088
KEY H76-P	FORD	1088
KEY H78-P	FORD	1088
<b>KEY H84-PT</b>	<b>FORD</b>	
KEY O1122A	CESSNA, FREIGHT PIPER AIRCRAFT	1089
KEY P1098C	GM	1089
KEY P1099	GM	1089
KEY P1101	GM	1089
KEY P1107	GM (P1103)	1089
KEY P1110	SATURN	1089
KEY P1111	GM	1089
KEY P1112	GM	1089
KEY P1793	CHRYSLER	1089
KEY P1794	CHRYSLER	1089
KEY P1795	CHRYSLER	1089
KEY S1098WH	GM	1089
KEY S1105	GM	1089
KEY S1167FD	FORD	1089
KEY S1181FD	FORD	1090
KEY X138	HONDA	1090
KEY X170	FORD, KENWORTH PETERBILT, ROVER STERLING	1090
KEY X176	CHRYSLER	1090
KEY X186	SUZUKI	1090
KEY X217	TOYOTA	1090
KEY X237	NISSAN	1090
KEY X53	KENWORTH, PETERBILT, VOLKSWAGEN	
KEY Y154-P	CHRYSLER	1090
KEY Y157-P	CHRYSLER	1090
KEY Y157PCHY	CHRYSLER, DODGE	1090
KEY Y159-P	CHRYSLER 1995	1090
<b>KEY Y160-PT</b>	<b>CHRYSLER</b>	

- \* P stands for plastic head. PC stands for color plastic head.
- \* Key part numbers ending in "P" or "PC" will have box quantities of 25.
- \* All other key part numbers will have box quantities of 50.
- \* **Keys in bold contain a transponder chip with a preloaded factory code.**



# KEYS

---

## VATS KEYS


- Single sided.
- Original GM Stratec brand.



J&B #	SIZE	GM #	STRATEC #	QTY
ZZNSVATS1	#1	26019391	595511	EA
ZZNSVATS2	#2	26019392	595512	EA
ZZNSVATS3	#3	26019393	595513	EA
ZZNSVATS5	#5	26019395	595515	EA
ZZNSVATS6	#6	26019396	595516	EA
ZZNSVATS7	#7	26019397	595517	EA
ZZNSVATS8	#8	26019398	595518	EA
ZZNSVATS9	#9	26019399	595519	EA
ZZNSVATS11	#11	26019401	595521	EA
ZZNSVATS12	#12	26019402	595522	EA
ZZNSVATS13	#13	26019403	595523	EA
ZZNSVATS14	#14	26019404	595524	EA
ZZNSVATS15	#15	26019405	595525	EA

---

# KEYS



GM

GM-E

Original Equipment



GM

GM-H

Original Equipment



GM

GM-B

Original Equipment



GM

GM-A


Original Equipment

2269

2271

2532


2571



GM

GM-D


Original Equipment




Cabinet  
Chrysler  
Hudson  
National



Master/  
Dexter



Master/  
Dexter



Master/  
Dexter


2946

KEY 1069


KEY 1092

KEY 1092N

KEY 1092V




American  
Motors  
Briggs &  
Stratton  
Renault




Audi

Briggs &  
Stratton  
Freightliner  
Mack



Schlage  
5 Pin

5 PIN  
6 PIN



Donner

KEY 1098DB


KEY 1098M

KEY 1145

KEY 1176



# KEYS



Ford

KEY 1184FD



FORD

KEY 1191ET




FORD

KEY 1193FD




FORD

KEY 1196FD




Chrysler

KEY 320433




American Motors  
International

KEY 320560




GENERAL  
MOTORS

KEY B102-P




GENERAL  
MOTORS

KEY B102GCP



SATURN

KEY B106-P



GM

KEY B86-P



GENERAL  
MOTORS

KEY B86GP




Saturn

KEY B88-P



# KEYS




Donner

KEY 1176




Ford  
Mazda

KEY H54-PC




Ford

KEY H59-P




Ford

KEY H62-P




Ford

KEY H65-P




Ford

KEY H67-P




Ford

KEY H70-P




Ford  
Without  
Transponder

KEY H71-P




Ford 1996  
With  
Transponder

KEY H73-PT



Ford  
Mercury  
Without  
Transponder

KEY H75-P




Ford

KEY H76-P



Ford

KEY H78-P




Ford  
Primary


KEY H51F




# KEYS




KEY O1122A




KEY P1098C




KEY P1099




KEY P1101




KEY P1107




KEY P1110




KEY P1111




KEY P1112




KEY P1793




KEY P1794




KEY P1795



KEY S1098WH



KEY S1105



KEY S1167FD




# KEYS




FORD

KEY S1181FD



Honda

KEY X138




Ford  
Kenworth  
Peterbilt  
Rover  
Sterling

KEY X170



CHRYSLER

KEY X176



SUZUKI

KEY X186




TOYOTA

KEY X217




NISSAN

KEY X237




Kenworth  
Peterbilt  
Volkswagen

KEY X53




Chrysler

KEY Y154-P




Chrysler

KEY Y157-P




Chrysler  
Dodge  
Eagle  
Plymouth

KEY Y157PCHY



Chrysler



KEY Y159-P



Chrysler  
Dodge  
Jeep

KEY Y160-PT




















# J&B Fleet - Industrial Supply


www.jbfleet.com

22428 Harrisburg-Westville Rd. Alliance, Ohio 44601 Phone: (330) 821-6342 Fax: (330) 821-0411


PART#2862

## FUEL LINE CONNECTORS

 <p>2 <b>5/16 ST PUSH CONN TO 8MM 5/16 LINE</b></p>	 <p>2 <b>3/8 ST PUSH CONN TO 10MM 3/8 LINE</b></p>	 <p>10 <b>6MM 1/4 CLAMP</b></p>	 <p>2 <b>6MM 1/4 BRASS TO 8MM 5/16 REDUCER</b></p>
 <p>2 <b>5/16 ST PUSH CONN TO 1/4 LINE</b></p>	 <p>2 <b>6MM 1/4 BRASS UNION</b></p>	 <p>10 <b>8MM 5/16 CLAMP</b></p>	 <p>2 <b>5/16 90° PUSH CONN TO 10MM 3/8 LINE</b></p>
 <p>2 <b>5/16 ST PUSH CONN TO 10MM 3/8 LINE</b></p>	 <p>2 <b>8MM 5/16 BRASS UNION</b></p>	 <p>10 <b>10MM 3/8 CLAMP</b></p>	 <p>2 <b>3/8 90° PUSH CONN TO 10MM 3/8 LINE</b></p>
 <p>2 <b>10MM ST PUSH CONN TO 10MM LINE FOR JAPANESE CARS</b></p>	 <p>2 <b>10MM 3/8 BRASS UNION</b></p>	 <p>2 <b>8MM 5/16 BRASS TO 10MM 3/8 REDUCER</b></p>	







# J&B Fleet - Industrial Supply


















22428 Harrisburg-Westville Rd. Alliance, Ohio 44601 Phone: (330) 821-6342 Fax: (330) 821-0411

www.jbfleet.com

**PART#2864**

## FUEL LINE FITTINGS



<p><b>FM4237</b></p>  <p><b>5/16-8MM x 14MM FEMALE COUPLING</b></p> <p>1</p>	<p><b>FM4236</b></p>  <p><b>3/8-10MM x 16MM FEMALE COUPLING</b></p> <p>1</p>		<p><b>FM2842</b></p>  <p><b>10MM TO 3/8 REDUCER UNION</b></p> <p>4</p>
<p><b>FM2856</b></p>  <p><b>1/4 COMPRESSION UNION NYLON STEEL COPPER</b></p> <p>2</p>	<p><b>FM2857</b></p>  <p><b>5/16 COMPRESSION UNION NYLON STEEL COPPER</b></p> <p>2</p>	<p><b>FM2858</b></p>  <p><b>3/8 COMPRESSION UNION NYLON STEEL COPPER</b></p> <p>2</p>	<p><b>FM2859</b></p>  <p><b>10MM COMPRESSION UNION NYLON STEEL COPPER</b></p> <p>2</p>
<p><b>FM3135L</b></p>  <p><b>3/8 x 6 WITH 16MM NUT</b></p> <p>2</p>		<p><b>FM3135</b></p>  <p><b>3/8 x 3-3/4 WITH 14MM NUT</b></p> <p>2</p>	<p><b>FM3133</b></p>  <p><b>3/8 x 3-3/4 NYLON TO RUBBER</b></p> <p>2</p>
<p><b>FM3119L</b></p>  <p><b>5/16 x 6 WITH 14MM NUT</b></p> <p>2</p>		<p><b>FM3119</b></p>  <p><b>5/16 x 3-3/4 WITH 14MM NUT</b></p> <p>2</p>	<p><b>FM3122</b></p>  <p><b>5/16 x 3-3/4 NYLON TO RUBBER</b></p> <p>1</p>
<p><b>FM2963CVT</b></p>  <p><b>10MM x 10.5" FLEX TUBE 3/8"</b></p> <p>1</p>		<p><b>FM3134</b></p>  <p><b>3/8 x 3-3/4 PUSH TO CONNECT 10MM</b></p> <p>2</p>	
<p><b>FM2962CVT</b></p>  <p><b>8MM x 10.5" FLEX TUBE 5/16"</b></p> <p>1</p>		<p><b>FM3118</b></p>  <p><b>5/16 x 3-3/4 PUSH TO CONNECT 8MM</b></p> <p>2</p>	



LET US HELP YOU MAKE THE CONNECTION




**PART#3104**

**FMSI FUEL FITTING KIT**

J & B FLEET-INDUSTRIAL SUPPLY  
PHONE: 330-821-6342

<b>FM3390C</b>  3/8" x 3/8" 90°  2	<b>FM3391C</b>  3/8" x 3/8" STRAIGHT  2	<b>FM3392C</b>  5/16" x 3/8" 90°  2	<b>FM3393C</b>  5/16" x 3/8" STRAIGHT  2		<b>FM3394C</b>  5/16" x 5/16" STRAIGHT  2
<b>FM2959</b>  5/16" NYLON TUBE JOINER  2	<b>FM2968</b>  10MM NYLON TUBE JOINER  2	<b>FM2980</b>  5/16"- 18MM FUEL LINE CLAMP  2	<b>FM2982</b>  3/8"-10MM FUEL LINE CLAMP  2	<b>FM2942</b>  5/16"- 8MM NYLON TO STEEL  2	<b>FM2943</b>  3/8"- 10MM NYLON TO STEEL  2






















# J&B Fleet - Industrial Supply

www.jbfleet.com

22428 Harrisburg-Westville Rd. Alliance, Ohio 44601 Phone: (330) 821-6342 Fax: (330) 821-0411

**PART # 2012**

## HOSE CONNECTORS

<p>1 <b>20857</b></p>  <p><b>1/8" CONNECTOR</b></p> <p>5</p>	<p>2 <b>20858</b></p>  <p><b>3/16" CONNECTOR</b></p> <p>5</p>	<p>3 <b>20859</b></p>  <p><b>1/4" CONNECTOR</b></p> <p>5</p>	<p>4 <b>20860</b></p>  <p><b>5/16" CONNECTOR</b></p> <p>5</p>	<p>5 <b>20864</b></p>  <p><b>3/8" CONNECTOR</b></p> <p>5</p>
<p>7</p>  <p><b>5/32" TEE</b></p> <p>5</p>	<p>8 <b>20867</b></p>  <p><b>3/16" TEE</b></p> <p>5</p>	<p>9 <b>20868</b></p>  <p><b>1/4" TEE</b></p> <p>5</p>	<p>10 <b>20869</b></p>  <p><b>5/16" TEE</b></p> <p>5</p>	<p>11 <b>32336</b></p>  <p><b>3/8" TEE</b></p> <p>5</p>
<p>13</p>  <p><b>1/4 " X 3/16 " REDUCER</b></p> <p>5</p>	<p>14 <b>20865</b></p>  <p><b>3/8 " X 1/4 " REDUCER</b></p> <p>5</p>	<p>15</p>	<p>16 <b>20866</b></p>  <p><b>1/8" CAP</b></p> <p>5</p>	<p>17</p>
<p>19 <b>11597</b></p>  <p><b>3/16" CAP</b></p> <p>5</p>	<p>20 <b>11596</b></p>  <p><b>1/4" CAP</b></p> <p>5</p>	<p>21 <b>32333</b></p>  <p><b>5/16" CAP</b></p> <p>5</p>	<p>22 <b>32334</b></p>  <p><b>3/8" CAP</b></p> <p>5</p>	<p>23 <b>32335</b></p>  <p><b>1/2" CAP</b></p> <p>5</p>
<p>24 <b>32338</b></p>  <p><b>5/8" CAP</b></p> <p>5</p>				



LET US HELP YOU MAKE THE CONNECTION

PART # 3040



# VACUUM CONNECTORS



J & B FLEET-INDUSTRIAL SUPPLY  
PHONE: 330-821-6342

<b>20857</b>  1/8 UNION  5	<b>20858</b>  3/16 UNION  5	<b>20859</b>  1/4 UNION  5	<b>20860</b>  5/16 UNION  3	<b>20864</b>  3/8 UNION  3	<b>11597</b>  3/16 CAP  5
<b>20867</b>  1/8 TEE  5	<b>20868</b>  3/16 TEE  5	<b>20869</b>  1/4 TEE  5	<b>20865</b>  1/4 X 3/16 REDUCER  5	<b>20866</b>  3/8 X 1/4 REDUCER  5	<b>11596</b>  1/4 CAP  5





# J&B Fleet - Industrial Supply



22428 Harrisburg-Westville Rd. Alliance, Ohio 44601 Phone: (330) 821-6342 Fax: (330) 821-0411

www.jbfleet.com

PART # 2122


## VACUUM CONNECTORS



<p><b>40514</b> 1</p> <p>OEM # 25517954</p> <p>90 ELBOW</p> <p>5</p>	<p><b>40520</b> 2</p> <p>OEM # 22518857</p> <p>TEE</p> <p>5</p>	<p><b>50502</b> 9</p>  <p>1/8 NTA TUBE</p> <p>25 FT</p>	<p><b>50503</b> 10</p>  <p>5/32 NTA TUBE</p> <p>25 FT</p>
<p><b>40512</b> 3</p> <p>OEM # 12047609</p> <p>STRAIGHT</p> <p>5</p>	<p><b>40517</b> 4</p> <p>OEM # 12059749</p> <p>90 ELBOW</p> <p>5</p>		
<p><b>40510</b> 7</p> <p>OEM # 25517507</p> <p>STRAIGHT</p> <p>5</p>	<p><b>40516</b> 6</p> <p>OEM # 14084916</p> <p>90 ELBOW</p> <p>5</p>		
	<p><b>40515</b> 8</p> <p>OEM # 4213774</p> <p>90 ELBOW</p> <p>5</p>		


















# J&B Fleet - Industrial Supply

22428 Harrisburg-Westville Rd. Alliance, Ohio 44601 Phone: (330) 821-6342 Fax: (330) 821-0411

[www.jbfleet.com](http://www.jbfleet.com)

PART # 2083

## HEAVY DUTY TERMINALS

1	<b>40192</b> 2  <b>2/0 1/2 STUD HEAVY DUTY LUG</b> 2	3	4	5	<b>TOOL STORAGE</b> 21  <b>39172</b> 	
6	<b>40186</b> 6  <b>1/0 3/8 STUD HEAVY DUTY LUG</b> 2	7	<b>40168</b> 8  <b>2/0 HEAVY DUTY SPLICE</b> 2	9		10
11	<b>40190</b> 12  <b>2/0 3/8 STUD HEAVY DUTY LUG</b> 2	13	<b>39154</b> 14  <b>2/0 NEGATIVE TERMINAL</b> 2	14		<b>39166</b> 15  <b>2/0 NEGATIVE RIGHT ANGLE</b> 1
16	<b>40180</b> 16  <b>2 GA 3/8 STUD HEAVY DUTY LUG</b> 1	17	<b>40160</b> 18  <b>4 GA HEAVY DUTY SPLICE</b> 1	18		<b>39153</b> 19  <b>2/0 POSITIVE TERMINAL</b> 2
				19		<b>39165</b> 20  <b>2/0 POSITIVE RIGHT ANGLE</b> 1















**J&B Fleet - Industrial Supply**

22428 Harrisburg-Westville Rd. Alliance, Ohio 44601 Phone: (330) 821-6342 Fax: (330) 821-0411


[www.jbfleet.com](http://www.jbfleet.com)

PART # 2081

**HEAVY DUTY TERMINALS**

<p>1</p>  <p>40192 2</p> <p>2/0 1/2 STUD 2 HEAVY DUTY LUG</p>	<p>3</p>	<p>4</p>	<p>5</p>	<p><b>TOOL STORAGE</b> <sup>21</sup></p>	
<p>6</p>  <p>40186 2</p> <p>1/0 3/8 STUD 2 HEAVY DUTY LUG</p>	<p>7</p>	<p>8</p>  <p>40168 2</p> <p>2/0 HEAVY DUTY SPLICE</p>	<p>9</p>		<p>10</p>
<p>11</p>  <p>40190 2</p> <p>2/0 3/8 STUD 2 HEAVY DUTY LUG</p>	<p>12</p>	<p>13</p>	<p>14</p>  <p>39154 2</p> <p>2/0 NEGATIVE TERMINAL</p>		<p>15</p>  <p>39166 1</p> <p>2/0 NEGATIVE RIGHT ANGLE</p>
<p>16</p>  <p>40180 1</p> <p>2 GA 3/8 STUD 1 HEAVY DUTY LUG</p>	<p>17</p>	<p>18</p>  <p>40160 1</p> <p>4 GA HEAVY DUTY SPLICE</p>	<p>19</p>  <p>39153 2</p> <p>2/0 POSITIVE TERMINAL</p>		<p>20</p>  <p>39165 1</p> <p>2/0 POSITIVE RIGHT ANGLE</p>























# J&B Fleet - Industrial Supply


22428 Harrisburg-Westville Rd. Alliance, Ohio 44601 Phone: (330) 821-6342 Fax: (330) 821-0411


[www.jbfleet.com](http://www.jbfleet.com)

PART # 2219

## BATTERY TERMINALS

<p><b>40180</b> <sup>1</sup></p>  <p>1-2 GA - 3/8 STUD <sup>3</sup></p>	<p><b>40186</b> <sup>2</sup></p>  <p>1/0 - 3/8 STUD <sup>3</sup></p>	<p><b>40188</b> <sup>3</sup></p>  <p>1/0 - 1/2 STUD <sup>3</sup></p>	<p><b>40190</b> <sup>4</sup></p>  <p>2/0 - 3/8 STUD <sup>2</sup></p>	<p><b>40192</b> <sup>5</sup></p>  <p>2/0 - 1/2 STUD <sup>2</sup></p>	<p><b>40195</b> <sup>6</sup></p>  <p>3/0 - 3/8 STUD <sup>1</sup></p>
<p><b>40160</b> <sup>7</sup></p>  <p>4 GA SPLICE <sup>3</sup></p>	<p><b>40162</b> <sup>8</sup></p>  <p>2 GA SPLICE <sup>3</sup></p>	<p><b>40166</b> <sup>9</sup></p>  <p>1/0 SPLICE <sup>3</sup></p>	<p><b>40168</b> <sup>10</sup></p>  <p>2/0 SPLICE <sup>2</sup></p>	<p><b>40170</b> <sup>11</sup></p>  <p>3/0 SPLICE <sup>1</sup></p>	<p><b>40196</b> <sup>12</sup></p>  <p>3/0 - 1/2 STUD <sup>1</sup></p>
<p><b>20476</b> <sup>13</sup></p>  <p>4 GA - 3/8 STUD <sup>4</sup></p>	<p><b>20477</b> <sup>14</sup></p>  <p>2 GA - 3/8 STUD <sup>4</sup></p>	<p><b>22190</b> <sup>15</sup></p>  <p>1/0 - 3/8 STUD <sup>4</sup></p>	<p><b>20478</b> <sup>16</sup></p>  <p>2/0 - 3/8 STUD <sup>2</sup></p>	<p><b>20479</b> <sup>17</sup></p>  <p>2/0 - 1/2 STUD <sup>2</sup></p>	<p><b>22196</b> <sup>18</sup></p>  <p>3/0 - 1/2 STUD <sup>1</sup></p>
<p><sup>19</sup></p>	<p><sup>20</sup></p>	<p><sup>21</sup></p>	<p><sup>22</sup></p>	<p><sup>23</sup></p>	<p><sup>24</sup></p>





























# J&B Fleet - Industrial Supply


22428 Harrisburg-Westville Rd. Alliance, Ohio 44601 Phone: (330) 821-6342 Fax: (330) 821-0411

[www.jbfleet.com](http://www.jbfleet.com)


PART# 2807

## BATTERY CABLE LUGS

 <p><b>55802</b> <sup>1</sup></p> <p>3 <b>8 GA</b> <b>1/4 STUD</b></p>	 <p><b>55810</b> <sup>2</sup></p> <p>3 <b>8 GA</b> <b>5/16 STUD</b></p>	 <p><b>55811</b> <sup>3</sup></p> <p>3 <b>8 GA</b> <b>3/8 STUD</b></p>	 <p><b>55813</b> <sup>4</sup></p> <p>3 <b>6 GA</b> <b>1/4 STUD</b></p>	 <p><b>55814</b> <sup>5</sup></p> <p>3 <b>6 GA</b> <b>5/16 STUD</b></p>	 <p><b>20479</b> <sup>6</sup></p> <p>2 <b>2 / O</b> <b>1/2 STUD</b></p>
 <p><b>55815</b> <sup>7</sup></p> <p>3 <b>6 GA</b> <b>3/8 STUD</b></p>	 <p><b>55817</b> <sup>8</sup></p> <p>3 <b>4 GA</b> <b>1/4 STUD</b></p>	 <p><b>55818</b> <sup>9</sup></p> <p>3 <b>4 GA</b> <b>5/16 STUD</b></p>	 <p><b>20476</b> <sup>10</sup></p> <p>3 <b>4 GA</b> <b>3/8 STUD</b></p>	 <p><b>55819</b> <sup>11</sup></p> <p>3 <b>4 GA</b> <b>1/2 STUD</b></p>	 <p><b>20478</b> <sup>12</sup></p> <p>2 <b>2 / O</b> <b>3/8 STUD</b></p>
 <p><b>55824</b> <sup>13</sup></p> <p>3 <b>2 GA</b> <b>1/4 STUD</b></p>	 <p><b>55825</b> <sup>14</sup></p> <p>3 <b>2 GA</b> <b>5/16 STUD</b></p>	 <p><b>20477</b> <sup>15</sup></p> <p>3 <b>2 GA</b> <b>3/8 STUD</b></p>	 <p><b>55826</b> <sup>16</sup></p> <p>3 <b>2 GA</b> <b>1/2 STUD</b></p>	 <p><b>55821</b> <sup>17</sup></p> <p>3 <b>1 GA</b> <b>5/16 STUD</b></p>	 <p><b>55829</b> <sup>18</sup></p> <p>2 <b>2 / O</b> <b>5/16 STUD</b></p>
 <p><b>55822</b> <sup>19</sup></p> <p>3 <b>1 GA</b> <b>3/8 STUD</b></p>	 <p><b>55823</b> <sup>20</sup></p> <p>3 <b>1 GA</b> <b>1/2 STUD</b></p>	 <p><b>55827</b> <sup>21</sup></p> <p>2 <b>1 / O</b> <b>5/16 STUD</b></p>	 <p><b>22190</b> <sup>22</sup></p> <p>2 <b>1 / O</b> <b>3/8 STUD</b></p>	 <p><b>55807</b> <sup>23</sup></p> <p>2 <b>1 / O</b> <b>1/2 STUD</b></p>	 <p><b>55828</b> <sup>24</sup></p> <p>2 <b>2 / O</b> <b>1/4 STUD</b></p>















### J&B Fleet - Industrial Supply

22428 Harrisburg-Westville Rd. Alliance, Ohio 44601 Phone: (330) 821-6342 Fax: (330) 821-0411

www.jbfleet.com

**PART# 2825**

## ALLIGATOR CLAMPS

<p style="text-align: center;"><b>38500</b></p>  <p style="text-align: center;"><b>600 AMP</b></p> <p style="text-align: center;"><b>H/D CABLE CLAMP 600 AMP RED</b></p> <p style="text-align: center;">2</p>	<p style="text-align: center;"><b>38501</b></p>  <p style="text-align: center;"><b>600 AMP</b></p> <p style="text-align: center;"><b>H/D CABLE CLAMP 600 AMP BLACK</b></p> <p style="text-align: center;">2</p>	<p style="text-align: center;"><b>42080</b></p>  <p style="text-align: center;"><b>50 AMP MINI BATT CLAMP 50 AMP RED</b></p> <p style="text-align: center;">3</p> <hr/> <p style="text-align: center;"><b>42082</b></p>  <p style="text-align: center;"><b>50 AMP MINI BATT CLAMP 50 AMP RED</b></p> <p style="text-align: center;">3</p> <hr/> <p style="text-align: center;"><b>22456</b></p>  <p style="text-align: center;"><b>5/BX ALLIGATOR CLIPS INSULATOR RED</b></p> <p style="text-align: center;">5</p> <hr/> <p style="text-align: center;"><b>22457</b></p>  <p style="text-align: center;"><b>5/BX ALLIGATOR CLIPS INSULATOR BLACK</b></p> <p style="text-align: center;">5</p>	<p style="text-align: center;"><b>86090</b></p>  <p style="text-align: center;"><b>FUSE PULLER</b></p> <p style="text-align: center;">1</p> <hr/> <p style="text-align: center;"><b>28463</b></p>  <p style="text-align: center;"><b>5/BX ALLIGATOR CLIPS</b></p> <p style="text-align: center;">5</p>
--	--	---	--



LET US HELP YOU MAKE THE CONNECTION

PART # 3049



# AGC FUSES



J & B FLEET-INDUSTRIAL SUPPLY  
PHONE: 330-821-6342

<b>20048</b>  1 AMP  5	<b>20070</b>  2 AMP  5	<b>20052</b>  3 AMP  5	<b>20067</b>  5 AMP  5	<b>42702</b>  7.5 AMP  5	<b>20055</b>  10 AMP  5
<b>20056</b>  15 AMP  5	<b>21262</b>  20 AMP  5	<b>20068</b>  25 AMP  5	<b>20057</b>  30 AMP  5		




































# J&B Fleet - Industrial Supply


22428 Harrisburg-Westville Rd. Alliance, Ohio 44601 Phone: (330) 821-6342 Fax: (330) 821-0411

[www.jbfleet.com](http://www.jbfleet.com)

**PART # 2231**

## BLADE FUSES


 <b>42176</b> <sup>1</sup> <b>MAXI 20</b> 2	 <b>42178</b> <sup>2</sup> <b>MAXI 30</b> 2	 <b>42180</b> <sup>3</sup> <b>MAXI 40</b> 2	 <b>42182</b> <sup>4</sup> <b>MAXI 50</b> 2	 <b>42184</b> <sup>5</sup> <b>MAXI 60</b> 2	 <b>42174</b> <sup>6</sup> <b>MAXI 70</b> 2	 <b>42175</b> <sup>7</sup> <b>MAXI 80</b> 2	8
 <b>38921</b> <sup>9</sup> <b>ATC - 1</b> 5	 <b>38922</b> <sup>10</sup> <b>ATC - 2</b> 5	 <b>38620</b> <sup>11</sup> <b>ATC - 3</b> 5	 <b>38923</b> <sup>12</sup> <b>ATC - 4</b> 5	 <b>38621</b> <sup>13</sup> <b>ATC - 5</b> 5	 <b>38622</b> <sup>14</sup> <b>ATC - 7-1/2</b> 5	 <b>38623</b> <sup>15</sup> <b>ATC - 10</b> 5	 <b>38624</b> <sup>16</sup> <b>ATC - 15</b> 5
 <b>38625</b> <sup>17</sup> <b>ATC - 20</b> 5	 <b>38626</b> <sup>18</sup> <b>ATC - 25</b> 5	 <b>38627</b> <sup>19</sup> <b>ATC - 30</b> 5	 <b>38924</b> <sup>20</sup> <b>ATC - 40</b> 5	21	22	 <b>38601</b> <sup>23</sup> <b>MINI ATM - 2</b> 5	 <b>38603</b> <sup>24</sup> <b>MINI ATM - 3</b> 5
 <b>38604</b> <sup>25</sup> <b>MINI ATM - 4</b> 5	 <b>38605</b> <sup>26</sup> <b>MINI ATM - 5</b> 5	 <b>38606</b> <sup>27</sup> <b>MINI ATM 7-1/2</b> 5	 <b>38607</b> <sup>28</sup> <b>MINI ATM - 10</b> 5	 <b>38608</b> <sup>29</sup> <b>MINI ATM - 15</b> 5	 <b>38609</b> <sup>30</sup> <b>MINI ATM - 20</b> 5	 <b>38611</b> <sup>31</sup> <b>MINI ATM - 25</b> 5	 <b>38613</b> <sup>32</sup> <b>MINI ATM - 30</b> 5





LET US HELP YOU MAKE THE CONNECTION

PART # 3039



# MINI AUTOFUSES



J & B FLEET-INDUSTRIAL SUPPLY  
PHONE: 330-821-6342

<b>38601</b>  2 AMP  10	<b>38603</b>  3 AMP  10	<b>38604</b>  4 AMP  10	<b>38605</b>  5 AMP  10	<b>38606</b>  7-1/2 AMP  10	<b>38607</b>  10 AMP  10
<b>38608</b>  15 AMP  10	<b>38609</b>  20 AMP  10	<b>38611</b>  25 AMP  10	<b>38613</b>  30 AMP  10		

LET US HELP YOU MAKE THE CONNECTION

PART # 3037



# BLADE FUSES



J & B FLEET-INDUSTRIAL SUPPLY  
PHONE: 330-821-6342

<b>38605</b> MINI ATM - 5 5	<b>38607</b> MINI ATM - 10 5	<b>38608</b> MINI ATM - 15 5	<b>38609</b> MINI ATM - 20 5	<b>38611</b> MINI ATM - 25 5	<b>38613</b> MINI ATM - 30 5
<b>38623</b> ATC - 10 5	<b>38624</b> ATC - 15 5	<b>38625</b> ATC - 20 5	<b>38626</b> ATC - 25 5	<b>38627</b> ATC - 30 5	<b>38924</b> ATC - 40 5
<b>38921</b> ATC - 1 5	<b>38922</b> ATC - 2 5	<b>38620</b> ATC - 3 5	<b>38923</b> ATC - 4 5	<b>38621</b> ATC - 5 5	<b>38622</b> ATC - 7-1/2 5

LET US HELP YOU MAKE THE CONNECTION

**PART # 3038**











# AUTOFUSES



J & B FLEET-INDUSTRIAL SUPPLY  
PHONE: 330-821-6342

<b>38921</b>  ATC - 1  10	<b>38922</b>  ATC - 2  10	<b>38620</b>  ATC - 3  10	<b>38923</b>  ATC - 4  10	<b>38621</b>  ATC - 5  10	<b>38622</b>  ATC - 7-1/2  10
<b>38623</b>  ATC - 10  10	<b>38624</b>  ATC - 15  10	<b>38625</b>  ATC - 20  10	<b>38626</b>  ATC - 25  10	<b>38627</b>  ATC - 30  10	<b>38924</b>  ATC - 40  10






**J&B Fleet - Industrial Supply**  
 22428 Harrisburg-Westville Rd. Alliance, Ohio 44601 Phone: (330) 821-6342 Fax: (330) 821-0411

[www.jbfleet.com](http://www.jbfleet.com)

## SMART GLOW FUSES

<p><b>57390</b> 1</p>  <p><b>5 AMP TAN</b></p> <p>4</p>	<p><b>57391</b> 2</p>  <p><b>7-1/2 AMP BROWN</b></p> <p>4</p>	<p><b>57392</b> 3</p>  <p><b>10 AMP RED</b></p> <p>4</p>	<p><b>57393</b> 4</p>  <p><b>15 AMP BLUE</b></p> <p>4</p>	<p><b>57394</b> 5</p>  <p><b>20 AMP YELLOW</b></p> <p>4</p>	<p>6</p>
<p><b>57395</b> 7</p>  <p><b>25 AMP NATURAL</b></p> <p>4</p>	<p><b>57396</b> 8</p>  <p><b>30 AMP GREEN</b></p> <p>4</p>	<p>9</p>	<p>10</p>	<p>11</p>	<p>12</p>
<p><b>57400</b> 13</p>  <p><b>5 AMP MINI TAN</b></p> <p>4</p>	<p><b>57401</b> 14</p>  <p><b>7-1/2 AMP MINI BROWN</b></p> <p>4</p>	<p><b>57402</b> 15</p>  <p><b>10 AMP MINI RED</b></p> <p>4</p>	<p><b>57403</b> 16</p>  <p><b>15 AMP MINI BLUE</b></p> <p>4</p>	<p><b>57404</b> 17</p>  <p><b>20 AMP MINI YELLOW</b></p> <p>4</p>	<p>18</p>
<p><b>57405</b> 19</p>  <p><b>25 AMP MINI NATURAL</b></p> <p>4</p>	<p><b>57406</b> 20</p>  <p><b>30 AMP MINI GREEN</b></p> <p>4</p>	<p>21</p>	<p>22</p>	<p>23</p>	<p>24</p>



LET US HELP YOU MAKE THE CONNECTION

PART# 3091

# ATO SMART GLOW FUSES



J & B FLEET-INDUSTRIAL SUPPLY  
PHONE: 330-821-6342

<b>57390</b>  <b>5 AMP TAN</b>  5	<b>57391</b>  <b>7-1/2 AMP BROWN</b>  5	<b>57392</b>  <b>10 AMP RED</b>  5	<b>57393</b>  <b>15 AMP BLUE</b>  5	<b>57394</b>  <b>20 AMP YELLOW</b>  5	<b>57395</b>  <b>25 AMP NATURAL</b>  5
<b>57396</b>  <b>30 AMP GREEN</b>  5					

LET US HELP YOU MAKE THE CONNECTION

PART# 3092

# SMART GLOW FUSES



J & B FLEET-INDUSTRIAL SUPPLY  
PHONE: 330-821-6342

<b>57390</b> 5 AMP ATO TAN 3	<b>57391</b> 7-1/2 AMP ATO BROWN 3	<b>57392</b> 10 AMP ATO RED 3	<b>57393</b> 15 AMP ATO BLUE 3	<b>57394</b> 20 AMP ATO YELLOW 3	<b>57395</b> 25 AMP ATO NATURAL 3
<b>57396</b> 30 AMP ATO GREEN 3	<b>57400</b> 5 AMP MINI TAN 3	<b>57401</b> 7-1/2 AMP MINI BROWN 3	<b>57402</b> 10 AMP MINI RED 3	<b>57403</b> 15 AMP MINI BLUE 3	<b>57404</b> 20 AMP MINI YELLOW 3
<b>57405</b> 25 AMP MINI NATURAL 3	<b>57406</b> 30 AMP MINI GREEN 3				

LET US HELP YOU MAKE THE CONNECTION

Part# 3093

# MINI SMART GLOW FUSE



J & B FLEET-INDUSTRIAL SUPPLY  
PHONE: 330-821-6342

<b>57400</b>  5 AMP TAN  5	<b>57401</b>  7-1/2 AMP BROWN  5	<b>57402</b>  10 AMP RED  5	<b>57403</b>  15 AMP BLUE  5	<b>57404</b>  20 AMP YELLOW  5	<b>57405</b>  25 AMP NATURAL  5
<b>57406</b>  30 AMP GREEN  5					

LET US HELP YOU MAKE THE CONNECTION

PART # 3059



# LOW PROFILE MINI FUSE




J & B FLEET-INDUSTRIAL SUPPLY  
PHONE: 330-821-6342

<b>20943</b>  5 AMP TAN  5	<b>20944</b>  7-1/2 AMP BROWN  5	<b>20945</b>  10 AMP RED  5	<b>20946</b>  15 AMP BLUE  5	<b>20947</b>  20 AMP YELLOW  5	<b>20948</b>  25 AMP NATURAL  5
<b>20949</b>  30 AMP GREEN  5					



LET US HELP YOU MAKE THE CONNECTION

**PART # 3050**



# MAXI AUTOFUSES



J & B FLEET-INDUSTRIAL SUPPLY  
PHONE: 330-821-6342

<b>42176</b>	<b>42178</b>	<b>42180</b>	<b>42182</b>	<b>42184</b>	<b>42174</b>
<b>20 AMP</b>	<b>30 AMP</b>	<b>40 AMP</b>	<b>50 AMP</b>	<b>60 AMP</b>	<b>70 AMP</b>
2	2	2	2	2	2
					<b>42175</b>
					<b>80 AMP</b>
					2















# J&B Fleet - Industrial Supply

www.jbfleet.com

22428 Harrisburg-Westville Rd. Alliance, Ohio 44601 Phone: (330) 821-6342 Fax: (330) 821-0411

**PART # 2821**

## J CASE FUSES

 <b>86113</b> 40 AMP LOW PROFILE GREEN 3	 <b>86114</b> 50 AMP LOW PROFILE RED 3	 <b>86115</b> 60 AMP LOW PROFILE YELLOW 3
 <b>86110</b> 20 AMP LOW PROFILE BLUE 3	 <b>86111</b> 25 AMP LOW PROFILE CLEAR 3	 <b>86112</b> 30 AMP LOW PROFILE PINK 3
 <b>42707</b> 40 AMP GREEN 3	 <b>42708</b> 50 AMP RED 3	 <b>42709</b> 60 AMP YELLOW 3
 <b>42705</b> 20 AMP BLUE 3	 <b>42710</b> 25 AMP WHITE 3	 <b>42706</b> 30 AMP PINK 3



LET US HELP YOU MAKE THE CONNECTION

**PART# 3096**



# J CASE FUSES



J & B FLEET-INDUSTRIAL SUPPLY  
PHONE: 330-821-6342

<b>86110</b>  LOW PROFILE 20 AMP BLUE  2	<b>86111</b>  LOW PROFILE 25 AMP CLEAR  2	<b>86112</b>  LOW PROFILE 30 AMP PINK  2	<b>86113</b>  LOW PROFILE 40 AMP GREEN  2	<b>86114</b>  LOW PROFILE 50 AMP RED  2	<b>86115</b>  LOW PROFILE 60 AMP YELLOW  2
<b>42705</b>  20 AMP BLUE  2	<b>42710</b>  25 AMP WHITE  2	<b>42706</b>  30 AMP PINK  2	<b>42707</b>  40 AMP GREEN  2	<b>42708</b>  50 AMP RED  2	<b>42709</b>  60 AMP YELLOW  2

LET US HELP YOU MAKE THE CONNECTION


**PART# 3094**

# **AUTO LINK PAL FUSES**



J & B FLEET-INDUSTRIAL SUPPLY  
PHONE: 330-821-6342

<b>57420</b>  <b>20 AMP BLUE FEMALE</b>  2	<b>57421</b>  <b>30 AMP PINK FEMALE</b>  2	<b>57422</b>  <b>40 AMP GREEN FEMALE</b>  2	<b>57423</b>  <b>50 AMP RED FEMALE</b>  2	<b>57424</b>  <b>60 AMP YELLOW FEMALE</b>  2	
<b>57430</b>  <b>30 AMP PINK MINI FEMALE</b>  2	<b>57431</b>  <b>40 AMP GREEN MINI FEMALE</b>  2				



**PART# 2820**






**J&B Fleet - Industrial Supply**







22428 Harrisburg-Westville Rd. Alliance, Ohio 44601 Phone: (330) 821-6342 Fax: (330) 821-0411

[www.jbfleet.com](http://www.jbfleet.com)

**MICRO FUSES**



1	2	3	4	5	6
7	8	9	10	11	12
13	14	15	16	17	18
19	20	21	22	23	24



**86091**

**15 AMP  
M CASE  
TAN**

4

**86092**

**20 AMP  
M CASE  
BLUES**

4

**86093**

**25 AMP  
M CASE  
CLEAR**

4

**86094**

**30 AMP  
M CASE  
PINK**

4

**86095**

**40 AMP  
M CASE  
GREEN**

4

**86103**

**30 AMP  
MICRO 2 FUSE  
GREEN**

5

**86105**

**5 AMP  
MICRO 3 FUSE  
TAN**

5

**86106**

**7.5 AMP  
MICRO 3 FUSE  
BROWN**

5

**86107**

**10 AMP  
MICRO 3 FUSE  
RED**

5

**86108**

**15 AMP  
MICRO 3 FUSE  
BLUE**

5

**86097**

**5 AMP  
MICRO 2 FUSE  
TAN**

5

**86098**

**7.5 AMP  
MICRO 2 FUSE  
BROWN**

5

**86099**

**10 AMP  
MICRO 2 FUSE  
RED**

5

**86100**

**15 AMP  
MICRO 2 FUSE  
BLUE**

5

**86101**

**20 AMP  
MICRO 2 FUSE  
YELLOW**

5

**86102**

**25 AMP  
MICRO 2 FUSE  
CLEAR**

5

LET US HELP YOU MAKE THE CONNECTION

**PART# 3095**



**MICRO FUSES**



J & B FLEET-INDUSTRIAL SUPPLY  
PHONE: 330-821-6342

<b>86097</b> MICRO 2 5 AMP TAN 5	<b>86098</b> MICRO 2 7.5 AMP BROWN 5	<b>86099</b> MICRO 2 10 AMP RED 5	<b>86100</b> MICRO 2 15 AMP BLUE 5	<b>86101</b> MICRO 2 20 AMP YELLOW 5	<b>86102</b> MICRO 2 25 AMP CLEAR 5
<b>86103</b> MICRO 2 30 AMP GREEN 5	<b>86091</b> M CASE 15 AMP TAN	<b>86092</b> M CASE 20 AMP BLUE 4	<b>86093</b> M CASE 25 AMP CLEAR 4	<b>86094</b> M CASE 30 AMP PINK 4	<b>86095</b> M CASE 40 AMP GREEN 4
<b>86105</b> MICRO 3 5 AMP TAN 5	<b>86106</b> MICRO 3 7.5 AMP 5	<b>86107</b> MICRO 3 10 AMP RED 5	<b>86108</b> MICRO 3 15 AMP BLUE 5		

















## J&B Fleet - Industrial Supply

www.jbfleet.com

22428 Harrisburg-Westville Rd. Alliance, Ohio 44601 Phone: (330) 821-6342 Fax: (330) 821-0411

PART # 2108

# C-BREAKERS & SWITCHES

<p>38980 <sup>1</sup></p>  <p>10 AMP SNAP IN TYPE CIRCUIT BREAKER</p> <p><sup>1</sup></p>	<p>38981 <sup>2</sup></p>  <p>15 AMP SNAP IN TYPE CIRCUIT BREAKER</p> <p><sup>1</sup></p>	<p>38982 <sup>3</sup></p>  <p>20 AMP SNAP IN TYPE CIRCUIT BREAKER</p> <p><sup>1</sup></p>	<p>38983 <sup>4</sup></p>  <p>30 AMP SNAP IN TYPE CIRCUIT BREAKER</p> <p><sup>1</sup></p>	<p>38984 <sup>5</sup></p>  <p>40 AMP SNAP IN TYPE CIRCUIT BREAKER</p> <p><sup>1</sup></p>	<p>39286 <sup>6</sup></p>  <p>TWO POSITION TOGGLE SWITCH</p> <p><sup>1</sup></p>
<p><sup>7</sup></p>	<p><sup>8</sup></p>	<p><sup>9</sup></p>	<p><sup>10</sup></p>	<p><sup>11</sup></p>	<p>39288 <sup>12</sup></p>  <p>THREE POSITION TOGGLE SWITCH</p> <p><sup>1</sup></p>
<p>40960 <sup>13</sup></p>  <p>10 AMP BLADE TYPE CIRCUITBREAKER</p> <p><sup>1</sup></p>	<p>40961 <sup>14</sup></p>  <p>15 AMP BLADE TYPE CIRCUITBREAKER</p> <p><sup>1</sup></p>	<p>40962 <sup>15</sup></p>  <p>20 AMP BLADE TYPE CIRCUITBREAKER</p> <p><sup>1</sup></p>	<p>40963 <sup>16</sup></p>  <p>25 AMP BLADE TYPE CIRCUITBREAKER</p> <p><sup>1</sup></p>	<p>40964 <sup>17</sup></p>  <p>30 AMP BLADE TYPE CIRCUITBREAKER</p> <p><sup>1</sup></p>	<p>39287 <sup>18</sup></p>  <p>UNIVERSAL PUSH PULL SWITCH</p> <p><sup>1</sup></p>
<p><sup>19</sup></p>	<p><sup>20</sup></p>	<p><sup>21</sup></p>	<p><sup>22</sup></p>	<p><sup>23</sup></p>	<p>39285 <sup>24</sup></p>  <p>MOMENTARY PUSH BUTTON SWITCH</p> <p><sup>1</sup></p>





LET US HELP YOU MAKE THE CONNECTION



J & B FLEET-INDUSTRIAL SUPPLY  
PHONE: 330-821-6342

# VALVE CAPS

## PART#3102


**20458**



**BLACK PLASTIC  
CAP**

10

**39009**



**LONG SKIRTED  
BLK PLACSTIC  
CAP WITH SEAL**

10

**39014**



**GRAY PLACSTIC  
CAP WITH SEAL**

10

**39016**



**GREEN PLAC-  
STIC CAP WITH  
SEAL**

10

**39017**



**LONG METAL  
DOME CAP WITH  
SEAL**

10

**20456**



**HD METAL  
DOME CAP WITH  
SEAL**

10

**39019**



**DOUBLE SEAL  
VALVE CAP**

5