

Table of Contents

Part Number Index

PART NUMBER	MANUFACTURER	Page	PART NUMBER	MANUFACTURER	Page
1					
1710-111	ROBERTSHAW	11			
1710-126	ROBERTSHAW	11			
1720-801	ROBERTSHAW	11			
1720-802	ROBERTSHAW	11			
1751-003	ROBERTSHAW	12			
1751-007	ROBERTSHAW	12			
1751-013	ROBERTSHAW	12			
3					
391936	HONEYWELL	12			
391937	HONEYWELL	12			
393691	HONEYWELL	12			
394588	HONEYWELL	12			
7					
700-056	ROBERTSHAW	9			
700-059	ROBERTSHAW	9			
700-402	ROBERTSHAW	1			
700-406	ROBERTSHAW	1			
700-454	ROBERTSHAW	5			
700-502	ROBERTSHAW	7			
700-504	ROBERTSHAW	7			
700-505	ROBERTSHAW	7			
700-506	ROBERTSHAW	7			
700-511	ROBERTSHAW	7			
700-515	ROBERTSHAW	7			
700-804	ROBERTSHAW	2			
700-881	ROBERTSHAW	2			
700-886	ROBERTSHAW	2			
710-402	ROBERTSHAW	5			
710-501	ROBERTSHAW	5			
710-502	ROBERTSHAW	6			
710-511	ROBERTSHAW	6			
720-079	ROBERTSHAW	3			
720-402	ROBERTSHAW	9			
720-474	ROBERTSHAW	9			
H					
H15DA-3	PEN BASO	10			
H19AL-2	PEN BASO	10			
H43AA-12	PEN BASO	10			
H43BA-2	PEN BASO	10			
L					
LML-1532JJ	MARSHALL EXCELSIOR	11			
LML-1540F	MARSHALL EXCELSIOR	11			
S					
SV9501M2528	HONEYWELL	8			
SV9601M4571	HONEYWELL	8			
V					
VR8200A2132	HONEYWELL	2			
VR8304M4507	HONEYWELL	4			
VR8304P4330	HONEYWELL	4			
VR8304P4504	HONEYWELL	1			
VR8345M4302	HONEYWELL	3			
VS820A1336	HONEYWELL	6			

Table of Contents

Categorized Listing

GAS VALVES	1
COMBINATION	1
24 VOLT	1
BLEED TYPE	2
CONTINUOUS PILOT	2
ELECTRONIC IGNITION	3
INTERMITTENT PILOT	4
LINE	5
LOW PROFILE	5
MILLIVOLT	6
SMART VALVE	8
STANDING PILOT	9
UNIVERSAL	9
PILOT SAFETY	10
AUTOMATIC	10
INLET AND OUTLET	10
PILOT SAFETY	11
ACCESSORIES	11
TOP BURNER	11
TOP BURNER	11
ACCESSORIES	12
CONVERSION KITS	12
REGULATOR	12



Selection, Support, Specialized Expertise

Jacksonville
904-448-8234

Orlando
407-898-1234

Tampa
813-740-0044

Largo
727-532-4691

Sarasota
941-388-0816

Miami
305-633-6535

Serving the Southeast and beyond, since 1946
From the Source to the Burner Tip

GAS VALVES

COMBINATION 24 VOLT

Honeywell



PART NUMBER	SIZE	TYPE OF GAS	NOTES	DETAIL
VR8304P4504	3/4" INLET;3/4" OUTLET	NAT	INCLUDES NAT TO LP CONVERSION & 3/4" X 1/2" REDUCERS	STEP OPENING

GAS VALVES

Robertshaw



PART NUMBER	SIZE	NOTES	DETAIL	BTU CAPACITY
700-402	1/2" INLET;3/4" OUTLET	INCL 1 REDUCER BUSHING	SIDE OUTLETS	240,000
700-406	3/4" INLET;3/4" OUTLET	INCL 2 REDUCER BUSHINGS	STRAIGHT THRU SIDE OUTLETS	300,000



Selection, Support, Specialized Expertise

Jacksonville
904-448-8234

Orlando
407-898-1234

Tampa
813-740-0044

Largo
727-532-4691

Sarasota
941-388-0816

Miami
305-633-6535

Serving the Southeast and beyond, since 1946
From the Source to the Burner Tip

GAS VALVES

COMBINATION BLEED TYPE



PART NUMBER	SIZE	NOTES	DETAIL	BTU CAPACITY
700-804	3/4" INLET;3/4" OUTLET	CAN BE FIELD REMOVED; THERMOCOUPLE	SLOW OPENING	305,000
700-881	1/2" INLET;1/2" OUTLET	NO PRESSURE REGULATOR SETTING	THERMOPILE	100,000
700-886	3/4" INLET;3/4" OUTLET	INCL 2 X 1/2" REDUCER BUSHINGS; NAT	THERMOPILE	305,000

GAS VALVES

CONTINUOUS PILOT

Honeywell



PART NUMBER	SIZE	TYPE OF GAS	COMMENT	NOTES	DETAIL
VR8200A2132	INCL LP CONVERSION KIT	NAT	MOUNTS 0 - 90 DEGREES, ANY DIRECTION, EVEN VERTICAL	INCL: 3/4" STRAIGHT FLANGE, 1/2" X 3/8" BUSHING, LP CONVERSION KIT	1/2" STANDARD OPENING; STRAIGHT THROUGH



Selection, Support, Specialized Expertise

Jacksonville
904-448-8234

Orlando
407-898-1234

Tampa
813-740-0044

Largo
727-532-4691

Sarasota
941-388-0816

Miami
305-633-6535

Serving the Southeast and beyond, since 1946
From the Source to the Burner Tip

GAS VALVES

COMBINATION ELECTRONIC IGNITION



PART NUMBER	SIZE	TYPE OF GAS	COMMENT
VR8345M4302	3/4" STANDARD OPENING	NAT	PRESSURE REG SET @ 3.5" WC

Robertshaw.



PART NUMBER	SIZE	TYPE OF GAS	COMMENT	DETAIL	BTU CAPACITY
720-079	1/2" INLET; 3/4" OUTLET	LP/NAT	STRAIGHT THRU; HAS PILOT OUTLET	UNIKIT; NO REPLACEMENT PARTS AVAILABLE	150,000

GAS VALVES



Selection, Support, Specialized Expertise

Jacksonville
904-448-8234

Orlando
407-898-1234

Tampa
813-740-0044

Largo
727-532-4691

Sarasota
941-388-0816

Miami
305-633-6535

Serving the Southeast and beyond, since 1946
From the Source to the Burner Tip

GAS VALVES

COMBINATION INTERMITTENT PILOT

Honeywell



PART NUMBER	SIZE	TYPE OF GAS	COMMENT
VR8304M4507	3/4" STANDARD OPENING; FOR 24VAC GAS-FIRED, INTERMITTENT PILOT APPLIANCES W/CAPACITIES 30 TO 415 CFH	NAT	PRESSURE REG SETTING: 3.5 PSI; INCL: 2-3/4" X 1/2" REDUCERS & CONVERSION KIT
VR8304P4330	3/4" STEP OPENING, FOR 24VAC GAS-FIRED INTERMITTENT PILOT APPLIANCES	LP	PRESSURE REG SETTING: 10" WC FULL RATE, 2.5" WC STEP RATING

GAS VALVES



Selection, Support, Specialized Expertise

Jacksonville
904-448-8234

Orlando
407-898-1234

Tampa
813-740-0044

Largo
727-532-4691

Sarasota
941-358-0816

Miami
305-633-6535

Serving the Southeast and beyond, since 1946
From the Source to the Burner Tip

GAS VALVES

COMBINATION LINE

Robertshaw.



PART NUMBER	SIZE	NOTES	DETAIL	BTU CAPACITY
700-454	3/4" INLET; 3/4" OUTLET	INCL 2 REDUCER BUSHINGS: 3/4" X 1/2" NPT	STRAIGHT THRU	300,000

GAS VALVES

LOW PROFILE



PART NUMBER	SIZE	TYPE OF GAS	NOTES	DETAIL
710-402	1/2" INLET; 1/2" OUTLET	NAT	INCL (2) 1/2" X 3/8" REDUCER BUSHINGS	FOR WALL FURNACES
710-501	1/2" INLET; 1/2" OUTLET	LP/NAT	INCL (2) 1/2" X 3/8" REDUCER BUSHINGS	USE 2 LEAD THERMOPILE; FOR SPACE HEATERS



Selection, Support, Specialized Expertise

Jacksonville
904-448-8234

Orlando
407-898-1234

Tampa
813-740-0044

Largo
727-532-4691

Sarasota
941-358-0816

Miami
305-633-6535

Serving the Southeast and beyond, since 1946
From the Source to the Burner Tip

GAS VALVES

COMBINATION LOW PROFILE

PART NUMBER	SIZE	TYPE OF GAS	NOTES	DETAIL
710-502	1/2" INLET; 1/2" OUTLET	NAT	INCL (2) 1/2" X 3/8" REDUCER BUSHINGS	USE 2 LEAD THERMOPILE; FOR SPACE HEATERS
710-511	1/2" INLET; 3/8" OUTLET	LP/NAT	NO REDUCER BUSHINGS; FIREPLACE LOG CONTROL	STRAIGHT THRU; USE 2 LEAD THERMOPILE & THERMOCOUPLE

MILLIVOLT

Honeywell



PART NUMBER	SIZE	TYPE OF GAS	COMMENT	OUTLET PRESSURE RANGE	NOTES
VS820A1336	3/4" NPT WITH 1/2" NPT SIDE OUTLETS	LP	ADJ RANGE: 8-12"; STANDARD PRESSURE REG	10"WC	INCL: 1/2" X 3/8" REDUCER & 3/4" X 1/2" REDUCER

GAS VALVES



Selection, Support, Specialized Expertise

Jacksonville
904-448-8234

Orlando
407-898-1234

Tampa
813-740-0044

Largo
727-532-4691

Sarasota
941-388-0816

Miami
305-633-6535

Serving the Southeast and beyond, since 1946
From the Source to the Burner Tip

GAS VALVES

COMBINATION MILLIVOLT

Robertshaw.



PART NUMBER	SIZE	TYPE OF GAS	NOTES	DETAIL	BTU CAPACITY
700-502	1/2" INLET; 1/2" OUTLET SIDE W/PLUGS	LP/NAT	INCL 2 REDUCER BUSHINGS	COAXIAL & 2 LEAD THERMOPILE CAN BE USED	100,000
700-504	1/2" INLET; 3/4" OUTLET W/SIDE PLUGS	LP/NAT	INCL 1 REDUCER BUSHING	COAXIAL & 2 LEAD THERMOPILE CAN BE USED	240,000
700-505	3/4" INLET; 3/4" OUTLET	LP/NAT	INCL 2 REDUCER BUSHINGS	STRAIGHT THRU; 2 LEAD; SET FOR LP	300,000
700-506	3/4" INLET; 3/4" OUTLET	LP/NAT	INCL 2 REDUCER BUSHINGS	STRAIGHT THRU; COAXIAL & 2 LEAD THERMOPILE CAN BE USED	300,000
700-511	3/4" INLET; 3/4" OUTLET; UNIKIT	LP/NAT	INCL: 2 REDUCER BUSHINGS	STRAIGHT THRU; COAXIAL AND 2 LEAD THERMOPILE CAN BE USED; POOL HEATER MODEL:	400,000
700-515	3/4" INLET; 3/4" OUTLET	LP	INCL 2 REDUCER BUSHINGS	STRAIGHT THRU	485,000

GAS VALVES



Selection, Support, Specialized Expertise

Jacksonville
904-448-8234

Orlando
407-898-1234

Tampa
813-740-0044

Largo
727-532-4691

Sarasota
941-388-0816

Miami
305-633-6535

Serving the Southeast and beyond, since 1946
From the Source to the Burner Tip

GAS VALVES

COMBINATION SMART VALVE

Honeywell



GAS VALVES

PART NUMBER	SIZE	TYPE OF GAS	COMMENT	NOTES	DETAIL
SV9501M2528	1/2" NPT	NAT	NO PREPURGE; 90 SEC IGNITION TRIAL	CONTINUOUS RETRY TO LOCKOUT; 1/2 PSI; 24VAC	STANDARD OPENING; STRAIGHT THROUGH
SV9601M4571	3/4" NPT	NAT	STANDARD OPENING	INCLUDES 3/4" & 1/2" REDUCERS & LP CONVERSION KIT	



Selection, Support, Specialized Expertise

Jacksonville
904-448-8234

Orlando
407-898-1234

Tampa
813-740-0044

Largo
727-532-4691

Sarasota
941-388-0816

Miami
305-633-6535

Serving the Southeast and beyond, since 1946
From the Source to the Burner Tip

GAS VALVES

COMBINATION STANDING PILOT

Robertshaw.



PART NUMBER	SIZE	TYPE OF GAS	DETAIL	BTU CAPACITY
720-402	1/2" INLET; 3/4" OUTLET	NAT	UNIKIT; 1/2" FPT SIDE OUTLETS WITH PLUGS	150,000
720-474	1/2" INLET; 1/2" OUTLET	LP/NAT	1/2" FPT SIDE OUTLETS WITH PLUGS; MOBILE HOME; STEP OPENING	150,000

GAS VALVES

UNIVERSAL



PART NUMBER	SIZE	TYPE OF GAS	NOTES	BTU CAPACITY
700-056	3/4" INLET; 3/4" OUTLET	NAT	STRAIGHT THRU; SLOW OPENING-CAN BE REMOVED	350,000
700-059	1" INLET; 1" OUTLET	NAT	STRAIGHT THRU; SLOW OPENING-CAN BE REMOVED	720,000

Serving the Southeast and Beyond...*Need something you don't see? Call us!*

GAS VALVES

PILOT SAFETY AUTOMATIC



H43AA-12



H15DA-3

PART NUMBER	SIZE	COMMENT	NOTES	DETAIL
H15DA-3	3/4" FNPT IN & OUT	NO PRESSURE TAP	USE WITH K15, K16, K19 THERMOCOUPLE	MAX INLET 1/2 PSI; INCL REDUCERS
H43AA-12	3/8" FNPT IN & OUT	1/4" PILOT TAP	USE WITH K15, K16, K19 THERMOCOUPLE	MAX INLET 1/2 PSI; LOW TEMP AUTO/MANUAL SHUT OFF PILOT VALVE

INLET AND OUTLET



H19AL-2

H43BA-2

PART NUMBER	SIZE	COMMENT
H19AL-2	3/8" NPT X 3/8" NPT	LOW TEMP AUTO SHUT OFF PILOT VALVE
H43BA-2	1/2" NPT X 1/2" NPT	LOW TEMP AUTO/MANUAL SHUT OFF PILOT VALVE



Selection, Support, Specialized Expertise

Jacksonville
904-448-8234

Orlando
407-898-1234

Tampa
813-740-0044

Largo
727-532-4691

Sarasota
941-388-0816

Miami
305-633-6535

Serving the Southeast and beyond, since 1946
From the Source to the Burner Tip

GAS VALVES

PILOT SAFETY ACCESSORIES


Robertshaw.



PART NUMBER	SIZE	DETAIL
1710-111	3/8" INLET & OUTLET	102,000 BTU NAT/165,000 BTU LP
1710-126	1/2" IN & OUT; 210,000 BTU NAT/ 340,000 BTU LP	210,000 BTU NAT/340,000 BTU LP
1720-801	TS "J" HEAD; INLET & OUTLET MODEL	KIT; 1/8" PIPE, 3/16" TUBING, 1/4" TUBING
1720-802	TS "K" HEAD; OUTLET ONLY	KIT; 1/8" PIPE, 3/16" TUBING, 1/4" TUBING

GAS VALVES

TOP BURNER TOP BURNER



PART NUMBER	SIZE	COMMENT	NOTES
LML-1532JJ	2" STEM	TOP BURNER VALVE	WITH HOOD
LML-1540F	2 1/2" STEM	TOP BURNER VALVE	WITH HOOD



Selection, Support, Specialized Expertise

Jacksonville
904-448-8234

Orlando
407-898-1234

Tampa
813-740-0044

Largo
727-532-4691

Sarasota
941-358-0816

Miami
305-633-6535

Serving the Southeast and beyond, since 1946
From the Source to the Burner Tip

GAS VALVES

ACCESSORIES CONVERSION KITS

Honeywell



PART NUMBER	DETAIL
391936	LP TO NATURAL; FOR V800
391937	NATURAL TO LP
393691	NATURAL TO LP; FOR VR8200
394588	FOR BR8200; LP TO NAT

GAS VALVES

REGULATOR

Robertshaw

1751-003, 013



1751-007

PART NUMBER	SIZE	TYPE OF GAS	PRESSURE RANGE	DETAIL
1751-003	3.5" WC NAT GAS	NAT	ADJ WC PRESSURE: 3"/7"	FOR 700 SERIES (MODEL 7000), 710 SERIES (MODEL 7000LC)
1751-007	700 & 710 SERIES	LP/NAT		REGULATOR COVER PLATE
1751-013	11" WC LP GAS	LP	ADJ WC PRESSURE: 8"/12"	FOR 700 SERIES (MODEL 7000), 710 SERIES (MODEL 7000LC)