



# CATALOG 2018

*is gator tough*

## C Series Fittings

Equivalent to Weatherhead U Series and Parker HY Series

**For Hoses 100R1, 100R2, 2SN (up to 1-1/4"), 100R16**





# CATALOG 2018

*is gator tough*

## NPT Male Pipe Rigid

### C Series - Compression Coupling



**Crimp Couplings - One Piece (Compression) for Braided Hose**

**C Series, R1, R2, R16**

### Cross-Reference Part Numbers

Description		Gator	Weatherhead	Parker	Couplamatic
Hose ID	Thread Size	C Series	U Series	HY Series	Vari Crimp
1/8"	1/8-27	C-MP-02-02	02U-102	101HY-2-2	
1/4"	1/8-27	C-MP-04-02	04U-102	101HY-2-4	400V
1/4"	1/4-18	C-MP-04-04	04U-104	101HY-4-4	403V
1/4"	3/8-18	C-MP-04-06	04U-106	101HY-6-4	415V
1/4"	1/2-14	C-MP-04-08	04U-108	101HY-8-4	439V
3/8"	1/4-18	C-MP-06-04	06U-104	101HY-4-6	600V
3/8"	3/8-18	C-MP-06-06	06U-106	101HY-6-6	603V
3/8"	1/2-14	C-MP-06-08	06U-108	101HY-8-6	615V
1/2"	1/4-18	C-MP-08-04	08U-104	101HY-4-8	866V
1/2"	3/8-14	C-MP-08-06	08U-106	101HY-6-8	800V
1/2"	1/2-14	C-MP-08-08	08U-108	101HY-8-8	803V
1/2"	3/4-14	C-MP-08-12	08U-112	101HY-12-8	854V
5/8"	3/8-18	C-MP-10-06	10U-106	101HY-6-10	
5/8"	1/2-14	C-MP-10-08	10U-108	101HY-8-10	1000V
5/8"	3/4-14	C-MP-10-12	10U-112	101HY-12-10	1003V
3/4"	1/2-14	C-MP-12-08	12U-108	101HY-8-12	1200V
3/4"	3/4-14	C-MP-12-12	12U-112	101HY-12-12	1203V
3/4"	1-11 1/2	C-MP-12-16	12U-116	101HY-16-12	1254V
1"	3/4-14	C-MP-16-12	16U-112	101HY-12-16	1603V
1"	1-11 1/2	C-MP-16-16	16U-116	101HY-16-16	1600V
1-1/4"	1 1/4-11 1/2	C-MP-20-20	20U-120	101HY-20-20	2000V



# CATALOG 2018

*is gator tough*

## NPT Male Pipe Swivel C Series - Compression Coupling



C Series, R1,R2,R16

Crimp Couplings - One Piece (Compression) for Braided Hose

### Cross-Reference Part Numbers

Description		Gator	Weatherhead	Parker	Couplamatic
Hose ID	Thread Size	C Series	U Series	HY Series	Vari Crimp
1/4"	1/4-18	C-MPX-04-04	04U-J04	113HY-4-4	406V
1/4"	3/8-18	C-MPX-04-06	04U-J06	113HY-6-4	466V
1/4"	1/2-14	C-MPX-04-08	04U-J08	113HY-8-4	
3/8"	1/4-18	C-MPX-06-04	06U-J04	113HY-4-6	666V
3/8"	3/8-18	C-MPX-06-06	06U-J06	113HY-6-6	609V
3/8"	1/2-14	C-MPX-06-08	06U-J08	113HY-8-6	651V
1/2"	3/8-18	C-MPX-08-06	08U-J06	113HY-6-8	857V
1/2"	1/2-14	C-MPX-08-08	08U-J08	113HY-8-8	809V
3/4"	3/4-14	C-MPX-12-12	12U-J12	113HY-12-12	1209V
1"	1-11 1/2	C-MPX-16-16	16U-J16	113HY-16-16	1609V

## NPT Male Pipe Swivel 90° Elbow C Series - Compression Coupling



C Series, R1,R2,R16

Crimp Couplings - One Piece (Compression) for Braided Hose

### Cross-Reference Part Numbers

Description		Gator	Weatherhead	Parker	Couplamatic
Hose ID	Thread Size	C Series	U Series	HY Series	Vari Crimp
1/4"	1/4-18	C-MPX90-04-04	04U-M04	11LHY-4-4	4206V
1/4"	3/8-18	C-MPX90-04-06	04U-M06	11LHY-6-4	
3/8"	1/4-18	C-MPX90-06-04	06U-M04	11LHY-4-6	
3/8"	3/8-18	C-MPX90-06-06	06U-M06	11LHY-6-6	6209V
3/8"	1/2-14	C-MPX90-06-08	06U-M08	11LHY-8-6	
1/2"	1/2-14	C-MPX90-08-08	08U-M08	11LHY-8-8	8209V
3/4"	3/4-14	C-MPX90-12-12	12U-M12	11LHY-12-12	12209V
1"	1-11 1/2	C-MPX90-16-16	16U-M16	11LHY-16-16	16209V



# CATALOG 2018

*is gator tough*

## NPT Female Pipe Rigid C Series - Compression Coupling

**Crimp Couplings - One Piece (Compression) for Braided Hose**  
C Series, R1,R2,R16



### Cross-Reference Part Numbers

Description		Gator	Weatherhead	Parker	Couplamatic
Hose ID	Thread Size	C Series	U Series	HY Series	Vari Crimp
1/4"	1/8-27	C-FP-04-02	04U-202	102HY-2-4	436V
1/4"	1/4-18	C-FP-04-04	04U-204	102HY-4-4	412V
1/4"	3/8-18	C-FP-04-06	04U-206	102HY-6-4	
3/8"	1/4-18	C-FP-06-04	06U-204	102HY-4-6	663V
3/8"	3/8-18	C-FP-06-06	06U-206	102HY-6-6	612V
3/8"	1/2-14	C-FP-06-08	06U-208	102HY-8-6	
1/2"	1/2-14	C-FP-08-08	08U-208	102HY-8-8	812V
3/4"	1/2-14	C-FP-12-08	12U-208	102HY-8-12	
3/4"	3/4-14	C-FP-12-12	12U-212	102HY-12-12	1212V
1"	1-11 1/2	C-FP-16-16	16U-216	102HY-16-16	

## NPT Female Pipe Swivel C Series - Compression Coupling

**Crimp Couplings - One Piece (Compression) for Braided Hose**  
C Series, R1,R2,R16



### Cross-Reference Part Numbers

Description		Gator	Weatherhead	Parker	Couplamatic
Hose ID	Thread Size	C Series	U Series	HY Series	Vari Crimp
1/4"	1/4-18	C-FPX-04-04	04U-054	107HY-4-4	409V
3/8"	3/8-18	C-FPX-06-06	06U-056	107HY-6-6	606V
3/8"	1/2-14	C-FPX-08-08	08U-058	107HY-8-8	80+V
3/8"	3/4-14	C-FPX-08-12	08U-062	107HY-12-8	
3/4"	3/4-14	C-FPX-12-12	12U-062	107HY-12-12	1206V
1"	1-11 1/2	C-FPX-16-16	16U-066	107HY-16-16	1606V
1-1/4"	1 1/4-11 1/2	C-FPX-20-20	20U-070	107HY-20-20	2008V



# CATALOG 2018

*is gator tough*

## JIC 37° Male Straight C Series - Compression Coupling



C Series, R1,R2,R16

Crimp Couplings - One Piece (Compression) for Braided Hose

### Cross-Reference Part Numbers

Description		Gator	Weatherhead	Parker	Couplamatic
Hose ID	Thread Size	C Series	U Series	HY Series	Vari Crimp
1/4"	7/16x20	C-MJ-04-04	04U-504	103HY-4-4	418V
1/4"	1/2x20	C-MJ-04-05	04U-505	103HY-5-4	421V
1/4"	9/16x18	C-MJ-04-06	04U-506	103HY-6-4	430V
3/8"	9/16x18	C-MJ-06-06	06U-506	103HY-6-6	618V
3/8"	3/4x16	C-MJ-06-08	06U-508	103HY-8-6	621V
3/8"	7/8x14	C-MJ-06-10	06U-510	103HY-10-6	669V
1/2"	3/4x16	C-MJ-08-08	08U-508	103HY-8-8	815V
1/2"	7/8x14	C-MJ-08-10	08U-510	103HY-10-8	818V
1/2"	1-1/16x12	C-MJ-08-12	08U-512	103HY-12-8	848V
5/8"	7/8x14	C-MJ-10-10	10U-510	103HY-10-10	1018V
5/8"	1-1/16x12	C-MJ-10-12	10U-512	103HY-12-10	1015V
3/4"	7/8x14	C-MJ-12-10	12U-510	103HY-10-12	1218V
3/4"	1-1/16x12	C-MJ-12-12	12U-512	103HY-12-12	1215V
3/4"	1-3/16x12	C-MJ-12-14	12U-514	103HY-14-12	1260V
3/4"	1-5/16x12	C-MJ-12-16	12U-516	103HY-16-12	1233V
1"	1-5/16x12	C-MJ-16-16	16U-516	103HY-16-16	1612V
1-1/4"	1-5/8x12	C-MJ-20-20	20U-520	103HY-20-20	2015V



# CATALOG 2018

*is gator tough*

## JIC Female (37° Swivel), Straight C Series - Compression Coupling

C Series, R1,R2,R16

Crimp Couplings - One Piece (Compression) for Braided Hose



### Cross-Reference Part Numbers

Description		Gator	Weatherhead	Parker	Couplamatic
Hose ID	Thread Size	C Series	U Series	HY Series	Vari Crimp
1/4"	7/16x20	C-FJX-04-04	04U-604	106HY-4-4	424V
1/4"	1/2x20	C-FJX-04-05	04U-605	106HY-5-4	427V
1/4"	9/16x18	C-FJX-04-06	04U-606	106HY-6-4	433V
3/8"	7/16x20	C-FJX-06-04	06U-604	106HY-4-6	675V
3/8"	9/16x18	C-FJX-06-06	06U-606	106HY-6-6	627V
3/8"	3/4x16	C-FJX-06-08	06U-608	106HY-8-6	630V
3/8"	7/8x14	C-FJX-06-10	06U-610	106HY-10-6	657V
3/8"	1-1/16x12	C-FJX-06-12	06U-612	106HY-12-6	691V
1/2"	9/16x18	C-FJX-08-06	08U-606	106HY-6-8	842V
1/2"	3/4x16	C-FJX-08-08	08U-608	106HY-8-8	824V
1/2"	7/8x14	C-FJX-08-10	08U-610	106HY-10-8	827V
1/2"	1-1/16x12	C-FJX-08-12	08U-612	106HY-12-8	845V
1/2"	1-5/16x12	C-FJX-08-16	08U-616	106HY-16-8	863V
5/8"	3/4x16	C-FJX-10-08	10U-608	106HY-8-10	1024V
5/8"	7/8x14	C-FJX-10-10	10U-610	106HY-10-10	1018V
5/8"	1-1/16x12	C-FJX-10-12	10U-612	106HY-12-10	1021V
3/4"	7/8x14	C-FJX-12-10	12U-610	106HY-10-12	1230V
3/4"	1-1/16x12	C-FJX-12-12	12U-612	106HY-12-12	1221V
3/4"	1-3/16x12	C-FJX-12-14	12U-614	106HY-14-12	1245V
3/4"	1-5/16x12	C-FJX-12-16	12U-616	106HY-16-12	1236V
1"	1-1/16x12	C-FJX-16-12	16U-612	106HY-12-16	1621V
1"	1-3/16x12	C-FJX-16-14	16U-614	106HY-14-16	
1"	1-5/16x12	C-FJX-16-16	16U-616	106HY-16-16	1618V
1"	1-5/8x12	C-FJX-16-20	16U-620	106HY-20-16	1624V
1-1/4"	1-5/8x12	C-FJX-20-20	20U-620	106HY-20-20	2005V



# CATALOG 2018

*is gator tough*

## JIC 37° Female (37° Swivel), Elbow 45° C Series - Compression Coupling



C Series, R1,R2,R16

Crimp Couplings - One Piece (Compression) for Braided Hose

### Cross-Reference Part Numbers

Description		Gator	Weatherhead	Parker	Couplamatic
Hose ID	Thread Size	C Series	U Series	HY Series	Vari Crimp
1/4"	7/16x20	C-FJX45-04-04	04U-684	137HY-4-4	4127V
1/4"	1/2x20	C-FJX45-04-05	04U-685	137HY-5-4	4154V
3/8"	7/16x20	C-FJX45-06-04	06U-684	137HY-4-6	6184V
3/8"	9/16x18	C-FJX45-06-06	06U-686	137HY-6-6	6157V
3/8"	3/4x16	C-FJX45-06-08	06U-688	137HY-8-6	6168V
1/2"	3/4x16	C-FJX45-08-08	08U-688	137HY-8-8	8130V
1/2"	7/8x14	C-FJX45-08-10	08U-690	137HY-10-8	8157V
5/8"	7/8x14	C-FJX45-10-10	10U-690	137HY-10-10	1057V
5/8"	1-1/16x12	C-FJX45-10-12	10U-692	137HY-12-10	1063V
3/4"	1-1/16x12	C-FJX45-12-12	12U-692	137HY-12-12	12612V
3/4"	1-5/16x12	C-FJX45-12-16	12U-696	137HY-16-12	12663V
1"	1-5/16x12	C-FJX45-16-16	16U-696	137HY-16-16	16612V
1-1/4"	1-5/8x12	C-FJX45-20-20	20U-696	137HY-20-20	



# CATALOG 2018

*is gator tough*

## JIC Female (37 ° Swivel), TUBE-Elbow 90 ° C Series - Compression Coupling



**Crimp Couplings- One Piece (Compression) for Braided Hose**  
C Series, R1,R2,R16,R17

### Cross-Reference Part Numbers

Description		Gator	Weatherhead	Parker	Couplamatic
Hose ID	Thread Size	C Series	U Series	HY Series	Vari Crimp
1/4"	7/16x20	C-FJX90-04-04	04U-664	139HY-4-4	4130V
1/4"	1/2x20	C-FJX90-04-05	04U-665	139HY-5-4	4157V
1/4"	9/16x18	C-FJX90-04-06	04U-666	139HY-6-4	4160V
3/8"	7/16x20	C-FJX90-06-04	06U-664	139HY-4-6	6187V
3/8"	1/2x20	C-FJX90-06-05	06U-665	139HY-5-6	
3/8"	9/16x18	C-FJX90-06-06	06U-666	139HY-6-6	6160V
3/8"	3/4x16	C-FJX90-06-08	06U-668	139HY-8-6	6163V
1/2"	3/4x16	C-FJX90-08-08	08U-668	139HY-8-8	8133V
1/2"	7/8x14	C-FJX90-08-10	08U-670	139HY-10-8	8160V
5/8"	7/8x14	C-FJX90-10-10	10U-670	139HY-10-10	1060V
5/8"	1-1/16x12	C-FJX90-10-12	10U-672	139HY-12-10	1066V
3/4"	7/8x14	C-FJX90-12-10	12U-670	139HY-10-12	12660V
3/4"	1-1/16x12	C-FJX90-12-12	12U-672	139HY-12-12	12651V
1"	1-5/16x12	C-FJX90-16-16	16U-676	139HY-16-16	16651V
1-1/4"	1-5/8x12	C-FJX90-20-20	20U-677	139HY-20-20	20677V

## JIC Female (37 ° Swivel), Long Drop C Series - Compression Coupling



C Series, R1,R2,R16,R17

**Crimp Couplings- One Piece (Compression) for Braided Hose**

### Cross-Reference Part Numbers

Description		Gator	Weatherhead	Parker	Couplamatic
Hose ID	Thread Size	C Series	U Series	HY Series	Vari Crimp
1/4"	7/16x20	C-FJX90L-04-04	04U-644	141HY-4-4	4163V
3/8"	9/16x18	C-FJX90L-06-06	06U-646	141HY-6-6	6166V
3/8"	3/4x16	C-FJX90L-06-08	06U-648	141HY-8-6	6124V
1/2"	3/4x16	C-FJX90L-08-08	08U-648	141HY-8-8	8163V
5/8"	7/8x14	C-FJX90L-10-10	10U-650	141HY-10-10	
3/4"	1-1/16x12	C-FJX90L-12-12	12U-652	141HY-12-12	12657V
1"	1-5/16x12	C-FJX90L-16-16	16U-656L33	141HY-16-16	16657V





# CATALOG 2018

*is gator tough*

## SAE 45° Female Swivel, Straight C Series - Compression Coupling



C Series, R1,R2,R16

Crimp Couplings - One Piece (Compression) for Braided Hose

### Cross-Reference Part Numbers

Description	Description	Gator	Weatherhead	Parker	Couplamatic
Hose ID	Thread Size	C Series	U Series	HY Series	Vari Crimp
1/4"	7/16x24	C-FSX-04-04		108HY-4-4	
1/4"	5/8x18	C-FSX-04-06	04U-406	108HY-6-4	
	5/8x18	C-FSX-05-06		108HY-6-5	
3/8"	5/8x18	C-FSX-06-06	06U-406	108HY-6-6	633V
3/4"	1-1/16x14	C-FSX-12-12	12U-412	108HY-12-12	1224V

## Male Boss O-Ring (ORB) C Series - Compression Coupling



C Series, R1,R2,R16,R17

Crimp Couplings - One Piece (Compression) for Braided Hose

### Cross-Reference Part Numbers

Description		Gator	Weatherhead	Parker	Couplamatic
Hose ID	Thread Size	C Series	U Series	HY Series	Vari Crimp
1/4"	7/16x20	C-MB-04-04	04U-P04	105HY-4-4	451V
1/4"	1/2x20	C-MB-04-05	04U-P05	105HY-5-4	454V
1/4"	9/16x18	C-MB-04-06	04U-P06	105HY-6-4	448V
3/8"	9/16x18	C-MB-06-06	06U-P06	105HY-6-6	636V
3/8"	3/4x16	C-MB-06-08	06U-P08	105HY-8-6	639V
3/8"	7/8x14	C-MB-06-10	06U-P10	105HY-10-6	642V
1/2"	3/4x16	C-MB-08-08	08U-P08	105HY-8-8	830V
1/2"	7/8x14	C-MB-08-10	08U-P10	105HY-10-8	833V
1/2"	1-1/16x12	C-MB-08-12	08U-P12	105HY-12-8	860V
5/8"	7/8x14	C-MB-10-10	10U-P10	105HY-10-10	1033V
5/8"	1-1/16x12	C-MB-10-12	10U-P12	105HY-12-10	1036V
3/4"	7/8x14	C-MB-12-10	12U-P10	105HY-10-12	1248V
3/4"	1-1/16x12	C-MB-12-12	12U-P12	105HY-12-12	1227V
3/4"	1-5/16x12	C-MB-12-16	12U-P16	105HY-16-12	
1"	1-5/16x12	C-MB-16-16	16U-P16	105HY-16-16	1630V



# CATALOG 2018

*is gator tough*

## SAE Straight Thread O-Ring (ORB) Male Swivel C Series - Compression Coupling

C Series, R1,R2,R16

Crimp Couplings - One Piece (Compression) for Braided Hose




### Cross-Reference Part Numbers

Description		Gator	Weatherhead	Parker	Couplamatic
Hose ID	Thread Size	C Series	U Series	HY Series	Vari Crimp
1/4"	7/16x20	C-MBX-04-04	04U-R04	10GHY-4-4	457V
3/8"	9/16x18	C-MBX-06-06	06U-R06	10GHY-6-6	678V
3/8"	3/4x16	C-MBX-06-08	06U-R08	10GHY-8-6	645V
1/2"	3/4x16	C-MBX-08-08	08U-R08	10GHY-8-8	836V
1/2"	7/8x14	C-MBX-08-10	08U-R10	10GHY-10-8	839V
3/4"	1-1/16x12	C-MBX-12-12		10GHY-12-12	

## SAE Straight Thread O-Ring (ORB) Male Swivel 90° C Series - Compression Coupling

C Series, R1,R2,R16

Crimp Couplings - One Piece (Compression) for Braided & Spiral Hose



### Cross-Reference Part Numbers

Description		Gator	Weatherhead	Parker	Couplamatic
Hose ID	Thread Size	C Series	U Series	HY Series	Vari Crimp
1/4"	7/16x20	C-MBX90-04-04	04U-R64	11LHY-4-4	
1/4"	9/16x18	C-MBX90-04-06	04U-R66	11LHY-6-4	
3/8"	9/16x18	C-MBX90-06-06	06U-R66	11LHY-6-6	6278V
3/8"	3/4x16	C-MBX90-06-08	06U-R68	11LHY-8-6	6245V
3/8"	7/8x14	C-MBX90-06-10	06U-R70	11LHY-10-6	
1/2"	3/4x16	C-MBX90-08-08	08U-R68	11LHY-8-8	8236V
1/2"	7/8x14	C-MBX90-08-10	08U-R70	11LHY-10-8	8239V
1/2"	1-1/16x12	C-MBX90-08-12	08U-R72	11LHY-12-8	
5/8"	7/8x14	C-MBX90-10-10	10U-R70	11LHY-10-10	
3/4"	1-1/16x12	C-MBX90-12-12	12U-R72	11LHY-12-12	12239V



# CATALOG 2018

*is gator tough*

## O-Ring Face Seal (ORFS) Male Rigid

### C Series - Compression Coupling

C Series, R1,R2,R16

Crimp Couplings - One Piece (Compression) for Braided Hose



#### Cross-Reference Part Numbers

Description		Gator	Weatherhead	Couplamatic
Hose ID	Thread Size	C Series	U Series	Vari Crimp
1/4"	9/16x18	C-MF-04-04	04U-E64	4E64V
1/4"	11/16x16	C-MF-04-06		
3/8"	11/16x16	C-MF-06-06	06U-E66	6E66V
3/8"	13/16x16	C-MF-06-08	06U-E68	6E68V
1/2"	13/16x16	C-MF-08-08	08U-E68	8E68V
1/2"	1x14	C-MF-08-10	08U-E70	8E70V
1/2"	1-3/16x12	C-MF-08-12	08U-E72	8E72V
5/8"	1x14	C-MF-10-10	10U-E70	10E70V
5/8"	1-3/16x12	C-MF-10-12	10U-E72	10E72V
3/4"	1-3/16x12	C-MF-12-12	12U-E72	12E72V
3/4"	1-7/16x12	C-MF-12-16	12U-E76	
1"	1-7/16x12	C-MF-16-16	16U-E76	16E76V



# CATALOG 2018

*is gator tough*

## O-Ring Face Seal (ORFS) Female Swivel C Series - Compression Coupling

C Series, R1,R2,R16

Crimp Couplings - One Piece (Compression) for Braided Hose



### Cross-Reference Part Numbers

Description		Gator	Weatherhead	Parker	Couplamatic
Hose ID	Thread Size	C Series	U Series	HY Series	Vari Crimp
1/4"	9/16x18	C-FFORX-04-04	04U-S64	1JSHY-4-4	4S64V
1/4"	11/16x16	C-FFORX-04-06	04U-S66	1JSHY-6-4	4S66V
3/8"	9/16x18	C-FFORX-06-04	06U-S64	1JSHY-4-6	6S64V
3/8"	11/16x16	C-FFORX-06-06	06U-S66	1JSHY-6-6	6S66V
3/8"	13/16x16	C-FFORX-06-08	06U-S68	1JSHY-8-6	6S68V
1/2"	11/16x16	C-FFORX-08-06	08U-S66	1JSHY-6-8	8S66V
1/2"	13/16x16	C-FFORX-08-08	08U-S68	1JSHY-8-8	8S68V
1/2"	1x14	C-FFORX-08-10	08U-S70	1JSHY-10-8	8S70V
1/2"	1-3/16x12	C-FFORX-08-12	08U-S72	1JSHY-12-8	8S72V
5/8"	1x14	C-FFORX-10-10	10U-S70	1JSHY-10-10	10S70V
5/8"	1-3/16x12	C-FFORX-10-12	10U-S72	1JSHY-12-10	10S72V
3/4"	1x14	C-FFORX-12-10	12U-S70	1JSHY-10-12	12S70V
3/4"	1-3/16x12	C-FFORX-12-12	12U-S72	1JSHY-12-12	12S72V
3/4"	1-7/16x12	C-FFORX-12-16	12U-S76	1JSHY-16-12	12S76V
1"	1-7/16x12	C-FFORX-16-16	16U-S76	1JSHY-16-16	16S76V
1"	1-11/16x12	C-FFORX-16-20	16U-S80	1JSHY-20-16	
1-1/4"	1-11/16x12	C-FFORX-20-20	20U-S80	1JSHY-20-20	20S80V




# CATALOG 2018

*is gator tough*

## O-Ring Face Seal (ORFS) Female Swivel 45° Tube Elbow C Series - Compression Coupling

C Series, R1,R2,R16

Crimp Couplings - One Piece (Compression) for Braided Hose



### Cross-Reference Part Numbers

Description		Gator	Weatherhead	Parker	Couplamatic
Hose ID	Thread Size	C Series	U Series	HY Series	Vari Crimp
1/4"	9/16x18	C-FFORX45-04-04	04U-L64	1J7HY-4-4	4L64V
1/4"	11/16x16	C-FFORX45-04-06	04U-L66	1J7HY-6-4	4L66V
3/8"	11/16x16	C-FFORX45-06-06	06U-L66	1J7HY-6-6	6L66V
3/8"	13/16x16	C-FFORX45-06-08	06U-L68	1J7HY-8-6	6L68V
1/2"	11/16x16	C-FFORX45-08-06	08U-L66	1J7HY-6-8	8L66V
1/2"	13/16x16	C-FFORX45-08-08	08U-L68	1J7HY-8-8	8L68V
1/2"	1x14	C-FFORX45-08-10	08U-L70	1J7HY-10-8	8L70V
5/8"	1x14	C-FFORX45-10-10	10U-L70	1J7HY-10-10	10L70V
5/8"	1-3/16x12	C-FFORX45-10-12	10U-L72	1J7HY-12-10	10L72V
3/4"	1x14	C-FFORX45-12-10	12U-L70	1J7HY-10-12	12L70V
3/4"	1-3/16x12	C-FFORX45-12-12	12U-L72	1J7HY-12-12	12L72V
3/4"	1-7/16x12	C-FFORX45-12-16	12U-L76	1J7HY-16-12	12L76V
1"	1-7/16x12	C-FFORX45-16-16	16U-L76	1J7HY-16-16	16L76V
1"	1-11/16x12	C-FFORX45-16-20	16U-L80	1J7HY-20-16	
1-1/4"	1-11/16x12	C-FFORX45-20-20	20U-L80	1J7HY-20-20	20L80V




# CATALOG 2018

*is gator tough*

## O-Ring Face Seal (ORFS) Female 90° Tube Elbow C Series - Compression Coupling

C Series, R1,R2,R16

Crimp Couplings - One Piece (Compression) for Braided Hose



### Cross-Reference Part Numbers

Description		Gator	Weatherhead	Parker	Couplamatic
Hose ID	Thread Size	C Series	U Series	HY Series	Vari Crimp
1/4"	9/16x18	C-FFORX90-04-04	04U-A24	1J9HY-4-4	4A24V
1/4"	11/16x16	C-FFORX90-04-06	04U-A26	1J9HY-6-4	4A26V
3/8"	9/16x18	C-FFORX90-06-04	06U-A24	1J9HY-4-6	6A24V
3/8"	11/16x16	C-FFORX90-06-06	06U-A26	1J9HY-6-6	6A26V
3/8"	13/16x16	C-FFORX90-06-08	06U-A28	1J9HY-8-6	6A28V
1/2"	11/16x16	C-FFORX90-08-06	08U-A26	1J9HY-6-8	8A26V
1/2"	13/16x16	C-FFORX90-08-08	08U-A28	1J9HY-8-8	8A28V
1/2"	1x14	C-FFORX90-08-10	08U-A30	1J9HY-10-8	8A30V
1/2"	1-3/16x12	C-FFORX90-08-12	08U-A32	1J9HY-12-8	
5/8"	1x14	C-FFORX90-10-10	10U-A30	1J9HY-10-10	10A30V
5/8"	1-3/16x12	C-FFORX90-10-12	10U-A32	1J9HY-12-10	10A32V
3/4"	1x14	C-FFORX90-12-10	12U-A30	1J9HY-10-12	12A30V
3/4"	1-3/16x12	C-FFORX90-12-12	12U-A32	1J9HY-12-12	12A32V
3/4"	1-7/16x12	C-FFORX90-12-16	12U-A36	1J9HY-16-12	12A36V
1"	1-7/16x12	C-FFORX90-16-16	16U-A36	1J9HY-16-16	16A36V
1"	1-11/16x12	C-FFORX90-16-20	16U-A40	1J9HY-20-16	
1-1/4"	1-11/16x12	C-FFORX90-20-20	20U-A40	1J9HY-20-20	



# CATALOG 2018

*is gator tough*

## British Standard Pipe Parallel (BSPP) Male Pipe C Series - Compression Coupling

C Series, R1,R2,R16

Crimp Couplings - One Piece (Compression) for Braided Hose



### Cross-Reference Part Numbers

Description		Gator	Weatherhead	Parker	Couplamatic
Hose ID	Thread Size	C Series	U Series	HY Series	Vari Crimp
1/4"	G-1/4-19	C-MBSPP-04-04	04U-P54	1GUHY-4-4	4P54V
1/4"	G-3/8-19	C-MBSPP-04-06			
3/8"	G-3/8-19	C-MBSPP-06-06	06U-P56	1GUHY-6-6	6P56V
3/8"	G-1/2-14	C-MBSPP-06-08	06U-P58	1GU9HY-8-6	6P58V
1/2"	G-3/8-19	C-MBSPP-08-06	08U-P56	1GUHY-6-8	8P56V
1/2"	G-1/2-14	C-MBSPP-08-08	08U-P58	1GUHY-8-8	8P58V
5/8"	G-5/8-14	C-MBSPP-10-10	10U-P60	1GUHY-10-10	
3/4"	G-3/4-14	C-MBSPP-12-12	12U-P62	1GUHY-12-12	12P62V
1"	G-1-11	C-MBSPP-16-16	16U-P66	1GUHY-16-16	

## DIN Light Universal Seat (Metric) Male Rigid C Series - Compression Coupling

C Series, R1,R2,R16

Crimp Couplings - One Piece (Compression) for Braided Hose



### Cross-Reference Part Numbers

Description		Gator	Weatherhead	Couplamatic
Hose ID	Thread Size	C Series	U Series	Vari Crimp
1/4"	M14x1.5	C-MDL-04-08-14	04U-08A	4M08V
1/4"	M16x1.5	C-MDL-04-10-16	04U-10A	
3/8"	M16x1.5	C-MDL-06-10-16	06U-10A	6M10V
3/8"	M18x1.5	C-MDL-06-12-18	06U-12A	6M12V
1/2"	M22x1.5	C-MDL-08-15-22	08U-15A	8M15V
5/8"	M26x1.5	C-MDL-10-18-26	10U-18A	10M18V
3/4"	M30x2.0	C-MDL-12-22-30	12U-22A	12M22V
1"	M36x2.0	C-MDL-16-28-36	16U-28A	



# CATALOG 2018

*is gator tough*

## DIN Light Universal Seat (Metric) Female Swivel C Series - Compression Coupling

C Series, R1,R2,R16

Crimp Couplings - One Piece (Compression) for Braided Hose



### Cross-Reference Part Numbers

Description		Gator	Weatherhead	Couplamatic
Hose ID	Thread Size	C Series	U Series	Vari Crimp
1/4"	M12x1.5	C-FDINLX04-12	04U-06C	4C06V
1/4"	M14x1.5	C-FDINLX04-14	04U-08C	4C08V
1/4"	M16x1.5	C-FDINLX04-16	04U-10C	
1/4"	M18x1.5	C-FDINLX04-18	04U-12C	
1/2"	M22x1.5	C-FDINLX08-22	08U-15C	8C15V
5/8"	M26x1.5	C-FDINLX10-26	10U-18C	10C18V
3/4"	M30x2.0	C-FDINLX12-30	12U-22C	12C22V
1"	M36x2.0	C-FDINLX16-36	16U-28C	16C28V

## DIN Light Universal Seat (Metric) Female Swivel 45° Elbow C Series - Compression Coupling

C Series, R1,R2,R16

Crimp Couplings - One Piece (Compression) for Braided Hose



### Cross-Reference Part Numbers

Description		Gator	Weatherhead	Couplamatic
Hose ID	Thread Size	C Series	U Series	Vari Crimp
1/4"	M14X1.5	C-FDINLX45-04-14	04U-08D	4D08V
1/4"	M16x1.5	C-FDINLX45-04-16	04U-10D	4D10V
3/8"	M16x1.5	C-FDINLX45-06-16	06U-10D	6D10V
3/8"	M18x1.5	C-FDINLX45-06-18	06U-12D	6D12V
1/2"	M22x1.5	C-FDINLX45-08-22	08U-15D	
5/8"	M26x1.5	C-FDINLX45-10-26	10U-18D	10D18V
3/4"	M30x2.0	C-FDINLX45-12-30	12U-22D	12D22V
1"	M36x2.0	C-FDINLX45-16-36	16U-28D	





# CATALOG 2018

*is gator tough*

## DIN Light Universal Seat (Metric) Female Swivel 90° Tube Elbow C Series - Compression Coupling

C Series, R1,R2,R16

Crimp Couplings - One Piece (Compression) for Braided Hose



### Cross-Reference Part Numbers

Description		Gator	Weatherhead	Couplamatic
Hose ID	Thread Size	C Series	U Series	Vari Crimp
1/4"	M14x1.5	C-FDINLX90-04-14	04U58D	4D58V
1/4"	M16x1.5	C-FDINLX90-04-16	04U60D	4D60V
3/8"	M16x1.5	C-FDINLX90-06-16	06U60D	6D60V
3/8"	M18x1.5	C-FDINLX90-06-18	06U62D	6D62V
1/2"	M22x1.5	C-FDINLX90-08-22	08U65D	8D65V
5/8"	M26x1.5	C-FDINLX90-10-26	10U68D	10D68V
3/4"	M30x2.0	C-FDINLX90-12-30	12U72D	12D72V
1"	M36x2.0	C-FDINLX90-16-36	16U78D	

## DIN Heavy Universal Seat (Metric) Male Rigid C Series - Compression Coupling

C Series, R1,R2,R16

Crimp Couplings - One Piece (Compression) for Braided Hose



### Cross-Reference Part Numbers

Description		Gator	Weatherhead	Couplamatic
Hose ID	Thread Size	C Series	U Series	Vari Crimp
1/4"	M16x1.5	C-MDH-04-08-16	04U-08F	4M58V
1/4"	M18x1.5	C-MDH-04-10-18	04U-10F	4M60V
3/8"	M18x1.5	C-MDH-06-10-18	06U-10F	6M60V
3/8"	M20x1.5	C-MDH-06-12-20	06U-12F	6M62V
3/8"	M22x1.5	C-MDH-06-14-22	06U-14F	6M64V
1/2"	M24x1.5	C-MDH-08-16-24	08U-16F	8M66V
5/8"	M30x2.0	C-MDH-10-20-30	10U-20F	10M70V
3/4"	M36x2.0	C-MDH-12-25-36	12U-25F	
1"	M42x2.0	C-MDH-16-30-42	16U-30F	



# CATALOG 2018

*is gator tough*

## DIN Heavy Universal Seat (Metric) Female Swivel C Series - Compression Coupling

C Series, R1,R2,R16

Crimp Couplings - One Piece (Compression) for Braided Hose



### Cross-Reference Part Numbers

Description		Gator	Weatherhead	Couplamatic
Hose ID	Thread Size	C Series	U Series	Vari Crimp
1/4"	M16x1.5	C-FDINHX04-16	04U-58C	4C58V
1/4"	M18x1.5	C-FDINHX04-18	04U-60C	4C60V
3/8"	M20x1.5	C-FDINHX06-20	06U-62C	6C62V
3/8"	M22x1.5	C-FDINHX06-22	06U-64C	6C64V
1/2"	M20x1.5	C-FDINHX08-20		
1/2"	M24x1.5	C-FDINHX08-24	08U-66C	8C66V
5/8"	M30x2.0	C-FDINHX10-30	10U-70C	10C70V
3/4"	M36x2.0	C-FDINHX12-36	12U-75C	12C75V
1"	M42x2.0	C-FDINHX16-42	16U-80C	16C80V



# CATALOG 2018

*is gator tough*

## DIN Heavy Universal Seat (Metric) Female Swivel 90 Tube Elbow C Series - Compression Coupling

C Series, R1,R2,R16

Crimp Couplings - One Piece (Compression) for Braided Hose



### Cross-Reference Part Numbers

Description		Gator	Weatherhead	Couplamatic
Hose ID	Thread Size	C Series	U Series	Vari Crimp
1/4"	M16x1.5	C-FDINHX90-04-16		
1/4"	M18x1.5	C-FDINHX90-04-18	04U-58E	4H60V
3/8"	M20x1.5	C-FDINHX90-06-20	06U-62E	6H62V
3/8"	M22x1.5	C-FDINHX90-06-22	06U-64E	6H64V
1/2"	M24x1.5	C-FDINHX90-08-24	08U-66E	8H66V
5/8"	M30x2.0	C-FDINHX90-10-30	10U-70E	10H70V
3/4"	M36x2.0	C-FDINHX90-12-36	12U-75E	
1"	M42x2.0	C-FDINHX90-16-42	16U-80E	

## Komatsu (Metric JIC 30°) Female Swivel C Series - Compression Coupling

C Series, R1,R2,R16

Crimp Couplings - One Piece (Compression) for Braided Hose



### Cross-Reference Part Numbers

Description		Gator	Weatherhead	Couplamatic
Hose ID	Thread Size	C Series	U Series	Vari Crimp
1/4"	M14x1.5	C-FKOMX-04-14	04U-14K	4K14V
3/8"	M18x1.5	C-FKOMX-06-18	06U-18K	6K18V
1/2"	M22x1.5	C-FKOMX-08-22	08U-22K	8K22V
1/2"	M24x1.5	C-FKOMX-08-24	08U-24K	
5/8"	M24x1.5	C-FKOMX-10-24	10U-24K	10K24V
3/4"	M30x1.5	C-FKOMX-12-30	12U-30K	12K30V
1"	M33x1.5	C-FKOMX-16-33	16U-33K	16K33V
1-1/4"	M36x1.5	C-FKOMX-20-36	20U-36K	20K36V