OPTISORB® GRANULAR ABSORBENT

- Made from diatomaceous earth, 100% natural and moisture free mineral
- All purpose absorbent designed for the quick clean up of water, oil and grease
- Very cost effective for every day spills
- Environmentally friendly

50% MORE ARSORRENCY PER POUND THAN CLAY **ALTERNATIVES**



查	OptiSor".	是
16	-	6
1	-	4-1
53	-	100
商	1	20

ABSORB-N-DRY® ABS

- · Traditional clay based absorbent
- Very cost effective for every day spills
- Granular mesh size creates a safe non-slip work surface



Price

Model		Price
No.	Format	/Each
SEI076	25-lb. Bag	

No.	Format	/Each	No.	Format	/Each
SE1076	25-lb. Bag	_	SE1085	25-lb. Bag	
			SEI084	50-lb. Bag	

OIL-DRI® GENERAL-PURPOSE ABSORBENT

- Superior retention of liquids such as oil, grease, hydraulic fluid, water and other liquid spills, vall non-aggressive fluids
- Virtually dust free, lowering airborne contamination
- Its high absorbency, low density, enables more scoops per pound
- Packaged in a poly bag making it next to unbreakable and water resistant
- Composed of light grey fuller's earth



Model	Mfg.		Price
No.	No.	Format	/Each
SI965	18002	40 lbs. (18 kg)	
SAR327	15005	33 lbs. (15 kg)	

OIL-DRI® PREMIUM **ABSORBENT**

- · Superior moisture extraction process increases absorption and minimizes dust
- Non-toxic, virtually dust-free product absorbs aggressive and non-aggressive fluids in minutes and leaves no residue
- · Holds liquids in; will not breakdown and turn to mud
- Low density: more scoops per pound saves money
- 25-lb. (11.25-kg) bag

Model No. SAR328 Mfg. No. 11001 Price/Each \$



OIL-DRI® QUICK SORB® **ABSORBENT**

- Specially designed to absorb up to twice as much fluid per pound as conventional clay
- Smaller granules offer more surface area for greater absorption power
- Strong granules improve traction and will not break down when saturated
- Comes in an easy-to-carry store pail
- 20-lb. (9.1-kg) pail

Model No. SAR329 Mfg. No. 05000 Price/Each \$



QUALISORBTM **GOLD ABSORBENT**

- Non-corrosive, non-toxic product that offers the best absorbency
- Absorbs almost twice as much as other product in water or oil
- Can be used in all applications, even for toxic waste absorption
- It absorbs spills in no time leaving floor safe and dry
- · Used in plants, refineries, repair shops, machine shops and garages
- 20-lb. (9.1-kg) bag

Model No. SAJ503 Mfg. No. 628N Price/Each \$



SAFE T SORB® PREMIUM **OIL ABSORBENT**

- 100% fuller's earth
- All-purpose absorbent designed for the quick clean up of water, oil, and grease
- Made from montmorillonite, a naturally occurring mineral with superior absorption ability
- Packaged in a leak-resistant, moisture-proof poly bag
- Works on any concrete surface
- 40-lb. bag

Model No. SR927 Mfg No. 2410096825 Price/Each \$





CHEETAH SORB ABSORBENT

- · Loose particulate
- Highly absorbent, dust free and incinerable
- Environmentally friendly and silica free
- Very cost effective oil sorbent
- Green/eco friendly





Model	Format	Qty	Price
No.		/Pkg.	/Each
SAL267	20-Ib. Bag	1	

OIL GATOR® ABSORBENT

- All natural cellulosic fibres
- When activated with the addition of moisture, the active bacteria will rapidly use all the available hydrocarbons as a food source
- Non carcinogenic and non abrasive
- Stops leaking of contaminants into the soil or groundwater
- · Ideal for hydrocarbons



Model	Format	Qty	Price
No.		/Pkg.	/Each
SEI158	30-lb. Bag	1	

PEAT MOSS ABSORBENT

- Organic heat treated peat moss
- Hydrophobic and biodegradable granular
- Contains less than 5% moisture
- Ideal absorbent for fine



ENSORB® SUPER ABSORBENT

- 15 to 20 times the absorption capacity of clay-based products
- Virtually unlimited uses as a dry absorbent that is safe in all applications
- Picks up all liquids, of any
- viscosity, off any hard surface
- Turns the spilled liquid into a solid that can be disposed of easily
- Lightweight and simple to use, it dramatically reduces cleanup costs
- Not injurious to soil, cement, asphalt,
- tile, plants, animals, or humans Contains no reactive chemicals, is not toxic or flammable



SEI578

VERMICULITE ABSORBENT

20-lb. Bag

- · All recycled vermiculite
- Ideal for solidification. packaging, and incineration
- One bag can absorb up to 4 gallons of water
- Excellent for fuel blending
- 4 cu.ft. bag

SEI074



Model No.	Grade	Qty /Pkg.	Price /Each
SEJ805	3	1	
SEI578	4	1	

SFU672



Model No.	Mfg. No.	Description	Wt. lbs.	Price/Each
SFU672	ENP D503	1 gallon jug	3	
SEC928	ENP D225	1.5 cu.ft. Bag	11	



ACID NEUTRALIZERS

- · Neutralizes and absorbs aggressive acid/ caustic spills
- Color changing indicators to signify when neutralization has occured









SFM470 S	FM475
----------	-------

SFM471

Model No.	Туре	Format	Qty /Pkg.	Price /Each
NEUTRAL	IZERS - ACID			
SFM470	Dry	0.96 kg Shaker	1	
SFM471	Dry	20 kg Pail	1	
SFM472	Dry	4 kg Pail	1	
SFM473	Liquid	5-Gallon Pail	1	
NEUTRAL	IZERS – CAUSTIC (E	BASE)		
SFM474	Dry	0.85 kg Shaker	1	
SFM475	Dry	20 kg Pail	1	
SFM476	Dry	3.5 kg Pail	1	

SAFETY SHOVELS

- Compact storageEasy-to-connect lock buttons permit rapid assembly
- Ideal for picking up sorbent material and to include in spill kits
- · Durable aluminum handles
- · Non-sparking, designed for emergency responses





ULTRATECH INTERNATIONAL, INC.

Model No.	Scoop Material	Assembled Length"	L"	Collapsed Size L" x W" x H"		Weight lbs.	Price /Each		
COLLAP	SIBLE SHOVEL								
SEI088	Aluminum	29	15	Х	10	Х	3	2	

SAFETY SHOVELS

- · Non-sparking polypropylene safety shovels are versatile, lightweight and will not rust or corrode, chemical resistant
- Two-piece construction disassembles for easy storage, easy to use locking mechanism
- Working temperature range: -22°F/-30°C to 176°F/80°C; intermittent use may increase temperature range
- Emergency blade shovels are injection molded, structural poly compact shovel which collapses for easy storage Variety of blade and handle configurations
- · Ideal for spill kits, hazmat response and environmental clean up



Model	Mfg.			Bla	de S	ize	Overall 0	Price
No.	No.	Description	Handle	L"	X	W"	Length"	/Each
INDUSTI	RIAL SHOVELS (ONE-PIECE)						
SAL460	RG6981	Small Blade, Grey	Standard D-Grip	11	χ	14	38	
HYGIENI	C SHOVELS (ON	IE-PIECE)						
SAL457	69815	Small Blade, White	Standard D-Grip	11	Х	14	38	
SAL458	69813	Small Blade, Blue	Standard D-Grip	11	χ	14	38	
SAL459	665379	Small Blade, Green	Standard D-Grip	11	χ	14	38	
SAL461	69825	Large Blade, White	Standard D-Grip	14	Х	17	42	
SAL462	69823	Large Blade, Blue	Standard D-Grip	14	Х	17	42	
SAL463	69822	Large Blade, Green	Standard D-Grip	14	Х	17	42	
SAFETY	SHOVELS (TWO	-PIECE)						
SAL465	6892SS	Medium Blade	Standard D-Grip	10.5	Х	14	38.5	
SAL468	6896SS	Medium Blade	Extended D-Grip	10.5	Х	14	43.5	
SAL470	6898SS	Medium Blade	Short D-Grip	10.5	χ	14	33	
SAL471	6900SS	Large Blade	Standard D-Grip	14	Х	18	40.5	
SAFETY	ALL BLACK (TW	O-PIECE)						
SAL467	6896BKSS	Medium Blade	Extended D-Grip	10.5	Х	14	43.5	
EMERGE	NCY BLADE SHO	OVELS						
SAL473	665198	Compact Orange/Grey	T-Grip	10	χ	12	24 - 36	

HAZMAT SQUEEGEES

- Made of chemically resistant polyethylene, they're tough and economical
- High-density polyethylene block, low-density polyethylene blade
- The curved-blade model will push large volumes of liquid and contain spill areas more effectively
- Requires the use of a European-thread handle
- Custom lengths available



Model	Mfg.		D	imensior	ıs	Price
No.	No.	Description	L"	x	W"	/Each
SAL475	6608	Polyethylene Blade	8	Х	4.2	
SAL476	6612	Polyethylene Blade	12	Х	4.2	
SAL477	6618	Polyethylene Blade	18	Х	4.2	
SAL478	6624	Polyethylene Blade	24	Х	4.2	
SAL479	6630	Polyethylene Blade	30	Х	4.2	



HAZMAT SQUEEGEE HANDLES

- · Strong honeycomb core for rigid, crush resistant handle
- Polyester gel coat to protect hands from glass fibres
 Tapered European-thread fitting
 Custom length handles available



Model No.	Mfg. No.	Description	Length"	Price/Each
EUROPEAN-T	HREAD HANDLES			
SAL481	6012	Fibreglass Handle	12	
SAL482	6024	Fibreglass Handle	24	
SAL483	6036	Fibreglass Handle	36	
SAL484	6053	Fibreglass Handle	53	
SAL485	6061	Fibreglass Handle	61	
SAL486	6072	Fibreglass Handle	72	
SAL487	6080	Fibreglass Handle	80	
SPECIALTY H	ANDLES, EUROPEAI	N THREAD		
SAL488	6228	Compact Utility, Fibreglass	28 - 47	
SAL489	6264	Extension Utility Handle, Fibreglass	6' 10" - 11' 9"	



SPILL KIT TOOLS

- Rugged, non-sparking, anti-static and chemically resistant
- European-thread handle required for brushes
- · Model SAL503 with blue bristles



Model	Mfg.			Dim	Price			
No.	No.	Description	L"	X	W"	X	Н"	/Each
DUSTPAN	۱S							
SAL490 6350 Dustpan Charcoal Grey, Polypropylene		12	Х	12	Х	2		
SCOOPS								
SAL491	64005	Small, 32 oz White	6	Х	5	Х	3.5	
SAL492	64002	Small, 32 oz Green	6	Х	5	Х	3.5	
SAL494	65005	Large, 82 oz. – White	9	Х	6	Х	3.5	
SAL495	65002	Large, 82 oz. – Green	9	Х	6	Х	3.5	
SCRAPER	S							
SAL497	69615	Small, White	8	Х	3	Х	-	
SAL498	69612	Small, Green	8	Х	3	Х	-	
SAL500	69625	Large, White	9.7	Х	4.4	Х	-	
SAL501	69622	Large, Green		Х	4.4	Х	-	



Model	Mfg.		Dim	iensi	ions	Price		
No.	No.	Description	L"	X	W"	/Each		
FOOD H	YGIENE B	ROOM						
SAL503	31783	Polypropylene Broom, Soft	2	Х	15.7			
SAL504	2915	Polyester Broom, Stiff	3	Х	11.7			
SAL505	2920	Polyester Broom, Stiff	2.5	Х	18.5			
HANDLE	S							
SAL488	6228	Compact Utility, Fibreglass	28	-	47			
SAL489	6264	Extension Utility Handle, Fibreglass	6' 10"	-	11' 9"			

95-GALLON SPILL KITS





Description	Oil Only Model No.	Price /Each	Universal Model No.	Price /Each	Hazmat Model No.	Price /Each
Spill Kit	SEJ262		SEI167		SEJ263	
Mobile Spill Kit	SEJ264		SEI494		SEJ265	
Replacement Kit*	SEJ824		SEI873		SEJ826	

^{*}Replacement kit does not include original package container

CONTENTS:

Qty	Description	Oil Only	Universal	Hazmat
50	Sorbent Pads , 15" x 17"	SEI140	SEJ772	SEJ773
5	Sorbent Socks, 3" x 48"	SEI141	SEI156	SEJ775
5	Sorbent Pillows, 8" x 18"	SEI143	SEJ776	SEI153
4	Sorbent Booms, 5" x 10"	SDK910	SEI149	SEI149
1	Sorbent Roll, 15" x 150'	SEH950	SEH963	SEJ009
1	Drain Cover, 36" x 36"	SH104	SH104	SH104
1	Caution Tape, 3" x 300'	SFJ602	SFJ602	SFJ602
2	Pairs Nitrile Gloves, XL (10)	SEF086	SEF086	SEF086
2	Pairs Safety Goggles, One Size	SEF219	SEF219	SEF219
2	Microporous Coveralls, XL	SEC817	SEC817	SEC817
10	Disposal Bags, 26" x 36"	SEI272	SEI272	SEI272

Capacity	Model No.
95 Gallons	SDM248*
95 Gallons	SAH549**
	95 Gallons

^{*} UN 1H2/X295/S, DOT 49 CFR 173.3(c), EPA, SPCC and NPDES
** UN 1H2/X125/S, DOT 49 CFR 173.3(c), EPA, SPCC and NPDES

97-GALLON SPILL KITS





Description	Oil Only Model No.	Price /Each	Universal Model No.	Price /Each
Spill Kit	SEJ260		SEI166	
Mobile Spill Kit	SEJ261		SEI493	
Replacement Kit*	SEJ823		SG967	

^{*}Replacement kit does not include original package container

CONTENTS:

Qty	Description	Oil Only	Universal
100	Sorbent Pads, 15" x 17"	SEI140	SEJ772
10	Sorbent Socks, 3" x 120"	SEI142	SEI157
8	Sorbent Pillows, 8" x 18"	SEI143	SEJ776
1	Drain Cover, 36" x 36"	SH104	SH104
1	Caution Tape, 3" x 300'	SFJ602	SFJ602
2	Pairs Nitrile Gloves, XL (10)	SEF086	SEF086
2	Pairs Safety Goggles, One Size	SEF219	SEF219
2	Microporous Coveralls, XL	SEC817	SEC817
10	Disposal Bags, 26" x 36"	SEI272	SE1272
Replacement Containers		Capacity	Model No.
Spill Control Locker, 42" x 30" x 29"		97 Gallons	ND702
Mobile	Spill Control Locker, 48" x 30" x 29"	97 Gallons	SEI518

95-GALLON SHOP SPILL KITS

Description	Oil Only Model No.	Price /Each	Universal Model No.	Price /Each	Hazmat Model No.	Price /Each
Spill Kit	SEJ266		SEI168		SAL321	
Mobile Spill Kit	SEJ268		SE1495		SEJ269	
Replacement Kit*	SEJ827		SEI947		SEJ829	

^{*}Replacement kit does not include original package container

CONTENTS:

Qty	Description	Oil Only	Universal	Hazmat
100	Sorbent Pads, 15" x 17"	SEI140	SEJ772	SEJ773
10	Sorbent Socks, 3" x 120"	SEI142	SEI157	SEI151
8	Sorbent Pillows, 8" x 18"	SEI143	SEJ776	SEI153
1	Drain Cover, 36 " x 36"	SH104	SH104	SH104
1	Caution Tape, 3" x 300'	SFJ602	SFJ602	SFJ602
2	Pairs Nitrile Gloves, XL (10)	SEF086	SEF086	SEF086
2	Pairs Safety Goggles, One Size	SEF219	SEF219	SEF219
2	Microporous Coveralls, XL	SEC817	SEC817	SEC817
10	Disposal Bags, 26" x 36"	SEI272	SEI272	SEI272

Replacement Containers Capacity Model No. Polyethylene Overpack Drum, 32" x 26" x 42" 95 Gallons SDM248* Mobile Polyethylene Overpack Drum, 32" x 26" x 42" 95 Gallons SAH549**

^{*} UN 1H2/X295/S, DOT 49 CFR 173.3(c), EPA, SPCC and NPDES ** UN 1H2/X125/S, DOT 49 CFR 173.3(c), EPA, SPCC and NPDES



95-GALLON INDUSTRIAL SPILL KITS

Description	Oil Only Model No.	Price /Each
Spill Kit	SAK243	
Mobile Spill Kit	SAK245	
Replacement Kit*	SE1874	

^{*}Replacement kit does not include original package container

CONTENTS:

Qty	Description	Oil Only
50	Sorbent Pads, 15" x 17"	SEI140
5	Sorbent Socks, 3" x 48"	SEI141
5	Sorbent Pillows, 8" x 18"	SEI143
4	Sorbent Booms, 5" x 10"	SDK910
1	Sorbent Roll, 15" x 150'	SEH950
1	Drain Cover, 36" x 36"	SH104
1	Caution Tape, 3" x 300'	SFJ602
1	Repair Putty, 4 oz.	SH105
2	Pairs Nitrile Gloves, XL (10)	SEF086
2	Pairs Safety Goggles, One Size	SEF219
2	Microporous Coveralls, XL	SEC817
10	Disposal Bags, 26" x 36"	SEI272

Replacement Containers	Capacity	Model No.
Polyethylene Overpack Drum, 32" x 26" x 42"	95 Gallons	SDM248*
Mobile Polyethylene Overpack Drum, 32" x 26" x 42"	95 Gallons	SAH549**



95-GALLON SPILL KITS

- · Spill Type: Universal

- Container Type: Salvage Drum
 Absorption Capacity: 95 US gal.
 Stationary/Mobile/Portable: Stationary

CONTENTS:

Qty	Description	Universal
1	Polyethylene Overpack Drum	SDM248
150	Sorbent pads, 15" x 18"	SEJ772
20	Sorbent socks, 3" x 48"	SEI156
5	Sorbent Pillows, 18" x 18"	SEJ777
2	Pairs Nitrile Gloves, XL (10)	SEF086
10	Disposal Bags, 26" x 36"	SEI272

Model No. SGD801 Price/Each \$



95-GALLON ECONOMY SPILL KITS

Description	Oil Only Model No.	Price /Each	Universal Model No.	Price /Each
Spill Kit	SAK251		SEJ272	
Mobile Spill Kit	SAK253		SEJ273	
Replacement Kit*	SEJ830		SEJ831	

^{*}Replacement kit does not include original package container

CONTENTS:

Qty	Description	Oil Only	Universal
100	Sorbent Pads, 15" x 17"	SEI140	SEJ772
4	Sorbent Booms, 5" x 10"	SDK910	SEI149
1	Drain Cover, 36" x 36"	SH104	SH104
1	Caution Tape, 3" x 300'	SFJ602	SFJ602
1	Repair Putty, 4 oz.	SH105	SH105
2	Pairs Nitrile Gloves, XL (10)	SEF086	SEF086
2	Pairs Safety Goggles, One Size	SEF219	SEF219
2	Microporous Coveralls, XL	SEC817	SEC817
10	Disposal Bags, 26" x 36"	SEI272	SEI272
Replac	cement Containers	Capacity	Model No.
Polyeth	nylene Overpack Drum, 32" x 26" x 42"	95 Gallons	SDM248*

⁹⁵ Gallons * UN 1H2/X295/S, DOT 49 CFR 173.3(c), EPA, SPCC and NPDES ** UN 1H2/X125/S, DOT 49 CFR 173.3(c), EPA, SPCC and NPDES



Mobile Polyethylene Overpack Drum, 32" x 26" x 42"

SAH549**

63-GALLON SPILL KITS

Description	Oil Only	Price	Universal	Price
	Model No.	/Each	Model No.	/Each
Mobile Spill Kit Replacement Kit*	SEI198 SEI943		SEI197 SEI944	

^{*}Replacement kit does not include original package container

CONTENTS:

Qty	Description	Oil Only	Universal
100	Sorbent Pads, 15" x 17"	SEI140	SEJ772
4	Sorbent Socks, 3" x 120"	SEI142	SEI157
4	Sorbent Pillows, 18" x 18"	SEI144	SEJ777
1	Drain Cover, 36" x 36"	SH104	SH104
1	Optisorb®, 25-lb. Bag	SE1076	SE1076
2	Pairs Nitrile Gloves, XL (10)	SEF086	SEF086
2	Pair Safety Goggles, One Size	SEF219	SEF219
3	Disposal Bags, 26" x 36"	SEI272	SEI272

Replacement Containers	Capacity	Model No.
Yellow Mobile Container, 23" x 29" x 42"	63 Gallons	SE1276



55-GALLON ECO-FRIENDLY SPILL KITS

Description	Oil Only	Price	Universal	Price	Hazmat	Price
	Model No.	/Each	Model No.	/Each	Model No.	/Each
Spill Kit Replacement Kit*	SEI182 SEI945		SEI181 SEI946		SEJ270 SEJ832	

^{*}Replacement kit does not include original package container

CONTENTS:

Qty	Description	Oil Only	Universal	Hazmat
50	Natural Fibre Pads, 16" x 18"	SEI154	SEI155	SEI155
3	Sorbent Socks, 3" x 120"	SEI142	SEI157	SEI151
5	Sorbent Socks, 3" x 48"	SEI141	SEI156	SEJ775
1	Drain Cover, 36" x 36"	SH104	SH104	SH104
1	Pair Nitrile Gloves, XL (10)	SEF086	SEF086	SEF086
2	Microporous Coveralls, XL	SEC817	SEC817	SEC817
1	Pair Safety Goggles, One Size	SEF219	SEF219	SEF219
3	Disposal Bags, 26"x36"	SEI272	SEI272	SEI272
Replacement Containers		Capacity		Model No.
Blue Polyethylene Drum		55 Gallons		DC525*

^{*} UN Compliance: 1H2/Y250/S



55-GALLON SPILL KIT

- Spill Type: Universal
- Container Type: Drum
- Absorption Capacity: 55 US gal.
- Stationary/Mobile/Portable: Stationary

CONTENTS:

Qty	Description	Universal
1	Blue Polyethylene Drum	DC525
100	Sorbent pads, 15" x 18"	SEI988
12	Sorbent socks, 3" x 48"	SEI156
2	Sorbent socks, 3" x 10'	SEI157
2	Pairs Nitrile Gloves, XL (10)	SEF086
1	Caution Tape, 3" x 300'	SFJ602
4	Disposal Bags, 26" x 36"	SEI272

Model No. SGD800 Price/Each \$



55-GALLON SPILL KITS

Description	Oil Only Model No.	Price /Each	Universal Model No.	Price /Each	Hazmat Model No.	Price /Each
Spill Kit	SEI196		SEI195		SEJ271	
Replacement Kit*	SEI576		SEJ833		SEJ834	

^{*}Replacement kit does not include original package container

CONTENTS:

Qty	Description	Oil Only	Universal	Hazmat
50	Sorbent Pads, 15" x 17"	SEI140	SEJ772	SEJ773
5	Sorbent Socks, 3" x 48"	SEI141	SEI156	SEJ775
3	Sorbent Socks, 3" x 120"	SEI142	SEI157	SEI151
1	Drain Cover, 36" x 36"	SH104	SH104	SH104
1	Pair Nitrile Gloves, XL (10)	SEF086	SEF086	SEF086
2	Microporous Coveralls, XL	SEC817	SEC817	SEC817
1	Pair Safety Goggles, One Size	SEF219	SEF219	SEF219
3	Disposal Bags, 26" x 36"	SEI272	SEI272	SEI272

Replacement Containers	Capacity	Model No.
Black Polyethylene Drum	55 Gallons	DC527*

^{*} UN Compliance: 1H1/Y1.9/150



31-GALLON TOOL BOX SPILL KITS

Description	Oil Only	Price	Universal	Price
	Model No.	/Each	Model No.	/Each
Spill Kit Replacement Kit*	SEI261 SEJ835		SEI260 SEJ836	

^{*}Replacement kit does not include original package container

CONTENTS:

Qty	Description	Oil Only	Universal
25	Sorbent Pads, 15 "x 17"	SEI140	SEJ772
4	Sorbent Socks, 3" x 48"	SEI141	SEI156
5	Sorbent Pillows, 8" x 18"	SEI143	SEJ776
1	Oil Gator®, 30-lb. Bag	SEI158	SEI158
1	Drain Cover, 36" x 36"	SH104	SH104
2	Pairs Nitrile Gloves, XL (10)	SEF086	SEF086
2	Pairs Safety Goggles, One Size	SEF219	SEF219
3	Disposal Bags, 26" x 36"	SEI272	SEI272

Replacement Containers	Capacity	Model No.
Water Resistant Storage Container, 33" x 19" x 13"	31 Gallons	SEI277



30-GALLON TOOL KADDIE SPILL KITS

Description	Oil Only	Price	Universal	Price
	Model No.	/Each	Model No.	/Each
Mobile Spill Kit Replacement Kit*	SEI200 SEI953		SEI199 SEI952	

^{*}Replacement kit does not include original package container

Qty	Description	Oil Only	Universal
40	Sorbent Pads, 15" x 17"	SEI140	SEJ772
5	Sorbent Socks, 3" x 48"	SEI141	SEI156
2	Sorbent Socks, 3" x 120"	SEI142	SEI157
8	Sorbent Pillows, 8" x 18"	SEI143	SEJ776
60	Industrial Wipes	JD479	JD479
4	Repair Putty, 4 oz.	SH105	SH105
2	Pairs Nitrile Gloves, XL (10)	SEF086	SEF086
1	Pair Safety Goggles, One Size	SEF219	SEF219
2	Disposal Bags, 26" x 36"	SEI272	SE1272

Replacement Containers	Capacity	Model No.
Mobile Tool Kaddie	30 Gallons	SEI275



30-GALLON SHOP SPILL KITS

Description	Oil Only Model No.	Price /Each	Universal Model No.	Price /Each
Spill Kit	SEI163		SEJ274	
Replacement Kit	SEJ837		SEJ838	

^{*}Replacement kit does not include original package container

CONTENTS:

Qty	Description	Oil Only	Universal
50	Sorbent Pads, 15" x 17"	SEI140	SEJ772
4	Sorbent Socks, 3" x 48"	SEI141	SEI156
1	Drain Cover, 36" x 36"	SH104	SH104
1	Repair Putty, 4 oz.	SH105	SH105
2	Pairs Nitrile Gloves, XL (10)	SEF086	SEF086
5	Disposal Bags, 26" x 36"	SE1272	SE1272

Replacement Containers	Capacity	Model No.
Blue Polyethylene Drum	30 Gallons	DC535*

^{*} UN Compliance: 1H2/Y150/S



30-GALLON SPILL KITS

Description	Oil Only	Price	Universal	Price	Hazmat	Price
	Model No.	/Each	Model No.	/Each	Model No.	/Each
Spill Kit Replacement Kit*	SEJ275 SEJ839		SEI165 SEI614		SEJ276 SEJ840	

^{*}Replacement kit does not include original package container

CONTENTS:

Qty	Description	Oil Only	Universal	Hazmat
75	Sorbent Pads, 15" x 17"	SEI140	SEJ772	SEJ773
4	Sorbent Socks, 3" x 120"	SEI142	SEI157	SEI151
1	Drain Cover, 36" x 36"	SH104	SH104	SH104
1	Caution Tape, 3" x 300'	SFJ602	SFJ602	SFJ602
2	Pairs Nitrile Gloves, XL (10)	SEF086	SEF086	SEF086
2	Pairs Safety Goggles, One Size	SEF219	SEF219	SEF219
2	Microporous Coveralls, XL	SEC817	SEC817	SEC817
5	Disposal Bags, 26" x 36"	SE1272	SEI272	SEI272

Replacement Containers	Capacity	Model No.
Blue Polyethylene Drum	30 Gallons	DC535*

^{*} UN Compliance: 1H2/Y150/S



20-GALLON SPILL KITS

Description	Oil Only Model No.	Price /Each	Universal Model No.	Price /Each	Hazmat Model No.	Price /Each
Spill Kit	SEJ291		SEI164		SEJ277	
Replacement Kit*	SEJ841		SEJ842		SEJ843	

^{*}Replacement kit does not include original package container

Qty	Description	Oil Only	Universal	Hazmat	
50	Sorbent Pads, 15" x 17"	SEI140	SEJ772	SEJ773	
4	Sorbent Socks, 3" x 48"	SEI141	SEI156	SEJ775	
2	Sorbent Pillows, 8" x 18"	SEI143	SEJ776	SEI153	
1	Pair Nitrile Gloves, XL (10)	SEF086	SEF086	SEF086	
1	Pair Safety Goggles, One Size	SEF219	SEF219	SEF219	
1	Disposal Bag, 26 "x 36"	SEI272	SEI272	SEI272	

Replacement Containers	Capacity	Model No.
Yellow Polyethylene Container	20 Gallons	SAG189*

^{*} UN 1H2/X75/S, UN 1H2/Y100/S, DOT 49 CFR 173.3 (c), EPA, SPCC and NPDES





17-GALLON WESTERN CANADA SPILL KITS



Description	Oil Only	Price	Universal	Price	Hazmat	Price
	Model No.	/Each	Model No.	/Each	Model No.	/Each
Spill Kit Replacement Kit*	SEJ844		SEJ193 SEJ845		SEJ280 SEJ846	

^{*}Replacement kit does not include original package container

CONTENTS:

Qty	Description	Oil Only	Universal	Hazmat
10	Sorbent Pads, 15" x 17"	SEI140	SEJ772	SEJ773
3	Sorbent Socks, 3" x 48"	SEI141	SEI156	SEJ775
1	Optisorb®, 2-lb. Bag	SEI270	SEI270	SEI270
1	Peat Moss, 2-lb. Bag	SEI271	SEI271	SEI271
1	Plug n' Dike®, 10 oz.	SEI071	SEI071	SEI071
1	Scoop, Non-Sparking	SEI280	SEI280	SEI280
1	Pair Nitrile Gloves, XL (10)	SEF086	SEF086	SEF086
1	Containement Pool, 20-gal.	SAQ189	SAQ189	SAQ189
1	Disposal Bag, 26" x 36"	SEI272	SEI272	SEI272

Replacement Containers	Capacity	Model No.
Red Nylon Bag	N/A	SEI557

DUFFLE BAG VEHICLE SPILL KITS



Description	Oil Only	Price	Universal	Price	Hazmat	Price
	Model No.	/Each	Model No.	/Each	Model No.	/Each
Spill Kit Replacement Kit*	SEI184 SEI888		SEI183 SEI889		SEJ284 SEJ851	

^{*}Replacement kit does not include original package container

CONTENTS:

Qty	Description	Oil Only	Universal	Hazmat
20	Sorbent Pads, 15 "x 17"	SEI140	SEJ772	SEJ773
2	Sorbent Socks, 3" x 48"	SEI141	SEI156	SEJ775
2	Sorbent Pillows, 8" x 18"	SEI143	SEJ776	SEI153
1	Repair Putty, 4 oz.	SH105	SH105	SH105
1	Pair Nitrile Gloves, XL (10)	SEF086	SEF086	SEF086
1	Pair Safety Goggles, One Size	SEF219	SEF219	SEF219
2	Disposal Bags, 26" x 36"	SEI272	SEI272	SEI272

Replacement Containers	Capacity	Model No.
Nylon Bag	N/A	SEI559

16-GALLON SPILL KITS





Description	Oil Only	Price	Universal	Price	Hazmat	Price
	Model No.	/Each	Model No.	/Each	Model No.	/Each
Spill Kit Replacement Kit*	SEJ278 SEJ847		SEI162 SEJ848		SEJ279 SEJ849	

^{*}Replacement kit does not include original package container

CONTENTS:

Qty	Description	Oil Only	Universal	Hazmat
5	Sorbent Socks, 3" x 48"	SEI141	SEI156	SEJ775
5	Sorbent Pillows, 8" x 18"	SEI143	SEJ776	SEI153
1	Pair Nitrile Gloves, XL (10)	SEF086	SEF086	SEF086
1	Pair Safety Goggles, One Size	SEF219	SEF219	SEF219
3	Disposal Bags, 26" x 36"	SEI272	SEI272	SEI272

Replacement Containers	Capacity	Model No.
Blue Polyethylene Pail	16 Gallons	DC538*

^{*} UN Compliance: 1H2/X65.0/S

10-GALLON CAPACITY TRUCK SPILL KITS



Description	Oil Only Model No.	Price /Each	Universal Model No.	Price /Each	Hazmat Model No.	Price /Each
Spill Kit - Plastic Zipper Bag	SEI186		SEI185		SEJ281	
Spill Kit - Nylon Bag	SEI188		SEI187		SEJ282	
Spill Kit - Blue Drum	SEI190		SEI189		SEJ283	
Replacement Kit*	SEJ669		SEJ770		SEJ850	

^{*}Replacement kit does not include original package container

Qty	Description	Oil Only	Universal	Hazmat
10	Sorbent Pads, 15" x 17"	SEI140	SEJ772	SEJ773
3	Sorbent Socks, 3" x 48"	SEI141	SEI156	SEJ775
2	Sorbent Pillows, 8" x 18"	SEI143	SEJ776	SEI153
1	Pair Nitrile Gloves, XL (10)	SEF086	SEF086	SEF086
1	Pair Safety Goggles, One Size	SEF219	SEF219	SEF219
1	Disposal Bag, 26" x 36"	SEI272	SEI272	SEI272

Replacement Containers	Capacity	Model No.
Plastic Zipper Bag	N/A	SDL059
Nylon Bag	N/A	SEI557
Blue Drum	10 Gallons	DC539*

^{*} UN Compliance: 1H2/Y45.5/S

10-GALLON SERVICE VEHICLE SPILL KITS



Description	Oil Only	Price	Universal	Price	Hazmat	Price
	Model No.	/Each	Model No.	/Each	Model No.	/Each
Spill Kit Replacement Kit*	SEI192 SEJ852		SEJ191 SEJ853		SEJ285 SEJ854	

^{*}Replacement kit does not include original package container

CONTENTS:

Qty	Description	Oil Only	Universal	Hazmat	
2	Sorbent Socks, 3" x 48"	SEI141	SEI156	SEJ775	
4	Sorbent Pillows, 8" x 18"	SEI143	SEJ776	SEI153	
1	Oil Gator®, 5-lb. Bag	SEI159	SEI159	SEI159	
2	Disposal Bags, 26" x 36"	SEI272	SEI272	SEI272	

Replacement Containers	Capacity	Model No.
Nylon Bag	N/A	SEI557

ECO-FRIENDLY TRUCK SPILL KITS



Description	Oil Only Model No.	Price /Each	Universal Model No.	Price /Each
Spill Kit - Plastic Zipper Bag	SEI174 SEI176		SEI173	
Spill Kit - Nylon Bag Spill Kit - Blue Drum	SE1176 SE1178		SEI175 SEI177	
Replacement Kit*	SEI871		SEI612	

^{*}Replacement kit does not include original package container

CONTENTS:

Qty	Description	Oil Only	Universal
10	Natural Fibre Pads, 16" x 18"	SEI154	SEI155
3	Sorbent Socks, 3" x 48"	SEI141	SEI156
2	Sorbent Pillows, 8" x 18"	SEI143	SEJ776
1	Pair Nitrile Gloves, XL (10)	SEF086	SEF086
1	Pair Safety Goggles, One Size	SEF219	SEF219
1	Disposal Bag, 26" x 36"	SEI272	SEI272

Replacement Containers	Capacity	Model No.
Plastic Zipper Bag	N/A	SDL059
Nylon Bag	N/A	SEI557
Blue Drum	10 Gallons	DC539*

^{*} UN Compliance: 1H2/Y45.5/S

10-GALLON SPILL KITS







Description	Oil Only Model No.	Price /Each	Universal Model No.	Price /Each
Spill Kit - Plastic Zipper Bag	SEI170		SEI169	
Spill Kit - Nylon Bag	SEI172		SEI171	
Replacement Kit*	SEJ856		SEJ857	

^{*}Replacement kit does not include original package container

CONTENTS:

Qty	Description	Oil Only	Universal
10	Natural Fibre Pads, 16 "x 18"	SEI154	SEI155
1	Sorbent Sock, 3" x 48"	SEI141	SEI156
1	Pair Nitrile Gloves, XL (10)	SEF086	SEF086
1	Disposal Bag, 26" x 36"	SEI272	SEI272

Replacement Containers	Capacity	Model No.
Plastic Zipper Bag	N/A	SDL059
Nylon Bag	N/A	SEI557



Description	Hazmat Model No.	Price /Each
Spill Kit	SEJ286	
Replacement Kit*	SEJ859	

^{*}Replacement kit does not include original package container

Qty	Description	Hazmat
5	Sorbent Socks, 3" x 48"	SEJ775
1	Pair Nitrile Gloves, XL (10)	SEF086
1	Pair Safety Goggles, One Size	SEF219
2	Disposal Bags, 26" x 36"	SE1272

Replacement Containers	Capacity	Model No.
White Polyethylene Pail	5 Gallons	CB046
White Polyethylene Pail Cover	N/A	CB045



Description	Oil Only	Price	Universal	Price	Hazmat	Price
	Model No.	/Each	Model No.	/Each	Model No.	/Each
Spill Kit Replacement Kit*	SEJ975 SEJ976		SEJ160 SEJ858		SEJ286 SEJ859	

^{*}Replacement kit does not include original package container

CONTENTS:

Qty	Description	Oil Only	Universal	Hazmat
5	Sorbent Socks, 3" x 48"	SEI141	SEI156	SEJ775
1	Pair Nitrile Gloves, XL (10)	SEF086	SEF086	SEF086
1	Pair Safety Goggles, One Size	SEF219	SEF219	SEF219
2	Disposal Bags, 26" x 36"	SEI272	SEI272	SEI272

Replacement Containers	Capacity	Model No.
White Polyethylene Pail	5 Gallons	CB046
White Polyethylene Pail Cover	N/A	CB045



Description	Oil Only	Price	Universal	Price	Hazmat	Price
	Model No.	/Each	Model No.	/Each	Model No.	/Each
Spill Kit Replacement Kit*	SEI266 SEJ860		SEI265 SEJ861		SEJ287 SEJ862	

^{*}Replacement kit does not include original package container

CONTENTS:

Qty	Description	Oil Only	Universal	Hazmat
10	Sorbent Pads, 15" x 17"	SEI140	SEJ772	SEJ773
1	Sorbent Sock, 3" x 48"	SEI141	SEI156	SEJ775
1	Pair Nitrile Gloves, XL (10)	SEF086	SEF086	SEF086
1	Disposal Bag, 26" x 36"	SEI272	SEI272	SEI272

Replacement Containers	Capacity	Model No.
Nylon Bag	N/A	SEI557

5-GALLON SPILL KIT

- Spill Type: Oil Only
- · Container Type: Pail
- Absorption Capacity: 5 US gal.
- Stationary/Mobile/Portable: Portable

CONTENTS:

Qty	Description	Oil Only
1	White Polyethylene Pail	CB046
10	Sorbent pads, 15" x 17"	SGE019
2	Sorbent socks, 3" x 48"	SEI141
1	Oil Gator, 5-lb. bag	SEI159
1	Pair Vinyl Exam Gloves, XL (10)	SAQ703
2	Disposal Bags, 26" x 36"	SEI272

Model No. SGD798 Price/Each \$



ZENTH



5-GALLON SPILL KIT

- Spill Type: Oil Only
- Container Type: Bag
- Absorption Capacity: 5 US gal.Stationary/Mobile/Portable: Portable
- CONTENTS:

Qty	Description	Oil Only
1	Nylon Bag	SEI557
10	Sorbent pads, 15" x 17"	SGE019
3	Sorbent socks, 3" x 48"	SEI141
1	Pair Nitrile Gloves, XL (10)	SAP323
1	Disposal Bag, 26" x 36"	SEI272

Model No. SGD799 Price/Each \$



FIRST RESPONDERS SPILL KITS

Qty	Description
1	Plastic Carry Case
4	Sorbent Pads, 15" x 17"
1	Sorbent Sock, 3" x 48"
1	Repair Putty, 4 oz.
1	Pair Nitrile Gloves, XL (10)
1	Pair Safety Goggles, One Size
1	Disposal Bag, 26" x 36"



Description	Oil Only	Price	Universal	Price
	Model No.	/Each	Model No.	/Each
Spill Kit	SEJ288		SEJ289	



20-GALLON ACID SPILL KITS



Model		Price
No.	Description	/Each
SEI263	Acid Spill Kit	
SEJ863	Replacement Kit*	

SEI156

SEC817

SEF086

SEF219

*Replacement kit does not include original package container

Sorbent Socks, 3" x 48"

Disposal Bags, 26" x 36"

Microporous Coveralls, XL

Pairs Nitrile Gloves, XL (10)

Pairs Safety Goggles, One Size

Replacement Containers	Capacity	Model No.
Yellow Polyethylene Container	20 Gallons	SAG189*

^{*} UN 1H2/X75/S, UN 1H2/Y100/S, DOT 49 CFR 173.3 (c), EPA, SPCC and NPDES

20-GALLON CAUSTIC SPILL KITS



CONTENTS:

Qty	Description	Model No.
8	Caustic Neutralizer, 0.85 kg Shaker	SFM474
15	Sorbent Pads, 15" x 17"	SEJ772
2	Sorbent Socks, 3" x 48"	SEI156
2	Microporous Coveralls, XL	SEC817
2	Pairs Nitrile Gloves, XL (10)	SEF086
2	Pairs Safety Goggles, One Size	SEF219
2	Disposal Bags, 26" x 36"	SEI272



Model No.	Description	Price /Each
SEI262 SEJ865	Caustic Spill Kit Replacement Kit*	

^{*}Replacement kit does not include original package container

Replacement Containers	Capacity	Model No.
Yellow Polyethylene Container	20 Gallons	SAG189*

 $^{^{*}}$ UN 1H2/X75/S, UN 1H2/Y100/S, DOT 49 CFR 173.3 (c), EPA, SPCC and NPDES

20-GALLON BATTERY ACID SPILL KITS



CONTENTS:

Qty	Description	Model No.
8	Acid Neutralizer, 0.96 kg Shaker	SFM470
20	Sorbent Pads, 15" x 17"	SEJ772
3	Sorbent Socks, 3"x 48"	SEI156
2	Microporous Coveralls, XL	SEC817
2	Pairs Nitrile Gloves, XL (10)	SEF086
2	Pairs Safety Goggles, One Size	SEF219
3	Disposal Bags, 26" x 36"	SEI272



Model			Price
No.		Description	/Each
SEI264		Spill Kit	
SEJ864		Replacement Kit*	
M. D I.	the first of the first teach		

^{*}Replacement kit does not include original package container

Replacement Containers	Capacity	Model No.
Yellow Polyethylene Container	20 Gallons	SAG189*

*UN 1H2/X75/S, UN 1H2/Y100/S, DOT 49 CFR 173.3 (c), EPA, SPCC and NPDES



50-ML MERCURY SPILL KITS



40-ML MERCURY SPILL KITS



CONTENTS:



Model No.	Description	Price /Each
SEI268	Spill Kit	724411

CONTENTS:



Model		Price
No.	Description	/Each
SEJ552	Spill Kit	

LAB ACID/BASE SPILL KITS

CONTENTS:





Model		Price
No.	Description	/Each
SEI269	Spill Kit	

UNIVERSAL PRECAUTION BLOODBORNE PATHOGEN SPILL KITS

CONTENTS:

Qty	Description
1	Poly Bag
1	Protective Apron
1	Combo Mask/Safety Shield
1	Red Z ^o Solidifier, 10 g Pouch
1	Scoop
1	SaniZide Plus®, Germicidal Wipe, 8" x 8"
1	P.A.W.S.® Antimicrobial Hand Wipe, 5" x 8"
1	Pair Nitrile Gloves, XL (10)
1	Pair Safety Goggles, One Size
1	Red Bio Hazard Waste Bag, 24" x 24"
4	T 1 1 7 T1

Identification Tag and Instructions




Model		Price
No.	Description	/Each
SEJ290	Spill Kit	



UNIVERSAL POLY-DRUM FUNNELTM

- Patented scalloped design, high sidewall and bung fitting holders
- For use with 30 and 55 US gallon drums
- Funnels nest for compact shipment
- Safety funnel includes a non-sparking safety bung closure with flame arrestor for use with flammable liquids
- Optional cover keeps the weather and other hazards out
- Easy installation
- Exterior dimensions: 26" dia. x 5 1/2" H Interior dimensions: 22" dia. x 4" H





Model No.	Mfg. No.	Description	Wt. lbs.	Price /Each
SAH565	3004-YE	Funnel	3	
SAH566	3004-YE-SF	Safety Funnel	5	
SAH567	3040-YE	Funnel Cover	3	

POLY-DRUM TOPPER™ COVERS

- Snaps directly onto any 55 US gallon open or closed-head drum to keep out debris and protect drum tops
- Easy installation
- **Exterior dimensions:** 25 1/2" dia. x 3 3/4" H





Model	Mfg.		Wt.	Price
No.	No.	Description	lbs.	/Each
SA0193	3065-BK	Polv-Drum Topper™	1.5	

SAFETY FUNNELS WITH VENT

- · Provides safe waste solvent disposal due to automatic pressure and vacuum relief
- 9" diameter polyethylene funnel comes with brass safety vent and 6" flame arrestor
- Cap comes with safety chain to prevent loss
- 2" NPS
- · Weight: 4 lbs.
- FM approved

Model No. DA103 Mfg No. 8211 Price/Each \$





POLY-PAIL FUNNEL™

- Mounts to 3 1/2, 5 and 6-gallon tight-head pails
- Also fits open top pails with 12" diameter
- Optional Poly-Pail Funnel™ cover available

POLY-PAIL FUNNEL™

• Exterior dimensions: 9 1/4" top dia. x 11" bottom dia. x 2 3/4" H Interior dimensions: 8 1/2" x 2 3/8" side wall height

POLY-PAIL FUNNEL™ COVER

• Exterior dimensions: 9 1/4" dia. x 2 3/8" H







DAG	98
-----	----

Model No.	Mfg. No.	Description	Wt. Ibs.	Price /Each
DA098	3005-YE	Poly-Pail Funnel™	2	
SG291	3051-YE	Poly-Pail Funnel™ Cover	3	

SAFETY DRUM FUNNELS

- · Suitable for handling flammables, minimise potentially dangerous spills
- Large 10 3/4" mouth provides quick dumping
- Steel construction with 6" flame arrestor for the DA102 and 32" flame arrestor for the DA101
- · Hinged cover with fusible link reduces spread of vapours
- · FM approved







Model No.	Mfg. No.	Description	NPS"	Wt. Ibs.	Price /Each
DA101	8205	32" Flame Arrestor	2	29	
DA102	8207	6" Flame Arrestor	3/4	11	

POLY-OVERPACK® 20 & 30 SALVAGE DRUMS

- · Versatile units that can contain solids and sludges with security
- · Nestable for compact shipment
- 1/2-turn lid for easy opening and closing
- · Built-in shoulder for easy handling
- · UN rated salvage drums

POLY-OVERPACK 20 SALVAGE DRUMS

- · Accepts bottles, cans, and 5-gallon pails
- Exterior dimensions: 23" top Dia. x 18" bottom Dia. x 19" H Interior dimensions: 21 1/2" top Dia. x 17" bottom Dia. x 17 1/2" H
- · 20 US gallon sump capacity
- · Weight: 10 lbs.

Model No. SAG189 Mfg. No. 1220-YE Price/Each \$

POLY-OVERPACK 30 SALVAGE DRUMS

- · Unit can contain up to 16 US gallon drums
- Exterior dimensions: 23" top Dia. x 18" bottom Dia. x 30" H Interior dimensions: 21 1/2" top Dia. x 17" bottom Dia. x 28 1/2" H
- 30 US gallon sump capacity
- · Weight: 13 lbs.

Model No. SAH551 Mfg. No. 1230-YE Price/Each \$



POLY-OVERPACK® 65 SALVAGE DRUMS

- Appropriate for 30 US gallon drums
- Nests for easy storage
- · Gasket in the lid for secure containment
- · Can be used as a spill kit container
- Light enough for one person to handle and large
- enough to pack sufficient absorbent for incidental spills
- Meets Group 1 packaging standards, salvage drum regulation
- Meets performance-oriented packaging requirements of US DOT and UN regulations
- Exterior dimensions: 27 3/4" top Dia. x 23" bottom Dia. x 37 1/2" H
- Interior dimensions: 26 3/4" top Dia. x 22" bottom Dia. x 34 1/4" H
- · Maximum handling capacity: 440 lbs.
- Weight: 47 lbs.

Model No. SE471 Mfg. No. 1065-YE Price/Each \$



Construct Constr

POLY-OVERPACK® SALVAGE DRUM

- · Takes industry standards to a whole new level
- Engineered with safety in mind
- Stacks, locks and transports more securely and efficiently than any other drum in the market
- Specifically designed to lock once stacked as a preventative measure for both employees and products
- · Nesting lids create a safer and stronger nested stack for storage
- With a double start thread, unit only requires half a turn to tightly secure leaking drums
- Regulations: UN 1H2/X295/S, DOT 49 CFR 173.3(c), EPA, SPCC and NPDES
- Exterior Dimensions: 31.5" top dia. X 25.88" bottom dia. X 40"H
- Interior Dimensions: 27.5" top dia. X 24.5" bottom dia. X 36.5"H
- · Sump Capacity: 95 US gallons
- Load Bearing Capacity: 650 lbs.
- Weight: 46.5 lbs.

Model No. SDM248 Mfg. No. 1095-YE Price/Each \$





WHEELED OVERPACK® **SALVAGE DRUMS**

- First mobile 1-piece Overpack® that can handle 55 US gallon drums
- Salvage drum and dolly all in one, eliminates the need for a separate dolly
- UN rated salvage drums, ideal for spill kits
- Built-in handles and 6" wheels allow for easy maneuverability
- Easy steering through doorways and around obstacles

WHEELED OVERPACK 50

- 50 US gallon sump capacity
- Exterior dimensions: 24" top Dia. x 18 1/2" bottom Dia. x 45 1/2" H Interior dimensions:
 - 20" top Dia. x 17 3/4" bottom Dia. x 36" H

WHEELED OVERPACK 95

- 95 US gallon sump capacity
- Exterior dimensions: 31 1/2" top Dia. x 25 3/4" bottom Dia. x 47 1/2" H Interior dimensions: 27" top Dia. x 25" bottom Dia. x 38 1/2" H





Model No. DC608

Mfg. No. 91 Price/Each \$





Model No.	Mfg. No.	Description	Sump Cap. US Gallons	Wt. Ibs.	Price /Each
WHEELE	O OVERPACK®	50 SALVAGE DRUM			
SAL223	1259-YE	Polyolefin Wheels	50	38	
WHEELE	O OVERPACK®	95 SALVAGE DRUM			
SAH549	1299-YE	Polyolefin Wheels	95	56	

POLY-DOLLY®

THE MULTI-FUNCTIONAL, TWO-WHEEL DISPENSING STATION!

- · Holds 55 US gallon drums
- Tilts to become an efficient self-dispensing station
- Acts as its own secondary containment unit with patented sidewall sump
- Integrally molded handles for extra strength
- Double looped strap for easy loading
- Accessible to forklift from the rear
- Raised ribbed dispensing well
- Drain plug for removal of contents from sump
- All Terrain Dolly with heavy-duty semi-pneumatic rubber wheels
- 69" L x 32 1/2" W x 26 1/2" H
- 70 US gallon sump capacity
- 600-lb handling capacity







Drum not included

Model	Mfg.		Wt.	Price
No.	No.	Description	lbs.	/Each
SB769	5300-YE	Poly-Dolly®	83	
SB770*	5300-YE-A	Poly-Dolly® ATD	91	
SR442	6005-BK	Universal Well Liner	1.5	

* All Terrain Dolly with heavy-duty semi-pneumatic rubber wheels

POLY-SPILLCART™ CARTS





- Tough polyethylene construction will not rust or corrode
- Dual drain plugs let you empty sump easily
- Removable structural foam grate for easy cleaning
- Built-in tool tray
- 10" polyolefin wheels
- Rear wheels move around freely, brake for secure position
- Available as an all terrain cart (ATC) with heavy-duty aggressive wheels
- 66 1/2" L x 29" W x 43 3/4" H
- 57-gallon sump capacity
- 500-lb load bearing capacity

Model	Mfg.		Wt.	Price
No.	No.	Description	lbs.	/Each
SB766	5200-YE	Poly-Spillcart™	115	
SR438*	5200-YE-A	Poly-Spillcart [™] ATC	123	

^{*} All Terrain Cart with heavy-duty pneumatic rubber wheels

LEAK CONTAINMENT DRUM DOLLIES

- Polyethylene dolly will not dent, corrode, or rust
- Handles +30 imp gal./37 US gal. and 45 imp. gal./55 US gal. drums
- Solid bottom construction with a 2" lip contains spills up to 5 L
- Overall diameter: 24 1/4"
- · Capacity: 1000 lbs.
- Colour: Grey





Model No.	Caster Type	Caster Size"	O.A. Height"	Price /Each
DC465	Polyurethane	3	6 1/4	
DC466	Polyolefin	3	6 1/2	
DC467	Polyolefin	4	7 1/4	

SPILL SCOOTERTM

- 100% polyethylene construction
- · Contains incidental spills and drips
- · Spout included for easy draining
- Holds up to 55 US gallon drums
- Optional metal T-handle available separately, 36 5/8" long
- 35" Dia. x 9" H
- 500-lb load bearing capacity
- · 11 US gallon capacity





Mfg. No.	Description	Wt. Ibs.	Price /Each
5205-YE	Spill Scooter™	22	
5206-BK	T-Handle	3	
	No. 5205-YE	No.Description5205-YESpill Scooter™	No.Descriptionlbs.5205-YESpill Scooter™22

DRIP CATCHER DOLLIES

- Handles standard 45-gallon drums and larger containers up to 27" in diameter
- 2" lip contains drips
- Absorbent sock included
- 3 3/4" x 1/4" rubber casters
- Overall dimensions: 31 1/2" dia. x 5 3/4" H
- 1000-lb capacity
- Weight: 26 lbs.

Model No. DA600 Mfg. No. 9713 Price/Each \$





POLY-COLLECTORTM

- Portable hazardous materials collection systems
- Built of tough UV-stabilized polyethylene for excellent chemical resistance to a broad range of industrial materials
- Equipped with the universal Poly-Drum Funnel™
 to prevent over-spills while allowing multiple
 oil filters, pails, and cans to drain at once
- Ideal for collecting waste oil, antifreeze and maintenance chemicals
- · Drum dolly included

POLY-COLLECTOR™ 66

- Poly outer shell holds 70 US gallons
- Inner drum holds 55 US gallons
- Interior dimensions: 27" top dia. x 25 3/4" bottom dia. x 29 1/4" H
- Available with shell only, 70 US gallon sump capacity



	Exterior Dimensions											
Model	odel Mfg.			Top Bo				Wt.	Price			
No.	No.	Description	Dia"	X	Dia."	X	H"	lbs.	/Each			
SE554	8001-YE	W/Steel Drum	32 1/2	Х	26 1/4	Х	42	92				
SE555	8002-YE	W/Poly Drum	32 1/2	Х	26 1/4	χ	42	78				
SE556	8075-YE	Shell Only	32 1/2	Х	26 1/4	Х	31	30				

ULTRA-BUCKET®

- Molded-in handle makes pouring/dumping quick and easy
- Ergonomic design minimizes back pain and other injuries associated with heavy lifting
- Heavy-duty HDPE construction excellent chemical resistance
- Perfect container for smaller spill response kits
- · Material: Plastic
- · Capacity: 5 gal.

Model No. JH227 Mfg. No. 0660 Price/Each \$

SNAP-ON LID

• Fits on Ultra Bucket® 5 gallon pail

Model No. JH251 Mfg. No. 0664 Price/Each \$





THE POLY-RACKTM SYSTEM THE MOST EFFICIENT

DISPENSING/STORAGE SYSTEM!

POLY-RACKER™

- One-piece polyethylene rack that holds two 55 US gallon drums securely in place
- 100 plus gallon containment sump ensures spill safety even in worst-case drum leaks
- Deep dispensing well easily holds 5-gallon pails while containing incidental spills and splashes in a ribbed bottom without contaminating the sump
- Dispensing wells have a scalloped edge so pails can be easily removed
- Both sides of the unit have a drain plug
- Entire unit can be transported by forklift
- Rated to hold up to 3000 lbs.
- Can easily handle up to six drums when used with two Poly-Stacker™

$\textbf{POLY-STACKER}^{\mathsf{TM}}$

- · Holds two 55 US gallon drums
- Can be quickly stacked with a forklift
- Any spills from the second and third level falls into the dispensing well for containment and easy cleanup
- Increase safety and productivity by adding Poly-ShelfTM to the Poly-RackerTM System

MULTI-PURPOSE RACKER/STACKER™

- Holds up to two 55 US gallon drums
- · Unit can be placed on the floor (no sump) or on a pallet
- Use with the Poly-Shelf™ for easy dispensing into 5 or 6-gallon pails
- Forkliftable

POLY-SHELF™

- It easily attaches to Poly-Stacker $^{\!\mathsf{TM}}$
- Allows simultaneous dispensing from all drums
- A hole in the bottom of the Poly-ShelfTM drains into the dispensing well in the Poly-Racker™





Universal Well Liner



Drums, pail & pallet not included

Model	Mfg.		Max		D	imensior	15		Wt.	Price
No.	No.	Description	Capacity lbs.	L"	X	W"	X	H"	lbs.	/Each
SB771	6000-YE	Poly-Racker™	3000	49	Х	53	χ	23	105	
SB772	6002-YE	Poly-Stacker™	2400	49	Х	41	χ	13	50	
SR466	6006-YE	Single Poly-Racker™	1600	31	Х	53	χ	32	95	_
SR467	6007-YE	Single Poly-Stacker™	800	31	Х	40 1/2	Χ	20	45	
SE410	6004-YE	Multi-Purpose Racker/Stacker™	2400	48 1/2	Х	41	χ	20	60	
SB773*	6003-YE	Poly-Shelf™	60	17	Х	22	Χ	17 1/2	8	
SR442	6005-BK	Universal® Well Liner	-	14 1/2	Χ	17 1/2	χ	2 1/2	1.5	

^{*} Use only with Poly-StackerTM or Single Poly-StackerTM

DRUMS-UPTM TRAYS

THE INCIDENTAL SPILL SOLUTION!

- · Catch liquid before it reaches the floor, reducing the risk of slip and fall injuries
- Ideal for use as a drum pumping station
- Secondary containment unit features a unique geometric design covering more floor area
- Drain spout makes emptying easy

$DRUMS-UP^{TM}$

- · Contains drips for containers up to 55 US gallons
- Control nuisance spills from drums with a 20 US gallon capacity
- Convenient pour spout

DRUMS-UP JRTM

- · Containment for 16 to 30 US gallon drums and 5-gallon pails
- 7 1/2 US gallon capacity

Model	Mfg.		Dime	ensi	Wt.	Price	
No.	No.	Description	Dia"	X	Н"	lbs.	/Each
DA104	8091-YE	Drums-Up™	37 1/2	Х	7 1/2	6	
SD361	8200-YE	Drums-Up Jr.™	22 3/4	Χ	7 1/2	2	



NESTABLE 2-DRUM POLY-SPILLPALLET™

- 100% polyethylene provides excellent chemical resistance
- · Removable grates for easy cleaning
- · Forkliftable on two sides
- Holds two 55 US gallon drums
- Load bearing capacity of 2000 lbs.
- Sump capacity of 66 US gallons
- · Available with drain hole and plug
- Meets EPA 40 CFR 264.175
- Overall dimensions: 51" L x 26" W x 21" H



Model	Mfg.	Description	Wt.	Price
No.	No.		Ibs.	/Each
SE1786	5222-YE	2-Drum Poly-Spillpallet™	54	
SE1787	5222-YE-D	2-Drum Poly-Spillpallet™ w/Drain	54	

Drums not included

LOW-PROFILE IN-LINE POLY-SPILLPALLET™ 3000

- 100% polyethylene
- · Holds four 55 US gallon drums
- · Low 12" profile
- Non-skid, removable grates
- Load bearing capacity of 3000 lbs.
- Sump capacity of 66 US gallons
- Overall dimensions: 98" L x 25 1/4" W x 12" H
- Poly-Ramp $^{\text{TM}}$ allows for easy loading of pallet



Mfg.		Wt.	Price
No.	Description	lbs.	/Each
5102-YE	4-Drum Poly-Spillpallet™	78	
5102-YE-D	4-Drum Poly-Spillpallet™ w/Drain	78	
5039-BK	Poly-Ramp™	65	
	No. 5102-YE 5102-YE-D	No. Description 5102-YE 4-Drum Poly-Spillpallet™ 5102-YE-D 4-Drum Poly-Spillpallet™ w/Drain	No. Description lbs. 5102-YE 4-Drum Poly-Spillpallet™ 78 5102-YE-D 4-Drum Poly-Spillpallet™ w/Drain 78

Drums not included



POLY-SPILLPALLET™ 6000

- Includes the same rugged features as the Poly-Spillpallet[™] 2000
- Two removable grates
- Forkliftable from all sides
- Holds four 55 US gallon drums
- · Load bearing capacity of 6000 lbs.
- Sump capacity of 83 US gallons
- Overall dimensions: 50" L x 50" W x 17" H







POLY-SLIM-LINETM 6000

- Offers all of the same advantages as the Poly-Spillpallet[™] 6000
- Features a low 12" profile
- · Load bearing capacity of 6000 lbs.
- Sump capacity of 66 US gallons
- Overall dimensions: 54" L x 54" W x 12" H
- Poly-Ramp[™] allows for easy loading of pallet





Model	Mfg.		Wt.	Price
No.	No.	Description	lbs.	/Each
SE408	5400-YE	4-Drum Poly-Slim-Line™	84	
SE409	5400-YE-D	4-Drum Poly-Slim-Line™ w/Drain	84	
SAQ186	5039-BK	Poly-Ramp™	65	

ULTRA-SPILL PALLETS

- Specially constructed to support heavy loads and designed to be easily used and transported
- Constructed with a design called "The Cross of Life", which protects the pallet's structural integrity while bearing a heavy load over time
- 100% Polyethylene construction allows it to be compatible with a wide range of chemicals, while its low-rise, 11 inch walls give more accessibility for pouring
- Bright, safety yellow sidewalls are translucent, offering convenient visual leak detection
- Meets SPCC and EPA Container Storage Regulation 40 CFR 264.175 Spill Containment Regulations
- Sump Capacity: 66 US Gallons



Model	Mfg.			Dir	nensi	ons		Load Bearing Cap.	Wt.	Price
No.	No.	Description	L"	X	W"	X	Н"	lbs.	lbs.	/Each
SDL583	1010	2-Drum Spill Pallet	53	Х	29	Х	16 1/2	3000	63	
SDL584	1011	2-Drum Spill Pallet w/Drain	53	Х	29	Х	16 1/2	3000	63	
SDL585	1000	4-Drum Spill Pallet	53	Х	53	Х	11 3/4	6000	90	
SDL586	1001	4-Drum Spill Pallet w/Drain	53	χ	53	Х	11 3/4	6000	90	



WORKSTATIONS™

- Tough, 1-piece polyethylene construction will not rust or corrode
- Low profile design and optional ramp make it easy to load
- Forkliftable when empty
- Large sump capacity catches incidental spills
- Removable heavy-duty structural foam grates for easy cleaning
- Multi-Purpose Work RampTM hooks onto any WorkstationTM for easy loading

LINK-LOCKTM

- Link and lock multiple Workstations™ together in a wide variety of configurations
- Made of 100% polyethylene



Model	Mfg.	- 1	Exteri	or Dimen	sion	S	Sump Cap.	Load Bearing	Wt.	Price	
No.	No.	Description	L"	X	W"	X	H"	US Gallons	Cap. lbs.	lbs.	/Each
SR437	5117-YE	2-Drum	53	Х	28 1/2	Х	6	22	2000	34	
SR436	5116-YE	4-Drum	53	Χ	53	χ	6	40	6000	69	
SR435	5115-YE	6-Drum	77	Χ	53	χ	6	61	7000	102	
SB764	5110-YE	8-Drum	100	Χ	53 1/4	χ	6	77	8000	145	
SAQ187	5111-BK	Work Ramp™	25 1/2	Χ	46	Х	6 1/4	-	1000	30	
SAQ188*	5112-BK	Link-Lock [™]	9 1/2	Х	7	χ	3 1/2	-	-	3	

^{*}Priced per pair



SPILLPALTM FLEXIBLE WORKSTATIONS

- · Provides incidental spill control during temporary storage of equipment
- Can be used as a washdown pad or pumping station
- Alternative to hard plastic pallets
- Features 3" high foam sidewalls that spring back into place after any type of pressure is applied
- Folded unit ships easily
- When not using, store on a shelf, freeing up valuable floor space
- Easy drive-in and drive-out with a hand truck or forklift



Drums Not Included



Model	Mfg.			Ext	erior C)im.		Sump Cap.	Wt.	Pric
No.	No.	Description	Ľ	X	W'	X	H"	US Gallons	lbs.	/Eac
SAF814	5750-YE	1-Drum	2	Х	2	Х	4	7	2	
SAF815	5755-YE	2-Drum	2	Χ	4	Х	4	14	4	
SAF816	5760-YE	4-Drum	4	Х	4	Х	4	29	5	
SAF817	5765-YE	4-Drum In-Line	2	Х	8	Х	4	29	6	
SAF818	5770-YE	6-Drum	4	Χ	6	Х	4	44	7	
SAF819	5775-YE	8-Drum	4	Х	8	Х	4	59	9	
SE553	7006-BK	Optional Grate	4	Х	1.9	Х	2	-	18	
SAP041	7007-BK	Optional Grate	2.1	Х	2	Х	2	-	9	



ULTRA-SPILLDECK BLADDER SYSTEMS

- · Hidden containment bladder automatically unfurls to capture large spills or drum leaks
- Low profile, rugged, double layer polyethylene containment decks
- Low 5" deck height allows safe and convenient drum loading, even without drum handling equipment
- Meets EPA container storage regulations 40 CFR 264.175 and Uniform Fire Code Spill Containment regulations

Note: Spill Deck require usage of the bladder attachment to meet EPA and Uniform Fire Code regulations



Model	Mfg.				Dimension	15		Total Containment	Wt.	Price
No.	No.	Description	L"	X	W"	X	H"	Cap. US gallons	lbs.	/Eacl
SE411*	1320	1-Drum, 11 US Gal Cap.	25 7/8	Х	30 1/2	Х	5 3/4	77	27	
SE412*	2329	2-Drum, 22 US Gal Cap.	52	Х	30 1/2	Х	5 3/4	88	44	
SE413*	2330	4-Drum, 44 US Gal Cap.	52	Х	56 5/8	Х	5 3/4	110	66	
SE414*	2317	Bladder Attachment	25 1/8	Х	45/8	Χ	45/8	-	4	
SE415	2320	Replacement Bladder	66	Х	58 (unfurle	ed)	-	66	2	





ECOPOLYBLEND™ SPILL CONTROL PALLETS

THE FIRST AND ONLY SPILL CONTROL LINE MADE OF RECYCLED POLYETHYLENE!

- Eco-friendly pallets are made of up to 100% recycled polyethylene, making them twice as good for the environment!
- They not only protect against groundwater contamination, they also utilize post-industrial material that might have otherwise been discarded into the waste stream
- Quality engineered with a robust design, pallets withstand the toughest environments for superior spill control
- Durable, UV-protected EcoPolyBlendTM polyethylene is nearly impervious to chemical attack from hazardous acids, caustics and solvents
- Seamless construction eliminates leaks even if a 55-gallon (200 L) drum fails and completely empties its contents
- Fully compliant, Justrite® EcoPolyBlend™ Pallets feature oversized leakproof sumps that meet or exceed regulations
- Sturdy, removable grates are nearly 2 1/2" (64 mm) thick for superior crack resistance
- Self-locating, they reduce the chance of grate "ride-up" and remove for quick sump inspection and cleaning
- 2-drum and 4-drum square pallets include wide forklift pockets for easy relocation
- Square pallet may be equipped with an optional ramp to facilitate loading and unloading of heavy drums

Yellow = For high visibility or liquid segregation when desired; material content consists of virgin poly sumps with 100% recycled grates resulting in a total of 35% recycled content.

Black = Are made of 100% recycled material. Their dark color camouflages dirt and keeps workplaces looking clean.















Yellow	Mfg.	Black	Mfg.			Exter	or Dime	nsions		Sump Cap.	Load Bearing	Wt.	Yellow	Black
Model No.	No.	Model No.	No.	Description	W"	Х	D"	X	H"	US Gallons	Cap.	lbs.	Price/Each	Price/Each
WITHOUT	DRAIN													
SBA997	28622	SBA844	28623	2-Drum, In-Line	49	Х	25	Х	18	66	2500	44		
SBA853	28626	SBA846	28627	3-Drum, In-Line	73	Х	25	Х	11 5/8	75	3750	58		
SBA857	28630	SBA850	28631	4-Drum, In-Line	97	Х	25	Х	9	75	5000	77		
SBA855	28634	SBA848	28635	4-Drum, Square	49	Х	49	Х	10 1/4	73	5000	70		
WITH DRA	MN													
SBA852	28624	SBA845	28625	2-Drum, In-Line	49	Х	25	Х	18	66	2500	44		
SBA854	28628	SBA847	28629	3-Drum, In-Line	73	Х	25	Х	11 5/8	75	3750	58		
SBA858	28632	SBA851	28633	4-Drum, In-Line	97	Х	25	Х	9	75	5000	77		
SBA856	28636	SBA849	28637	4-Drum, Square	49	Х	49	Х	10 1/4	73	5000	70		
ACCESSOR	RIES													
SBA859	28620	-	-	Ramp for 4-Drum Square	49	Х	33	Х	10 1/2	-	1000	40		
SBA860	28259	-	-	2-Drum Replacement Grate	24	X	48	х	2 1/2	_	_	16		

ECOPOLYBLEND™ ACCUMULATION CENTERS

THE ONLY SPILL PLATFORMS MADE FROM RECYCLED POLYETHYLENE!

- · Get reliable, high performance spill control and help reduce landfills by using recycled products
- These economical, low profile secondary containment platforms are eco-friendly made of up to 100% recycled, post-industrial, durable polyethylene that might have otherwise been discarded into the waste stream
- Long lasting EcoPolyBlend™ polyethylene is nearly impervious to chemicals, including acids and corrosives
- Accumulation centres feature a seamless design to ensure any leaks or spills are captured in the sump, before they reach floor drains or create a slip hazard
- Sturdy grates are nearly 2 1/2" (64 mm) thick for superior crack resistance
- Self-locating, they reduce the chance of grate "ride-up" and remove for easy cleaning
- Modular centres offer the ability to create a customized system
- As capacity needs increase, use optional joining clips to firmly lock units together and expand storage space
- Sumps remain separate and clips can be removed for easy repositioning In applications calling for a continuous sump, optional Sump-to-Sump™ drain kit (includes joining clips and transfer tube), allows centers to be joined together on-site for full compliance to EPA and fire codes when combined sump capacities need to meet 66 gallons (250 L)
- Optional companion ramp facilitates movement of heavy drums and features anti-skid ribs for maximum safety
- It can be located anywhere on any 2-drum or larger centre

Yellow = For high visibility or liquid segregation when desired; material content consist of virgin poly sumps with 100% recycled grates resulting in a total of 45% recycled content.





Black = Are made of 100% recycled material. Their dark colour camouflages dirt and keeps workplaces looking clean.













Yellow	Mfg.	Black	Mfg.		Ex	cterio	or Dim	ensio	ns	Sump Cap.	Load Bearing	Wt.	Yellow	Black
Model No.	No.	Model No.	No.	Description	W"	X	D"	X	H"	US Gallons	Cap.	lbs.	Price/Each	Price/Each
SBA866	28652	SBA861	28653	1-Drum Unit	25	Х	25	χ	5 1/2	12	1250	17		
SBA867	28654	SBA862	28655	2-Drum Unit	49	Х	25	Х	5 1/2	24	2500	32		
SBA868	28656	SBA863	28657	4-Drum Unit	49	Χ	49	Х	5 1/2	49	5000	61		
SBA869	28658	SBA864	28659	6-Drum Unit	73	Χ	49	Х	5 1/2	73	7500	91		
SBA870	28660	SBA865	28661	8-Drum Unit	97	Х	49	Х	5 1/2	98	10000	122		
SBA871	28650	-	-	Ramp	48	Χ	33	Х	6 1/4	-	1000	41		-

STEEL SPILL CONTAINMENT PALLETS

RUGGED STEEL PALLETS FOR INDUSTRIAL APPLICATIONS OFFER LONGEVITY WITH 100% TESTED LEAK TIGHT SUMPS FOR COMPLIANT SPILL CONTROL

- · Durable and corrosion resistant
- 100% tested leak tight sump, fully compliant
- Constructed of 11-gauge hot rolled steel and strengthened with formed edging
- Provide excellent chemical resistance and durability
- Generous sump capacities are fully compliant
- Safely stores hazardous and flammable liquids to protect the environments
- Protect workers and the environment from hazardous leaks or spills
- Sturdy, galvanised steel bar grating keeps drums out of overflow
- Removable grating for convenient sump inspection and easy cleaning
- Sump is nestable for storage and transport to save space during shipping Large forklift pockets (8 3/8" W x 3 7/8" H) in front and back makes relocation easy
- Available in two finishes: environmentally friendly, tough powder coat paint in blue; or steel, hot-dipped galvanised after fabrication, for greater protection against rust and corrosion
- Meets EPA 40 CFR 264.175







Model	Mfg.			Sump Cap.	Load Bearing Capacity		Nomi	inal Outsid	le Dim		Approval/Lstg	Weight	Price
No.	No.	Description	Colour	US Gallons	(lbs.)	W"	х	D"	Х	H"	Regulation	(lbs.)	/Each
SAS578	28610	2-Drum	Blue	72	1200	47 1/4	Х	31 1/2	Х	16 5/16	EPA, SPCC, U	165	
SAS579	28611	2-Drum	Galvanised	72	1200	47 1/4	Х	31 1/2	Х	16 5/16	EPA, SPCC, U	165	
SAS580	28612	4-Drum In Line	Blue	102	2400	94 1/8	Х	31 1/2	Х	13 1/16	EPA, SPCC, U	305	
SAS581	28613	4-Drum In Line	Galvanised	102	2400	94 1/8	Х	31 1/2	Х	13 1/16	EPA, SPCC, U	305	
SAS582	28614	4-Drum Square	Blue	77	2400	47 1/4	Х	47 1/4	Х	13 1/16	EPA, SPCC, U	215	
SASS83	28615	4-Drum Square	Galvanised	77	2400	47 1/4	v	Δ7 1/Δ	Y	13 1/16	FPA SPCC II	215	

RIGID-LOCK QUICKBERM®

- Safe, drive-in spill containment for drums, IBC totes, and tanks
- Single-piece construction with patented Rigid-Lock wall support system integral to berm provides unobstructed work space
- Quick and easy set up, no assembly required
- Durable modified PVC coated fabric withstands long-term UV exposure
- Withstands a broad range of chemicals including petroleum, oils, grease, and most acids Walls include a 1" fray-resistant finished hem along the
- top rim for added wall strength and integrity
- Each support includes a heavy-duty brass grommet for anchoring the berm under high wind conditions
- Portable design folds down quickly for storage and transport
- Helps comply with EPA for containment and spill preventions (SPCC)





Model	the state of the s		Di	mens	ions		Wt.	Price
No.	Capacity	Ľ	X	W'	X	H"	lbs.	/Each
SDN615	175 gal.	6	Х	4	χ	12	28	
SDN616	235 gal.	8	Х	4	Х	12	34	
SDN617	355 gal.	8	Х	6	Х	12	38	
SDN618	475 gal.	8	Х	8	Х	12	45	
SDN619	745 gal.	10	Х	10	Х	12	60	

POLY-SAFETYPACK®

SAFE, SECURE TWO-DRUM STORAGE!

- Tough, indoor or outdoor performer protects two 55 US gallon drums
- Hinged, gull-wing covers provides convenient, safe access for decanting and removal of drums
- 100% polyethylene has excellent resistance to chemicals as well as weather
- Security locks are included to secure the covers and contents
- Removable polyethylene grating 48" x 24" x 2"
- Translucent yellow sidewalls allow visual leak detection without removing lids
- Easily handles by forklift or pallet jack from two sides
- For easier mobility, use the Poly-Safetypack® caster frame assembly **SE565**
- **Exterior Dimensions:** 60 1/2" L x 37 1/4" W x 45 3/4" H Interior Dimensions: 52" L x 26 1/2" W x 37" H
- 130 US gallon sump capacity

POLY-SAFETY PACK PLUS

- Inside height of 54 1/4"
- Allows the lids to be closed with the pumps in place
- Optional drain
- Exterior dimensions: 60 1/4" L x 34 1/2" W x 64" H
- Interior dimensions: 51 1/4" L x 26 1/4" W x 54 1/4" H
- 264 US gallon sump capacity



Model	Mfg.		Wt.	Price
No.	No.	Description	lbs.	/Each
SB757	2038-YE	Poly-Safetypack®	103	
SR415	2038-YE-D	Poly-Safetypack® w/Drain	103	
SE565	2200-BK	Poly-Safetypack® Caster Frame	37	
SR416	2077-YE	Poly-Safety Pack® Plus	137	
SR417	2077-YE-D	Poly-Safety Pack® Plus w/Drain	137	





HAZARD HUT®

THE SOLUTION TO YOUR INDOOR STORAGE PROBLEM IS OUTDOOR CONTAINMENT!

- One-piece molded 100% polyethylene construction so there are no joints or seams to leak
- Molded-in side vents reduce fumes and condensation inside
- Removable interior decking makes it easy to clean
- 72 US gallon sump capacity ensures leak and spill containment
- Double doors provide easy access for up to four 55 US gallon drums
- Double-wall construction and heavy-duty hinges and lock latches keep contents secure
- Four-way forklift entry design
- Loading the Hazard Hut° is easy with the Hazard Hut° Poly Ramp
- Door Opening: 41 1/2" W x 48 1/2" D

HAZARD HUT' POLY-RAMP

- Integrally moulded handles
- 5" polyolefin wheels
- 10° slope allows for easy loading
- Ribbed, non-skid surface
- 100% polyethylene

٠			SB759
ng	Wt.	Price	
	lbs.	/Each	

Model	Mfg.			Exteri	or Dime	nsion	S	Load Bearing	Wt.	Price
No.	No.	Description	L"	X	W"	X	H"	Cap. lbs.	lbs.	/Each
SB758	4000-YE	Hazard Hut®	63 1/2	Х	68	Х	72 1/2	4000	269	
SB759	4001-BK	Poly-Ramp	118	Х	31	Х	15 1/4	1000	154	
SB759	4001-BK	Poly-Ramp	118	Х	31	Х	15 1/4	1000	154	



JOB HUT™

OUTDOOR STORAGE HAS NEVER BEEN SO PRACTICAL... OR SO AFFORDABLE!

- Constructed of tough 100% polyethylene
- Won't rust or corrode
- Molded-in vents to reduce fumes and condensation inside
- · Heavy-duty double-walled doors and lock keep contents secure
- Tie down feature for secure anchorage
- Eight 55 US gallon drums capacity
- Load bearing capacity of 8000 lbs.
- 72 US gallon maximum sump capacity (to top of grate) that eliminates the risk of spills or leaks
- Structural foam grates remove for easy cleaning
- Low profile design allows for easy access
- Forkliftable from all sides for effortless handling
- Job Hut[™] meets EPA regulation 40 CFR 264.175, is not fire rated
- Multi-purpose work ramp attaches to the Job Hut[™] in seconds

Model Mfg. **Dimensions** Wt. Price No. No. Description W" H" lbs /Each SE563 4010-YE Job Hut™ 90 61 1/2 Х 94 (ext.) 440 70 51 82 (int.) SAQ187 5111-BK 30 Ramp

MULTI-PURPOSE WORK RAMP Lightweight and easy to handle!

- · Featuring a 10° non-skid slope facilitates loading drums quickly and safely
- · Load bearing capacity of 1000 lbs.

Extra-wide doorway allows

for easy forklift entry

DRUM HARDCOVER & SPILLPALLET™ SYSTEMS

- · Ideal for indoor/outdoor storage of 55 US gallon drums
- Roll-top design allows it to be used in limited space or next to buildings where swing-open doors would be a problem
- Top or front loadable
- $Poly\text{-}Ramp^{\text{TM}} \ available \ to \ assist \ in \ the \ loading \ of \ drums$
- Optional drain



SI743 2-drum system



2-DRUM HARDCOVER & SPILLPALLET™

- Holds up to two 55 US gallon drums
- Used in conjunction with the Poly-Spillpallet™ 2000
- Load bearing capacity of 2000 lbs.
- Sump capacity of 58 US gallons
- Ramp extender to accommodate 17" high pallets

4-DRUM HARDCOVER & SPILLPALLET™

- Holds up to four 55 US gallon drums
- Used in conjunction with the Poly-Slim-Line™ 6000
 - Load bearing capacity of 6000 lbs.
- Sump capacity of 66 US gallons

Model	Mfg.			Ext	. Dimens	ions		Wt.	Price
No.	No.	Description	L"	X	W"	X	Н"	lbs.	/Each
2-DRUM	SYSTEM								
SI743	4062-YE	Hardcover and Spillpallet™	60	Х	37	Х	72	210	
SI744	4062-YE-D	Hardcover and Spillpallet™ w/Drain	60	Х	37	Χ	72	210	
SEI786	5222-YE	2-Drum Poly-Spillpallet™	51	Χ	26	Χ	21	54	
SEI787	5222-YE-D	2-Drum Poly-Spillpallet™ w/Drain	51	Χ	26	Χ	21	54	
SAQ186	5039-BK	Poly-Ramp [™]	67	Χ	30 1/2	Χ	12 3/4	65	
SI746	5038-BK	Ramp Extender	29 1/2	Χ	8 1/2	Χ	6 1/2	6	
4-DRUM	SYSTEM								
S1740	4064-YE	Hardcover and Spillpallet™	65	Х	58	χ	69	269	
SI741	4064-YE-D	Hardcover and Spillpallet™ w/Drain	65	Х	58	Χ	69	269	
SE408	5400-YE	Poly-Slim Line™ 6000 Pallet	54	Х	54	Χ	12	84	
SE409	5400-YE-D	Poly-Slim Line™ 6000 w/Drain	54	Χ	54		12	84	
SAQ186	5039-BK	Poly-Ramp™	67	Х	30 1/2	Х	12 3/4	65	

IBC 2000I™ **INTERMEDIATE BULK CONTAINMENT MADE EASY!**

- Fits more than 99% of all IBC dispensing units
- Large sump capacity of 385 US gallons, exceeding EPA 40 CFR 264.175 regulations
- Equipped with an integrated 5-gallon pail holder for quick and easy dispensing
- 1-piece, lightweight, 100% polyethylene
- Forkliftable and nestable
- Will not rust or corrode or have adverse reactions with chemicals
- **Exterior Dimensions:** 73" L x 80.5" W x 29.5" H
- Pedestal Dimensions: 56.75" L x 56.75" W x 29.5" H
- Optional drain available





No.



IBC SPACE-SAVER™

- · Floor space efficient alternative for storing, dispensing and containing IBC totes
- Solid 100% polyethylene construction
- Will not rust, corrode or have adverse reactions with chemicals
- Sump capacity: 330 US gallons
- Load capacity: 3000 lbs.
- **Exterior dimensions:** 57" L x 57" W x 48" H
- · Optional drain





Model No.	Mfg. No.	Description	Wt. Ibs.	Price /Each
SEI788	5460-YE	IBC Space-Saver™	240	
SE1789	5460-YE-D	IBC Space-Saver™ w/Drain	240	

ULTRA-IBC SPILL PALLET PLUS®

- · Low profile, 28" overall height allows safe and convenient IBC tank handling and dispensing
- All polyethylene construction offers excellent chemical resistance and will not rust or corrode
- Forkliftable
- Large 52" x 52" deck allows safe and convenient placement of IBC tanks
- Small 62" x 62" footprint requires minimal floor space
- 365-gallon sump capacity meets EPA Container Storage regulations
- Available with optional bucket shelf which catches leaks or spills during dispensing
- Dimensions: 62" L x 62" W x 28" H

Model No.	Mfg. No.	Description	Wt. Ibs.	Price /Each
SAP075	1157	IBC Spill Pallet Plus	324	
SAP076	1158	IBC Spill Pallet Plus w/Drain	324	
SAP077	1160	Ultra-Bucket Shelf	10	





PROWLER POOLTM

- Made of high-density polyethylene and a low-density coating
- Offers excellent resistance to the widest range of chemicals, acids, leaded and unleaded gasoline, diesel fuels and other hazardous materials
- Resistant to cold temperatures, as low as minus 60°F, as well as abrasion, punctures and ultraviolet rays
- Lightweight; half the weight of comparably sized PVC pools while offering double the strength





Model	Mfg.		Dimension	ıs		Sump Cap.	Price	
No.	No.	Base"	х	Top"	X	Height"	US Gallons	/Each
SAQ189	5920-YE	28 Dia.	Х	18 Dia.	Х	13	20	
SAQ190	5966-YE	48 Dia.	Х	36 Dia.	Х	14	66	
SAQ191	5900-YE	48 Dia.	Х	32 Dia.	Х	18	100	
SAQ192	5950-YE	60 Dia.	Х	44 Dia.	Χ	18	150	

STINGER BERMTM

- · Ideal for large scale spill containment
- Flexible sidewalls and easy-to-assemble design allows for immediate response to industrial, government, construction, transportation and emergency response situations
- Designed for quick set up and compact fold-up, storage and transport
- Features excellent rip, tear and puncture resistance for the most demanding application or terrain
- Sidewalls fold down for easy drive-in and drive-out
- Chemical and abuse resistance
- Custom colours and sizes available



ENPAC

Model	Mfg.	ı	xteri	or Dim	ensio	ns	Sump Cap.	Wt.	Price
No.	No.	Ľ	X	W'	х	H'	US Gallons	lbs.	/Each
SAF806	4804-BK-SU	4	Х	6	Х	1	179	28	
SAF807	4806-BK-SU	6	Х	6	Χ	1	269	37	
SAF808	4810-BK-SU	10	Х	10	Χ	1	748	60	
SAF809	4820-BK-SU	10	Х	26	Х	1	1944	122	
SAF810	4836-BK-SU	12	Х	36	Х	1	3231	165	

Tracmats $^{\!\mathsf{TM}}$ and ground pads are available in any size/dimensions to match any style berm.

DRIPILLOW BERMSTM & OFF-ROAD DRIPILLOW BERMSTM

- Ideal for outdoor leaks and spills under vehicles, hydraulic lines or equipment
- Designed as durable, portable drip-pan
- Stable weighted base will not flip, tip or splash in windy conditions
- Compatible with all fuels and hydrocarbons
- Folds for easy carrying and storage
- Standard includes grounding strap, weighted base and UV resistant removable pad
- Off-Road includes corner grommets and an additional weighted base allowing for easy staking and security in high-wind and rugged terrain applications
- Available in OD green upon request
- Available in Standard and Off-Road versions
- Refill pads available, sold as a case of 5

Model	Mfg.		Е	xte	rior	Din	1.	Sump Cap.	Weight	Price
No.	No.	Description	L"	X	W"	X	Н"	US Gallons	lbs.	/Each
STAND	ARD DRIP	LLOW BERMS™								
SAH552	5650-YE	Small w/Pad	22	Х	22	Х	1	1	7	
SAH553	5660-YE	Medium w/Pad	24	Х	36	Х	1	2	8	
SAH554	5670-YE	Large w/Pad	24	Х	54	Х	1	3	9	
SAH555	5680-YE	X-Large w/Pad	38	Х	42	Х	1	4	9	
OFF-RC	AD DRIPI	LLOW BERMS™								
SEI802	5690-YE	Small w/Pad	36	Х	36	Х	1	4	12	
SEI803	5691-YE	Medium w/Pad	36	Х	72	Х	1	10	15	
SE1804	5692-YE	Large w/Pad	48	Х	48	Х	1	8	19	
SFIR05	5693-YF	X-Large w/Pad	48	Y	60	Y	1	12	21	



- 5" sidewall allows for more sump space
- · Diamond center pulls spills away from the drums
- Drip parameter retains liquids for cleaner sump area





Model	Mfg.		Di	mensio	ons		Sump Cap.	Price
No.	No.	L"	X	W"	X	Н"	US Gallons	/Each
SEC889	5002-BK	45	χ	35	Х	5	21.5	
SEC890	5004-BK	51	Х	47	Х	5	36	

STINGER YELLOW JACKET™

LIGHTWEIGHT, PORTABLE PALLET CAN BE CARRIED ANYWHERE TO PREVENT SPILLS FROM OCCURRING!

- · Made of vinyl coated polyester
- Chemical-resistant, stands up to corrosive battery acid, and is a great addition to any spill kit
- Unique snap-up support strips create a sturdy sidewall when unit is opened
- Optional removable polyethylene grates for easy access to the sump (SE553)
- Grates helps you comply with EPA 40 CFR 264.175 when used with a pallet





Model	Mfg.		Dir	nensio	ns		Sump Cap.	Wt.	Price
No.	No.	L"	X	W"	X	Н"	US Gallons	lbs.	/Each
SE472	5700-YE	48	Х	48	χ	8	80	15	
SE473	5710-YE	48	Х	72	Х	8	120	18	
SE474	5720-YE	48	Х	96	Χ	8	160	28	
SE475	5730-YE	96	Х	96	Х	8	320	31	
SE476	5740-YE	96	Х	120	χ	8	400	38	
REMOV	ABLE GRATE								
SE553	7006-BK	48	Х	23	χ	2	-	18	

Note: Dimensions given are sump dimensions





REFILL	PADS	Price	d per Case
Model No.	Mfg. No.	Description	Price /Each
STAND	ARD		-
SAH556	5655-WH	Small	
SAH557	5665-WH	Medium	
SAH558	5675-WH	Large	
SAH559	5685-WH	X-Large	





		Price	d per Cas
Model No.	Mfg. No.	Description	Pric /Eac
OFF-RC	DAD		
SEI806	5690-WH	Small	
SE1807	5691-WH	Medium	
SE1808	5692-WH	Large	
SFIR09	5693-WH	X-Larne	

STINGER SNAP-FOAM BERMTM

- One time set-up and then continual drive in and drive out capability
- Foam sidewall system consists of urethane (fed. Spec. PPP-C-1752D, Type 1, Class 1, Grade A)
- Foam end caps from 2-way air-relief system to snap end walls back automatically to their upright position
- High fuel/chemical resistant containment area
- Replacement sidewall stays, instant fabric field repair
- Custom sizes available for your convenience

Accessories available to prolong berm life



(sold separately)

Shown with Tracmat™



Model	Mfg.	1	Exteri	ior Dim	ension	S	Sump Cap.	Wt.	Price
No.	No.	Ľ	X	W'	X	H'	US Gallons	lbs.	/Each
SAP046	4820-BK-SF	10	Х	26	Х	1	1944	142	
SAP047	4836-BK-SF	12	Х	36	Х	1	3231	198	
SAP048	4854-BK-SF	14	Х	54	Х	1	5654	252	

TracmatsTM and ground pads are available in any size/dimensions to match any style berm.

BERM REPAIR KITS

DELUXE BERM REPAIR KITS

Contents:

- Leister professional heat gun
- XR material 1 sq. yd. (black)
- PVC material 1 sq. yd. (yellow)
- Replacement berm stays
- Peel and stick berm patches
- Rubber brayer roller
- Cutting knife
- Locking tool box



STANDARD BERM REPAIR KITS

Contents:


Peel and stick sheets (8" x 11")



Model	Mfg.		Wt.	Price
No.	No.	Description	lbs.	/Each
SEC892	48-BRK-DLX-12	Deluxe Berm Repair Kits for 12" Sidewall	15	
SEC891	48-BRK	Standard Berm Repair Kits	1	

BAZOOKATM

- Water will continually drain through the filter, but in case of a spill within the berm, when an organic substance is detected, the Imbiber Bead® technology takes over (colour change), and the flow is completely shut off
- This automated shut off system allows water drainage of containment berm applications
- Utilises an innovative system for detection of Class I and II organics such as diesel fuel
- Trickle filter allows water flow rate of 20 gallons per hour
- Optional kit contains all you need for an easy field installation



Mfg.

BAZOOKA

BAZOOKA-12KIT



Mode

SΔR417

SAR418

No.



BERM ACCESSORIES

$TRACMAT^{TM}$

- Placed inside the berm, allowing trucks to drive in and out while protecting the berm from punctures and tears
- Available in sizes and dimensions to match any style Stinger BermTM
- Other sizes available



Priced per Pair

Model No.	Mfg. No.	Description	Wt. lbs.	Price /Each
SEC898	4812-TM	For 12' Berm	60	
SEC902	4850-TM	For 50' Berm	200	
SEC903	4854-TM	For 54' Berm	220	

GROUND PADS

- Protects berms from truck wheels or rough terrain
- Prevents underside puntures from sharp objects when placed directly underneath the berm
- Other sizes available



Model	Mfg.		Wt.	Price
No.	No.	Description	lbs.	/Each
SEC916	4812-GP	For 12' x 12' Berm	56	
SEC920	4850-GP	For 15' x 50' Berm	192	
SEC921	4854-GP	For 14' x 54' Berm	124	

STORAGE & TRANSPORT BAGS

- · Heavy-duty chemically resistant bag for ease in maneuverability and storage
- Other sizes available



Model	Mfg.		Wt.	Price
No.	No.	Description	lbs.	/Each
SEC909	4836-BAG	For SAP047 and SAF810	21	
SEC910	4854-BAG	For SAP048	7	

 $Bazooka^{\text{TM}}$ and Installation Kit

SAR418

POLY-SPILLPAKS

- · Perfect for storage, containment, or when used as a spill kit when spill transportation is not a factor
- Ideal for onsite drum storage and containment applications when a UN rated drum is unnecessary
- Rugged, non-corrosive, UV resistant design ensures that your SpillPak will handle the toughest jobs any time, every time



Model	Mfg.	Dimension	s	Spill Capacity	Wt.	Price
No.	No.	Dia." x	H"	US Gal.	Ibs.	/Each
SDN456	1237-BD	31.5 x 4	11.5	95	43	



WHEELED POLY-SPILLPAKS

- · Perfect for storage, containment, or when used as a spill kit when spill transportation is not a factor
- Wheeled Poly-Overpaks eliminates the need for a separate dolly
- Ideal for onsite drum storage and containment applications when a UN rated drum is unnecessary
- Rugged, non-corrosive, UV resistant design ensures that your SpillPak will handle the toughest jobs any time, every time



Model No.	Mfg. No.	Dim Dia."	ension: x	H"	Spill Capacity US Gal.	Wt. Ibs.	Price /Each
SDN457	1259-BD	24	Х	45.5	50	41	
SDN458	1299-BD	31	Х	47.5	95	56	




DRUM DECKS

- Modular and locking design
- Engineered design that can handle your heaviest drums
- Completely nestable




Model		Dimensions				Sump Cap.	Wt.	Price		
No.	No.	Description	L"	X	W"	X	H"	Gal.	lbs.	/Each
SDM223	5141-BD	1-Drum Drum Deck	30 1/2	χ	29 1/2	Х	6	17	4	
SDM224	5142-BD	2-Drum Drum Deck	30 1/2	χ	57	Х	6	33	13	



NESTABLE SPILL PALLETS

- Captures drips and spills
- Removable grates for easy access to the sump and provide a slip resistant surface
- Molded from chemically compatible polyethylene
- Great for secondary spill containment applications
- Nestable for easy storage and shipment
- Side wall grooves allow units to be linked together for customization and security
- Regulations: EPA 40 CFR 264.175, SPCC NPDES and UFC







LOW PROFILE SPILL PALLETS

- Keeps factory floors spill and worry free
- Easy-loading, low-profile construction allows each unit to be used alone or connected with others for complete, customized work areas
- · Forkliftable
- · Will not rust or corrode
- · Removable grates for easy cleaning and sump access





Model	Mfg.		Dimensions	Sump Cap.	Load Capacity	Wt.	Price
No.	No.	Description	L" x W" x H"	Gal.	lbs.	lbs.	/Each
SDM229	5117-BD	2-Drum Pallet	53 x 28 1/2 x 6	22	1000	33	
SDM230	5116-BD	4-Drum Pallet	53 x 53 x 6	40	2000	61	
SDM231	5115-BD	6-Drum Pallet	53 x 77 x 6	61	3000	89	
SDM232	5110-BD	8-Drum Pallet	100 x 53 1/4 x 6	77	4000	135	

IBC CONTAINMENT PALLETS

- Fits more than 99% of all IBC units
- · Features an integrated 5-gallon pail holder for quick and easy dispensing
- Most economical, one-piece, polyethylene IBC pallet on the market
- Forkliftable and nestable
- · Removable grates for easy cleaning and sump access
- Regulations: EPA 40 CFR 264.175





Model	Mfg.		Dimensions	Sump Cap.	Load Capacity	Wt.	Price
No.	No.	Description	L" x W" x H"	Gal.	lbs.	lbs.	/Each
SDM233	5469-BD	IBC Containment Pallet	73 x 80 1/2 x 29 1/2	385	3000	176	
SDM234	5469-BD-D	IBC Containment Pallet w/Drain	73 x 80 1/2 x 29 1/2	385	3000	176	

ECONOMY L-BRACKET BERMS

- Engineered to be rugged, yet features quick and simple set up
- First-class chemical, rip, tear and puncture resistance
- Easy, fast setup at an economical price
- Compact storage and transport
- Tested welds ensure maximum performance





Model	Mfg.	Dimensions	Sump Cap.	Wt.	Price
No.	No.	L' x W' x H'	gal.	lbs.	/Each
SDM235	BD-44-AL-L	4 x 4 x 1	119	20	
SDM236	BD-55-AL-L	5 x 5 x 1	187	27	
SDM237	BD-68-AL-L	8 x 6 x 1	359	49	
SDM238	BD-1010-AL-L	10 x 10 x 1	748	52	
SDM239	BD-1020-AL-L	10 x 20 x 1	1496	78	
SDM240	BD-1030-AL-L	10 x 30 x 1	2244	155	
SDM241	BD-1040-AL-L	10 x 40 x 1	2992	173	
SDM242	BD-1050-AL-L	10 x 50 x 1	3740	195	
SDM243	BD-10601-AL-L	10 x 60 x 1	4488	246	



PLUMBED-IN EYEWASHES & SHOWERS are designed to direct a fixed water source to eyes, face or body in emergencies. Wall mount or pedestal-mounted eyewashes and eye/face washes should be located nearest the point of need but no more then 10 seconds (55') from the hazard.

HALO™ WALL MOUNT EYEWASH STATIONS

- Features antimicrobial protection, integral strainers, and rugged safetyyellow powder coating for easy visual identification in an emergency
- Aquaduct™ self-draining design eliminates bacteria growth from standing fluid
- Eye/face wash models provide industry leading 85% facial coverage
- Activate by push handle or by lifting dust cover
- Optional see-through dust cover (shown) makes inspection simple and keeps device free of debris and ready for use
- Stainless steel models are ideal for corrosive, high abuse environments
- · Wheelchair accessible
- Arrives fully assembled
- ULC certified to ANSI standard Z358.1

IMPORTANT:

Regulations require tepid water (18-37°C). See page 727 for water tempering devices



EYE/FACEWASH



Model No.	Mfg. No.	Bowl	Dust Cover Included	Price /Each
EYEWASHE	S			
SEB793	S19224EW	Plastic	-	
SEB794	S19224PDC	Plastic	Plastic	
SEB795	S19224B	Stainless Steel	-	
SEB796	S19224DC	Stainless Steel	Stainless Steel	
EYE/FACE V	VASHES			
SEB797	S19224FW	Plastic	-	
SEB798	S19224PDCFW	Plastic	Plastic	
SEB799	S19224T	Stainless Steel	-	
SEB800	S19224DCFW	Stainless Steel	Stainless Steel	

WALL-MOUNT AXION® MSR EYE/FACE WASH STATIONS

- · Provides a zero vertical velocity stream for enhanced comfort, stability, and effectiveness
- Wall mounts with an aluminum bracket
- 11" diameter bowl
- Mesh strainer collects debris
- Durable ball valve with stainless steel stem
- · Certified by CSA to meet the ANSI standard Z358.1







Model No.	Mfg. No.	Description	Price /Each
EYE/FACE WASH	ES		
SEB239	7260B-7270B	ABS Plastic Bowl	
SEB240	7360B-7460B	Stainless Steel Bowl	
ACCESSORIES			
SEB264	9102	Stainless Steel Dust Cover	
SEI814	9102EW	Thermostatic Mixing Valve	

WALL MOUNT EYE/FACE WASH

- Features a round 11" (27.9 cm) green ABS plastic waste water bowl and aluminum wall bracket for long life
- Built-in flow regulation in green ABS plastic eye/face wash heads
- Integral flip-top dust covers that immediately release with flow of water
- Gentle flushing flow of eye/face wash spray fully immerses eye and face area to effectively remove chemical and particulate hazards
- 3/4" IPS Schedule 40 hot-dipped galvanized steel pipe and fittings
- ANSI compliant for gallons per minute, flow rate, stream height, and water distribution





Model		Price
No.	Bowl	/Each
SFV153	Plastic	
SFV154	Stainless Steel	

WALL-MOUNT AXION® MSR EYE/FACE WASH STATIONS

- · Revolutionary inverted flow sweeps contaminants away from the vulnerable nasal cavity
- · Provides a zero vertical velocity stream for enhanced comfort, stability, and effectiveness
- · No bowl, floor drain recommended · Wall mounts with an
- ABS plastic wall bracket
- Durable ball valve with stainless steel stem
- · Certified by CSA to meet the ANSI standard Z358.1

Model No. SEB241 Mfg. No. 7324





HALO™ PEDESTAL MOUNT EYEWASH STATIONS

- · Pedestal safety eyewash fixtures are ideal where wall mount is not practical, and allow placement closest to point-of-need
- Features antimicrobial protection, integral strainers, and rugged powder coat safety-yellow coating for easy visual identification in an emergency
- AquaductTM self-draining design eliminates bacteria growth from standing fluid
- Eye/face wash models provides industry leading 85% facial coverage
- Activate by push handle or by lifting dust cover
- Optional see-through dust cover (shown) makes inspection simple and keeps device free of debris and ready for use
- · Stainless steel models are ideal for corrosive, high abuse environments
- Arrives fully assembled
- Wheelchair accessible
- ULC certified to ANSI standard Z358.1

IMPORTANT: Regulations require tepid water (18-37°C). See page 727 for water tempering devices

Model	Mfg.		Dust Cover	Price
No.	No.	Bowl	Included	/Each
EYEWASH				
SEB785	S19214EW	Plastic	-	
SEB786	S19214PDC	Plastic	Plastic	
SEB787	S19214B	Stainless Steel	-	
SEB788	S19214DC	Stainless Steel	Stainless Steel	
EYE/FACE WA	NSH			
SEB789	S19214FW	Plastic	-	
SEB790	S19214CFW	Plastic	Plastic	
SEB791	S19214PDCFW	Stainless Steel	-	
SEB792	S19214DC	Stainless Steel	Stainless Steel	



AXION® MSR PEDESTAL EYE/FACE WASH STATIONS

- AXION® MSR eyewash head is antimicrobially treated to help protect against mold and mildew growth on the treated components
- Revolutionary inverted flow sweeps contaminants away from the vulnerable nasal cavity
- · Provides a zero vertical velocity stream for enhanced comfort, stability, and effectiveness
- 11" diameter bowl
- Galvanized stanchion for long life
- Mesh strainer collects debris
- · Durable ball valve with stainless steel stem
- Certified by CSA to meet the ANSI standard Z358.1



Model No.	Mfg. No.	Description	Price /Each
EYE/FACE WASH		·	
SEB242	7261-7271	ABS Plastic Bowl	
SEB243	7361-7461	Stainless Steel Bowl	
SEB244	7777	All Stainless Steel Components	
ACCESSORIES			
SEB264	9102	Stainless Steel Dust Cover	
SEI814	9102EW	Thermostatic Mixing Valve	



PEDESTAL EYE/FACE WASH

- Features a round 11" (27.9 cm) green ABS plastic waste water bowl and corrosion resistant powder-coated cast-iron 9" (22.9cm) diameter floor flange
- Built-in flow regulation in green ABS plastic eye/face wash heads
- Integral flip-top dust covers that immediately release with flow of water
- Gentle flushing flow of eye/face wash spray fully immerses eye and face area to effectively remove chemical and particulate hazards
- 3/4" IPS Schedule 40 hot-dipped galvanized steel pipe and fittings
- ANSI compliant for gallons per minute, flow rate, stream height, and water distribution



_		
Model		Price
No.	Bowl	/Each
SFV155	Plastic	
SFV156	Stainless Steel	





COMBINATION SHOWER & EYEWASH FIXTURES pair-up eyewash with emergency showers when the MSDS calls for both eye and skin irrigation. To accommodate various site conditions, combination units provide several options including: Stainless components, PVC, foot-treadle operation, anti-scald or anti-freeze valves and freeze-protected heat trace units.

HALO™ COMBINATION EMERGENCY SHOWER & EYEWASH STATIONS

- Combine HaloTM eyewash technology with SpinTecTMshower features for high performance safety installations
- SpinTec[™] showers yield superior fluid distribution
 Durable ABS plastic showerhead
- · Compact profile means less in-plant damage
- Features antimicrobial protection, integral strainers, and rugged safety-yellow powder coating for easy visual identification in an emergency
- Aquaduct[™] self-draining design eliminates bacteria growth from standing fluid
- · Eye/face wash models provides industry leading 85% facial coverage
- · Activate by push handle or by lifting dust cover
- Eyewash models feature unique flip open dust caps
- Optional see-through dust cover (shown) makes inspection simple and keeps device free of debris and ready for use
- · Stainless steel models are ideal for corrosive, high abuse environments
- · Eyewash subsection fully assembled
- · ULC certified to ANSI standard Z358.1

IMPORTANT: Regulations require tepid water (18-37°C).

See page 727 for water tempering devices

Model	Mfg.		Dust Cover	Special	Price
No.	No.	Bowl	Included	Features	/Each
EYEWAS	Н				
SEB801	S19314EW	Plastic	-	-	
SEB802	S19314P	Plastic	-	Drench Hose	
SEB803	S19314PDC	Plastic	Plastic	-	
SEB804	S19314SB	Stainless Steel	-	-	
SEB805	S19314DC	Stainless Steel	Stainless Steel	-	
EYE/FAC	E WASH				
SEB806	S19314FW	Plastic	-	-	
SEB807	S19314PDCFW	Plastic	Plastic	-	
SEB808	S19314SBFW	Stainless Steel	-	-	
SEB810	S19314DCFW	Stainless Steel	Stainless Steel	-	
SEB813	S19314BF	Stainless Steel	-	Wheelchair Accessible	



COMBINATION EMERGENCY SHOWER & EYE/FACE WASH STATIONS

- · Hydrodynamic shower design produces equal flow distribution
- Revolutionary inverted flow sweeps contaminants away from the vulnerable nasal cavity
- Provides a zero vertical velocity stream for enhanced comfort, stability, and effectiveness
- · 11" diameter bowl
- · Galvanized stanchion for long life
- · Mesh strainer collects debris
- · Durable ball valve with stainless steel stem
- Certified by CSA to meet the ANSI standard Z358.1

Mfg. No.	Bowl	Shower Head	Special Features	Price /Each
8320-8325	Plastic	Plastic	-	
8300-8309	Stainless Steel	Plastic	-	
8330	Stainless Steel	Stainless Steel	Corrosion Resistant Stainless Steel Piping	
8336	Plastic	Plastic	PVC Piping	
	No. 8320-8325 8300-8309 8330	No. Bowl 8320-8325 Plastic 8300-8309 Stainless Steel 8330 Stainless Steel	No.BowlHead8320-8325PlasticPlastic8300-8309Stainless SteelPlastic8330Stainless SteelStainless Steel	No.BowlHeadFeatures8320-8325PlasticPlastic-8300-8309Stainless SteelPlastic-8330Stainless SteelStainless SteelCorrosion Resistant Stainless Steel Piping

AXION® msr (1) Haws®

COMBINATION SHOWER EYE/FACE WASH

- Features a round 11" (27.9 cm) green ABS plastic waste water bowl and durable abs plastic drench showerhead that distributes uniform flush and consistent water pressure
- Built-in flow regulation in green ABS plastic eye/face wash heads
- · Integral flip-top dust covers that immediately release with flow of water
- Gentle flushing flow of eye/face wash spray fully immerses eye and face area to effectively remove chemical and particulate hazards
- 3/4" IPS Schedule 40 hot-dipped galvanized steel pipe and fittings
- $\bullet \ \ \mathsf{ANSI}\,\mathsf{COMPLIANT}\,\mathsf{for}\,\mathsf{gallons}\,\mathsf{per}\,\mathsf{minute}, \mathsf{flow}\,\mathsf{rate}, \mathsf{stream}\,\mathsf{height}, \mathsf{and}\,\mathsf{water}\,\mathsf{distribution}$
- Valve is designed so the full flow of water remains on with the simple tug of the triangular pull rod (included)

Model		Special	Price
No.	Bowl	Features	/Each
SFV159	Plastic	-	
SFV160	Stainless Steel	-	
SFV161	Stainless Steel	Wheel Chair Accessible	
SFV162	Plastic	Corrosion Resistant PVC Piping	
SFV163	Plastic	Corrosion Resistant Epoxy Coated	
SFV164	Stainless Steel	Stainless Steel Piping	



HORIZONTAL & VERTICAL SUPPLY EMERGENCY SHOWER STATIONS

- · Designed for wall (horizontal) or ceiling (vertical) mounting
- SpinTec[™] showerhead improves water distribution
- Activated with stainless steel pull rod and 1" IPS chrome-plated brass stay-open ball valve
- Constructed with 1" galvanized steel pipe, coated with safety-yellow Bradtech™ polyurethane to prevent corrosion
- Water supply: 1" IPS (female)
- Includes safety sign and inspection tag
- SEI certified to ANSI standard Z358.1





Model No.	Mfg. No.	Shower Head	Price /Each
HORIZONTAL SUPP	LY		
SA414	S19-120	Plastic	
SAK644	S19-120A	Stainless Steel	
VERTICAL SUPPLY			
SA416	S19-130	Plastic	
SAK645	S19-130A	Stainless Steel	

FLUSH-MOUNTED EMERGENCY SHOWER STATIONS W/ HORIZONTAL SUPPLY

- Integral flange mounts flush with ceiling
- Concealed pipe and fittings
- Exceed minimum water flow of 20 GPM at 30 PSI
- Universal identification sign and inspection tag included
- SEI certified to ANSI standard Z358.1

Model No. SAR320 Mfg. No. S19-120FM Price/Each \$



OVERHEAD SHOWER

- showerhead distributes uniform flush and consistent water pressure
- Designed for both vertical or horizontal installation allowing wall or ceiling mounting
- 3/4" IPS Schedule 40 hot-dipped galvanized steel pipe and fittings
- ANSI compliant for gallons per minute, flow rate, stream height, and water distribution
- Valve is designed so the full flow of water remains on with the simple tug of the triangular pull rod (included)



C**™**MPLIANT™

Model	Shower	Price
No.	Head	/Each
SFV157	Plastic	
CEV1E0	Ctainlass Ctaal	

CORROSION RESISTANT COMBINATION EMERGENCY SHOWER & EYE/FACE WASH STATIONS

- SpinTec[™] showerhead activated by a stainless steel pull rod and 1" IPS chrome-plated stay-open ball valve
- Impact-resistant plastic eyewash bowl with twin plastic spray heads Activated by a PVC push handle and 1/2'
- NPT stainless steel stay-open valve
- Fittings are all stainless steel
- 2" schedule 80 PVC pipe and floor flange withstands highly corrosive environments including chlorine
- SEI certified to ANSI standard Z358.1





SAK638

SAK640

HEAT-TRACED COMBINATION **EMERGENCY SHOWER & EYE/ FACE WASH STATIONS**

- Intended for use in areas where temperatures fall below freezing
- Heat trace cable protects unit from freezing down to -46°F
- Unit is encased in highly-visible yellow ABS removable plastic shell that resists chemicals and other harsh . environmental conditions
- SpinTec[™] showerhead improves water distribution shower activated by a stainless steel pull rod and 1/2" IPS chrome-plated stay-open ball valve
- Eye/face wash is activated by a large, highly visible push handle
- Twin-perforated disc eye/face wash heads with pop-off dust caps to protect spray heads from debris
- Includes universal identification sign and inspection tag
- SEI certified to ANSI standard Z358.1
- · CSA certified





HEAT-TRACED COMBINATION **EMERGENCY SHOWER & EYE/ FACE WASH STATIONS**

- · Hydrodynamic shower design produces equal flow distribution
- Features Axion® MSR components
- 120 VAC cable-heated
- Perfect for extreme weather conditions dropping down to -34°C
- Solid stainless steel pipe stanchion and galvanized fittings offer durability and corrosive-resistance
- Universal design allows for top or bottom water supply
- Unit is pre-built and fully water/pressure tested to reduce installation time
- Certified by CSA to meet the ANSI standard Z358.1

Model No. SEB261 Mfg. No. 8317CTFP Price/Each \$





LABORATORY, FAUCET-MOUNTED & SWING-AWAY EYEWASH & SHOWER FIXTURES are uniquely designed for

indoor environments where space is at a premium, including healthcare, university, and the QC lab. Product solutions include swing-activated units, faucet-mounted eyewash stations, and combination fixtures; all designed to provide the safest possible lab environment.

FAUCET-MOUNT EYEWASH STATIONS

- Cost effective solution for applications with an existing faucet
- · Now lead-free
- Cost effective product mounts on existing standard or goose-neck faucets
- Twin spray heads include a flow control and pop-off dust covers
- One second/one-step activation
- Use horizontal pin for normal hand or ware washing
- Pull button for eyewash
- Includes a safety sign and inspection tag
- Weight: 1 lb.
- SEI certified to ANSI standard Z358.1

Model No. SAK621 Mfg. No. S19-200B Price/Each \$





SWING-ACTIVATED EYEWASH STATIONS

- Swing-activated eye and eye/face wash stations mount to a counter or a wall
- Swing-over unit mounts to a counter only
- 90° swivel activates eyewash over sink to begin flow of water to cleanse eyes
- Stows neatly to side of sink when not in use to save space
- Twin spray heads include a flow control and pop-off dust covers
- Include a safety sign and inspection tag
- SEI certified to ANSI standard Z358.1



EYE/FACEWASH




Model	Mfg.		Wt.	Price
No.	No.	Description	lbs.	/Each
EYEWASH				
SE1776	519274C	Counter-Mounted, Swing Over	5	
SEI777	519274HD	Counter-Mounted, Swing Down	5	
SE1778	519274HW	Wall-Mounted, Swing Down	5	
EYE/FACE	WASH			
SE1779	519274E	Counter-Mounted, Swing Over	5	
SEI780	519274JD	Counter-Mounted, Swing Down	5	
SEI781	519274JW	Wall-Mounted, Swing Down	5	

LABORATORY EYE/FACE WASH STATIONS

- Heavy gauge corrosion-resistant stainless steel 12 7/8" diameter bowl
- Bowl flush mounts
- Deck/counter mount
- Activated by push-down handle
- 1/2" IPS chrome plated stay open ball valve
- Twin spray heads with integral flow control Chrome-plated brass pipe, 1/2" water supply, 1 1/4" waste drain
- Replacement caps sold per each, two required per eye/face wash





Sold per each, two required per eye/face wash unit

SWING-AWAY SINK-MOUNTED EYE/FACE WASH STATIONS

- · Single-action swing-away eye/face wash stations can be mounted on sink to fit numerous locations
- Revolutionary inverted flow sweeps contaminants away from the vulnerable nasal cavity

Provides a zero vertical velocity stream for enhanced comfort, stability, and effectiveness Dust cover protects the unit from debris when not in use

Certified by CSA to meet ANSI standard Z358.1









Mfa Nο

7611

7612

Model

SEB252

SDS755

	msr
	Price
Install	/Each
Right or Loft	

Right Only

axion

SEB252

PULL-DOWN EYE/FACE WASH STATIONS

Spray Head

Plastic

Stainless Steel

- · Pull down eye/face wash can be mounted to a sink or wall
- Revolutionary inverted flow sweeps contaminants away from the vulnerable nasal cavity
- Provides a zero vertical velocity stream for enhanced comfort, stability, and effectiveness Rear mount design allows
- the sink to remain open to other uses Certified by CSA to meet
- ANSI standard 7358.1









Model No.	Mfg. No.	Description	Price /Each
SEB251	7610	Barrier-Free Wheelchair Accessible	
SGC274	7656WCSM	Recessed Wall Mount w/Containment Tray and Drain	

AXION® EYEPOD® EYEWASH

- Faucet-mounted eyewash in an attractive, low-cost, compact package
- Revolutionary inverted flow sweeps contaminants away from the vulnerable nasal cavity
- Sleek, smooth, stainless steel exterior blends with any décor
- Includes a variety of industry-standard adapters, making installation a snap
 Easy to use and clean, the Axion® eye POD®
- activates with just a quick rotation
- Features a built-in thermostatic controlled safety valve that automatically shuts off eyewash flows
- Certified by CSA to meet ANSI standard Z358.1

Model No. SEC658 Mfg. No. 7620 Price/Each \$









WATER TEMPERING PRODUCTS are designed to meet ANSI standard Z358.1 requirements to deliver "tepid" water to injured workers. In addition to discouraging use of a safety flushing device, a 15-minute deluge of cold water to the injured worker can negatively affect core body temperature, and hypothermia can result. Therefore, ANSI standard Z358.1 requires emergency showers and eyewashes to deliver "tepid" water. ANSI defines "tepid" water as 15.6°C to 38°C (60-100°F). Tempering solutions include steam, instantaneous (on demand) heaters and thermostatic mixing valves (TMV's). TMV's blend hot and cold water to meet strictly specified water temperature ranges.

EMERGENCY FIXTURE TANKLESS WATER HEATERS

- Performs when needed and quickly provide an unlimited supply of warm water
- Reaches the ANSI standard Z358.1 requirements for tepid water temperatures in as little as 20 to 30 seconds
- Patented temperature control system and multiple safety features like internal fusing, digital temperature control, Incoloy 800 sheathed heating elements to eliminate the "tingle" effect, and an externally mounted emergency stop button
- Precision engineered for optimal performance
- Features rugged industrial components from high quality copper and brass tested to 300 PSI, to increase the life of your heater
- Large internal passageways engineered into every heater minimize pressure drop, so there will be no large temperature swings; if the water flow changes drastically, you will not have to be concerned with scalding
- · Easy to install anywhere all you need is access to one electrical connection and a cold water line
- · Splash proof NEMA 4 enclosures are constructed for either indoor or outdoor use
- These energy efficient heaters perform on demand and only require water and power once activated
- · No mixing valves required





Model No.	Mfg. No.	Power (kW)	Activation Point (GPM)	Capacity (GPM)	Suitable For
SEI783	CLE253/480D	36	0.75	10	Single or Multiple Eyewash Stations
SEI784	SN723/480D-HLW	72	1.5	40	Single or Multiple Combination Eyewash/Shower Stations
SE1785	SN1443/480D-HLW	144	1.5	40	Single or Multiple Combination Eyewash/Shower Stations



THERMOSTATIC MIXING VALVES

- Blend hot and cold water to a comfortable flushing temperature
- · Reliable liquid-filled thermostat with a 10-year manufacturer's warranty
- Check stops on inlets
- Adjustable set point within temperature range
- Accurate temperature control to within $\pm 3^{\circ}F$
- · Built-in cold water bypass, assuring cold flow
- Easy installation and serviceability
- Positive shut-off of hot supply when cold supply is lost
- Dirt and lime resistant
- · Dial thermometer
- · Factory assembled and tested
- · Universal mounting capability
- Rough bronze finish

Integral strainer

checkstops

- SEI certified to ANSI standard Z358.1
- · Temperature adjustment are vandal resistant







Positive shutoff of hot supply when cold supply is lost



Model Mfg. Description Accommodates No. SAI289 S19-2000 7.3 GPM @ 30 PSI Three eyewashes or one eye/face wash **SAI294** S19-2150 19.5 GPM @ 30 PSI One combination shower with eyewash or multiple evewashes **SAI299** S19-2200 54 GPM @ 30 PSI Two combination showers with eyewashes

THERMOSTATIC MIXING VALVES

- · Designed to mix hot and cold water
- Flows from 10 78 GPM
- · Modular brass design with internal check stops
- Wax based thermostat technology for fast response time
- · Oversized valve seals resist failures caused by foreign matter
- Proven highly reliable temperature control
- Features the lowest pressure drop in the industry
- Smallest TMV's in the industry, taking up less room under cabinetry
- Designed to work with hard and soft water quality
- Features cold water bypass and hot water shut off (in the event of cold water failure)
- · CSA certified to ASSE 1071 and ANSI Z358.1



Model No.	Mfg. No.	Description	ldeal for	Price /Each
SEI814	9201EW	10 GPM @ 30PSI	Eyewash or Eye/Face Wash	
SEB268*	TWBSEWE	12 GPM @ 30 PSI	Eyewash or Eye/Face Wash	
SEC205	9201E	31 GPM @ 30 PSI	Single Shower Unit	
SEC206	9202E	78 GPM @ 30 PSI	Multiple Shower Units	

*Lead-free with full-flow bypass

or multiple eyewashes

Bradley

PORTABLE EYEWASHES provide self-contained fluid where plumbed water is not available. Gravity-fed or pressurized portable eyewash systems should deliver the ANSI minimum 15-minute safety eyewash drench. To keep water stored in these portable systems safe for ophthalmic use, an antibacterial agent is included or available separately. These units often can be freeze protected for outdoor applications. Portable eyewash stations installed in temperatures below 16°C will need to be of a tempering design to maintain compliance with ANSI standard Z358.1

ON-SITE® GRAVITY-FED EYEWASH STATIONS

- · Ideal for locations where a plumbed water source is not available
- High-visibility yellow, moulded pedestal and tank
- Transparent tank allows solution level to be checked easily
- Hinged eyewash tray activates in one quick motion
- Stainless steel clamps secure the tank during transport
- Vandal-resistant unit: foreign objects cannot be introduced into tank because all openings are sealed once the tank is installed
- One of the lightest portable eyewashes on the market
- SEI certified to ANSI standard Z358.1
- Includes wall bracket (can also deck mount)

ON-SITE HEATER JACKETS

- Protects against freezing: down to -23.3°C (-10°F)
- Insulated heater jacket conceals a 121 W heater
- Secondary thermostat prevents overheating if primary thermostat fails
- Requires 120-volt AC line
- All UL-listed components





- · High-visibility yellow
- Captures used fluid, 56-gallon capacity
- · Tapered sump, easy to drain

odel D.	Mfg. No.	Description	Wt. lbs.	Price /Eacl
K609	S19-921	Gravity-Fed Eyewash	23	,
\K610	S19-921H	Gravity-Fed Eyewash w/Heater Jacket	25	
K611	S19-399	Waste Cart	28	
\K613	S19-865	Water Preservative, Four 8-oz. Bottles	3	
		*******	28 3	





PURE FLOW 1000® EYEWASH STATIONS

- Sure-grip handle provides instant, simple activation
- Activation straps display expiration date
- Integral drain valve allows easy draining of reservoir after use
- Integral fluid reservoir captures waste fluid, eliminating potential safety hazards and simplifying fluid disposal
- Once activated, this device automatically displays a prominent, Warning Service Immediately, notice on the front of the unit; new fluid cartridges must be installed
- Requires two 3.8-gal. Eyesaline® fluid cartridges (sold separately)
- Device must be mounted on a wall or other suitable vertical surface
- Comes complete with product registration card, operating manual, metal hanging bracket for installation and an emergency eye wash sign
- SEI certified to meet ANSI standard Z358.1



IPRESERVE™ EYEWASH WATER PRESERVATIVE

- Sterile water preservative prevents bacteria growth for up to 90 days
- For use in gravity fed or other portable eyewash devices where water stands for long periods of time
- The only brand of water preservative in Canada to pass the industry standard Antimicrobial Effectiveness Test
- High efficiency concentrate one bottle treats a tank ranging in size from 18 93 to 75 7 L
- Four 5-oz. bottles per box



Model	Mfg.	Price
No.	No.	/Box
SFI501	19PF-1 10 148	

Honeywell

Model	Mfg.		Wt.	Price
No.	No.	Description	lbs.	/Each
SD552	32-001000-0000	Eyewash station (English Instructions)	40	
SAJ678	32-001000-0022	Eyewash station (French Instructions)	40	
SD553	32-001050-0000	Fluid cartridges (2/pkg)	70	

9-GALLON PORTABLE EYEWASH STATIONS

- 9-gallon high density green polyethylene tank made from FDA compliant materials
- Gravity fed to supply a continuous flow of water for 15 minutes at 0.4 GPM
- Easy-to-operate yellow activation arm protects eyewash spouts when not in use
- Wide-fill opening with threaded cap allows easy inspection, cleaning and filling Light design and mounting bracket (included) make relocation simple
- Optional sterile bacteriostatic additive, which permits
- storage of the water for up to three months
- Certified by CSA to meet ANSI standard Z358.1
- Freeze-protected and tempered version SFV126 & SFV127 ideal for remote, low traffic areas where protective measures are still needed and ambient temperatures could drop below freezing

Model	Mfg.		Price
No.	No.	Description	/Each
SAR314	7501	Portable Gravity Eyewash Station	
SFV126	7501T	Freeze-Protected and Tempered Gravity Eyewash Station, 120 V	
SFV127	7501T240	Freeze-Protected and Tempered Gravity Eyewash Station, 240 V	
SAR315	9082	Sterile Bacteriostatic Water Preservative, 5 oz., 4/case	



FENDALL PORTA STREAM® FLUID DISPOSAL CARTS

- · Portable, self-contained eyewash stations provide flexible, emergency eyewash capability in economical systems
- Lightweight, portable units don't require plumbing
- Heavy-duty, polyethylene, wheeled disposal cart
- Provides a convenient mean to transport waste solution to the nearest disposal site
- Can be used to catch fluid when testing plumbed emergency eyewash and showers that do not have drain
- Capacity: 23.5 gallons
- 3.94" diameter hole

Model No. SE137 Mfg. No. 32-000511-0000 Price/Each \$





FENDALL PORTA STREAM® II EYEWASH STATIONS

- Versatile portability and 15-minutes of uninterrupted flushing - without costly plumbing
- Simple installation and operation
- Features a nozzle strap that is easily removed to activate flushing, leaving hands free to hold eyelids open
- Can be easily and affordably placed near most workplace hazards with single bracket mounting device or transported with optional universal cart or universal stand
- Moulded handle accepts hanging bracket for vertical or horizontal surface installation
- Versatile flushing fluid options include Eyesaline® a preserved, buffered, saline solution superior to tap water for emergency eye care, and water additive
- Large 16-gallon (60.5 L) capacity
- SEI certified to meet ANSI standard Z358.1





PORTABLE PRESSURISED EYEWASH STATIONS

- ASME rated stainless steel tank
- Pressure fed to supply acontinuous flow of waterfor 15 minutes at 0.4 GPM
- Safety features include an airpressure gauge, pressure reliefvalve, and a tire-type air fill valve
- Optional sterile bacteriostatic additive, which permits storage of the water forup to three months

SFU811

- Includes a 6" hose to extend body-spray reach
- Certified by CSA to meetANSI standard Z358.1
- All models compatible with body spray hose





Model	Mfg.		Price
No.	No.	Description	/Each
SEB249	7601.37	37 gal. Station, With Body Spray Hose	
SAR315	9082	Sterile Bacteriostatic Water,	
		Preservative 5 oz., 4/case	
SEB250	9008	Transport Cart	
SFU810	7601.15	15 gal. Station	
SFU811	7603	15 gal. Eyewash Keg	
SEB263	8901B	Body Spray Hose	

Honeywell

Model No.	Mfg. No.	Description	Wt. Ibs.	Price /Each
SEK529	32-000200-0000	Trilingual Instructions	36	
SA411	32-000513-0000	Eyesaline® Concentrate, 180 oz.	13	
SAJ677	32-001100-0022	Water Preservative, 4 - 8 oz. Bottles	-	
SA426	32-000102-0000	Replacement Pull-Strap, (Fits Porta Stream® I, II)	1	

PORTABLE PRESSURISED EYEWASH STATIONS

- Stainless steel pressure tanks include tire filler valve with 0-100 PSI air gauge, pressure relief valve to prevent over pressurization and built-in carry handles for easy transportation
- Eyewash assembly includes twin eyewash heads with a flow control and pop-off dust covers
- Eyewash activated by a large stainless steel push handle with stay-open ball valve
- 8' drench hose with hand-held squeeze valve Optional 4-wheel, stainless steel cart
- SEI Certified to ANSI standard Z358.1
- 15-GALLON UNIT:

10-GALLON UNIT:

· Eyewash flow: Minimum 22-minute water flow

· Eyewash flow: Minimum 15-minute water flow

· Drench hose flow: 3 1/2-minute water flow

· Drench hose flow: 5-minute water flow

HEATED UNITS:

- 510 watt heater
- Maintain average water temperature at 75°F (24°C)
- Secondary thermostat prevents overheating
- **UL-listed components**
- Plug into 120-volt AC line, GFCI recommended



Model	Mfg.		Wt.	Price
No.	No.	Description	lbs.	/Each
SAK628	S19-690	10 Gallons	30	
SAK629*	S19-690H	10 Gallons w/Heater Jacket	31	
SAK630	S19-788	15 Gallons	35	
SAK631*	S19-788H	15 Gallons w/Heater Jacket	36	
SAK632	S19-690A	Transport Cart	12	
SAK613	S19-865	Water Preservative (4-8 oz)	3	





FENDALL PORTA STREAM® I EYEWASH STATIONS

- Delivers 6 minutes of flushing fluid
- Easy installation with no plumbing required
- Single bracket mounting device included
- One-piece, molded construction with no moving parts
- Large hole simplifies refilling and cleaning
- · Features simple, highly visible instructions on the unit itself
- Does not meet ANSI standard Z358.1 15-minute flushing requirement

Honeywell

Model	Mfg.		Wt.	Price
No.	No.	Description	lbs.	/Each
SA425	32-000100-0000	Fendall Porta Stream® I, Trilingual instructions	19	
SA408	32-000509-0000	Eyesaline® concentrate, 70 oz. (For Porta Stream® I)	5	
SAJ677	32-001100-0022	Water Preservative, 4 - 8 oz. bottles	-	
SA426	32-000102-0000	Replacement pull-strap, (Fits Porta Stream® I, II, III)	1	



FENDALL FLASH FLOOD® EYEWASH STATIONS

- · Delivers 3 minutes of flushing fluid
- One-gallon sealed cartridges are easy to store and offer quick changes without mixing or measuring
- Easily wall or table mounted
- · Features simple, highly visible instructions on the unit itself
- · Does not meet ANSI standard Z358.1 15-minute flushing requirement

Honeywell

Model	Mfg.		Wt.	Price
No.	No.	Description	lbs.	/Each
SA419	32-000400-0000	Fendall Flash Flood® Eyewash Station (English Instructions)	14	
SAM657	32-000400-0022	Fendall Flash Flood® Eyewash Station (French Instructions)	14	
SA403	32-000401-0000	Eyesaline® 1 Gal. Refill (4/Pkg.) (English Instructions)	36	
SAM658	32-000401-0022	Eyesaline® 1 Gal. Refill (4/Pkg.) (French Instructions)	36	
SA420	32-000402-0000	Wire Rack for Cartridges	3	
SA421	32-000403-0000	Replacement Pull Strap	1	



Practice Preventative Safety! See pages 394-419 for our selection of eye & face protection



SUPPLEMENTAL EYEWASHES include bottled eyewash and other devices that do not meet 15-minute drench criteria. These supplemental solutions are designed to treat nuisance hazards and/or as an initial first aid to injured workers during the path to certified eyewash, but they do not meet the 15 minute drench criteria of the ANSI standard Z358.1. Bottled eyewash is designed to be positioned close to the point of need. Acceptable for immediate first-aid, bottled eyewashes should support, but not substitute, a primary eyewash or shower unit.

SALINE EYEWASH BOTTLES

- Contains a buffered saline solution that is sterile and superior to tap water for emergency eye care
- Blow-Fill-Seal (BFS) bottle is tamper resistant, and maintains the sterility and integrity of the eyewash
- Easy to remove and open in emergency situations
- 1, 4, and 8 oz. bottles have user controlled delivery, delivering drops or an irrigating stream of solution, depending on the squeeze pressure applied to the bottle
- Trilingual instructions (English, French and Spanish)
- Does not meet ANSI standard Z358.1 15-minute flushing requirement



Honeywell

Model No.	Mfg. No.	Cap. Oz.	Price /Each
SEC467	32-000451-0000	1	
SEC468	32-000452-0000	4	
SEC469	32-000445-0000	8	
SEC470	32-000454-0000	16	
SEC471	32-000455-0000	32	

ZENTH[®] Safety Products **Safety Products** for Industry

SALINE EYEWASH WALL STATIONS

- · Holds bottle firmly in place while allowing easy access in an emergency
- Mounts to wall with provided screws
- Integral overhand protects bottles from dust and debris
- Durable plastic is easy to clean
- Simple, highly visible operating instructions are provided on each unit
- Bottle contains a buffered saline solution that is sterile and superior to tap water for emergency eye care
- Blow-Fill-Seal (BFS) bottle is tamper resistant, and maintains the sterility and integrity of the eyewash
- Delivers drops or an irrigating stream of solution, depending on the squeeze pressure applied to the bottle
- Trilingual instructions
- (English, French and Spanish) Does not meet ANSI standard Z358.1
- 15-minute flushing requirement





Honeywell

Model No.	Mfg. No.	Station Type	Bottle Cap. Oz.	Price /Each
SEC472	32-000460-0000	Single	16	
SEC473	32-000465-0000	Double	16	
SEC474	32-000461-0000	Single	32	
SEC475	32-000462-0000	Double	32	

NEUTRALISER™ EYEWASH & FACE-RINSE

- Provides immediate first aid and neutralized chemical burns
- Ingredients neutralize acids and alkalis better than standard saline solution
- Responds to all accidents with one "all risks" formula, which includes antiseptics to prevent infection
- Quick rinse design 1/4 twist to open
- Bottle pods allow you to locate the solution close to the potential risk







Model	Mfg.		Price
No.	No.	Description	/Each
SEI502	80-1600-1	1L Neutraliser™ Solution	
SEI503	80-1600-2	474 ml Neutraliser™ Solution	
SEI504	80-1600-1BN	1L BottlePod™ w/ Neutraliser™ Sign	
SEI505	80-1600-2BN	474 ml BottlePod™ w/ Neutraliser™ Sign	

SINGLE USE EYEWASH **SOLUTION WITH EYE CUP**

· Sterile irrigating solution washes the eye to help relieve irritation, discomfort, burning, stinging, and itching



TNAMIC

Model	Mfg		Price
No.	No.	Size	Each
SGB154	FAEW016SU	16 oz./500 ml	
SGB149	FAEW032SU	32 oz./1 L	

EYEWASH ADDITIVE CONCENTRATE

Preserves 5 to 20 US Gal. (18.9 to 75.7 L) of potable water in a self-contained eyewash station by controlling the growth of bacteria, fungi, algae, and other impurities



SGA875

Model	Mfg		Price
No.	No.	Size	Each
SGA904	FAFWC08	8 oz (236 ml)	

EMPTY EYEWASH BOTTLES WITH EYE CUPS

· Empty bottles to hold irrigating solution in a complete eyewash station





Model	Mfg		Price
No.	No.	Description	Each
SGA875	FAEWB16	16 oz./500 ml	
SGA874	FAEWB32	32 oz./1 L	
SGA867	FAEWC01	Eye Cup for 16 oz./500 ml and 32 oz./1 L bottle	

EYEWASH SOLUTION

Sterile irrigating solution washes the eye to help relieve irritation, discomfort, burning, stinging, and itching



YNAMIC

Model	Mfg		Price
No.	No.	Size	Each
SGB151	FAEW001	1 oz./30 ml	
SGB147	FAEW004	4 oz./118 ml	
SGB150	FAEW008	8 oz./250 ml	
SGB153	FAEW016	16 oz./500 ml	
SGB148	FAEW032	32 oz./1 L	
SGB152	FAEW160	128 oz./4 L	

SINGLE USE EYEWASH STATIONS

Complete with wall mounted panel, featuring a mirror, sterile irrigating solution and eye cups









TNAMIC

SGA888

Model No.	Mfg No.	Includes	Price Each
SGA887	FAEWS6514F	SGA897 plus (1) 32 oz./1 L with eye cup SGB149	
SGA889	FAEWS1416F	SGA894 plus (2) 32 oz./1 L with eye cup attach SGB149	
SGA886	FAEWS1113F	SGA891 plus (1) 16 oz./500 ml with eye cup attach SGB154	
SGA888	FAEWS1213F	SGA893 plus (2) 16 oz./500 ml with eye cup SGB154	

EYEWASH STATIONS

· Complete with wall mounted panel, featuring a mirror, sterile irrigating solution



SGA873



Model No.	Mfg No.	Includes	Price Each
SGA870	FAEWS6517F	SGA898 plus one (1) bottle of isotonic solution SGB148 32 oz./1 L	
SGA873	FAEWS1417F	SGA895 plus two (2) bottles of isotonic solution SGB148 32 oz./1 L	
SGA883	FAEWS1714F	SGA896 plus one (1) bottle of isotonic solution SGB148 32 oz./1 L	
SGA881	FAEWS1114F	SGA892 plus one (1) bottle of isotonic solution SGB153 16 oz./500 ml	

PANEL FOR EYEWASH STATIONS

Wall mountable panels features a mirror and space to hold irrigating solution for a complete eyewash station



SGA894





YNAMIC
SAFETY INTERNATIONAL

Model No.	Mfg No.	Holds	Size	Price Each
110.	110.	livius	Size	Laci
SGA891	FAEWS1113	(1) 16 oz./500 ml bottle	11" x 13"	
SGA892	FAEWS1114	(1) 32 oz./1 L bottle	11" x 14"	
SGA893	FAEWS1213	(2) 16 oz./500 ml bottles	12" x 13"	
SGA894	FAEWS1416	(2) 32 oz./1 L bottles	14" x 16"	
SGA895	FAEWS1417	(2) 32 oz./1 L bottles	14" x 17"	
SGA896	FAEWS1714	(1) 32 oz./1 L bottle	14" x 17"	
SGA897	FAEWS6514	(1) 32 oz./1 L bottle	6.5" x 14"	
SGA898	FAEWS6517	(1) 32 oz./1 L bottle	6.5" x 17"	

METAL EYEWASH STATIONS

 Wall mountable metal box complete with mirror and irrigation solution



EYEWASH STATIONS WITH EMPTY EYEWASH BOTTLES

 Wall mountable panels features a mirror and empty bottle(s) to hold irrigating solution for a complete eyewash station



SGA880

TYNAMIE

Model	Mfg		Price
No.	No.	Includes	Each
SGA877	FAEWS6517E	SGA898 plus one (1) empty eye wash bottle 32 oz./1 L	
SGA884	FAEWS1417E	SGA895 plus two (2) empty eye wash bottles 32 oz./1 L	
SGA880	FAEWS1714E	SGA895 plus one (1) empty eye wash bottles 32 oz./1 L	
SGA879	FAEWS1114E	SGA892 plus one (1) empty eye wash bottle 16 oz./500 ml	

THE SAFETY INTERNATIONAL

Model	Mfg		Price
No.	No.	Includes	Each
SGA872	FAEWS9124F	SGA837 plus two (2) bottles of isotonic solution SGB148 32 oz./1 L	

BIO MED WASH®

Bio Med Wash* is a sterile, heavy mist containing 100% Bio-Logic Aqua*, an all-natural, pH correct, pure tissue-culture grade of water. The application is helpful in removing particulate matter and crusted exudates from cuts and abrasions, and in removing irritating chemicals from skin and eyes

- · Emergency first aid eye wash and irrigation
- All-natural bio-compatible hydrotherapy product replaces distilled, saline and tap water for most applications
- · Washes dirt and other contaminants from cuts and lacerations
- · Helps remove irritating chemicals from eyes and skin
- · Three year shelf life







SGA753

THE SAFETY INTERNATIONAL

Model	Mfg		Price
No.	No.	Description	Each
BIO MED	WASH SOLUTIONS		
SGA750	FAEWBM01	Bio Med wash solution 1 oz./30 ml	
SGA751	FAEWBM03	Bio Med wash solution 3 oz./90 ml	
SGA749	FAEWBM07	Bio Med wash solution 7 oz./210 ml	
COMPLE	TE BIO MED WASH STATIONS		
SGA753	FAEWSBMSWMF	Panel SGA748 plus (1) Bio Med wash bottle of 7 oz./210 ml	
SGA755	FAEWSBMDWMF	Panel SGA748 plus (2) Bio Med wash bottle of 7 oz./210 ml	
SGA754	FAEWKBMDWMF	Panel SGA748 with space for first aid kit and (2) Bio Med eye wash bottle 7 oz./210 ml	
PANEL O	NLY AND HOLSTER FOR BIO MED W	ASH	
SGA748	FAEWSBMSWME	Panel only for (1) bottle ofBio Med wash 7 oz./210 ml, panel size: 5" x 14"	
SGA747	FAEWSBMDWME	Panel only for (2) bottle of Bio Med wash 7 oz./210 ml, panel size: 12" x 14"	
SGA752	FAEWKBMDWM	Biowash ztation with space for first aid, kit and (2) bottle of Bio Med wash 7 oz./210 ml	
SGA745	FAEWBMH3	Nylon holster for Bio Med wash 3 oz./90 ml bottle	
SGA746	FAEWBMH7	Nylon holster for Bio Med wash 7 oz./210 ml bottle	
SGB201	FAEWTB	Plastic vehicle bracket	

ACCESSORIES & SERVICE PARTS provide enhanced emergency shower and eyewash installation and include: drench hoses, alarm systems, matting,, shower testers, spray pattern gauges, modesty curtains, and signage. There are a wide variety of accessories and service parts available. If you can't find what you're looking for here, please contact us and we'll be glad to find what you're looking for.

WALL-MOUNTED **DRENCH HOSES**

- Quick-access emergency eye and face spray features soft flow spray head for flooding large areas as well
- Self-coiling highly visible yellow-coloured hose retracts for easy storage while allowing instant extension
- Water flows when handle on chrome-plated brass assembly is squeezed
- Wall bracket and protective spray head cover included
- Universal identification sign and inspection tag included



Bradley


Model No.	Mfg. No.	Description	Price /Each
SEE320	51944011CBC	12' Hose	/ Lucii
SEI782	51944011CBD	25' Hose	

RETROFIT DUST COVERS

- Provides maximum protection from dust or other contaminants
- Hinged plastic cover
- Fits on Bradley eyewash bowls
- Weight: 5 lbs.

Model





^{*} $Halo^{TM}$ dust covers are integral to the activation system.

DUST COVERS

- Stainless steel dust cover assembly can be used with most 11" diameter stainless steel or plastic bowls
- Protects the unit against airborne contaminants



Model	Mfg.		Price
No.	No.	Description	/Each
SFR264	9102	Dust Cover	

DRENCH SHOWER TESTERS

- Heavy-duty tester provides a convenient way to comply with ANSI specifications for weekly testing on all drench showers - without getting wet
- 84" long, watertight chemcal resistant Tyvek® funnel with weighted bottom directs water to a drain or bucket

8" telescoping aluminum handle

Model No. SC338 Mfg. No. S19-330ST Price/Each \$





HAND-HELD DRENCH HOSES

- · Laboratory spray valve easily attaches to any Bradley drench shower or eyewash station
- Includes all necessary fittings and hanger for attaching hose to the units
- 8' highly visible yellow reinforced thermoplastic hose
- Handle stays open once it is squeezed
- · Integral flow control assures safe, steady flow under varying water supply conditions





FLOW SWITCH ALARM SYSTEMS

- Automatic, audible and visual system with 6' cord
- Strobe light and flow switch are UL Listed and CSA approved
- Alarm horn in adjustable from 78-103 decibels and is UL listed
- Designed to meet NEMA No. 3 code (waterproof)
- Includes: Remote wiring contacts





EYEWASH TEST GAUGES

Makes sure eyewash achieves a compliant pattern per ANSI standard Z358.1

Model No. SAO294 Mfg. No. 269-1444 Price/Each \$



Eyewash

not included

Bradley RADLEY

AXION® ADVANTAGE KITS

- Kits designed to upgrade existing emergency shower and eyewash equipment
- Includes an Axion® MSR eye/face wash or an Axion® MSR eye/face wash and showerhead, connecting hardware options, eyewash testing gauge, tape measure, and an ANSI compliance checklist





Model No.	Mfg. No.	Description	Price /Each
SEI816	AX13	Green ABS Plastic Eye/Face Wash	
SEI817	AX13S	Stainless Steel Eye/Face Wash	
SEI818	AX14	Green ABS Plastic Eye/Face Wash and Showerhead	
SEI819	AX14S	Stainless Steel Eye/Face Wash and Showerhead	

EYEWASH STATION SIGNS

- Make sure your emergency eyewash and shower stations are well identified in accordance with ANSI standard Z358.1
- Conveniently available in several material choices to meet your needs:
- 4-mil thick moisture resistant adhesive vinyl with permanent acrylic adhesive is perfect for light-duty applications
- 0.055" thick semi-flexible plastic with UV inhibitors is ideal for indoor and sheltered outdoor applications
- 0.040" thick aluminum with 2-mil UV polyester over-laminate film has superior abrasion and chemical resistance and is ideal for indoor and outdoor applications



x 10"	10"	x	1	•
-------	-----	---	---	---

	English Model No.	French Model No.	Price /Each	English Model No.	French Model No.	Price /Each
Adhesive Vinyl	SAU145	SP603		SAU148	SP604	
Plastic	SAU146	SP601		SAU149	SP602	
Aluminum	SAU147	SP599		SAU150	SP600	





Eyewash Station Projection™ Signs



ACCUFORM.

- .10" thick High-impact plastic
- 3D signs, projecting 45° from the wall, provide optimum viewing from front and sides
- 90D signs, projecting 90° from the wall, are viewed from either side
- Includes mounting holes and hardware

SED963





Model No.	Description	Panel Size"	Overall Size"	Price /Each
ENGLISH				
SAW431	3D	6 x 5	6 x 81/2 x 4	
SAW432	90D	8 x 8	8 x 8 x 11/2	
FRENCH				
SED962	3D	6 x 5	6 x 81/2 x 4	
SED963	90D	8 x 8	8 x 8 x 11/2	

PRIVACY CURTAINS

- Double-laminated, chemical-resistant Tyvek®
- Durable construction with top and bottom reinforcements
- Highly visible yellow color
- Stainless steel curtain rail and mounting brackets included
- Dimensions: 70" L x 145" W

Model No. SAQ295 Mfg. No. S19-330 Price/Each \$





EMERGENCY SHOWER STATION MATS F.I.T.™ KITS NO. 546


- · Simple and compact emergency eyewash and shower mats kits
- Easy to assemble, no cutting or tools required
- Patented LockSafe® connections simply snap together and zip apart
- Green is recommended for eyewash stations and red for shower stations
- · Highly visible mats designate the location of emergency stations
- Created for high visibility per ANSI recommendations
- · Elevates user above hazardous overflow
- · Conforms to ANSI Z535.1 standard
- Available in two sizes
- 5/8" thicl
- Contents: 6 tiles, 2 male corner ramps, 1 male ramp w/o tab, 2 male ramps w/tab, 2 female ramps






Model No.	Dimensions" W x L	Colour	Price /Each
SEG993	27 x 30	Green w/Yellow Border	
SEG994	27 x 30	Red w/Yellow Border	
SEG995	27 x 42	Green w/Yellow Border	
SEG996	27 x 42	Red w/Yellow Border	







EYE SHIELDS

- Semi-rigid, ventilated plastic eye shade with elastic strap
- · For use on right or left eye

Mfg. No. 04210 Price/Each \$



EYE CUPS

· Used together with eye cleansing solutions to bathe the eve

Model No. SAY471 Mfg. No. 04166 Price/Each \$



EYE PADS

- · Oval-shaped eye pads made of absorbent cotton filler and enclosed in a non-woven fine mesh gauze
- Suitable for eye injury care and medication application
- Individually wrapped in tamper-proof packaging
- Size: 1 5/8" x 2 5/8"
- Sterile



Model No.	Mfg. No.	Qty /Box	Price /Each
SEE486	04270	12	
SAY470	04273	50	

OPTREX® EYE WASH - STERILE

- · For relief of irritation, eye fatigue and other minor eye conditions
- Effective against redness, stinging and mild congestion of the eyes and eyelids caused by light, wind, dust, smoke and other pollutants
- Solution soothes, cools and refreshes
- · 300 ml glass bottle

Model No. SAY464 Mfg. No. 04263 Price/Each \$



EYE STREAM® EYE WASH - STERILE

- Ophthalmic solution for eye irrigation
- Used for emergency flushing of foreign contaminants or chemical burn splashes (acid or alkaline) and for irrigation following minor surgery or diagnostic procedures
- Cleanses, refreshes and soothes irritated eyes
- 118 ml bottle

Model No. SAY467 Mfg. No. 04450 Price/Each \$



MURINE® EYE DROPS

- · Liquid supplemental tears clean and refresh the eyes
- · For relief of minor irritations caused by dryness, fatigue, sun, wind and dust
- 15-ml bottle
- Sterile

Model No. SAY465 Mfg. No. 04087 Price/Each \$



VISINE® OPHTHALMIC SOLUTION

- · For fast, soothing relief of redness and minor eye irritations caused by dust, smoke, smog, wind, sun, night driving, reading, television, bathing and contact lenses
- 15-ml bottle
- Sterile

Model No. SAY466 Mfg. No. 04572 Price/Each \$



TEARS NATURALE® FREE EYE DROPS

- · Preservative-free artificial tears for dry sensitive eyes
- For temporary relief of discomfort due to minor irritations of the eye or exposure to wind or sun
- Twenty-four 0.6 ml units per box
- Sterile

Model No. SAY468 Mfg. No. 04452 Price/Each \$





OPTREX® EYE WASH

- For relief of irritation, eye fatigue and other minor eye conditions
- · Solution soothes, cools and refreshes



DYNAMIC

Model	Mfg	Size	Price
No.	No.		Each
SGD188	FA520102	300 ml	
SGB181	FA520101	110 ml	

VISINE® EYE DROPS

Used to temporarily relieve eye redness, puffiness, and itching



THE SAFETY INTERNATIONAL

Model	Mfg	Size	Price
No.	No.		Each
SGB375	FA361497	30 ml	

EYE CARE PACK

Used to protect the eye from contaminants and additional trauma



L TNAMIC SAFETY INTERNATIONAL

Model	Mfg	Includes	Price
No.	No.		Each
SGA869	FAEYPK	Pad/Tape/Shield	

EYE STREAM® EYE WASH

- Gently relieves irritation and discomfort of particles and pollutants
- · Cleanses, refreshes and soothes irritated eyes



TYNAMIC

Model No.	Mfg No.	Size	Price Each
SGA902	FA200531	118 ml	
SGA903	FA351784	30 ml	

EYE BATH

 Used to apply solution to flush or soothe the eye



THE SAFETY INTERNATIONAL

Model	Mfg	Price
No.	No.	Each
SGA866	FAFR	

EYE PADS

- Suitable for eye injury care and medication application
- Sterile



THE SAFETY INTERNATIONAL

Model	Mfg		Price
No.	No.	Qty	Each
SGA899	FAEP025	Pack of 25	
SGC786	FAEP050	Pack of 50	

EYE SHIELD

 Semi-rigid, ventilated eye shield with elastic strap used to cover either the right or left eye





Mod	el Mfg	Price
No.	No.	Each
SGA	901 FAPE001	

NEWFOUNDLAND & LABRADOR FIRST AID KITS





NOVA SCOTIA FIRST AID KITS









Model	Mfg	Kit	Container	Price
No.	No.	Type	Туре	Each
BULK FII	RST AID KITS	-71-	-71-	
SGA906	FAKNFLD1BP	#1 kit	10 units - Plastic box	
SGA918	FAKNFLD1BN	#1 kit	Nylon pouch	
SGA919	FAKNFLD2BM	#2 kit	16 units - Metal box	
SGA920	FAKNFLD2BP	#2 kit	16 units - Plastic box	
SGA910	FAKNFLD2BN	#2 kit	Nylon pouch	
SGA924	FAKNFLD3BM	#3 kit	24 units - Metal box	
SGA925	FAKNFLD3BP	#3 kit	24 units - Plastic box	
SGA911	FAKNFLD3BN	#3 kit	Nylon pouch	
BULK FII	RST AID KIT REFIL	LLS	, ,	
SGB228	FAKNFLD1R	Refill for kit #1	-	
SGB236	FAKNFLD2R	Refill for kit #2	-	
SGB244	FAKNFLD3R	Refill for kit #3	-	
UNITIZE	D FIRST AID KITS	5		
SGB022	FAKNFLD1UP	#1 kit	16 units - Plastic box	
SGB020	FAKNFLD1UM	#1 kit	16 units - Metal box	
SGB030	FAKNFLD2UP	#2 kit	16 units - Plastic box	
SGB029	FAKNFLD2UM	#2 kit	16 units - Metal box	
SGB039	FAKNFLD3UP	#3 kit	24 units - Plastic box	
SGB037	FAKNFLD3UM	#3 kit	24 units - Metal box	
UNITIZE	D FIRST AID KIT	REFILLS		
SGB253	FAKNFLD1UR	Refill for kit #1	-	
SGB255	FAKNFLD2UR	Refill for kit #2	-	
SGB257	FAKNFLD3UR	Refill for kit #3	-	
PERSON	AL FIRST AID KIT	S		
SGA927	FAKNFLDPKBZ	-	Ziplock pouch	
SGA926	FAKNFLDPKBN	-	Nylon pouch	

Model No.	Mfg No.	Kit Type	Container Type	Price Each
BULK FII	RST AID KITS	71	71	
SGA950	FAKNS1BP	Kit #1	Plastic box - 10 units	
SGA948	FAKNS1BM	Kit #1	Metal box - 10 units	
SGA963	FAKNS1BN	Kit #1	Nylon pouch	
SGA969	FAKNS2BP	Kit #2	Plastic box - 16 units	
SGA967	FAKNS2BM	Kit #2	Metal box - 16 units	
SGA974	FAKNS2BN	Kit #2	Nylon pouch	
SGA983	FAKNS3BP	Kit #3	Plastic box - 24 units	
SGA981	FAKNS3BM	Kit #3	Metal box - 24 units	
SGA990	FAKNS3BN	Kit #3	Nylon pouch	
BULK FII	RST AID KIT RE	FILLS		
SGB229	FAKNS1R	Refill for bulk first aid kit #1	-	
SGB237	FAKNS2R	Refill for bulk first aid kit #2	-	
SGB245	FAKNS3R	Refill for bulk first aid kit #3	-	
UNITIZE	D FIRST AID K	ITS		
SGB023	FAKNS1UP	Kit #1	Plastic box - 16 units	
SGB021	FAKNS1UM	Kit #1	Metal box - 16 units	
SGB033	FAKNS2UP	Kit #2	Plastic box - 24 units	
SGB031	FAKNS2UM	Kit #2	Metal box - 24 units	
SGB040	FAKNS3UP	Kit #3	Plastic box - 24 units	
SGB038	FAKNS3UM	Kit #3	Metal box - 24 units	
UNITIZE	D FIRST AID K	IT REFILLS		
SGB254	FAKNS1UR	Refill for unitized first Aid kit #1	-	
SGB256	FAKNS2UR	Refill for unitized first Aid kit #2	-	
SGB262	FAKNS3UR	Refill for unitized first Aid kit #3	-	

Content	Kit #1	Kit #2	Kit #3	Personal
of Kits	(1-5 emp.)	(6-14 emp.)	(200+ emp.)	Kit (1 emp.)
First Aid Manual	1	1	1	-
Accident Record Book	1	1	1	-
Safety Pins (pack of 12)	1	1	1	1
Tweezers	1	1	1	-
Scissors	1	1	1	1
Compress Bandage 2" Sterile	-	-	-	1
Compress Bandage 4" Sterile	2	2	6	6
Plastic Strips 1" x 3" Sterile	12	16	32	12
Gauze Pad Sterile 2" x 2"	-	-	-	2
Gauze Pad Sterile 3" x 3"	12	16	32	32
Gauze Bandage Roll Sterile. 2" x 5 yds	-	-	-	1
Adhesive Tape 1/2" x 2 1/2 yds	-	-	-	1
Adhesive Tape 1" x 5 yds	-	1	2	-
Adhesive Tape 1/2" x 5 yds	1	-	-	-
Triangular Bandage	4	6	6	-
Tubular Dressing w/Applicator	-	-	1	-
Fabric Finger Tips - Large - Sterile	-	-	10	-
Fabric Knuckle Bands	-	-	10	-
Sterile Antiseptic Towelettes				
Benzalkonium Wipes (100)	1	-	-	10
Peroxide - 115 ml	-	1	1	-
Ammonia Inhalant	-	-	-	2
Eye Wash 1 oz. Sterile	1	-	1	1
Disnosable Gloves (1 nair)	_	1	1	

Content of Kits	Kit #1 (1 emp.)	Kit #2 (2-20 emp.)	Kit #3 (21-50 emp.)
First Aid Manual	1	1	1
Accident Record Book	1	1	1
Safety Pins (pack of 12)	1	1	1
Tweezers	1	1	1
Scissors	1	1	1
Compress Bandage 4" Sterile	2	2	6
Gauze pad 3" x 3" sterile	12	16	32
Plastic adhesive strips 1" x 3" sterile	12	24	32
Triangular bandage	3	6	6
Adhesive tape 1" x 5 yds	1	1	1
Disposable gloves (1 pair)	2	2	4
Benzalkonium wipes (100)	12	12	12
Pencil	1	1	1
Hand cleanser moist towelettes	6	24	24
Gauze bandage roll 2" x 5 yds	1	2	3
Rescue Breather	1	1	1
Biohazard bag	1	1	1

PRINCE EDWARD ISLAND FIRST AID KITS



NEW BRUNSWICK FIRST AID KITS







THE SAFETY INTERNATIONAL

Model	Mfg	Kit	Container	Price
No.	No.	Туре	Type	Each
BULK FII	RST AID KITS			
SGA951	FAKPEI1BP	Kit #1	Plastic box - 10 units	
SGA949	FAKPEI1BM	Kit #1	Metal box - 10 units	
SGA961	FAKPEI1BN	Kit #1	Nylon pouch	
SGA970	FAKPEI2BP	Kit #2	Plastic box - 24 units	
SGA968	FAKPEI2BM	Kit #2	Metal box - 24 units	
SGA976	FAKPEI2BN	Kit #2	Nylon pouch	
SGA984	FAKPEI3BP	Kit #3	Plastic box - 36 units	
SGA982	FAKPEI3BM	Kit #3	Metal box - 36 units	
SGA991	FAKPEI3BN	Kit #3	Nylon pouch	
BULK FII	RST AID KIT RE	FILLS		
SGB231	FAKPEI1R	Refill for bulk first aid kit #1	-	
SGB239	FAKPEI2R	Refill for bulk first aid kit #2	-	
SGB246	FAKPEI3R	Refill for bulk first aid kit #3	-	

SGB239	FAKPEI2R	Refill for bulk first aid	kit #2	-
SGB246	FAKPEI3R	Refill for bulk first aid	kit #3	-
Content of Kits		Kit #1 (1-5 emp.)	Kit #2 (5-15 emp.)	Kit #3 (16-100 emp.)
First aid ma	anual	1	1	1
Safety pins	(pack of 12)	1	1	1
Tweezers	,	1	1	1
Scissors		1	1	1
Plastic adh	esive strips 1" x 3" sterile	12	14	32
Triangular	bandage [*]	3	6	6
Adhesive to	ape 1" x 5 yds	1	1	1
	3" x 3" sterile	12	16	32
Compress b	oandage 4"	2	2	6
Gauze band	dage 2" x 5 yds	1	2	3
Benzalkoni	ium wipe	12	12	12
Hand clean	ing wipe	6	24	24
C.P.R. mask	with one way valve	1	1	1
	,			

Model	Mfg		Price
No.	No.	Description	Each
PERSON	IAL FIRST AID KITS	5	
SGB014	FAKNBPBZ	Ziplock bag	
SGB008	FAKNBPBN	Nylon pouch	
SGB009	FAKNBPBP	Plastic box - 10 units	
BULK FI	RST AID KITS		
SGA958	FAKNB1BP	Plastic box - 36 units	
SGA956	FAKNB1BM	Metal box - 36 units	
SGA960	FAKNB1BN	Nylon pouch	
BULK FI	RST AID KIT REFIL	LS	
SGB229	FAKNB1R	Refill New Brunswick bulk first aid kit #1	
UNITIZE	D FIRST AID KITS		
SGB011	FAKNB1UP	Plastic box - 36 units	
SGB010	FAKNB1UM	Metal box - 36 units	
UNITIZE	D FIRST AID KIT R	REFILLS	
SGB252	FAKNB1UR	Refill New Brunswick unitized first aid kit #1	

Content	Personal Kit	Unitized Kit	
of Kits	(1 emp.)	(2-20 emp.)	
First aid manual	-	1	
Accident record book	-	1	
Safety pins (pack of 12)	-	1	
Tweezers	-	1	
Scissors	-	1	
Plastic adhesive strips 3/4" x 3" sterile	5	12	
Plastic adhesive strips 1" x 3" sterile	5	12	
Cotton tip applicators (6) 3"	-	1	
Adhesive tape 1" x 5 yds	-	2	
Compress pad 8" x 10" sterile	-	6	
Gauze pad 2" x 2" sterile	-	8	
Gauze pad 3" x 3" sterile	-	2	
Gauze pad 4" x 4" sterile	5	2	
Compress Bandage 4"	1	4	
Triangular bandage	1	6	
Poly bag 3" x 9"		1	
Ziplock bag 4" x 6"	1	3	
Benzalkonium wipes	5	12	
Peroxide 115 ml	-	1	
Aluminium rescue blanket	-	1	
Gauze bandage roll 3" x 10 yds	-	2	
Conform bandage 3" x 5 yds	-	2	
Polyethylene Glycol 65 g	-	1	
Telfa pad 3" x 4"	1	2	
Telfa pad 2" x 3"	-	2	
Pencil	-	1	
Rescue Breather	-	1	
Hand clean towels	-	12	
Sugar	-	6	
Disposable gloves (1 pair)	1	6	

Disposable gloves (1 pair)

QUEBEC FIRST AID KITS





ONTARIO WCB REGULATIONS FIRST AID KITS









Model No.	Mfg No.	Kit Type	Container Type	Price Each
	ST AID KITS	1,760	1,700	Lucii
SGA965	FAKOU185BP	Kit #1/85	Plastic box - 10 units	
SGA964	FAKQU185BM	Kit #1/85	Metal box - 10 units	
SGA966	FAKQU185BN	Kit #1/85	Nylon pouch	
SGA979	FAKQU285BP	Kit #2/85	Plastic box - 36 units	
SGA978	FAKQU285BM	Kit #2/85	Metal box - 36 units	
SGA980	FAKQU285BN	Kit #2/85	Nylon pouch	
BULK FIR	ST AID KIT REF	ILLS		
SGB233	FAKQU185R	Refill for bulk first aid kit #1/85	-	
SGB241	FAKQU285R	Refill for bulk first aid kit #2/85	-	
UNITIZE	D FIRST AID KIT	ΓS		
SGB048	FAKQU185UP	Kit #1/85	Plastic box - 16 units	
SGB016	FAKQU185UM	Kit #1/85	Metal box - 16 units	
SGB049	FAKQU285UP	Kit #2/85	Plastic box - 36 units	
SGB017	FAKQU285UM	Kit #2/85	Metal box - 36 units	
UNITIZE	D FIRST AID KIT	T REFILLS		
SGB234	FAKQU185UR	Refill for kit #1/85	-	
SGB242	FAKQU285UR	Refill for kit #2/85	-	

model	мтд	KIT	Container	Price
No.	No.	Туре	Туре	Each
BULK FII	RST AID KITS			
SGA965	FAKQU185BP	Kit #1/85	Plastic box - 10 units	
SGA964	FAKQU185BM	Kit #1/85	Metal box - 10 units	
SGA966	FAKQU185BN	Kit #1/85	Nylon pouch	
SGA979	FAKQU285BP	Kit #2/85	Plastic box - 36 units	
SGA978	FAKQU285BM	Kit #2/85	Metal box - 36 units	
SGA980	FAKQU285BN	Kit #2/85	Nylon pouch	
BULK FI	RST AID KIT REF	ILLS		
SGB233	FAKQU185R	Refill for bulk first aid kit #1/85	-	
SGB241	FAKQU285R	Refill for bulk first aid kit #2/85	-	
UNITIZE	D FIRST AID KI	TS		
SGB048	FAKQU185UP	Kit #1/85	Plastic box - 16 units	
SGB016	FAKQU185UM	Kit #1/85	Metal box - 16 units	
SGB049	FAKQU285UP	Kit #2/85	Plastic box - 36 units	
SGB017	FAKQU285UM	Kit #2/85	Metal box - 36 units	
UNITIZE	D FIRST AID KI	T REFILLS		
SGB234	FAKQU185UR	Refill for kit #1/85	-	
SGB242	FAKQU285UR	Refill for kit #2/85	-	

Content of Kits	KIT #1/85 (1-5 emp.)	KIT #2/85 (1-50 emp.)
First aid manual	1	1
Disposable gloves (pair)	1	1
Safety pins (pack of 12)	1	1
Splinter tweezers	-	1
Scissors	1	1
Plastic adhesive strips 1" x 3" sterile	5	25
Gauze pads sterile 4" x 4"	5	25
Gauze bandage roll 2" x 10 yds	1	4
Gauze bandage roll 4" x 10 yds	1	4
Triangular bandage	2	6
Adhesive tape 1" x 5 yds	1	2
Benzalkonium antiseptic wipes	5	25
Pressure bandage 4" sterile	2	4

Model	Mfg	Kit	Container	Price
No.	No.	Туре	Type	Eacl
BULK F	IRST AID KITS			
SGA993	FAKONTABP	Kit #A	Plastic box - 10 units	
SGA995	FAKONTABM	Kit #A	Metal box - 10 units	
SGA994	FAKONTABN	Kit #A	Nylon pouch - 10 units	
SGA959	FAKONT1BP	Kit #1	Plastic box - 36 units	
SGA957	FAKONT1BM	Kit #1	Metal box - 36 units	
SGA947	FAKONT1BN	Kit #1	Nylon pouch - 36 units	
SGB074	FAKONT2BP	Kit #1	Plastic box	
SGB073	FAKONT2BM	Kit #2	Metal box	
SGA934	FAKONT2BN	Kit #2	Nylon pouch	
SGA946	FAKONTTFBBP	Kit #TFB	Plastic box - 10 units	
SGA944	FAKONTTFBBM	Kit #TFB	Metal box - 10 units	
SGA945	FAKONTTFBBN	Kit #TFB	Nylon pouch	
BULK F	IRST AID KIT R	REFILLS		
SGB248	FAKONTAR	Refill for WBC bulk first aid kit #A	-	
SGB230	FAKONT1R	Refill for WBC bulk first aid kit #1	-	
SGB238	FAKONT2R	Refill for WBC bulk first aid kit #2	-	
SGB264	FAKONTTFBR	Refill for WBC #TFB bulk first aid kit	-	
UNITIZ	ED FIRST AID	KITS		
SGB045	FAKONTAUP	Kit #A	Plastic box - 10 units	
SGB044	FAKONTAUM	Kit #A	Metal box - 10 units	
SGB047	FAKONT1UP	Kit #1	Plastic box 36 units	
SGB046	FAKONT1UM	Kit #1	Metal box 36 units	
SGA933	FAKONT2UM	Kit #2	Metal box	
SGB019	FAKONTTFBUP	Kit #TFB	Plastic box - 16 units	
SGB018	FAKONTTFBUM	Kit #TFB	Metal box - 16 units	
UNITIZ	ED FIRST AID	KIT REFILLS		
SGB268	FAKONTAUR	Refill for WBC unitized first aid kit #A	-	
SGB267	FAKONT1UR	Refill for WBC unitized first aid kit #1	-	
SGB266	FAKONT2UR	Refill for WBC unitized first aid kit #2	-	
SGB265	FAKONTTFBRU	Refill for WBC #TFB unitized first aid kit	-	

Content of Kits	KIT #A (1-5 emp.)	KIT #1 (6-15 emp.)	KIT #2 (16-200 emp.)	Kit #TFB Kit (TFB)
First aid manual	1	1	1	1
Plastic adhesive strips 3/4" x 3" sterile	12	24	48	16
Pressure bandage 4" sterile	2	4	6	2
Gauze bandage roll 1" x 5 yds	-	-	12	-
Gauze bandage roll 2" x 5 yds	2	4	8	-
Gauze bandage roll 3" x 5 yds	-	-	-	4
Gauze bandage roll 4"x 5 yds	-	4	8	-
Gauze pad 3" x 3" sterile	4	12	48	6
Triangular bandage	1	6	12	4
Splint padding	-	2	2	-
Metal wire splint	-	1	-	-
Wood splints (set of 6)	-	-	1	-
Safety pins (pack of 12)	1	1	2	1
Adhesive tape 1" x 5 yds	-	-	2	-
Emesis basin	-	-	1	-
Disposable gloves (1 pair)	1	1	1	1

MANITOBA FIRST AID KITS







SGB025

SASKATCHEWAN FIRST AID KITS







Model No.	Mfg No.	Container Type	Price Each
PERSON	AL FIRST AID KITS		
SGB188	FAKMANPBN	Nylon pouch	
BULK FIR	RST AID KITS		
SGA913	FAKMAN24BP	Plastic box - 24 units	
SGA912	FAKMAN24BM	Metal box - 24 units	
SGA914	FAKMAN24BN	Nylon pouch - 24 units	
SGA942	FAKMAN36BP	Plastic box - 36 units	
SGA941	FAKMAN36BM	Metal box - 36 units	
SGA943	FAKMAN36BN	Nylon pouch - 36 units	
BULK FIF	RST AID KIT REFILLS		
SGB216	FAKMAN24R	Refill for bulk first aid kit 24 and 36 units	
UNITIZE	D FIRST AID KITS		
SGB051	FAKMAN24UP	Plastic box - 24 units	
SGB050	FAKMAN24UM	Metal box - 24 units	
SGB053	FAKMAN36UP	Plastic box - 36 units	
SGB052	FAKMAN36UM	Metal box - 36 units	
UNITIZE	D FIRST AID KIT REFILLS		
SGB263	FAKMAN24UR	Refill for unitized first aid kit 24 and 36 units	

Content of Kits	24 Units (1-24 emp.)	36 Units (1-24 emp.)	Personal (1 emp.)
First aid manual	1	1	-
Disposable gloves (1 pair)	1	1	1
Rescue Breather	1	1	-
Instant cold compress	1	1	-
Gauze pads 4"x 4" sterile	4	4	5
Safety pins (Pack of 12)	1	1	-
Tweezers	1	1	-
Scissors	1	1	-
Pressure bandage 4" sterile	2	2	1
Gauze pad 3" x 3" sterile	16	16	-
Telfa pad 3" x 4" sterile	4	4	-
Plastic adhesive strips 3/4" x 3" sterile	-	-	5
Plastic adhesive strips 1" x 3" sterile	32	32	5
Elastic bandage 3"x 5 yds	2	2	-
Triangular bandage	3	3	1
Conform bandage 4" x 5 yds	2	2	-
Benzalkonium antiseptic wipes	25	25	5
Adhesive tape 1" x 5 yds on spool	2	2	1
Hand cleanser moist towelettes	10	10	-
Elastic dressing strip 3"x 1 yds	1	1	-
Ziplock bag	1	1	1

UYNAMIC

Model	Mfg	Kit	Container	Price
No.	No.	Type	Type	Eacl
BULK FIR	ST AID KITS			
SGA953	FAKSKT1BP	Kit #1	Plastic box - 16 units	
SGA952	FAKSKT1BM	Kit #1	Metal box - 16 units	
SGA962	FAKSKT1BN	Kit #1	Nylon pouch	
SGA972	FAKSKT2BP	Kit #2	Plastic box - 24 units	
SGA971	FAKSKT2BM	Kit #2	Metal box - 24 units	
SGA977	FAKSKT2BN	Kit #2	Nylon pouch	
SGA988	FAKSKT3BP	Kit #3	Plastic box - 36 units	
SGA986	FAKSKT3BM	Kit #3	Metal box - 36 units	
SGA992	FAKSKT3BN	Kit #3	Nylon pouch	
BULK FIR	ST AID KIT REFILLS			
SGB232	FAKSKT1R	Refill for bulk first aid kit #1	-	
SGB240	FAKSKT2R	Refill for bulk first aid kit #2	-	
SGB247	FAKSKT3R	Refill for bulk first aid kit #3	-	
UNITIZED	FIRST AID KITS			
SGB028	FAKSKT1UP	Kit #1	Plastic box - 24 units	
SGB025	FAKSKT1UM	Kit #1	Metal box - 24 units	
SGB036	FAKSKT2UP	Kit #2	Plastic box - 36 units	
SGB035	FAKSKT2UM	Kit #2	Metal box - 36 units	
SGB042	FAKSKT3UP	Kit #3	Plastic box - 36 units	
SGB041	FAKSKT3UM	Kit #3	Metal box - 36 units	
UNITIZE	FIRST AID KIT REF	ILLS		
SGB258	FAKSKT1UR	Refill for unitized first aid kit #	1 -	
SGB260	FAKSKT2UR	Refill for unitized first aid kit #	2 -	
SGB261	FAKSKT3UR	Refill for unitized first aid kit #	3 -	

Content of Kits	Kit #1 (1-9 emp.)	Kit #2 (10-40 emp.)	Kit #3 (40+ emp.)
Tweezers	1	1	1
Scissors	1	1	1
Safety pins (pack of 12)	1	1	1
Pressure bandage 4" sterile	2	4	6
Plastic adhesive strips 3/4" x 3"	12	24	36
Gauze pad 2" x 2" sterile	2	4	6
Gauze pad 3" x 3" sterile	2	4	6
Gauze bandage roll 2" x 5 yds	2	4	6
Gauze bandage roll 4" x 5 yds	2	4	6
Abdominal bandage 5" x 9"	2	4	6
Triangular bandage	2	4	6
Hypo allergenic tape 1/2" x 10 yds	1	2	3
Disposable gloves (1 pair)	6	6	6
Antiseptic towelettes (Benzalkonium)	10	20	30
Eye pad sterile	1	2	3
Conform bandage 2" x 5"	1	2	3
Conform bandage 4" x 5"	1	2	3
Rescue breather	1	1	1
Soap bar	1	1	1

ALBERTA FIRST AID KITS



Model	Mfg	Kit	Container	Price
No.	No.	Type	Туре	Each
BULK FIR	ST AID KITS			
SGA916	FAKALT1BP	Kit #1	Plastic box - 16 units	
SGA915	FAKALT1BM	Kit #1	Metal box - 16 units	
SGA917	FAKALT1BN	Kit #1	Nylon pouch	
SGA922	FAKALT2BP	Kit #2	Plastic box - 24 units	
SGA921	FAKALT2BM	Kit #2	Metal box - 24 units	
SGA923	FAKALT2BN	Kit #2	Nylon pouch	
SGA985	FAKALT3BM	Kit #3	Metal cabinet 14 3/4" x 10 1/4" x 4 5/8"	
SGA987	FAKALT3BN	Kit #3	Nylon pouch	
BULK FIR	ST AID KIT RE	FILLS		
SGB225	FAKALT1R	Refill for bulk first aid kit #1	-	
SGB235	FAKALT2R	Refill for bulk first aid kit #2	-	
SGB243	FAKALT3R	Refill for bulk first aid kit #3	-	
UNITIZED	FIRST AID K	ITS		
SGB024	FAKALT1UP	Kit #1	Plastic box - 16 units	
SGA928	FAKALT1UM	Kit #1	Metal box - 16 units	
SGB034	FAKALT2UP	Kit #2	Plastic box - 24 units	
SGB032	FAKALT2UM	Kit #2	Metal box - 24 units	
SGB043	FAKALT3UM	Kit #3	Metal cabinet	
UNITIZED	FIRST AID K	IT REFILLS		
SGB226	FAKALT1UR	Refill for unitized first aid kit	- +1	
SGB259	FAKALT2UR	Refill for unitized first aid kit		
SGA940	FAKALT3UR	Refill for unitized first aid kit	-	
PERSONA	AL FIRST AID I	KITS		
SGB187	FAKALTPBN	Personal	Nylon pouch	
SGB189	FAKALTPBP	Personal	Plastic box	
SGB190	FAKALTPBZ	Personal	Ziplock bag	

Content of Kits	Personal Kit (1 emp.)	KIT #1 (2-10 emp.)	KIT #2 (11-49 emp.)	Kit #3 (50-99 emp.)
First aid manual	-	1	1	1
Safety pins (pack of 12)	-	1	1	1
Tweezers	-	1	1	1
Scissors	-	1	1	1
Plastic adhesive strip 3/4" x 3" sterile	5	25	50	100
Plastic adhesive strip 1" x 3" sterile	5	-	-	-
Pressure bandage 4" sterile	1	2	3	6
Pressure bandage 6" sterile	-	2	3	6
Gauze pad 4" x 4" sterile	5	10	20	50
Adhesive tape 1" x 5 yds	-	1	1	2
Abdominal pad sterile 8" x 10"	-	-	1	4
Tensor bandage 3" x 5"	-	1	2	4
Conform bandage 3" x 5"	-	2	2	6
Triangular bandage	1	3	4	12
Tubular gauze/applicator	-	-	-	1
Eye pad oval sterile	-	-	1	2
Rescue breather	-	1	1	1
Ziplock bag 8" x 10"	1	1	1	2
Antiseptic Benzalkonium sachets	5	10	10	24
Nitrile disposable gloves (1 pair)	1	4	6	12

NORTHWEST TERRITORIES FIRST AID KITS



SGB026

DYNAMIC

Model No.	Mfg No.	Kit Type	Container Type	Price Each
UNITIZE	D FIRST AID KITS			
SGB027	FAKNWT1UP	Kit #1	Plastic box - 24units	
SGB026	FAKNWT1UM	Kit #1	Metal box - 24 units	
SGA908	FAKNWT2UM	Kit #2	Metal box	
SGA909	FAKNWT3UM	Kit #3	Metal box	
UNITIZE	D FIRST AID KIT F	REFILLS		
SGB207	FAKNWT1UR	Refill for bulk first aid kit #1	-	
SGB208	FAKNWT2UR	Refill for bulk first aid kit #2	-	
SGB209	FAKNWT3UR	Refill for bulk first aid kit #3	-	
BULK FIR	ST AID KITS			
SGA955	FAKNWT1BP	Kit #1	Plastic box - 24 units	
SGA954	FAKNWT1BM	Kit #1	Metal box - 24 units	
SGA975	FAKNWT1BN	Kit #1	Nylon Pouch	
SGA973	FAKNWT2BM	Kit #2	Metal box	
SGA939	FAKNWT2BN	Kit #2	Nylon Pouch	
SGA989	FAKNWT3BM	Kit #3	Metal box	
SGA907	FAKNWT3BN	Kit #3	Nylon Pouch	
BULK FIR	ST AID KIT REFIL	LS		
SGB249	FAKNWT1R	Refill for bulk first aid kit #1	-	
SGB250	FAKNWT2R	Refill for bulk first aid kit #2	-	
SGB251	FAKNWT3R	Refill for bulk first aid kit #3	-	

Content of Kits	Kit #1 (1-15 emp.)	Kit #2 (16-19 emp.)	Kit #3 (20+ emp.)
First Aid Manual	1	1	1
Accident record book	1	1	1
Scissors 5 1/2"	1	1	1
Tweezers	1	1	1
Safety pins (pack of 12)	1	1	1
Benzalkonium antiseptic wipes	6	12	12
Fabric adhesive strips 3/4" x 3" sterile	50	100	100
Fabric adhesive strips 1" x 3" sterile	50	100	100
Adhesive tape 1" x 5 yds	1	1	2
Gauze pad 2" x 2" sterile	-	12	12
Gauze pad 3" x 3" sterile	6	6	6
Gauze sponge 3" x 3"	-	-	48
Pressure bandage 2" sterile	-	-	6
Pressure bandage 3" sterile	-	-	6
Pressure bandage 4" sterile	1	1	6
Pressure bandage 6" sterile	-	5	-
Gauze compress 36" x 36"	1	5	5
Triangular bandage	2	3	12
Compress bandage 5 1/2" x 15"	-	4	-
Eye pad oval sterile	2	6	6
Double adhesive strips for eye pads	2	6	6
Elastic bandage 3" x 5 yds	1	3	6
Elastic pressure bandage 6" sterile	1	1	1
Gauze bandage roll 2" x 5 yds	6	10	10
Gauze bandage roll 1" x 10 yds	-	12	12
Abdominal pad 10" x 12"	-	-	6
Instant cold packs	-	-	3
Esmarch bandages 3" x 5"	-	-	2
Antiseptic green soap 50 ml	-	-	1
Eye wash 1 oz. sterile	-	-	1
Eye dropper	-	-	1
Eye bath	-	-	1
Eye shield	-	1	2
Tongue depressor	-	-	12
Splinter forceps 4 1/2"	-	-	1
Wire splint 4 1/2" x 12"	-	1	2
Scrub (Nail) brush	-	1	-
Emesis basin	-	-	1
Sterile Butterfly strip skin closure	-	-	5
Ammonia inhalants sterile	-	-	20
Burn-Eze	-	12	-
Rescue breather	2	2	1
Latex disposable gloves (1 pair)	5	5	5

BRITISH COLUMBIA FIRST AID KITS

BC BASIC FIRST AID KIT

- Shift of 2-5 Workers in a workplace of low risk of injury and that is more than 20 Minutes surface travel time away from a hospital
- Shift of 2 10 Workers in a workplace of low risk of injury and that is 20 Minutes or less surface travel time away from a hospital

BC LEVEL 1 FIRST AID KIT

- Shift of 6 30 Workers in a workplace of low risk of injury and that is more than 20 Minutes surface travel time away from a hospital
- Shift of 11 50 Workers in a workplace of low risk of injury and that is 20 Minutes or less surface travel time away from a hospital
- Shift of 2 5 Workers in a workplace of moderate risk of injury and that is more than 20 Minutes travel time away from a hospital
- Shift of 6 15 (ETV Equipment) Workers in a workplace of moderate risk of injury and that is more than 20 Minutes travel time away from a hospital
- Shift of 6 25 Workers in a workplace of moderate risk of injury and that is less than 20 Minutes travel time away from a hospital
- Shift of 2 5 Workers in a workplace of high risk of injury and that is more than 20 Minutes travel time away from a hospital
- Shift of 6 10 (ETV Equipment) Workers in a workplace of high risk of injury and that is more than 20 Minutes travel time away from a hospital

BC LEVEL 2-3 FIRST AID KIT

- Shift of 6 30 Workers in a workplace of low risk of injury and that is more than 20 Minutes surface travel time away from a hospital
- Shift of 11 50 Workers in a workplace of low risk of injury and that is 20 Minutes or less surface travel time away from a hospital
- Shift of 2 5 Workers in a workplace of moderate risk of injury and that is more than 20 Minutes travel time away from a hospital
- Shift of 6 15 (ETV Equipment) Workers in a workplace of moderate risk of injury and that is more than 20 Minutes travel time away from a hospital
- Shift of 6 25 Workers in a workplace of moderate risk of injury and that is less than 20 Minutes travel time away from a hospital
- Shift of 2 5 Workers in a workplace of high risk of injury and that is more than 20 Minutes travel time away from a hospital
- Shift of 6 10 (ETV Equipment) Workers in a workplace of high risk of injury and that is more than 20 Minutes travel time away from a hospital

WORKSAFE BC REGULATIONS - SEPTEMBER 2013 FOR MORE ON B.C. REGULATIONS. PLEASE VISIT WWW.WORKSAFEBC.COM

Model	Mfg	Kit	Container	Price	
No.	No.	Type	Type	Each	
		**	туре	Latii	
PERSON	IAL FIRST AID K	<u> </u>			
SGB012	FAKBCPERBN	-	Nylon pouch		
SGB013	FAKBCPERBZ	-	Ziplock bag		
BULK FI	RST AID KITS				
SGA937	FAKBCBASBP	Basic w/rescue breather	Plastic box - 24 units		
SGA936	FAKBCBASBM	Basic w/rescue breather	Metal box - 24 units		
SGA938	FAKBCBASBN	Basic w/rescue breather	Nylon pouch		
SGA935	FAKBCBWMBN	Basic without rescue breather	Nylon pouch		
SGB005	FAKBC1BP	Level #1 w/rescue breather	Plastic box - 36 units		
SGB003	FAKBC1BM	Level #1 w/rescue breather	Metal box - 36 units		
SGB004	FAKBC1BN	Level #1 w/rescue breather	Nylon pouch		
SGB006	FAKBC23BM	Level #2-3 w/rescue breather	Metal box		
SGB007	FAKBC23BN	Level #2-3 w/rescue breather	Nylon pouch		
SGA999	FAKBC2DEBN	Level #2 w/Airway kit	Nylon pouch		
SGB002	FAKBC1WMBN	Level #1 without rescue breather	Nylon pouch		
SGB000	FAKBC3SUCBM	Level #2-3 w/rescue breather	Metal box		
SGB001	FAKBC3WSUCBN	Level #3 w/rescue breather	Nylon pouch		
BULK FI	RST AID KIT REF	ILLS			
SGB213	FAKBCBASR	Refill for first aid kit Basic v	w/rescue breather		
SGB210	FAKBCBWMR	Refill for bulk first aid kit Basic without rescue breather			
SGB214	FAKBC1R	Refill for bulk first aid kit Level	#1 w/rescue breather		
SGB211	FAKBC1WMR	Refill for bulk first aid kit Level #1 without rescue breather			
SGB215	FAKBC23R	Refill for first aid kit Level #2-3 l	Bulk w/rescue breather		
SGB212	FAKBC23WMR	Refill for bulk first aid kit Level #2-	3 without rescue breather		





SGB004

TNAMIC

Content	Personal	Basic	Level 1	Level 2-3
of Kits	(1 emp.)	Kit	Kit	Kit
Accident record book	-	-	1	1
Benzalkonium antiseptic wipes	6	12	24	24
Plastic strips 3/4" x 3"	3	25	50	70
Plastic strips 1" x 3"	3	16	40	60
Fabric Knuckle strips	-	4	5	10
Fabric finger strips	-	5	5	10
Safety Pins (pack of 12)	-	1	1	-
Gauze pad 4" x 4" sterile	-	6	12	12
Pressure bandage 4"	1	-	-	-
Elasticized pressure bandage 4 1/2" x 6 1/2"	-	2	4	4
Abdominal pad 8" x 10" sterile	-	2	4	10
Triangular bandages	-	4	6	12
Adhesive tape 1" x 5 yds	-	1	1	2
Adhesive tape 2" x 5 yds	-	-	-	2
Gauze pad 4" x 4" sterile	-		-	12
Tensor bandage 3" x 5"	-	1	2	6
Hand cleansing towelettes	-	30	60	-
Liquid antibacterial soap 60 ml	-	-	-	1
Irrigation solution 0.9%	-	-	-	1
Scissors 7 1/2"	-	-	-	1
Penlight	-	-	-	1
Esmarch bandage 3" x 5 yds	-	-	-	1
Disposable gloves (1 pair)	-	6	6	6
Pocket mask with one-way valve	-	1	1	1
Pencil	-	-	1	1
Scissors 5 1/2"	-	1	1	-
Cotton tipped applicators	-	6	12	-
Tweezers	-	1	1	1
Ziplock bag	1	-	-	-
Manual suction unit	-	-	-	1*
Airway kit (SGA724)	-	-	-	1*
Disposable manual resuscitator	-	-	-	1*
Patient chart	-	-	-	6
Instruction card	1	1	-	-

DAY CARE FIRST AID KITS

- · Designed for injuries and illnesses that may occur at a day care facility
- Contains supplies to treat small wounds and abrasions, and help reduce the transmission of communicable illnesses
- Includes an assortment of bandages, gauze, antiseptic, and thermometers



LYNAMIC

Model No.	Mfg No.	Container Type	Price Each
SGA799	FAKDC36BP	Plastic box - 36 units	
SGA797	FAKDC36BM	Metal box - 36 units	

FEDERAL LABOUR BOARD FIRST AID KITS



Model	Mfg			Price
No.	No.	Description	Contents	Each
FIRST All	D KITS			
SGB059	FAKFEDABP	10 Units - Plastic box	A	
SGB058	FAKFEDABM	10 Units - Metal box	A	
SGB061	FAKFEDBBP	24 Units - Plastic box	В	
SGB060	FAKFEDBBM	24 Units - Metal box	В	
SGB063	FAKFEDCBP	Plastic box	C	
SGB062	FAKFEDCBM	Metal box	C	
SGB065	FAKFEDDBP	10 Units - Plastic box	D	
FIRST All	D KIT REFILLS			
SGB221	FAKFEDAR	Refill for SGB059 & SGB058	A	
SGB222	FAKFEDBR	Refill for SGB061 & SGB060	В	
SGB223	FAKFEDCR	Refill for SGB063 & SGB062	C	
SGB224	FAKFEDDR	Refill for SGB065	D	

Content				
of Kits	Kit A	Kit B	Kit C	Kit D
Accident Record Book	1	1	1	1
Nickel Plated Tweezers	1	1	1	-
Scissors 7 1/2"	-	-	1	-
Scissors 5 1/2"	1	1	-	-
Compress Bandage 4" sterile	1	2	-	-
Plastic Strips 3/4" x 3" Sterile	12	48	100	6
Gauze Pad Sterile 4" x 4"	4	12	24	2
Gauze Sponge 4" x 4"	10	40	200	-
Conform Bandage 3" x 5"	2	6	24	-
Abdominal Pad 5" x 9"	-	-	6	-
Triangular Bandage	2	6	8	1
Adhesive Tape 1/2" x 5 yds	-	-	-	1
Adhesive Tape 1" x 5 yds	1	2	4	-
Benzalkonium Wipes	10	10	40	10
Rescue Breather	1	1	1	-
Aluminum Blanket	1	-	-	-
Ziplock Bag 4" x 6"	-	-	2	-
Disposable Gloves (1 pair)	2	4	20	-

SWIMMING POOL FIRST AID KIT

- Ideal for on-site treatment of injuries that may occur at a swimming pool
- Contains provisions to treat small and large injuries
- · Includes an assortment of bandages, gauze, adhesive tape, and splints





Model	Mfg	Container	Price
No.	No.	Type	Each
SGB344	FAKPOOL36BP	Plastic box - 36 units	

GENERAL PURPOSE INDUSTRIAL FIRST AID KITS

· Features an assortment of supplies for treating common injuries, wounds, and burns



SGB072

∠ YNAMI⊏

Model No.	Mfg No.	Description	Container Type	Price Each
FIRST AI	D KITS			
SGB071	FAK25	For 25 employees or less	Metal box	
SGB072	FAK50	For 25 employees or more	Metal box	
SGB070	FAK33	For 200 employees or less	Metal box	
SGB076	FAK40	Maxi kit	Metal box	
FIRST AI	D KIT REFILLS	;		
SGB217	FAK25R	-	Refill for SGB071	
SGB220	FAK50R	-	Refill for SGB072	
SGB218	FAK33R	-	Refill for SGB070	
SGB219	FAK40R	-	Refill for SGB076	



OFFICE FIRST AID KITS

- · Ideal for use in an office setting
- Includes an assortment of products to help reduce the transmission of communicable illnesses



TYNAMIC

Model	Mfg		Price
No.	No.	Description	Each
SGB180	FAKOFFICEBP	Pastic box - 16 units	
SGB179	FAKOFFICEBM	Metal box - 16 units	

CAR FIRST AID KITS

- Designed for injuries that may occur during automotive travel
- Includes a first aid manual, as well as an assortment of bandages, gauze, and antiseptic



Model	Mfg	Container	Price
No.	No.	Туре	Each
SGA769	FAKCARBP	Plastic box - 10 units	
SGA768	FAKCARBM	Metal box - 10 units	
SGA771	FAKCARBN	Nylon pouch	

RESTAURANT FIRST AID KIT

- · Designed to treat injuries that may occur in a restaurant setting
- Contains supplies to treat injuries and burns
- Includes a variety of bandages, antiseptic, splints, eyewash, and burn dressings



TNAMIC

Model	Mfg	Container	Price
No.	No.	Туре	Each
SGE723	FAKRESTBP	Plastic hox - 36 units	

HOUSE FIRST AID KITS

- Designed for at-home use
- Contains supplies to treat small wounds and abrasions
- Includes an assortment of bandages, antiseptic, and ointments



SGA800

TNAMIC

Model No.	Mfg No.	Container Type	Price Each
SGB138	FAKHOUSE10BP	Plastic box - 10 units	
SGB269	FAKHOUSEBN	Nylon pouch	
SGA800	FAKHOUSEXBN	Large nylon pouch	

SCHOOL BUS FIRST AID KITS

- Ideal for treating injuries that may occur on a school bus
- · Includes an assortment of bandages, gauze, and splints



SGB292

TNAMIC

Model	Mfg	Container	Price
No.	No.	Туре	Each
SGB293	FAKSB36BP	Plastic box - 36 units	
SGB292	FAKSB36BM	Metal box - 36 units	

TRUCK FIRST AID KITS

· Designed for use in transport vehicles

77NAMIC

 Includes a first aid manual, as well as an assortment of bandages, gauze, antiseptic, and ointments



SGB360

SAF	ETY INTERNATIONAL		
Model	Mfg	Container	
No.	No.	Туре	
SGB360	FAKTBP	Plastic box - 16 units	
SGB359	FAKTBM	Metal box - 16 units	

SGB359

Price Each

EMERGENCY ROAD HAZARD FIRST AID KITS

- · Ideal for use during a roadside emergency
- Contains a variety of first aid and emergency rescue supplies
- Includes bandages and antiseptic, as well as matches, candles, and various other supplies to aid in response to a roadside emergency



Model	Mfg		Price
No.	No.	Description	Each
SGB288	FAKROADBN	Road hazard kit in nylon pouch	
SGA865	FAKERH	Extreme road hazard kit in nylon pouch	
SGA770	FAKCARBC	Car First aid kit in nylon pouch	

SPORTS & ACTIVITIES FIRST AID KITS

Ideal for on-site treatment of activity-related injuries

Nylon Pouch



Model	Mfg	Kit	Price
No.	No.	Туре	Each
SGB015	FOAKSPORTBN	Sports, golf, ski, bike, hiking, jogging	
SGB075	FAKGOLFBN	Golf	
SGA775	FAKSAWBN	Forestry	

SNAKE BITE FIRST AID KIT

- · Designed to treat snake bites
- Contains a variety of supplies including suction cups, scalpel, antiseptic, and an instruction sheet



TNAMIC

Model	Mfg	Container	Price
No.	No.	Type	Each
CCD21E	EVACDD	Plactic how 10 units	

S.O.S. EMERGENCY FIRST AID KIT

· Designed to aid in motorist distress emergencies

Includes an S.O.S. flag, booster cables, flashlight, screwdriver, and more



Model	Men	
	SAFETY INTERNATIONAL	

Model	Mfg	Container	Price
No.	No.	Type	Each
SGB317	FAKSOSRHK	S.O.S. emergency kit in nylon pouch	_

INFECTION CONTROL FIRST AID KIT

- · Designed to mitigate the spread of infection
- Contains a variety of supplies including gloves, glasses, face mask, apron and more



U YNAMIC

Model	Mfg	Container	Price
No.	No.	Type	Each
SGB140	FAK1FCBP	Plastic box - 10 units	

MULTIPURPOSE FIRST AID KITS

- Designed to treat a variety of common minor injuries
- · Contains various bandages and antiseptic





Model No.	Mfg No.	Container Type	Price Each
SGB191	FAKPKBN	Personal First aid kit - Nylon pouch	
SGB056	FAK10BP	Fast First aid kit - Plastic box 10 units	
SGB364	FAKUT10BP	Utility First aid kit - Plastic box 10 units	

FIRST RESPONDER FIRST AID KITS

 Contains a variety of first aid and emergency rescue supplies for quick response to medical emergencies



Model Mfg	Kit	Container	Price
No. No.	Type	Type	Each
SGB079 FAKFR1E SGB354 FAKTRAI	N First responder kit	Nylon bag Nylon pouch	Lucii

VESSEL FIRST AID KITS

- Designed to treat injuries that may occur while working on a vessel
- Includes an accident record book and a variety of bandages, antiseptic, and instruments



TYNAMIC

Model No.	Mfg No.	Container Type	Kit Type	Number of Employees	Price Each
SGB367	FAKMOHSABP	Plastic box	Type A	2 to 5	
SGB366	FAKMOHSABM	Metal box	Type A	2 to 5	
SGB369	FAKMOHSBBP	Plastic box	Type B	6 to 19	
SGB368	FAKMOHSBBM	Metal box	Type B	6 to 19	
SGB371	FAKMOHSCBP	Plastic box	Type C	20 to 49	
SGB370	FAKMOHSCBM	Metal box	Type C	20 to 49	
SGB373	FAKMOHSDBP	Plastic box	Type D	50+	
SGB372	FAKMOHSDBM	Metal box	Type D	50+	
SGB374	FAKMOHSER	Ziplock bag	Туре Е	Isolated work place	

SGB369

BIOHAZARD SPILL CLEAN-UP FIRST AID KITS

- · Designed to clean up minor spills
- Includes instructions and a variety of antiseptic, personal protection equipment, and biohazard supplies



Ziplock bag

Plastic box - 10 units

SGA823

Model Mfg Kit Container No. No. Type Type SGA826 FAKPB01 Personnel protection kit Ziplock bag

Clean all kit

Complete precaution compliance kit

DISASTER SURVIVAL FIRST AID KITS

- · Contains a variety of first aid supplies and emergency provisions
- Includes food and water rations, light sticks, toilet paper, whistles, and more



Model No.	Mfg No.	Description	Container Type	Price Each
SGA996	FASURV13	Cares for 1 person for 3 days	Nylon Bag	
SGA997	FASURV23	Cares for 2 people for 3 days	Nylon Bag	
SGA998	FAKSURD43	Cares for 4 people for 3 days	Nylon Bag	
SGA802	FAKSURBK23	Cares for 2 people for 3 days	Bucket	
SGA803	FAKSURBK33	Cares for 3 people for 3 days	Bucket	
SGA804	FAKSURBK43	Cares for 4 people for 3 days	Bucket	
SGA805	FAKSURBK53	Cares for 5 people for 3 days	Bucket	

BOAT & LIFE RAFT FIRST AID KITS

- Ideal for use on life rafts and fishing boats
- Includes a variety of bandages and instruments for treating both small and large injuries



UYNAMIC

Model No.	Mfg No.	Kit Type	Container Type	Price Each
SGB162	FAKLB	Liferaft	Clear vinyl waterproof pouch	
SGB080	FAKMARINE1	Fishing vessel	Plastic box - 10 units	
SGB081	FAKMARINE2	Fishing vessel	Plastic box - 16 units	

SGB081

WELDERS' FIRST AID KITS

- · Designed to treat injuries that may occur while welding
- Includes a first aid manual, and a variety of ointments, bandages, eye wash, and instruments



THE SAFETY INTERNATIONAL

Model No.	Mfg No.	Container Type	Price Each
SGB054	FAKWELDBP	Plastic box - 10 units	
SGB055	FAKWELDXBP	Plastic box - 24 units	

SGA823

SGA824

FAKPB02

FAKPB03

METAL CASES FOR INDUSTRIAL FIRST AID KITS

- · Strong and rugged
- Folded Metal
- Baked-on enamel finish
- Square corners
- Wall mount brackets
- Positive closure clips



Model No.	Mfg No.		Di	imensio	ns"	
SGA837	FAK13MB	9	Х	12	χ	4
SGA838	FAK14MB	14.75	Х	10.25	Х	4.625
SGA839	FAK15MB	16	Х	13.5	Χ	6.5
SGA840	FAK16MB	16	Х	15.5	Χ	5.5
SGA841	FAK20MB	22	Χ	15	Χ	5.5

METAL CASES FOR UNITIZED OR BULK FIRST AID KITS

- Strong and rugged
- Baked-on enamel finish
- Gasketed models moisture and dust-proof
- Rounded corners
- Wall mount brackets and positive closure clips



Model No.	Mfg No.	Capacity		Dimensions"				
SGA843	FAKT10M	10 units	7.5	Х	5	Х	3	
SGA845	FAKT16M	16 units	10	Х	7	Х	3	
SGA847	FAKT24M	24 units	10	Х	10	Х	3	
SGA849	FAKT36M	36 units	13.5	Х	9.5	Х	3	



SGA847

SGA837

PLASTIC CASES FOR FIRST AID KITS

- Durable and economical
- Non-rusting and scratch resistant
- Strong and lightweight
- Carry handle and wall mount brackets




Model No.	Mfg No. Capacity		Price Each					
SGA842	FAKT010	10 units	7.5	Х	5	Х	3.5	
SGA844	FAKT016	16 units	10	Х	7	χ	3	
SGA846	FAKT024	24 units	10	Х	10	χ	3	
SGA848	FAKT036	36 units	13.5	Х	9.5	χ	3	
SGA850	FAKT040	Industrial	16	Х	12	Х	5	



BAGS & POUCHES FOR FIRST AID KITS

- · Strong and rugged
- · Lightweight & flexible









HOT & COLD THERAPY PRODUCTS

- Hot therapy provides relief for stiff joints, muscle aches and pains, tension and cramps
- Cold therapy provides relief for swelling, muscle spasms and pains, headaches and minor injuries



SGB285





SGB142

Model No.	Mfg No.	Description	Size	Price Each
SGB145	FAHP6X10	Instant hot pack compress	6" x 10"	
SGB142	FACP4X6	Instant cold pack compress	4" x 6"	
SGB143	FACP5X9	Instant cold pack compress	5" x 9"	
SGB285	FARHC565	Reusable hot/cold compress	5" x 6.5"	
SGB286	FARHC856	Reusable hot/cold compress	8.5" x 6"	
SGB284	FARHC1010	Reusable hot/cold compress	10" x 10"	

BURNFREE® BURN KITS

- Kit contains an assortment of Burnfree® gel, Burnfree® dressings and conform bandages
- Burnfree® products are for use on all burns
- The Burnfree® solution relieves pain by cooling the burn injury, stopping the burning process and minimizing the depth of the burn wound
- Products are sterile, non-toxic, non-irritating, bacteriostatic and do not contain any fats or greases

SD858

- Burnfree® is an effective alternative to tap water in the first-aid cooling of burn injuries
 Burnfree® fire/trauma blanket
- Burnfree® fire/trauma blanket (not included in kits) is an optional product to enhance the components of the Burnfree® burn kits





Model		Price
No.	Description	/Each
SD858	10-unit Plastic Box	
SD859	16-unit Plastic Box	
SD866	72" x 60" Wool Blanket	
SD867	96" x 60" Wool Blanket	

BURN-EZE PRODUCTS

- Good for all types of burn injuries
- Foam-gel is very concentrated for fast pain relief and to "Cool" the burn quickly
- Protects the wound from contamination
- · Gel can be applied directly on the wound
- · Ideal for welders and any applications where burns can occur

Model	Mfg				Price
No.	No.	Description	Size	Qty	Each
BURN-E	ZE PAIN RELIE	VING GEL			
SGA762	FABF35	Single dose packets	1/8 oz. (3.5 g)	1 unit	
SGA766	FABF35U6	Single dose packets	1/8 oz. (3.5 g)	6/box	
SGA764	FABF35B25	Single dose packets	1/8 oz. (3.5 g)	25/box	
SGA763	FABF118	Squeeze bottle	4 oz./(118 ml)	1 unit	
BURN-E	ZE STERILE DI	RESSING			
SGA758	FABF2X6	Burn dressing	2" x 6"	1 unit	
SGA759	FABF4X4	Burn dressing	4" x 4"	1 unit	
SGA760	FABF8X8	Burn dressing	8" x 8"	1 unit	
SGA761	FABF12X16	Facial burn dressing	12" x 16"	1 unit	

Model	Mfg			Container	Price
No.	No.	Description	Size	Type	Each
BURN-E	ZE BURN KIT	S			
SGB186	FAKBKP	Personal burn kit	10 units	Plastic box	
SGA834	FAKBKEMR	Emergency burn kit	10 units	Plastic box	
SGB282	FAKBKRS	Small Restaurant burn kit	10 units	Plastic box	
SGB283	FAKBKRL	Large Restaurant burn kit	16 units	Plastic box	
SGB171	FAKBKMP	Multipurpose burn kit	16 units	Plastic box	
SGB139	FAKBKIND	Industrial burn kit	16 units	Plastic box	



SGA763

Contents	SGB186	SGA834	SGB282	SGB283	SGB171	SGB139	
2" x 6" burn dressing SGA758	2	2	1	3	3	3	
4" x 4" burn dressing SGA759	1	2	1	4	3	3	
8" x 8" burn dressing SGA760	-	-	-	-	2	2	
12" x 16" Facial burn dressing SGA761	-	-	-	-	-	1	
Pain relieving gel, 4 oz. squeeze bottle SGA763	1	1	1	1	1	2	
Pain relieving gel, 1/8 oz. sachet SGA762	3	12	6	12	12	25	
Gauze in roll SGB092	-	2	-	-	3	4	

GAUZE PADS

• Ideal for wound dressing, treatment, and cleansing









TNAMIC

Model No.	Mfg No.	Dimensions	Description	Thickness	Qty	Price Each
GAUZE I	PAD - 12 PLY				•	
SGB110	FAGP2X2B6	2" x 2"	Sterile	12 ply	Box of 6	
SGB109	FAGP2X2B12	2" x 2"	Sterile	12 ply	Box of 12	
SGB108	FAGP2X250	2" x 2"	Sterile	12 ply	Bag of 50	
SGB107	FAGP2X2100	2" x 2"	Sterile	12 ply	Box of 100	
SGB118	FAGP3X3B4	3" x 3"	Sterile	12 ply	Box of 4	
SGB119	FAGP3X3B8	3" x 3"	Sterile	12 ply	Box of 8	
SGB111	FAGP3X350	3" x 3"	Sterile	12 ply	Bag of 50	
SGB117	FAGP3X3100	3" x 3"	Sterile	12 ply	Box of 100	
SGB122	FAGP4X4B4	4" x 4"	Sterile	12 ply	Box of 4	
SGB123	FAGP4X4B8	4" x 4"	Sterile	12 ply	Box of 8	
SGB120	FAGP4X450	4" x 4"	Sterile	12 ply	Bag of 50	
SGB121	FAGP4X4100	4" x 4"	Sterile	12 ply	Box of 100	
GAUZE I	PAD - 8 PLY					
SGB112	FAGS2X2	2" x 2"	Non-sterile	8 ply	Bag of 200	
SGB113	FAGS3X3	3" x 3"	Non-sterile	8 ply	Bag of 200	
SGB114	FAGS4X4	4" x 4"	Non-sterile	8 ply	Bag of 200	
TRAUM	A PAD					
SGB355	FATP10X30	10" x 30"	Sterile	-	Bag of 1	

GAUZE BANDAGE ROLLS

- Individually wrapped
- Ideal for dressing wounds



7ynamic

Model No.	Mfg No.	Description	Qty	Price Each
SGB086	FAGB015	1" x 5 yards	1 unit	
SGB087	FAGB015B4	1" x 5 yards	Box of 4	
SGB100	FAGB110	1" x 10 yards	1 unit	
SGB088	FAGB025	2" x 5 yards	1 unit	
SGB089	FAGB025B2	2" x 5 yards	Box of 2	
SGB101	FAGB210	2" x 10 yards	1 unit	
SGB090	FAGB035	3" x 5 yards	1 unit	
SGB091	FAGB035B2	3" x 5 yards	Box of 2	
SGB102	FAGB310	3" x 10 yards	1 unit	
SGB092	FAGB045	4" x 5 yards	1 unit	
SGB093	FAGB045B2	4" x 5 yards	Box of 2	
SGB103	FAGB410	4" x 10 yards	1 unit	

COMPRESS BANDAGES

- Ideal to stop bleeding without the use of separate gauze pads and bandage rolls
- Includes a non-adherent pad and stretch tails
- Sterile







TNAMIC

Model	Mfg			Price
No.	No.	Dimensions	Qty	Each
ELASTIC	IZED COMPR	ESS BANDAGES		
SGA790	FACB4565	4 1/2" x 6 1/2"	Pack of 1	
GAUZE (COMPRESS			
SGB106	FAGC36	36" x 36"	Pack of 1	
COMPRI	ESS BANDAGI	ES		
SGA781	FACB002	2"	Bag of 1	
SGA782	FACB002B	2"	Box of 1	
SGA783	FACB002B4	2"	Box of 4	
SGA784	FACB003	3"	Bag of 1	
SGA785	FACB003B	3"	Box of 1	
SGA786	FACB004	4"	Bag of 1	
SGA787	FACB004B	4"	Box of 1	
SGA788	FACB006	6"	Bag of 1	
SGA789	FACB006B	6"	Box of 1	
SGB204	FAPD004	4" x 4"	Bag of 1	
SGB203	FACB55X15	15" x 5 1/2"	Bag of 1	
NON-AE	OHERENT PAC)S		
SGB345	FATF2X3	2" x 3"	Box of 100	
SGB346	FATF3X4	3" x 4"	Box of 100	

COMPRESS BANDAGES

- Ideal to stop bleeding without the use of separate gauze pads and bandage rolls
- Includes a non-adherent pad and stretch tails
- Sterile





Model	Mfg			Price
No.	No.	Dimensions	Qty	Each
AUTO-A	ADHESIVE GAUZE	BANDAGES		
SGB094	FACFB02	2" x 5 yards	Bag of 12	
SGB095	FACFB02B	2" x 5 yards	1 unit	
SGB096	FACFB03	3" x 5 yards	Bag of 12	
SGB097	FACFB03B	3" x 5 yards	1 unit	
SGB098	FACFB04	4" x 5 yards	Bag of 12	
SGB099	FACFB04B	4" x 5 yards	1 unit	
SGB115	FACFB06	6" x 5 yards	Bag of 6	
SGB116	FACFB06B	6" x 5 yards	1 unit	
ABDOM	IINAL PAD			
SGD190	FAAP5X9	5" x 9"	Bag of 1	
SGD191	FAAP8X10	8" x 10"	Bag of 1	

TUBULAR BANDAGE

- Seamless knitted tubular cotton gauze used to secure primary bandages and provide moderate pressure
- Applied to fingers and toes with included applicator
- Can be cut to any size



TYNAMIC

Model Mfg No. No.			Price	
No.	No.	Dimensions	Qty	Each
SGB361	FATG	5 vards	1 Roll	

WATERPROOF ADHESIVE TAPES

- Waterproof tape for protecting wounds from fluids and contaminants
- Designed to hold dressings and bandages in place, even when wet



TFNAMIC

Model	Mfg		Price
No.	No.	Dimensions	Each
WATER	PROOF ADHESIVE TAP	ES WITH SPOOL	
SGA716	FATS525	1/2" x 2 1/2 yards	
SGA718	FATS055	1/2" x 5 yards	
SGA720	FATS015	1" x 5 yards	
SGA722	FATS025	2" x 5 yards	
WATER	PROOF ADHESIVE TAP	ES WITHOUT SPOOL	
SGA715	FAAT0525	1/2" x 2.5 yards	
SGA717	FAAT055	1/2" x 5 yards	
SGA719	FAAT015	1" x 5 yards	
SGA721	FAAT025	2" x 5 yards	

ESMARCH BANDAGE

- Used to control or exclude blood flow during surgical procedures
- Designed to provide maximum compression





Model	Mfg			Price
No.	No.	Dimensions	Qty	Each
SGA855	FAESM3X5	3" x 55"	1 unit	

TENSOR ELASTIC BANDAGES

- · Ideal to help control swelling in the treatment of sprains
- Designed to provide support and compression during recovery and return to activity
- Comfortable to wear, easy to use, and adjustable



THE SAFETY INTERNATIONAL

Model	Mfg			Price
No.	No.	Dimensions	Qty	Each
SGB347	FATNB02	2" x 5 yards	1 unit	
SGB348	FATNB03	3" x 5 yards	1 unit	
SGB349	FATNB04	4" x 5 yards	1 unit	
SGB350	FATNB06	6" x 5 yards	1 unit	

FIRST AID TAPES

- Used to hold a bandage or other dressing onto a wound
- · Gentle to the skin
- Can be used on fragile skin for repeated taped dressings



TOPMIC SO

Model	Mfg			Price
No.	No.	Dimensions	Qty	Each
SURGIC	AL TAPES HYPO A	ALLERGIC		
SGB338	FAST5X10	1/2" x 10 yards	1 roll	
SGB336	FAST1X10	1" x 10 yards	1 roll	
SGB337	FAST2X10	2" x 10 yards	1 roll	
HOSPIT	AL ADHESIVE TAI	PE		
SGB134	FAHT5X1024	1/2" x 10 yards	Box of 24	
SGB135	FAHT1X1012	1" x 10 yards	Box of 12	
SGB136	FAHT2X106	2" x 10 yards	Box of 6	
SGB137	FAHT3X104	3" x 10 yards	Box of 4	

ELASTIC DRESSING STRIPS

- Ideal for minor cuts, scrapes, abrasions, and burns
- Non-adherent centre pad runs parallel throughout the roll
- Latex free

SGA828



THE SAFETY INTERNATIONAL

Model	Mfg		Price
No.	No.	Dimensions	Each
SGA827	FAEDS15X1	1 1/2" x 1 yards	
SGA828	FAEDS15X5	1 1/2" x 5 yards	
SGA829	FAEDS25X1	2 1/2" x 1 yards	
SGA830	FAEDS25X5	2 1/2" x 5 yards	
SGA831	FAEDS3X1	3" x 1 yards	
SGA832	FAEDS3X5	3" x 5 yards	

SELF ADHERENT BANDAGES

- Ideal for supporting sprains, wrapping splints, and securing primary dressings
- Designed for compression and support
- without the need for clips or tape
- Lightweight and comfortable



THE PROPERTY OF THE PROPERTY O

Model	Mfg		Price
No.	No.	Dimensions	Each
SGB301	FACOB1X5	1" x 5 yards	
SGB302	FACOB2X5	2" x 5 yards	
SGB303	FACOB3X5	3" x 5 yards	
SGB304	FACOB4X5	4" x 5 yards	

TRIANGULAR BANDAGES

- Ideal to treat a wound, sprain, or broken bone
- Can be used as a splint, dressing cover, or tie for splints



SGB356



Model No.	Mfg No.	Dimensions	Qty	Price Each
SGB356	FATB001	40" x 56"	1 unit	
SGB357	FATB001B1	40" x 56"	1 per box	
SGB358	FATB001B6	40" x 56"	6 units	

STERI-STRIP™ REINFORCED **SKINCLOSURES**

- · Advanced skin closures, made of porous, non-woven rayon material, allow skin to breathe: reinforced with filaments to provide extra strength
- For use as a skin closure device for lacerations and surgical incisions
- For use with or without skin sutures (stitches)
- Provides additional support after the removal of sutures or staples
- Sterile



31

Model	Mfg.	Dim.	Strips	Envelope	Price
No.	No.	W" x L"	/Envelope	/Box	/Each
SD935 SD937	R1540 R1541	1/8 x 3 1/4 x 3	5	50 50	

NEXCARE™ NO STING LIQUID BANDAGE SPRAY

- Ideal for large scrapes and abrasions that are difficult to cover with traditional bandages
- Provides soothing, breathable, waterproof protection to promote healing
- Non-stinging formula dries in 30 seconds
- Each 18 ml bottle contains 60 applications

Model No. SAY321 Mfg. No. 03324 Price/Each \$





TEGADERM™ TRANSPARENT DRESSING

- Semi-permeable transparent surgical dressings used to protect abrasions, closed surgical wounds and pressure ulcers
- Barrier protects against outside contamination from liquids and bacteria
- Permits oxygen and moisture vapour
- transmission to encourage healing

 Easy to apply; comfortable and conformable
- Waterproof
- · Pad will not stick to wound





Model No.	Mfg. No.	Description	Dim W"	ens x		Qty /Box	Price /Each
SAY320	07634	Dressing	2-3/8	Х	2-3/4	6	
SDP592	H3584	Dressing w/Absorbent Pad	2-1/3	Х	4	5	

NEXCARE™ COMFORT STRIPS

- · Flexible bandages for all minor wound care needs
- Specially designed microporous backing encourages circulation for proper wound healing
- Durable moisture-resistant adhesive
- Latex-free
- Sterile



SN661



SN659

Model	Mfg.		Dim.	Qty	Price
No.	No.	Description	W" x L"	/Box	/Each
SN659	CS102	Rectangular Strips	3/4 x 3	80	
SN661	CS103	Knee and elbow	2 x 4	10	
SN660	CS203	Assorted sizes	2 1/5 x 2 1/4	80	

NEXCARE™ WATERPROOF **BLISTER BANDAGES**

- · Waterproof, cushioned blister protection
- Gel pad helps reduce pain
- · Promotes fast healing
- Easy one-hand application
- 360° seal keeps out water, dirt and germs that may lead to infection





Model	Mfg.		Price		
No.	No.	Style	W" x L"	Material	/Each
SDP591	7000123017	Patch	1-1/5 x 2-1/4	Plastic	

NEXCARE™ WATERPROOF BANDAGES

- · Transparent waterproof bandages protect wounds and promote healing
- Added seal around island pad blocks out water, dirt and contaminants
- Ultra-thin, breathable material bends and flexes with every movement
- Latex-free
- Assorted sizes
- Sterile





Model	Mfg.		Qty	Price
No.	No.	Description	/Box	/Each
SAY301	03067	Assorted	30	

NEXCARETM ACTIVETM WATERPROOF BANDAGES

- · Flexible foam strips designed to protect minor cuts, scrapes, burns and blisters
- Soft, absorbent pad provides added protection and will not stick to the wound during healing
- Stretches and flexes to provide comfortable wear - even around joints
- · Heavy-duty, moisture-resistant adhesive will not loosen during work, play, immersion in water and exposure to damp or sweaty skin
- Latex-free





Model No.	Mfg. No.	Colour	Description	Qty /Box	Price /Each
SEJ033	AT201	Tan	Assorted	45	

BANDAGES DISPENSERS & REFILLS

- Bandage dispenser created for the industrial market, these dispensers are colour coded and contain 4 different types of fabric bandages
- Great in work areas were an easy access to bandages is required
- There are 2 kinds of dispensers available: red for regular industrial use and blue for the food industry, or any other type of industry that requires detectable bandages
- Dispenser and bandages are colour coded
- Prevent loss of times by searching in a first aid kits
- Easy to install and to use









SGA817

TNAMIC

Model No.	Mfg No.	Includes	Price Each
BANDAGE	DISPENSERS		
SGA816	FADISPR	1 jet of adhesive fabric strips (24 of 3" x 3/4" and 16 of 3" x 1")	
		1 jet of fabric adhesive knuckle strips (16 of 3" \times 1-1/2") and 1 jet of fabric adhesive finger tips (16 of 3" \times 1-3/4")	
SGA817	FADISPB	1 jet of blue metal detectable fabric strips (24 of 3" x 3/4" and 16 of $\overline{3}$ " x 1")	
		1 jet of blue metal detectable fabric knuckle strips (16 of 3" x 1-1/2") 1 jet of blue metal detectable fabric finger tips (16 of 3" x 1-3/4")	
ADHESIVE	FABRIC BANDAGES RE	FILLS	
SGA815	FADR01/6	Box of 6 jets of adhesive fabric strips 24 (3" x 3/4") and 16 (3" X 1")	
SGA813	FADR02/6	Box of 6 jets of adhesive fabric finger tips 16 (3" x 1-3/4")	
SGA814	FADR03/6	Box of 6 jets of adhesives fabric knuckle strips 16 (3" x 1-1/2")	
BLUE DETE	CTABLE FABRIC BAND	AGES REFILLS	
SGA812	FADB04/6	Box of 6 jets of blue metal detectable fabric adhesive strips 24 (3" x 3/4") and 16 (3" x 1")	
SGA810	FADB05/6	Box of 6 jets of blue metal detectable fabric adhesive finger tips 16 (3" x 1-3/4")	
SGA811	FADB06/6	Box of 6 jets of blue metal detectable fabric adhesive knuckle 16 (3" x 1 1/2")	

COBAN™ SELF-ADHERENT WRAPS

- Rubber-based, porous self-adhering wraps designed for compression, tension and support without clips, pins or tape
- Will not stick to skin or dressings
- Lightweight and comfortable
- Can be cut to size
- Rolls are 5 yds in length when stretched
- Applications: Supporting strains and sprains; wrapping splints; holding and protecting primary and compression dressings



Model No.	Mfg. No.	Width"	Price /Each
SN461	1581	1	
SD907	1582	2	
SD908	1583	3	
SD909	1584	4	
LATEX-FREE			
SDP587	7000128760	1	
SDP588	7000128761	2	
SDP589	7000128762	3	
SDP590	7000128763	4	

MICROPORETM HYPOALLERGENIC **SURGICAL TAPE**

- Lightweight, gentle, breathable hypoallergenic paper tape
- Excellent for repeated applications on sensitive skin, fragile skin
- Hold well on damp skin
- 1" x 10 yds
- 12 rolls/box

Model No. SD953 Mfg. No. 1530-1 Price/Each \$





TRANSPORE™ SURGICAL **PLASTIC TAPE**

- A strong, reliable plastic tape that's specially designed for holding thicker dressings and tubings in place
- Transparent to allow for easy monitoring of wound condition
- Perforated for easier, bi-directional tear
- Easy to handle while wearing gloves
- Hypoallergenic
- 1" x 10 yds
- 12 rolls/box

Model No. SN770 Mfg. No. 1527-1 Price/Each \$





BLENDERMTM WATERPROOF **SURGICAL TAPE**

- Transparent tape for protecting wounds from fluids and contaminants
- · Waterproof transparent tape to allow for easier monitoring of wound condition
- Flexible for easy application on hard-to-tape areas
- Hypoallergenic
- 12 rolls/box
- 1" x 5 yds

Model No. SN767 Mfg. No. 1525-1 Price/Each \$





ADHESIVE FABRIC BANDAGES

- · Designed to cushion wounds and offer protection against contamination and infection
- For minor cuts, scrapes, abrasions, and burns










TNAMIC

Model	Mfg			Price
No.	No.	Size	Qty	Each
SQUARE	E			
SGA700	FAFS15X15100	1 1/2" x 1 1/2"	Pack of 100	
SGA701	FAFS15X25100	1 1/2" x 2 1/2"	Pack of 100	
SGA693	FAFS2X350	2" x 3"	Pack of 50	
SGA692	FAFS2X3100	2" x 3"	Pack of 100	
SGA691	FAFSAS100	Assorted sizes	Pack of 100	
STRIPS				
SGA929	FAFS343100	3/4" x 3"	Pack of 100	
SGA931	FAFS783100	7/8" x 3"	Pack of 100	
SGA932	FAFS7835M	7/8" x 3"	Pack of 5000	
SGA930	FAFS1X3100	1" x 3"	Pack of 100	
SGA694	FAFSASS100	Assorted	Pack of 100	
FINGER	& KNUCKLE TIPS			
SGA705	FAFS006B12	Small	Box of 12	
SGA704	FAFS006100	Small	Box of 100	
SGA708	FAFS005B12	Standard	Box of 12	
SGA707	FAFS00550	Standard	Box of 50	
SGA706	FAFS005100	Standard	Box of 100	
SGA703	FAFS007B12	Large	Box of 100	
SGA702	FAFS007100	Large	Box of 100	

ADHESIVE PLASTIC STRIPS

- Sterile
- Designed to cushion wounds and offer protection against contamination and infection
- For minor cuts, scrapes, abrasions, and burns
- · Water-resistant





Model No.	Mfg No.	Size	Qty	Price Each
SGA697	FAPS34X3B12	3/4" x 3"	Pack of 12	
SGA698	FAPS34X3B25	3/4" x 3"	Pack of 25	
SGA699	FAPS34X3B50	3/4" x 3"	Pack of 50	
SGA710	FAPS34X3100	3/4" x 3"	Pack of 100	
SGA712	FAPS1X3B16	1" x 3"	Pack of 16	
SGA713	FAPS1X3B25	1" x 3"	Pack of 25	
SGA714	FAPS1X3B50	1" x 3"	Pack of 50	
SGA711	FAPS1X3100	1" x 3"	Pack of 100	

BLUE METAL DETECTABLE ADHESIVE FABRIC BANDAGES

- · Designed to cushion wounds and offer protection against contamination and infection
- For minor cuts, scrapes, abrasions, and burns
- · Bright blue colour and metallic content allow for misplaced or lost bandages to be easily detected and retrieved



TNAMIC

Model No.	Mfg No.	Туре	Size	Qty	Price Each
SGA696	FAFSD005	Knuckle sterile	3/4" x 3"	Box of 100	
SGA695	FAFSD006	Finger tips Dressing sterile	Large	Box of 100	

SKIN CLOSURES

- · Designed to hold wounds together, support sutures (stitches), or provide post-surgical support after the removal of sutures



SGA778

YNAMIC

Model No.	Mfg No.	Size	Qty	Price Each
STRIP			4.7	
SGE729	FACS18X3	1/8" x 3"	Pack of 5 units	
SGE730	FACS14X3	1/4" x 3"	Pack of 5 units	
BUTTER	FLY			
SGA778	FABFM100	Medium	Box of 100	
SGA777	FABFL100	Large	Box of 100	
SGA776	FABFAS10	Assorted	Box of 10	

ADHESIVE REMOVER SACHETS

- Softens adhesive on tapes and adhesive bandages to minimize discomfort caused by adhesive removal
- · Removes adhesive/tape residue from skin without irritation





Mod	del Mf	ig .	Pr	ice
No.	No		Qty Ea	ach
SGE	773 FA	A1BAR E	lox of 100	

HYDROGEN PEROXIDE

· Used as a cleaning agent for wounds and cuts





Model No.	Mfg No.	Size	Prio Eac
SGC789	FAHP115	100 ml	
SGD225	FAHP225	250 ml	
SGD226	FAHP400	500 ml	
SGE725	FAHP4L	4 L	

SOAP

 For use as a scrub, detergent, and cleansing agent



TYNAMIC SAFETY INTERNATIONAL

Model	Mfg			Price
No.	No.	Type	Size	Each
SGB127	FAGS50	Liquid	50 ml	
SGB124	FAGS250	Liquid	250 ml	
SGB126	FAGS500	Liquid	500 ml	
SGB125	FAGS4L	Liquid	4 L	
SGB316	FASB	Bar	4 oz.	

SGB127

RUBBING ALCOHOL

 For use as an antiseptic and anti-bacterial agent



THE SAFETY INTERNATIONAL

Model	Mfg		
No.	No.	Size	
SGD237	FARB225	250 ml	
SGB291	FARB500	475 ml	
SGD238	FARB4L	4 L	

HAND CLEANING TOWELETTES

• For cleansing skin and minor wounds





Model No.	Mfg No.	Qty	Price Each
SGB129	FAHCMT10	Pack of 10	
SGB128	FAHCMT	Pack of 100	

ALCOHOL WIPES

• For cleansing skin and minor wounds



THE SAFETY INTERNATIONAL

Model No.	Mfg No.	Qty	Price Each
SGD192	FAAW10	Box of 10	
SGE726	FAAW100	Box of 100	
SGC781	FAAW200	Box of 200	

OZONOL OINTMENT

 Provides fast relief of pain and itching associated with cuts, scrapes, minor burns, insect bites, chafing and chapping

Non-stinging formula



L TNAMIC SAFETY INTERNATIONAL

Model	Mfg	Description	Price
No.	No.		Each
SGD187	FA357685	Ozonol ointment 30 g	

CETRIMIDE ANTISEPTIC

- Provides fast relief of pain and itching associated with cuts, scrapes, minor burns, insect bites, chafing and chapping
- · Non-stinging formula



TO TORMIC

Model No.	Mfg No.	Туре	Size	Price Each
SGA774	FACT100	Spray	100 ml	
SGA773	FACM025	Cream	25 g	

POLYSPORIN

- Prevents infection and aids in the healing of minor cuts, scratches, scrapes and abrasions
- Soothing ointment forms a protective coating
- Non-stinging
- Odourless

Price Each





Model No.	Mfg No.	Size	Price Each
SGD183	FA004864	15 g	
SGB202	FA004865	30 g	

BIODERM OINTMENT

 Can be used to treat minor wounds, burns, skin grafts, and acne





Model	Mfg	Size	Price
No.	No.		Each
SGA744	FAANT15	15 g	

BENZALKONIUM ANTISEPTIC TOWELETTES

- · For cleansing skin and minor wounds
- Sting-free for sensitive skin



THE SAFETY INTERNATIONAL

Model	Mfg		Price
No.	No.	Qty	Each
SGA743	FABZ002B6	Pack of 6	
SGA741	FABZ002B10	Pack of 10	
SGA742	FABZ002B25	Pack of 25	
SGA740	FABZ002	Pack of 100	

COTTON TIP APPLICATORS

- · Single-end
- Ideal for wound cleansing and material application





Model No.	Mfg No.	Length	Qty	Price Each
SGD199	FACA003	3"	Bag of 100	
SGE727	FACA003IT	3"	Bag of 1000	
SGC782	FACA006	6"	Bag of 100	
SGD756	FACA006IT	6"	Bag of 1000	

TONGUE DEPRESSORS

Used in assisting choking victims,



Model	Mfg		Price
No.	No.	Qty	Each
SGB351	FATD100IW	Box of 100	
SGB352	FATD100	Box of 100	

PEG OINTMENT

- Suitable for the treatment of minor cuts, wounds, abrasions, and other skin irritations
- · Water soluble ointment





Model	Mfg	Size	Price
No.	No.		Each
SGB184	FAPEG065	65 a	

BURN RELIEF CLOTH

· Wraps completely around the burn victim for protection against contamination and additional trauma



YNAMIC
SAFETY INTERNATIONAL

Model	Mfg		Price
No.	No.	Size	Each
SGD197	FABS60X96	60" x 96"	

COTTON BALLS

- · General-purpose absorbent balls
- · Ideal for cleansing and drying wounds



YNAMIC

Model No.	Mfg No.	Qty	Price Each
SGA686	FACB100	Bag of 100	
SGA687	FACB1M	Bag of 1000	

2ND SKIN

- · Moist transparent pads saturated with sterile water
- · Provides a comfortable protective barrier to encourage healing of minor burns
- Cools and soothes to relieve pain
 Will not stick to the wound



YNAMIC

Model	Mfg			Price
No.	No.	Size	Qty	Each
SGD249	FASSK35	1.5" x 2"	Box of 6	
SGD250	FASSK57	2" x 3"	Box of 4	

PETROLEUM JELLY

· Provides relief from dry skin, minor burns, sunburns and chapped lips

SGB192





Model No.	Mfg No.	Size	Price Each
SGB192	FAWPJ460	460 ml	
SGD253	FAWPJ002	2 L	

CALGONATE® GEL

- Used to relieve hydrofluoric acid skin burns
- · Reduces the risk of hypocalcaemia





Model	Mfg		Price
No.	No.	Size	Each
SGA767	FACALGG25	25 g	



- Concentrated sugar in gel form for oral treatment of insulin shock
- Provides a rapid increase in blood sugar concentration





Model	Mfg	Size	Price
No.	No.		Each
SGB141	FAGI25	25 g.	

LIP BALM

Prevents and heals dry, chapped and sun-wind burned lips





₩YNAMİE

Model	Mfg			Price
No.	No.	Description	SPF	Each
SGB166	FA047114	Lypsyl lip balm	-	
SGA736	FABL4	Blistex lipstick	15	
SGA737	FABLS30	Blistex lipstick	30	

HAND CREAM

· Relief and protection for dry, chapped hands





Model	Mfg			Price
No.	No.	Description	Size	Each
SGB172	FA132702	Neutrogena hand cream	50 ml	
SGA738	FA253057	Barriere cream tube	50 g.	
SGB173	FA00362	Nivea cream tube	60 ml	

ARM & HAMMER® BAKING SODA

- · Baking soda counteracts the acids and venom of many insect bites
- Can draw excess pus from a wound

No.

SGA735 FA300130

No.





Absorbs moisture, prevents chafing and refreshes the skin



	SAFETY INTERNATIONAL		2000
Model	Mfg		Price
No.	No.	Size	Each
SGD184	FA030164	425 g.	

BACTINE® FIRST AID SPRAY

- · Antiseptic and pain relieving spray
- · For treatment of sunburn, minor cuts, burns, scratches, insect bites, and poison ivy
- Kills germs, relieves pain and itch
- · Non-stinging formula



TNAMIC SAFETY INTERNATIONS

Model	Mfg	Pric	e
No.	No.	Size Eac	h
SGD182	FA002009	105 ml	_

ANTACIDS

· Neutralizes stomach acidity to relieve discomfort caused by heartburn, indigestion or upset stomach



TNAMIC

Model	Mfg		Price
No.	No.	Description	Each
SGE735	FA633739	Pepto Bismol® chew tabs - bottle of 24	
SGB185	FA395500	Pepto Bismol® liquid 350 ml	
SGA727	FA623011	Alka Seltzer® tablet - 36 per pack	

PAIN RELIEVING CREAM

· Topical cream used for temporary relief of muscle or joint pain caused by strains, sprains, arthritis, bruising, or backaches



TNAMIC

Model	Mfg			Price
No.	No.	Description	Size	Each
SGE802	FA369837	A-535 rub	100 g.	
SGE736	FA070080	A-535 rub	450 g.	
SGA688	FA300106	Absorbine Jr.	475 ml	

STING RELIEF SACHETS

Used to relieve discomfort caused by insect stings and bites



TNAMIC SAFETY INTERNATIONAL

Model No.	Mfg No.	Qty	Price Each
SGE738	FASRU10	Box of 10	
SGE739	FASR100	Box of 100	

FOOT POWDER

- · Keeps feet dry and odour-free
- · Absorbs perspiration and wetness





Model	Mfg		Price
No.	No.	Size	Each
SGD235	FAPA50	50 g.	

Each

FIRST AID FORCEPS

· Ideal for removing embedded objects, manipulating dressings, and more



SPLINTER OUT



Model No.	Mfg No.	Material	Description	Length"	Price Each
SGB323	FATW045	Nickel Plated	Splinter Forceps, straight	4 1/2	
SGB324	FATWP314	Metal	Splinter Forceps, 5 point	5	
SGB200	FATWP01	Plastic	Tweezers	4 1/2	
SGA819	FATWP210	Metal	Dressing Forceps	4 3/4	
SGA820	FATWP214	Metal	Dressing Forceps	5 1/2	
SGB325	FATWP332	Metal	Splinter Forceps Feilchenfeld	4 3/4	
SGB322	FATW3M	Metal	Splinter Forceps With Magnifier	3 3/4	
SGB082	FATWP410	Metal	Forceps Mosquito Halstead	5	
SGB083	FATWP442	Metal	Forceps Rochester-Pean	5 1/2	
SGB362	FATW001	-	Tweezers Economy kit	-	

SPLINTER OUT

· Designed to enable to removal of splinters with minimal discomfort

		CALLS ON	
Model	Mfg		rice
No.	No.	Description E	ach
SGB326	FASP020	Splinter out - box of 20	

FIRST AID INSTRUMENT KIT

• Includes: 1 kit scissors, 1 tweezers, 1 set of assorted safety pins



Model	Mfa	
	SAFETY	INTERNATIONAL

Model	Mfg	Price
No.	No.	Each
SGB146	FAIK	

THERMOMETERS

Used to accurately check the body temperature of patients



_	SAFETY INTERNATIONAL	
Model	Mfg	
No.	No.	

Model	Mfg		Price
No.	No.	Type	Each
SGE751	FAT01100	Oral	
SGE752	FATR1150	Rectal	

FIRST AID BASINS

Multipurpose basins for oral hygiene, patient sickness and treatment, and soaking

Stainless Steel



YNAMIC

Model No.	Mfg No.	Туре	Size	Price Each
SGB376	FAWB123	Wash Basin	-	
SGB155	FAKB2000	Kidney Basin	15 cm	
SGB156	FAKB2010	Kidney Basin	22 cm	
SGB157	FAKB2020	Kidney Basin	25 cm	

FIRST AID SCISSORS

· Used to cut bandages, gauze, clothing, etc. in an emergency first aid situation



TNAMIC

Model No.	Mfg No.	Description	Length"	Price Each
SGB182	FASC55G	Paramedic Scissors	5 1/2	
SGB183	FASC75B	Paramedic Scissors	7	
SGB163	FASC35L	Lister Bandage Scissors	3 1/2	
SGB164	FASC45L	Lister Bandage Scissors	4 1/2	
SGB165	FASC55L	Lister Bandage Scissors	5 1/2	
SGB298	FASCP44	Scissors O.R. sharp/blunt	5 1/2	
SGB297	FASCP42	Scissors O.R. sharp/sharp	5 1/2	
SGB296	FASCP30	Scissors O.R. blunt/blunt	4 1/2	
SGB299	FASCP118	Scissors straight iris	4 1/2	
SGB294	FASCP120	Scissors curved iris	4 1/2	
SGB295	FASC001	Scissors economy kit	-	

SAFETY PINS

· Used to secure bandages



THE SAFETY INTERNATIONAL	

Model	Mfg		Price
No.	No.	Description	Each
SGC793	FASP012	Pack of 12	

SHARPS® CONTAINER

• Secure, easy-to-use container offers safe disposable of sharp instruments





TNAMIC

Model No.	Mfg No.	Description	Price Each
SGB306	FACS1LT	Sharps® container 1 L - for syringe disposal	
SGB307	FACS3LT	Sharps® container 3 L - for syringe disposal	
SGB309	FACS7LT	Sharps® container 7 L - for syringe disposals	
SGE753	FA8967Y	Multi-Purpose Sharps® Container with horizontal drop opening lid 2 gal/7.6 L	
SGB381	FA8975	Wall Bracket for Sharps® container SGE753	
SGB194	FA8900SA	Phlebotomy (Blood drawing) Sharps® Container Covidien 1 qt./1 L	

RING CUTTER

- Provides fast response when
- emergency ring removal is required Easy-to-use cutter relieves pain and
- helps lessen further damage to fingers



YNAMIC

Model	Mfg		Price
No.	No.	Description	Each
SGF754	FARC182	Ring cutter	

EYE LOOP

- · Used to remove unwanted particles
- metallic and non-metallic objects



	SAFETY INTERNATIONAL	
Model No.	Mfg No.	Price Each
SGA868	FAA19900	

CPR MASK

 C.P.R. mask with one way valve and oxygen inlet in plastic container



THANKI

Model	Mfg	Price
No.	No.	Each
SGA792	FACPRM	·

DISPOSABLE RESCUE BREATHER

 Single-use physical protection barrier to prevent the victim's breath and bodily fluids from reaching the rescuer



L TNAMIC

Model	Mfg	Container	Price
No.	No.	Type	Each
SGR274	FΔRR	7inlock hag	

AIRWAY KIT

 For use on an unconscious patient to maintain an airway, suction fluids and depress a victim's tongue to prevent airway blockage

 Bite locks are colour-coded for quick identification according to universally established standards



TANAMIC SAFETY INTERNATIONAL

Model	Mfg	Container	Price
No.	No.	Туре	Each
SGA724	FAAIR	Nylon bag	

MANUAL SUCTION UNIT

 Ideal for suctioning vomit and fluids from the patient's airway

SGB167



THE SAFETY INTERNATIONAL

Model No.	Mfg No.	Description	Price Each
SGB167	FAMSU	Manual suction unit	
SGB270	FAMSURC	Replacement cartridges for manual suction unit	

DISPOSABLE MANUAL RESUSCITATOR

 Single-use physical protection barrier to prevent the victim's breath and bodily fluids from reaching the rescuer





Model	Mfg	Size	Price
No.	No.		Each
SGAROO	EAOMR9000	Δdult	

CPR KITS

 Designed to assist in emergency responsesto fatal breathing situations

 Reduces the risk of transferring viruses and infections while administering CPR



TNAMIC SAFETY INTERNATIONAL

Model	Mfg		Price
No.	No.	Includes	Each
SGA806	FAKDRESP	(1) small nylon bag, (1) rescue breather SGB274	
SGA807	FAKDRESP1	(1) small nylon bag and (1) rescue breather SGB274,	
		(2) antiseptic wipes, (1) pair of disposable gloves	
SGA808	FAKDRESP3	(1) medium nylon bag with belt loop, (1) rescuebreather SGA792,	
		(2) antiseptic sachet, (1) pair of disposable gloves	



FIRST AID

WOODEN SPLINTS

- Set of 6 splints includes 2 of each size: 2" x 8", 3" x 10", and 3" x 12"
- Lightweight wooden splints for immobilization
- Can be used with splint padding or abdominal pads for comfort



TNAMIC

Model	Mfg	Price
No.	No.	Each
SGC794	FAWS	

SAM® SPLINTS

- · Foam-padded aluminum splints for immediate use in emergency situations
- Waterproof, flexible, malleable and reusable
- Easily secures to the body with the use of gauze or tape
- Can be rolled or folded to fit in emergency kits



Model	Mfg		Price
No.	No.	Size	Each
SGD242	FASAM	4 1/2" x 36"	

ALUMINUM SPLINTS

- Foam-padded aluminum splints
- Can be rolled or folded to fit in emergency kits



THEFT



Model	Mfg	Size	Price
No.	No.		Each
SGB321	FASPLIFAST	4 1/2" x 36"	

FINGER SPLINTS

· Lightweight finger splints provide support and immobilize injured joints, absorb shock and relieve pain



TNAMIC

Model No.	Mfg No.	Material	Size	Qty	Price Each
SGA730	FAAS5X18	Aluminium	1/2" x 18"	Bag of 12	
SGA731	FAAS1X18	Aluminium	1" x 18"	Bag of 12	
SGB197	FASPFPMED12	Plastic	Medium size	Box of 12	
SGB196	FASPFPLRG12	Plastic	Large size	Box of 12	
SGB195	FASPFPASS12	Plastic	Assorted size	Box of 12	

CUSHION FOR SPLINTS

· Soft padding used in conjunction with a splint to provide comfort for the injured body part





Model	Mfg	Qty	Price
No.	No.		Each
SGA793	FASP001	Bag of 1	
SGA794	FASP002	Bag of 2	

WIRE SPLINTS

Model No.

SGD234

• Easily shaped to fit the required area



CERVIAL COLLARS

· Used to support the neck and relieve pressure on the spine





Model No.	Mfg No.	Material	Size	Price Each
SGA822 SGA772		Plastic & Foam Foam	Adjustable for adult 3.5" x 15/22"	

SPEED SPLINTS

- Hi-visibility yellow
- Plastic
- · One size fits all





Model	Mfg		Price
No.	No.	Туре	Each
SGB319	FASSM100	Multi purpose	
SGB318	FASSM200	Femoral traction splint	

AMMONIA INHALANT

 Used to arouse an individual who has fainted





Model	Mfg		Price
No.	No.	Qty	Each
SGE748	FAIA010	10 sachets per box	
SGE749	FAA1U10	10 swabs per box	

PEN LIGHT

- Pocket-sized penlight with a focused beam and a metal pocket clip
- · Battery included





Model	Mfg	Price
No.	No.	Each
SGE750) FAPENLIGHT	

ERGONOMIC BACK SUPPORT BELT

- · Features detachable suspenders
- Reduces risk of lower back injury and offers added support





Model	Mfg		Price
No.	No.	Size	Each
SGA853	FAEBS	Small	
SGA852	FAEBS	Medium	
SGA851	FAEBS	Large	
SGA854	FAEBS	X-Large	



FIRST AID GUIDES AND RECORD BOOKS

 Ideal to aid in the administration and recording of first aid events



YNAMIC

FAFM001

SGB068

SA	FETY INTERNATIONA	L	
Model	Mfg		Pric
No.	No.	Description	Eac
SGB327	FAFM002	St. John Ambulance first aid manual	
SGB068	FAARB	Accident record book, small 8 pages	
SGA690	FAARB2	Accident record book, large 12 pages	
SGA689	FAARBC	Accident record book for BC, 24 pages. English only	

First aid pocket guide, bilingual

AMBIDEXTROUS ONE SIZE WRIST SUPPORTS

- Helps prevent RSI by limiting over flexion and over extension of the wrist
- Universal 3" elastic with adjustable hook and loop closure
- Sorbothane® padding protects from impact and vibration Model No. SEE126

Model No. SEE126 Mfg. No. ERWW Price/Each \$

SGB069







ELASTIC WRIST SUPPORTS

- Limits the wrist from over flexing and over extending to help prevent repetitive strain injuries
 Flexible spiral stays provide support
 - Looks around thumb to keep in place
 - Elastic strap with hook and loop closure
 - Available with single or double strap closures
 - Single strap has stays on palm side
 - · Double straps has stays on palm and dorsal side



Left Model No.	Mfg. No.	Right Model No.	Mfg. No.	Measurements"	Price /Each
SINGLE STRAI	Р				
SEE131	EL40SL	SEE135	EL40SR	1.5 to 5.5	
SEE132	EL40ML	SEE136	EL41MR	6.5 to 7.5	
SEE133	EL41LL	SEE137	EL42LR	7.5 to 8.5	
SEE134	EL42XLL	SEE138	EL43XLR	8.5 to 11	
DOUBLE STRA	APS				
SEE139	EL41SL	SEE143	EL41SR	1.5 to 5.5	
SEE140	EL41ML	SEE144	EL41MR	6.5 to 7.5	
SEE141	EL41LL	SEE145	EL41LR	7.5 to 8.5	
SEE142	EL41XLL	SEE146	EL41XLR	8.5 to 11	

WASHABLE UNDER PAD

- · Durable and reusable cloth under pad offers comfort, softness and convenience
- Designed to wick moisture away from the skin
- Waterproof backing to ensure bedding stays dry

Model No. SGC247 Mfg. No. 57005 Price/Each \$

BIOS living



RESCUE FOIL BLANKETS

- Multipurpose, emergency first aid blanket made of aluminized, non-stretch polyester
- Reflects body heat back to the user
- Stays flexible in freezing temperatures
- Lightweight and compact
- Windproof and waterproof
- Dimensions:

142.2 x 203.2 cm (56" x 80")

Weight: 42.5 g (1.5 oz.)

Model No. SAY608 Mfg. No. 26297 Price/Each \$

BIOS



SPRAGUE RAPPAPORT STETHOSCOPE

- Offers optimum acoustic performance
- Small bell-like chest piece is used for auscultation of slight and low frequency sounds
- Dual chest piece Model No. SGC249 Mfg. No. 506DI





DELUXE DUAL HEAD STETHOSCOPE

- Features a non chill rim and comfortable ear tips
- · Dual chest piece

Model No. SGC250 Mfg. No. 507DI Price/Each \$





ULTRA BLOOD PRESSURE MONITOR

- · Features technology that accurately detects Atrial Fibrillation, the most common form of heart arrhythmia or irregular heartbeat
- MAM averaging for superior accuracy
- 200 memories
- · Includes wide range cuff, AC/DC adapter and storage case

Model No. SGC252 Mfg. No. 3MS1-4K Price/Each \$





COMPACT BLOOD PRESSURE MONITOR

- 99 memories
- Validated BHS "A/A" accuracy
- PAD technology
- Averages all memories stored
- Includes wide range cuff, AC/DC adapter and storage case

Model No. SGC251 Mfg. No. BD216 Price/Each \$





FLEXIBLE FAST READ THERMOMETER

- · Fast readings in 10 seconds
- Flexible tip
- Type: Digital

Model No. SGC253 Mfg. No. 238DI Price/Each \$






LUXO® MAGNIFICATION LAMPS

- 3-diopter (1.75x)
- · Patented internal 45" spring arm offers perfect balance and full adjustability
- 5" diameter, distortion-free lens
- Reflector optimizes light output and distributes illumination evenly across the work area
- Electronic ballast increases light output by 15%
- Secondary lens allows for a wide variety of magnification tasks
- · 22-watt bulb (included) is protected by a non-yellowing acrylic, splash guard/diffuser
- Colour: Light grey
- 5-year limited warranty
- Additional mounting options available (sold separately)







ICE BAG

REUSABLE

- · Constructed of two layers, the outer layer is made from a woven cotton/polyester fabric, which allows for gentle contact against skin
- A second layer made of a rubberized lining prevents leakage
- The lid has deep threads and a rubber gasket to protect against leakage
- Dimensions: 8" dia.
- Reusable

Model No. SGC254 Mfg. No. 57009 Price/Each \$

BIOS living



HEATING PAD

- · Adjustable heating pad with 4 heat settings
- 2 hour auto shut-off
- LED control makes it easy to switch heat settings
- Pad is contained in a soft, plush cover
- 9' power cord allows for convenient access to the nearest power outlet
- Dimensions: 12" x 24"
- Cold/Hot: Hot
- · Reusable: Reusable

Model No. SGC243 Mfg. No. 57064 Price/Each \$

BIOS living



HOT WATER BOTTLE

REUSABLE

- Capacity: 2 L
- Relieves aches and pains
- Large opening for easy filling
- Dimensions: 12" x 8"

Model No. SGC255 Mfg. No. 57007 Price/Each \$





ADJUSTABLE CANE

- Made from lightweight aluminum
- Ergonomic offset handle
- Comfortable to use and reduces stress on hands and wrist
- This functional cane is adjustable in height
- Height: 31" 39"
- Weight Capacity: 300 lbs.

Model No. SGC246 Mfg. No. 56015 Price/Each \$

BIOS living

TRANSPORT CHAIR

- Stain resistant, easy clean armrests and seatHand strap and leg band provide
- added security during transport
- Standard seat belt
- · Detachable footrests provide leg clearance
- · 8" front and rear MAG wheels provide effortless motion

Model No. SGC245 Mfg. No. 56053 Price/Each \$

BIOS living



WHEELCHAIR

- · Weight Capacity: 300 lbs (136 kg)
- Steel framed folding wheelchair with removable foot rests, full length fixed arms, solid tires, and embossed lightweight vinyl upholstery
- Can be propelled by the user or pushed by a caregiver
- Rear storage pocket
- 8" front tires, 24" MAG rear wheels

Model No. SFI907 Mfg. No. 56084 Price/Each \$

BIOS living



HEAVY DUTY REACH & GRIP

- Pick up small and large items securely with minimal finger flexing
- Extra-wide jaws with suction cups have a strong hold on objects
- Lightweight heavy duty aluminum shaft and an ergonomic handle for easy use
- Perfect for seniors, people with Arthritis, Motor Neurone Disease or post-operative
- Overall Length: 34' Model No. SGC248



BIOS

CRUTCHES

Includes pads and tips

Available in two sizes

· Durable aluminum construction

Model		Price
No.	Description	/Each
SEG990	Adult – 157 to 178 cm	
SEG991	Tall Adult — 178 to 198 cm	

ROLL AWAY COT

· Ideal to accommodate overnight guests





Model	Mfg		Price
No.	No.	Includes	Each
SGB290	FAROLACOT	Frame and mattress	

TREATMENT CHAIR

- · Provides patient comfort and facilitates treatment
- Features a treatment basin holder





Model	Mfg	G.	Price
No.	No.		Each
SGD206	FACTREAT		

ALBAC MAT RESCUE STRETCHER

- · Safe, Light & Fast to Use
- Less than 5 lbs. & Store Easily
- Can Hold Over 800 lbs
- · Can be operated by one person





Model	Mfg		Price
No.	No.	Description	Each
SGA726	FAALBS	Albac Mat rescue - standard size	
SGA725	FAALBL	Albac Mat rescue - large size	
SGA756	FAALBHL	Wall Bracket for the Albac Mat - holds 4 units	

EMERGENCY RESCUE BLANKETS



Model No.	Mfg No. Description		Price Each
SGB273	FAAB001	Emergency rescue blanket - Silver made of mylar with body heat	
SGA835	FABDY	Yellow polyethylene emergency blanket (54" x 80")	
SGB272	FAAWBB1	Emergency rescue blanket 80% wool/20% polyester (59" x 83")	
SGB365	FAUSBG	Utility stretcher blanket grey mixed fibers polyester (60" x 80")	
SGB066	FABFB00	Fire blanket 100% wool with nylon pouch holder	
SGB067	FASABL	Fire blanket pouch only	
SGA836	FARRI 3	3 emergency rescue blanket in plastic hag	

SPINAL BOARDS

Patient handling device used in trauma care
 Designed to provide support during movement of a person with suspected injuries

SGB084

Model	Mfg		Price
No.	No.	Description	Each
SGB084	FASB01	Full wood spinal board	
SGB199	FASBP01	Spinal board plastic 16"	
SGB320	FASBP02	Spinal board plastic 18"	
SGB085	FASB01WS	Full wood spinal board with 3 straps	
SGB198	FASBP01WS	Full plastic spinal board in yellow with 3 straps	



Model No.	Mfg No.	Description	Price Each
SGD252	FAWBS	Wire basket stretcher	
SFW469	FATRA110125A	Advantage basket stretcher	
SFW470	FAYJBL001	Yellow jacket basket stretcher complete with straps	
SGA729	FAFSA	Aluminium double folding stretcher	
SGA728	FAFSB	Aluminium single folding stretcher	
SGB329	FASAMB01	Ambulance type stretcher	
SGE756	FASSCOOP1	Stretcher scoop	
SGB330	FABASKP1	Stretcher basket plastic	





MEDICAL DATA CARRIERTM

- · Provides critical lifesaving data about the wearer
- Includes family contact information in the event of an emergency
- Highly visible and aerodynamic carrier attaches securely to individual's hardhat





Model	Mfg	Qty	Price
No.	No.		Each
SGF755	FAMDC10	Pack of 10	

HEAD IMMOBILIZER

- · One size fits all
- Immobilization device for use with an extrication collar when head or neck injuries are suspected





Model	Mfg	Price
No.	No.	Each
SGR131	FASIIHI	

EXTRICATION DEVICE

Used to immobilize and support the spine, neck, and head, allowing for safe extrication from vehicles and other confined spaces



L TNAMIC SAFETY INTERNATIONAL

Model	Mfg	Price
No.	No.	Each
SGA864	FASED01	

EVACUATION MAT

• Designed to aid in the safe removal of casualties from emergency situations





Model	Mfg		Price
No.	No.	Description	Each
SGA862	FARESQMAT	EVAC RESCUE MAT	
SGA861	FARESSHEET	EVAC RESCUE SHEET	
SGA863	FARESQME	EVAC RESQME	

FAST STRAP SPIDER

 Quick restraint system designed to quickly secure patients to backboards and other devices for rapid patient immobilization and extraction



L YNAMIC SAFETY INTERNATIONAL

Model	Mfg	Price
No.	No.	Each
SGB057	FASPIDER	

EVACUATION CHAIR

 Designed for use in an emergency evacuation to enable victims to ride down the stairs





THE SAFETY INTERNATIONAL

Model	Mfg		Price
No.	No.	Description	Each
SGA856	FAEVAC300H	EVAC+Chair 300H	
SGA857	FAEVAC600H	EVAC+CHAIR 600H	
SGA858	FAEVAC700H	EVAC+CHAIR 700H	

EMERGENCY LIGHT BEACON

- Easy to operate
- Easy to maintain
- Emits light and sound to aid rescuers in retrieval



TNAMIC SAFETY INTERNATIONAL

Model	Mfg	Price
No.	No.	Each
SGA833	FAEVACIJAID	



MEDI-CANTM STEP CANS

- · Steel construction with a durable powder coated finish or non-magnetic stainless steel construction
- Foot pedal operation eliminates hand contact with lid
- Equipped with 3 1/2 gallon galvanized steel liner
- Vinyl base ring protects floors and reduces noise
- UL listed and FM approved fire safe and self-extinguishing
- Complies with OSHA standards and OBRA regulations



Model	Mfg.	Dimensions				Wt.	Price
No.	No.	Dia."	x	Н"	Colour	lbs.	/Each
NI372	ST3.5EGLWH	11	Х	17	White	9	
NI373	ST3.5EGLRD	11	Х	17	Red	9	
NI374	ST3.5SSGL	11	Х	17	Stainless	9	
BIOHAZ	ARD DECAL						
NI375	BP-1		6" Sq.		Red	-	



SURE-GUARD™ BIO-MEDICAL WASTE LINERS

- · Premium bio-hazard waste removal
- Printed with bold BIO-MEDICAL WASTE
- Constructed specifically for the safe containment and transport of infectious waste
- Noticeably more tough and puncture resistant than normal liners due to Sure-GuardTM liners being made with high grade virgin resins
- Can handle the toughest abatement, restoration, environmental and industrial applications
- Sure-Tie® drawstring closure available for ultimate personal protection and waste containment
- $Ideal\ for\ industrial/commercial\ facilities, hospitals, ambulances,$ nursing homes, schools, transportation vehicles, correctional facilities, laboratories, medical and dental offices





Priced per Case

Model			Qty	Price
No.	Size"	Colour	/Case	/Each
JD099	21.5 x 29	Yellow	200	
JD100	30 x 38	Red	100	
JD101	30 x 38	Yellow	100	
JD102	37 x 50	Red	100	
JD103	39 x 46	Yellow	100	
JD104	55 x 74	Yellow	50	

SURE-GUARDTM ASBESTOS **REMOVAL LINERS**

- Constructed in three cross linked layers of film
- Specifically designed for the rigours of asbestos abatement
- Noticeably more tough and puncture resistant than normal liners due to Sure-GuardTM liners being made with high grade virgin resins

Ideal for the toughest abatement, restoration, environmental, and industrial applications





			- MARTINE	15.4
Model			Qty	Price
No.	Size"	Colour	/Roll	/Each
JD069	26 x 40	Clear	100	
JD070	26 x 40	Yellow	100	
JD071	35 x 50	Clear	100	
JD072	35 x 50	Yellow	100	
JD073	48 x 60	Yellow	50	

PURELL® ADVANCED HAND RUB

- Purell® in a 70% ethyl alcohol, fragrance-free antiseptic cleanser
- Effective in destroying certain bacteria

SAR856

Contains vitamin E and glycerine





Model No.					
SAR855	5770-04-CAN00	1200 ml Touchfree TFX™ Refill			
SAR854	2770-08-CAN00	1000 ml NXT® Refill			
SAR856	9770-12-CAN00	354 ml Pump Bottle			
SBA838	5395-02-CAN00	1200 ml Touchfree TFX™ Foam Refil			
SBA839	5795-04-CAN00	535 ml Foam Pump Bottle			

RESPIRATORS & PPE CLEANING TOWELETTES

- 5" x 8" individually wrapped towelettes
- 100 towelettes per box
- For rubber or latex face and mouth pieces, respirators, etc.
- Alcohol-free
- Avoids "drying-out" associated with alcohol based cleaners

Model No. SEE383 Price/Each \$





ULTRA SWIPES

- Disposable cloths clean, disinfect and deodorize hard surfaces and instruments
- Ethanol formulation provides hospital-level disinfection to destroy a wide range of pathogens, including HIV-1 (AIDS) and TB in just 1 minute
- 160 sheets per canister

Model No. JA984 Price/Each \$



GERMXTRA HARD SURFACE DISINFECTANT

- · A rapid ready-to-use, broad spectrum disinfectant spray
- GermXtra is a tuberculocidal disinfectant containing a synergistic combination of ethanol and surfactants, killing TB in 1 minute
- Fine aerosol mist ensures effective penetration of fibrous materials, cracks and crevices
- Available in Garden Mint or Lemon scent in a 700-ml spray bottle and a 4-L economy refill

IB414





Model			Price
No.	Size	Scent	/Each
JB414	4 L	Garden Mint	
JB416	4 L	Lemon	

SUPER CONCENTRATED **SANITIZERS & DEODORIZERS**

- Specially formulated to sanitise and deodorize pre-cleaned hard surfaces
- Excellent for use in restaurants, dairies, food processing plants and bars
- Effective sanitiser against Escherichia coli, Yersinia enterocolitica, Staphylococcus aureus and E. coli 0157:H7
- No rinse
- Accepted for use in Canadian food processing facilities D.I.N. #02248470

Model No. JD028 Price/Each \$





CLOROX® DISINFECTING WIPES

- One step cleaning and disinfecting ready to use wipes
- Kills 99.9% of common illness-causing germs, including Staphylococcus aureus (staph), Salmonella cholerasuis, Escherichia coli (E. coli), Streptococcus pyogenes (strep) and the virus that can cause the flu
- Ideal for touch up cleaning anytime with pre-moistened wipes
- Can be used almost anywhere to clean and disinfect particularly on high-touch germ hot spots
- Bleach free formula
- 75 sheets/canister
- Health Canada DIN # 02246233





QUAT PLUS – DISINFECTANTS & CLEANERS

- A disinfectant and germicidal detergent
- · Eliminates malodour by destroying a wide range of bacteria, fungicide and viruses
- Effective against influenza A (H₁N₁)
- D.I.N. #02298694
- Certifié UL ECOLOGO^{MD} 2794
- Certified UL ECOLOGO® 2794

Model No. JD491 Mfg. No. 50232 Price/Fach \$







Model		Price
No.	Description	/Each
JC228	Fresh Scent	
JC229	Lemon Scent	
JC231	Lavender Clean	

PADLOCK SECURITY FEATURES

SECURITY LEVEL



PHYSICAL SECURITY	Higher				Lower
Cut Resistance					
Shackle Material	Shackle Shroud	Boron Alloy	Hardened Steel	Steel	Brass
Shackle Diameter	7/16"	3/8"	5/16"	1/4"	3/16"
Pick Resistance (No. of Tumbler Pins)	10-Pin	6-Pin	5-Pin	4-Pin	3-Pin Warded
Shackle Locking Mechanism	Dual Ball Bearing		Dual Lever		Single Lever
Lock Body Material	Solid Steel	Laminated Steel		Aluminum	
Weather Resistance	Covered	Brass, Aluminum	Laminated Brass	Laminated Steel	

KEYING OPTIONS:

Keved Different:

Padlocks with a different operating key for each lock.



Keyed Alike (KA):

Sets of padlocks can be opened by the same key for added convenience. Stock KA numbers listed below Contact us for additional KA numbers.



Master Keyed:

Padlocks with a different operating key for each lock, and with a single key that opens all locks for supervisory access. Contact us for additional information.



Removable Cylinder:

Permits replacing the key and cylinder without requiring a new padlock.



MAXIMUM SECURITY

Solid steel padlocks offer the highest protection of hardened steel. Our padlocks come in a wide range of widths, with shackle lengths and diameters to fit any application - great for outdoor protection of commercial buildings, industrial plants and perimeter, remote and unattended properties and high risk areas.

AMERICAN LOCK HIDDEN SHACKLE PADLOCKS & MASTER LOCK HIGH SECURITY HASPS (REKEYABLE)

The hockey puck-style lock design completely surrounds the 3/8" dia. shackle for high-security pry and cut resistance. Our industrial-strength padlocks are keyable and have replaceable cylinders and shackles.

- These padlocks offer maximum protection against drilling, sawing, prying, crowbar, dent pullers and hammers
- 6-pin tumber cylinders provide superior pick resistance, with tens of thousands of key changes available
- Secure vans, trucks, gates, garages, storage buildings and vending machines
- Locks come with two keys. For keyed alike options and master keying, please call us today
- Combined with high-security hasps (\$AO687); designed to completely surround the lock; it make the locks virtually impervious to physical attacks





SAO687





Model Mfg.		Bod	Body Size Body		Sha	ckle Clear	ance	Shipping	Price	
No.	No.	Description	Width"	Thickness"	Material	A"	В"	C"	Weight (lbs.)	/Each
SGC384	A2010	Lock	2 7/8	1 1/4	Steel	3/8	1 9/32	1 23/32	2.20	
SA0687	770	Hasp	9 x 4 1/2	1/4	Steel	N/A	N/A	N/A	3.00	

MASTER LOCK SOLID STEEL PADLOCKS (REKEYABLE)

- Constructed of hardened, chrome-plated solid steel bodies that resist cutting, sawing and corrosion
- Hardened boron alloy steel shackles offer superior cut resistances while dual ball bearing locking mechanism resists pulling and prying attacks
- 5-pin Pro Series® cylinders provide tens of thousands of key changes
- Special spool pin tumblers are virtually impossible to pick
- Rekeyable replaceable cylinder and shackle
- Locks come with two keys
- For keyed alike options and master keying, please call us







A	
la Wi	dth -
SAL4	

Model	Mfg.	Body Size		Mfg. Body Size Body				ckle Clear	ance	Shipping	Price
No.	No.	Width"	Thickness"	Material	Α"	В"	C"	Weight (lbs.)	/Each		
SN708	6230	2 1/2 Round	1 1/8	Hardened Steel	7/16	1 1/8	7/8	1.40			
SEJ510	7050	2	1	Hardened Steel	3/8	1 1/2	29/32	0.85			
SAL442	7040	13/4	1	Hardened Steel	5/16	1 3/16	29/32	0.75			

MASTER LOCK SOLID STEEL SHROUDED PADLOCKS (REKEYABLE)

· Shrouded shackles provide superior resistance to cutting by minimizing shackle exposure to physical attacks

Model	Mfg.	Body Size		Mfg. Body Size Body		Sha	ckle Cleara	nce	Shipping	Price
No.	No.	Width"	Thickness"	Material	Α"	В"	C"	Weight (lbs.)	/Each	
SN707	7045	13/4	1	Hardened Steel	5/16	1 3/16	29/32	0.90		
SN715	7035	1 9/16	13/16	Hardened Steel	1/4	1 1/16	25/32	0.80		






MASTER LOCK PRO SERIES® SOLID **BRASS PADLOCKS (REKEYABLE)**

- · Solid brass body construction resists corrosion ideal for harsh environments
- Hardened boron alloy steel shackles offer superior cut resistances while dual ball bearing locking mechanism resists pulling and prying attacks
- 5-pin Pro Series® cylinders provide tens of thousands of key changes
- Special spool pin tumblers are virtually impossible to pick
- Rekeyable replaceable cylinder and shackle
- Locks come with two keys
- For keyed alike options and master keying, please call us



SAL507

Model	Mfg.	Во	dy Size	Body	Sha	ckle Clear	ance	Shipping	Price
No.	No.	Width"	Thickness"	Material	Α"	В"	C"	Weight (lbs.)	/Each
SAL507	6840	1 3/4	1	Solid Brass	5/16	1 3/16	29/32	0.80	
SAL508	6830	1 9/16	15/16	Solid Brass	1/4	1 1/16	25/32	0.70	



Master


MASTER LOCK RESETTABLE BRASS **COMBINATION PADLOCKS**

- Easy "Set-your-Own" 4-digit combination with up to 10 000 combinations available
- Strong, solid brass case construction resists corrosion ideal for harsh environments
- Heavy hardened steel shackles provide high resistance to cutting and prying
- Model SEJ513 features a key override providing immediate access to supervisors in the field
- SEJ514 control key sold seperately





Master




Model			dy Size	Body	Sha	ckle Cleara	ince	Shipping	Price
No.	No.	Width"	Thickness"	Material	Α"	В"	C"	Weight (lbs.)	/Each
SAS366	175	2	1	Brass Casing	5/16	1	1	0.60	
SAG162	175LH	2	1	Brass Casing	5/16	2 1/4	1	0.70	
SEJ513	176	2	15/16	Brass Casing	5/16	1	1	0.60	
SEJ514	K176	Conti	rol Key	Brass	-	-	-	0.02	

MASTER LOCK PROSERIES® RESETTABLE **BRASS COMBINATION PADLOCKS**

- Easy "Set-your-Own" 4-digit combination with larger ergonomic dials
- Strong, solid brass case construction resists corrosion with weather seal top around shackles
- Boron octagonal shackle design increases cut resistance
- No reset tool required. Simple shackle manipulation to change combinations
- LH shackle option available for increased shackle clearance





Model	Mfg. Body Size		Body	Sha	ckle Cleara	ance	Shipping	Price	
No.	No.	Width"	Thickness"	Material	A"	В"	C"	Weight (lbs.)	/Each
SEJ515	1175	2 1/4	1 3/16	Brass Casing	3/8	1 1/16	15/16	0.70	
SEJ516	1175LH	2 1/4	1 3/16	Brass Casing	3/8	2	15/16	0.71	

ECONOMY V-LINE BRASS PADLOCKS (NON-REKEYABLE)

- Solid brass body and cylinder construction resists corrosion ideal for harsh environments
- Case hardened shackle resists sawing and filing
- Pin tumbler cylinder provides greater pick resistance
- Locks come with two keys. For keyed alike options, please call us



Master

B	1	1	\
	■ B		

→ Width →

Model	Mfg.	Key	Body Size		Body	Sha	ackle Clear	ance	Shipping	Price
No.	No.	Type	Width"	Thickness"	Material	Α"	В"	C"	Weight (lbs.)	/Each
SAS395	4120	Different	3/4	3/8	Solid Brass	5/32	7/16	3/8	0.10	
SAS396	4120KA	Alike	3/4	3/8	Solid Brass	5/32	7/16	3/8	0.10	
SAS397	4130	Different	1 1/8	1/2	Solid Brass	3/16	9/16	9/16	0.20	
SAS398	4130KA	Alike	1 1/8	1/2	Solid Brass	3/16	9/16	9/16	0.20	
SAS015	4140	Different	1 1/2	1/2	Solid Brass	1/4	13/16	13/16	0.30	
SAS400	4140KA	Alike	1 1/2	1/2	Solid Brass	1/4	13/16	13/16	0.30	
SAS401	4150	Different	1-7/8	9/16	Solid Brass	9/32	15/16	1	0.40	
SAS402	4150KA	Alike	1-7/8	9/16	Solid Brass	9/32	15/16	1	0.40	



ALL WEATHER RESISTANT PADLOCKS

The covered padlocks withstand even the harshest outdoor environments and corrosive atmospheres. These locks are excellent in perimeter security, storage buildings, and gate security and transportation.

MASTER LOCK PRO SERIES'

WEATHER TOUGH™ SECURITY PADLOCKS (REKEYABLE)

- · Constructed of hardened, chrome rustproofed steel laminated bodies that resist cutting, sawing and corrosion
- Durable thermal plastic covers protect the body of the lock from dirt, dust and other contaminants
- Hardened boron alloy steel shackles offers superior cut resistances while dual ball bearing locking mechanism resists pulling and prying attacks
- 5-pin Pro Series® cylinders provide tens of thousands of key changes
- Special spool pin tumblers are virtually impossible to pick
- Rekeyable replaceable cylinder and shackle
- Locks come with two keys
- · For keyed alike options and master keying, please call us

,			, 0.1							
Model	Mfg.	Key	Во	dy Size	Body	Sha	ckle Cleara	ance	Shipping	Price
No.	No.	Type	Width"	Thickness"	Material	Α"	В"	C"	Weight (lbs.)	/Each
SAL433	6121	Different	2 1/8	1	Laminated Steel	5/16	1 1/8	7/8	1.00	
SAL434	6121LJ	Different	2 1/8	1	Laminated Steel	5/16	2 1/2	7/8	1.05	
SA902	6125	Different	2 3/8	1 3/16	Laminated Steel	3/8	13/8	7/8	1.20	
SA903	6125KA	Alike	2 3/8	1 3/16	Laminated Steel	3/8	1 3/8	7/8	1.20	

MASTER LOCK LAMINATED STEEL SHROUDED PADLOCKS (REKEYABLE)


· The High Security - Weather Tough® padlock's iron shroud protects the shackle from cutting and prying while the heavy-duty laminated steel body contruction withstands physical attacks



SA903

SAL433

Model Mfg. Key		Key	Body Size		Body	Shackle Clearance			Shipping	Price
No.	No.	Type	Width"	Thickness"	Material	Α"	В"	C"	Weight (lbs.)	/Each
SA904	6325	Different	2 3/8	1 3/16	Laminated Steel	3/8	3/4	7/8	1.60	
SA905	6325KA	Alike	2 3/8	1 3/16	Laminated Steel	3/8	3/4	7/8	1.60	
SEJ517	6321	Different	2 1/8	1	Laminated Steel	5/16	3/4	7/8	1.40	



Ē

-Width-

MASTER LOCK ECONOMY WEATHER PADLOCKS (NON-REKEYABLE)

- 1 9/16" laminated steel body construction for superior strength
- · High-tech thermoplastic shell designed to protect and withstand the elements
- Hardened steel shackle
- Locks come with two keys
- Ideal for all outdoor applications



Model	Mfg.	Key	Во	dy Size	Body	Sha	ckle Clear	ance	Shipping	Price
No.	No.	Type	Width"	Thickness"	Material	A"	В"	C"	Weight (lbs.)	/Each
SN706**	312	Different	1 9/16	1 1/8	Laminated Steel	3/8	1	1/2	0.55	
SEJ518	312D	Different	1 9/16	1 1/8	Laminated Steel	3/8	1	1/2	0.55	
SEJ519*	312TRI	Alike	1 9/16	1 1/8	Laminated Steel	3/8	1	1/2	0.55	
* Cat af 2 la	.l									



^{**} Thermoplastic covered shackle







- · Stainless steel body cover and top and bottom plates for exceptional weatherability
- Laminated steel body for superior durability
- 1" (25mm) octagonal boron carbide shackle is 50% harder than hardened steel
- Chrome-plated shackle for excellent rust resistance
- Superior pry resistance with dual-ball bearing locking
- Can be keyed into existing K1 or WP4 Edge® keyways
- Body Material: Laminated Steel
- Shackle Material: Boron Steel
- Colour: Silver
- Key Type: Keyed Different

Model	Body	Shackle	Shackle Cl	Price	
No.	Width"	Diameter"	Height"	Width"	/Each
SGC385	13/4	5/16	1	13/16	
SGC386	2	3/8	1	5/16	












MASTER LOCK SHROUDED PADLOCK

- Patented "Octagonal" hardened "Boron-Carbide" shackle offers 50% greater strength than hardened steel while withstanding pulling and prying attacks
- The "Octagonal" shackle makes bolt cutter attacks virtually impossible
- Key retaining safeguard insures padlock is not left unlocked
- · Covered keyway for maximum weather protection and rubber body bumper for scratch resistance
- Locks come with two keys

Model	Mfg.	Body	Size	Body	Shack	le Clea	rance	Shipping	Price
No.	No.	Width"	Thickness"	Material	Α"	В"	C"	Weight (lbs.)	/Each
SEJ511	M40BLCDHC	2 3/4 Round	13/8	Stainless Steel	3/8	5/8	1-1/32	0.85	





LAMINATED PADLOCKS

These locks are excellent in perimeter security, storefront gates, tool cribs, construction equipment, vending machines, truck doors and general security. Full range of sizes to best secure your applications.

MASTER LOCK COMMERCIAL LAMINATED STEEL PADLOCKS (NON-REKEYABLE)

- Constructed of hardened, rustproofed steel laminated bodies that resist cutting, sawing and corrosion
- Hardened boron steel alloy shackles offer superior cut resistances while double locking mechanism provides extra pry and pulling resistance
- 4-pin cylinders helps prevent picking while providing 1,200 key changes
- Top and bottom bumpers provide greater scratch resistance
- Locks come with two keys
- For keyed alike options and master keying, please call us




KEYED DIFFERENT vs. KEYED ALIKE

Each keyed different lock has a unique key for higher security. Keyed alike locks have the same key for each lock. Keyed alike locks add an extra convenience where many locks are involved. Extra locks can be ordered later to

fit the same key number.

· Torkeye	d anke option	is and master ke	ymg, picase c	un us				W		
Model	Mfg.	Key	Во	dy Size	Body	Sha	ackle Clear	ance	Shipping	Price
No.	No.	Type	Width"	Thickness"	Material	A"	В"	C"	Weight (lbs.)	/Each
SR890	5D	Different	2	1	Laminated Steel	3/8	1	15/16	0.80	
SR867	5KA	Alike	2	1	Laminated Steel	3/8	1	15/16	0.80	
SAL432	5LJ	Different	2	1	Laminated Steel	3/8	2 1/2	15/16	0.80	
SA898	1	Different	1 3/4	7/8	Laminated Steel	5/16	15/16	3/4	0.60	
SA899	1KA	Alike	1 3/4	7/8	Laminated Steel	5/16	15/16	3/4	0.60	
SA900	1LJ	Different	1 3/4	7/8	Laminated Steel	5/16	2 1/2	3/4	0.65	
SA901	1KALJ	Alike	1 3/4	7/8	Laminated Steel	5/16	2 1/2	3/4	0.65	
SA894	3	Different	1 9/16	3/4	Laminated Steel	9/32	3/4	5/8	0.50	
SA895	3KA	Alike	1 9/16	3/4	Laminated Steel	9/32	3/4	5/8	0.50	
SA896	3LH	Different	1 9/16	3/4	Laminated Steel	9/32	2	5/8	0.58	
SA897	3KALH	Alike	1 9/16	3/4	Laminated Steel	9/32	2	5/8	0.58	
SA890	7	Different	1 1/8	1/2	Laminated Steel	3/16	9/16	1/2	0.20	
SA891	7KA	Alike	1 1/8	1/2	Laminated Steel	3/16	9/16	1/2	0.20	
SA892	7LJ	Different	1 1/8	1/2	Laminated Steel	3/16	2 1/2	1/2	0.25	
SA893	7KALJ	Alike	1 1/8	1/2	Laminated Steel	3/16	2 1/2	1/2	0.25	





MASTER LOCK ECONOMY LAMINATED STEEL WARDED PADLOCKS (NON-REKEYABLE)

- Warded locking mechanism minimizes jamming from dirt and grime
- Steel laminated body for superior strength, rustproofed for extended wear
- Steel alloy shackle provides strong cut resistance
- Model SEJ520 features a removeable adjustable shackle from shackle heights 2 3/4" to 5 3/8"
- Mode ideal f
- Locks

Model No. SEJ520 **SA888 SA889 SFI521 SA886** SA887

el SEJ521 shackle can be shattered by a hammer in case of emergencies, for emergency accesses sprinkler shut-off valves and fire hose cabinets s come with two keys							Adjator.	Page 1		Width
	Mfg. No.	Key Type	Bo Width"	dy Size Thickness"	Body Material	S A"	hackle Clearand B"	:e C"	Shipping Weight (lbs.)	Price /Each
	517D	Different	1 3/4	7/8	Laminated Steel	9/32	2 3/4 to 5 3/8	13/16	0.75	
	500	Different	1 3/4	7/8	Laminated Steel	9/32	13/16	13/16	0.45	
	500KA	Alike	1 3/4	7/8	Laminated Steel	9/32	13/16	13/16	0.45	
	500KABRK	Alike	1 3/4	7/8	Laminated Steel	9/32	13/16	13/16	0.45	
	22	Different	1 1/2	3/4	Laminated Steel	1/4	5/8	9/16	0.50	

Laminated Steel

SEI521



BLUETOOTH SMART® PADLOCKS

Alike

• Use your smartphone to open your lock with the free Master Lock Vault eLocks app Never worry about a forgotten combination!

1 1/2

22KA

- Share access with others temporary or permanent
- Share 24/7 access or limit to days or nights
- Monitor access history & receive tamper alerts
- Backup access using directional code on lock keypad Low battery notification & reminder on padlock and in app
- Battery jump allows for temporary access if battery dies while locked
- Hardened boron alloy shackle for superior cut resistance
- Body Material: Hardened Steel Shackle Material: Boron Steel







►|A|C

SA888

0.50





SFQ689

COMBINATION PADLOCKS

Master Lock has reinvented the combination padlock with our new Blockguard™ technology. This patent-pending "Anti-Shim" technology deters shimming a padlock - shimming is a method of violating a lock by inserting a specially designed tool into its latch mechanism. BlockguardTM has unique flat latch technology that blocks typical shimming tools from opening the locks and thus deterring break-ins.

- These combination padlocks feature the new Blockguard™ anti-shim technology
- · Double-reinforced stainless steel case with cold-rolled steel construction shields locking mechanism from physical attack
- Hardened steel shackles resists cutting and prying
- 40 number, 3-number dialing provides thousands of possible combinations available
- Dial automatically locks under shackle tension to prevent "feeling out" the combination and automatically scrambles when closed to prevent accidental opening
- Fits lockers with a padlock eye of at least 5/16" (8 mm) in diameter

MASTER LOCK SUPERVISORY COMBINATION PADLOCKS

- The model SAX608 combination padlock allows a control key to be used by a supervisor to access all combination padlocks in their system - great for storage lockers
- SAX609 control key sold seperately, please call your branch for charting these locker systems

Model	Mfg.	Bod	ly Size	Body	Shao	ckle Clear	ance	Shipping	Price
No.	No.	Width"	Thickness"	Material	Α"	В"	C"	Weight (lbs.)	/Each
SAX608	1525	17/8 Dia.	3/4	Stainless Steel	9/32	3/4	13/16	0.55	
SAX609	K1525	Contr	ol Key	Brass	-	-	-	0.02	

MASTER LOCK COMBINATION PADLOCKS


- · World's best selling combination lock
- Hardened steel shackle for extra cut resistance
- Combination security for kelyless convenience
- Double-armored stainless steel body
- 3-digit dialing and 1500 combinations for maximum security







SAX608

SR914







MASTER LOCK HIGH SECURITY HASPS

- · Ideal for vans, trucks, gates and vending machines
- Hardened steel hasp withstands forcible attacks
- Defeats attempts to pry and cut
- Designed to be used with SGC384 (hidden shackle lock) for maximum security





SE1522

Model	Mfg.		Hasp Le	ngth	Max Shackle Dia.	Shipping	Price
No.	No.	Description	Inches	mm	Inches mm	Weight (lbs.)	/Each
SA0687	770	9" x 4 1/2"	9	228	Accepts only puck locks	3.00	
SGC384	A2010	Lock	-	-		-	



MASTER LOCK HEAVY-DUTY SECURITY HASPS

- Zinc-plated hardened steel for added strength and weatherability
- Hardened steel staple resists cutting, sawing and hammering
- Hasp body conceals mounting hardware
- Mounting hardware included for easy installation
- Combine model SEJ522 with SGC384 (hidden shackle lock) for maximum security

Model	Mfg.		Hasp Le	ngth	Max Sha	ckle Dia.	Shipping	Price
No.	No.	Description	Inches	mm	Inches	mm	Weight (lbs.)	/Each
SEJ522	730	7 1/4" Straight Bar	7 1/4	180	7/16	11	1.25	
SGC384	A2010	Lock	-	-	-	-	-	



MASTER LOCK HINGED SECURITY HASPS

- Secure hard-to-lock property, ideal for corners and angles
- Hardened steel body for added strength
- Hardened boron alloy staples resist cutting and sawing
- Single and double hinge styles with hidden hinge pins







Model	3		Hasp Length		Max Shackle Dia.		Shipping	Price
No.	No.	Description	Inches	mm	Inches	mm	Weight (lbs.)	/Each
SEJ523	722DPF	Double Hinge	7 3/4	197	7/16	11	0.94	
SEJ524	720DPF	Single Hinge	6 1/4	159	7/16	11	0.80	



SEI523

MASTER LOCK GENERAL SECURITY HASPS

- · Hardened wrought ribbed steel and rolled edge design for added strength
- · Hardened steel staples resist cutting and sawing
- Hardened steel locking eyes for strong cut resistance
- Tamper proof hinges help resist prying





Model	Mfg.		Hasp Le	ength	Max Shac	kle Dia.	Shipping	Price
No.	No.	Description	Inches	mm	Inches	mm	Weight (lbs.)	/Each
SEJ525	706D	Hard Wrought Steel Body	6	152	9/16	14	0.60	
SEJ526	704DPF	Hard Wrought Steel Body	4 1/2	114	1/2	13	0.40	
SAG267	703D	Hard Wrought Steel Body	3 1/2	89	11/32	9	0.30	
SEJ527	702D	Hard Wrought Steel Body	2 1/2	64	9/32	7	0.20	

ZENEX™ DIELECTRIC SAFETY PADLOCKS

- Designed exclusively for confined space, medical, military and electrical lockout/tagout
- Nylon shackle does not conduct electricity and is non-sparking
- All components are non-sparking and non-magnetic plastic, copper and brass
- · Shackle withstands over 300-lb. pull force





406 SERIES

Model	Mfg.		Boo	ly Size	Body		hackle Clearan	:e	Shipping	Price
No.	No.	Colour	Width"	Height"	Material	Width"	Height"	Dia."	Weight (lbs.)	/Each
SAR833	406RED	Red	1 1/2	1 3/4	Thermal Plastic	25/32	1 1/2	1/4	0.21	
SAR834	4060RJ	Orange	1 1/2	13/4	Thermal Plastic	25/32	1 1/2	1/4	0.21	
SAR835	406YLW	Yellow	1 1/2	13/4	Thermal Plastic	25/32	1 1/2	1/4	0.21	
SAR836	406GRN	Green	1 1/2	13/4	Thermal Plastic	25/32	1 1/2	1/4	0.21	
SAR837	406BLU	Blue	1 1/2	13/4	Thermal Plastic	25/32	1 1/2	1/4	0.21	
SAR838	406BLK	Black	1 1/2	13/4	Thermal Plastic	25/32	1 1/2	1/4	0.21	
SAR839	406PRP	Purple	1 1/2	13/4	Thermal Plastic	25/32	1 1/2	1/4	0.21	
SAR840	406TEAL	Teal	1 1/2	13/4	Thermal Plastic	25/32	1 1/2	1/4	0.21	

S31 GLOBAL ZENEX™ THERMOPLASTIC SAFETY PADLOCKS

- $\bullet \ \ Designed \ to \ fit \ smaller \ diameter \ lockout \ points \ for \ lockout/tagout \ applications \ (ie \ European \ OEM \ Equipment)$
- 3/16" (4.76 mm) diameter shackle
- Marine grade 316 stainless steel shackle for superior corrosion resistance
- $\bullet \ \ \text{Special thermoplastic body offers superior performance against chemicals, moisture, heat, cold and UV}$
- Operates from -70°F to +350°F (-56°C to +176°C)
- · Key retaining, cannot remove key unless the shackle is closed
- Shackle withstands over 300-lb. pull force



Master Lock

S31 SERIES

Model	Mfg.		Boo	dy Size	Body	S	Shackle Clearance		Shipping	Price
No.	No.	Colour	Width"	Height"	Material	Width"	Height"	Dia."	Weight (lbs.)	/Each
SED617	S31BLK	Black	13/8	17/8"	Thermal Plastic	5/8	1 1/2	3/16	0.23	
SED618	S31BLU	Blue	1 3/8	17/8"	Thermal Plastic	5/8	1 1/2	3/16	0.23	
SED619	S31GRN	Green	1 3/8	1 7/8"	Thermal Plastic	5/8	1 1/2	3/16	0.23	
SED620	S310RJ	Orange	1 3/8	17/8"	Thermal Plastic	5/8	1 1/2	3/16	0.23	
SED621	S31RED	Red	13/8	1 7/8"	Thermal Plastic	5/8	1 1/2	3/16	0.23	
SEJ529	S31YLW	Yellow	13/8	1 7/8"	Thermal Plastic	5/8	1 1/2	3/16	0.23	

ZENEX™ THERMOPLASTIC SAFETY PADLOCKS

- Designed exclusively for lockout/tagout
- Durable, lightweight, non-conductive body is easy to carry
- Special thermoplastic body offers superior performance
- against chemicals, moisture, temperature and UV
- Reserved-for-safety cylinder provides over 40,000 unique key changes available
- Key retaining ensures that padlocks are not left unlocked, cannot remove key until shackle is closed
- Includes write-on "Danger" and "Property of" labels in English, French and Spanish
- Locks comes with one key: Compliance with OSHA "one employee, one lock, one key" directive
- Optional shackle heights of 1-1/2" or 3" are available upon request
- For extra keys or master keying, please call us
- Body size:
- 410 Series: 1-1/2" W x 1-3/4" H **411 Series:** 1-1/2" W x 3" H
- Body material: Thermal plastic
- Shackle clearance: 25/32" W x 1-1/2" H x 1/4" Dia.

410 SERIES - KEYED DIFFERENT

Model No.	Mfg. No.	Colour	Price /Each
NU.	NO.	Coloui	/Edtii
SAL134	410BLK	Black	
SAL135	410BLU	Blue	
SAL136	410GRN	Green	
SAL137	4100RJ	Orange	
SAL138	410RED	Red	
SAL139	410YLW	Yellow	

410 SERIES - KEYED ALIKE*

Model	Mfg.		Price
No.	No.	Colour	/Each
SETS OF 3			
SDM765	410KAS3RED	Red	
SDM767	410KAS3YLW	Yellow	
SDM761	410KAS3BLU	Blue	
SETS OF 6			
SDM773	410KAS6RED	Red	
SDM775	410KAS6YLW	Yellow	
SDM769	410KAS6BLU	Blue	
SETS OF 12			
SDM781	410KAS12RED	Red	
SDM783	410KAS12YLW	Yellow	
SDM777	410KAS12BLU	Blue	

SAL142

SAL144



SAL135



Master

SAL137

411 SERIES - KEYED DIFFERENT

Model	Mfg.		Price
No.	No.	Colour	/Each
SAL140	411BLK	Black	
SAL141	411BLU	Blue	
SAL142	411GRN	Green	
SAL143	4110RJ	Orange	
SAL144	411RED	Red	
SAL145	411YLW	Yellow	

411 SERIES - KEYED ALIKE*

Model	Mfg.		Price
No.	No.	Colour	/Each
SETS OF 3			
SDM805	411KAS3RED	Red	
SDM807	411KAS3YLW	Yellow	
SDM801	411KAS3BLU	Blue	
SETS OF 6			
SDM813	411KAS6RED	Red	
SDM815	411KAS6YLW	Yellow	
SDM809	411KAS6BLU	Blue	
SETS OF 12			
SDM821	411KAS12RED	Red	
SDM823	411KAS12YLW	Yellow	
SDM817	411KAS12BLU	Blue	

PADLOCK IDENTIFICATION LABELS

- Optimize your facility's lockout practices with photo ID labels or laminated safety padlock labels for your employee's safety padlocks
- Photo ID labels: Self adhesive labels to be applied to your safety padlocks
- Customer can print their own photo and size it to fit photo ID label
- Laminated identification labels: Self adhesive labels with clear overlaminate to be applied to your safety padlocks





Master

Model	Mfg.		Dimensions			Price
No.	No.	Description	W"	х	T"	/Each
SEJ530	S142	Photo ID Labels for 410, S31, S33 Padlocks (6 labels/pkg.)	1	Х	1	
SEJ531	0411-5705	Photo ID Labels for 411 Series Padlocks (6 labels/pkg.)	1	Х	3-5/8	
SEJ532	6835-5700	Photo ID Labels for Aluminum Padlocks (6 labels/pkg.)	1-1/4	Х	2-3/4	
SEJ533	461	Padlock Safety Labels w/clear overlaminates (50 labels/pkg.)	5	Х	1	

LASER ENGRAVING

- A permanent and durable method to customize your safety padlocks
- Available on Master Lock/American Lock aluminum and ZenexTM padlocks
- · Laser engrave information on the padlock face, side and back
- · A name, company logo or key number, you select the important information to engrave on the padlock
- For further laser engraving customization of your padlocks, please call us!

Also available in other colours *Each keyed alike set includes 2 keys only per set.

Also available in other colours *Each keyed alike set includes 2 keys only per set.

AMERICAN LOCK® **ALUMINUM SAFETY PADLOCKS**

- · Lightweight solid aluminum body for lockout/tagout
- Durable, anodized colour finish is suitable for lockout/tagout procedures in food and pharmaceutical manufacturing
- Uses FDA approved lubricants safe for use in food processing
- 1/4" diameter boron steel shackle with plated finish for corrosion resistance
- · Over 10 000 unique key changes available
- Removable 5-pin cylinder can be replaced or repined
- Safety colour recognition, plus high security
- Key retaining option available. Includes two keys per lock
- Optional shackle heights of 1", 1-1/2" or 3" are available upon request
- Your facility's padlocks can be key charted to ensure no key duplication on site... ask about this service
- For master keying, please call us
- Body size: 1-1/2" W x 1-3/4" H
- Body material: Aluminum
- Shackle clearance: 3/4" W x 1" H x 1/4" Dia.



/MERICAN

A1105 SERIES - KEYED DIFFERENT

Model	Mfg.		Price
No.	No.	Colour	/Each
SA0712	A1105BLK	Black	
SA0713	A1105BLU	Blue	
SA0714	A1105GRN	Green	
SA0715	A11050RJ	Orange	
SA0716	A1105RED	Red	
SA0717	A1105YLW	Yellow	
SA0718	A1105BRN	Brown	
SA0719	A1105CLR	Clear	
SA0720	A1105PRP	Purple	

A1105 SERIES - KEYED ALIKE*

Model No.	Mfg. No.	Colour	Price /Each
	110.	Coloui	/ Eucl
SETS OF 3			
SDM877 A1105KAS3RED		Red	
SDM878	A1105KAS3YLW	Yellow	
SDM871	A1105KAS3BLU	Blue	
SETS OF 6			
SDM886	A1105KAS6RED	Red	
SDM887	A1105KAS6YLW	Yellow	
SDM880	A1105KAS6BLU	Blue	
SETS OF 12			
SDM895	A1105KAS12RED	Red	
SDM896	A1105KAS12YLW	Yellow	
SDM889	A1105KAS12BLU	Blue	
Alan available i	a ashan aalanna		

MASTER LOCK® ALUMINUM SAFETY PADLOCKS

- · Lightweight solid aluminum body
- Durable, baked on powder-coat colour finish stays bright in all UV conditions
- 1/4" diameter boron steel shackle with plated finish for corrosion resistance
- Over 10 000 unique key changes available
- Key retaining option available. Includes two keys per lock
- Optional shackle heights of 1", 1 1/2" or 3" are available upon request
- Your facility's padlocks can be key charted to ensure no key duplication on site....ask about this service

For master keying, please call us

- Body size: 1-1/2" W x 1-3/4" H
- Body material: Aluminum
- Shackle clearance: 25/32" W x 1" H x 1/4" Dia.



Master

6835 SERIES - KEYED DIFFERENT

Model	Mfg.		Price
No.	No.	Colour	/Each
SN709	6835RED	Red	
SN710	6835BLU	Blue	
SN711	6835GRN	Green	
SN712	6835YLW	Yellow	
SN713	68350RJ	Orange	
SN714	6835BLK	Black	

6835 SERIES - KEYED ALIKE*

Model	Mfg.		Price
No.	No.	Colour	/Each
SETS OF 3			
SDM844	6835KAS3RED	Red	
SDM845	6835KAS3YLW	Yellow	
SDM841	6835KAS3BLU	Blue	
SETS OF 6			
SDM850	6835KAS6RED	Red	
SDM851	6835KAS6YLW	Yellow	
SDM847	6835KAS6BLU	Blue	
SETS OF 12			
SDM856	6835KAS12RED	Red	
SDM857	6835KAS12YLW	Yellow	
SDM853	6835KAS12BLU	Blue	
Also available	in other colours		

Also available in other colours *Each keyed alike set includes 2 keys only per set.



Also available in other colours
*Each keyed alike set includes 2 keys only per set.

MASTER LOCK® LAMINATED STEEL SAFETY LOCKOUT PADLOCKS

- Reinforced laminated steel body construction withstands physical abuse
- Key code stamped on key and on bottom of padlock for easy identification
- Uses FDA approved lubricants safe for use in food processing
- 9/32" diameter boron steel shackle with plated finish for corrosion resistance
- Over 1,400 unique key changes available
- · Comes with two keys per padlock
- Optional shackle heights of 3/4", 1 1/2" or 2" are available upon request
- Your facility's padlocks can be key charted to ensure no key duplication on site....ask about this service
- · For keyed alike options or master keying, please call us


















Master Lock

3 SERIES

Model	Mfg.		Во	dy Size	Body	S	hackle Clearan	ce	Shipping	Price
No.	No.	Colour	Width"	Thickness"	Material	A"	В"	C"	Weight (lbs.)	/Each
SAL146	3BLU	Blue	1-9/16	1-1/2	Laminated Steel	9/32	3/4	5/8	0.40	
SAL147	3RED	Red	1-9/16	1-1/2	Laminated Steel	9/32	3/4	5/8	0.40	
SAL148	3YLW	Yellow	1-9/16	1-1/2	Laminated Steel	9/32	3/4	5/8	0.40	
SAL149	3GRN	Green	1-9/16	1-1/2	Laminated Steel	9/32	3/4	5/8	0.40	
SAL150	3BLK	Black	1-9/16	1-1/2	Laminated Steel	9/32	3/4	5/8	0.40	
SAL151	3WHT	White	1-9/16	1-1/2	Laminated Steel	9/32	3/4	5/8	0.40	
SAL152	3LHBLU	Blue	1-9/16	1-1/2	Laminated Steel	9/32	2	5/8	0.42	
SAL153	3LHRED	Red	1-9/16	1-1/2	Laminated Steel	9/32	2	5/8	0.42	
SAL154	3LHYLW	Yellow	1-9/16	1-1/2	Laminated Steel	9/32	2	5/8	0.42	
SAL155	3LHGRN	Green	1-9/16	1-1/2	Laminated Steel	9/32	2	5/8	0.42	
SAL156	3LHBLK	Black	1-9/16	1-1/2	Laminated Steel	9/32	2	5/8	0.42	
SAL157	3LHWHT	White	1-9/16	1-1/2	Laminated Steel	9/32	2	5/8	0.42	

LATCH TIGHT™ LOCK BOXES

- Integrated storage organizes up to 12 keys or hundreds of bulk keys
- Can only release when no padlocks are fastened to the lock box
- Works with all safety padlock shackle sizes and lengths
- Traditional bulk key storage is also possible through the key slot in front of the lock box lid
- Has lockout points for 14 padlocks or hasps
- · Unit can be mounted to a wall or carried with the comfortable form fitted handle
- Powder coated finish on heavy-duty steel box and stainless steel handle withstand harsh industrial environments



LATCH TIGHT™ PORTABLE LOCK BOXES

- With new Latch Tight[™] locking mechanism
- English, Spanish, French message on box
- Accepts 12 padlocks or lockout hasps
- Complements SAO597 and \$AO628 wall mount lock box (call for more info)



Master

Model	Mfg.		Price
No.	No.	Colour	/Each
SA0597	503RED	Red	
SA0628	503YEL	Yellow	

Master

Model	Mfg.		Price
No.	No.	Colour	/Each
SAL519	498A	Red	

PORTABLE LOCK BOXES

- · 430-grade stainless steel construction maximizes corrosion resistance
- Clear, impact-resistant window provides visibility to secured keys
- 18 numbered lockout holes for easy identification
- Latch with lock hole on front for operations lock
- Flanged design on sides offers easy application of locks
- Gasketed key slot to drop keys into removable cup
- Drain holes on bottom to limit liquids from accumulating inside
- Stackable design facilitates storage and simplifies transporting multiple boxes
- Replacement removable key cups available (PKGP43216)

Model	Max No.	Internal Storage Dimensions					Price	
No.	of Padlocks	Description	L"	X	W"	X	H"	/Each
SGC387	30	Small Group Lock Box	9 11/16	Х	4 7/8	Х	5 13-32	
SGC388*	30	Small Group Lock Box	9 11/16	Х	47/8	Х	5 13/32	
SGC389	55	Large Group Lock Box	9 11/16	Х	47/8	Х	7 49/64	







SGC388



Master

PADLOCK CADDIES

- Durable plastic construction
- Allows user to carry or store safety locks to address all lockout points
- Can be customized to the number of padlocks needed by user for lockout points (max 12 locks)
- Can be carried, mounted on belt or hung at lockout site
- · Collated key holder ensures user's key is with the locks
- Dimensions: 7 1/4" W x 5 1/8" H x 19/32" Thick
- · Ergonomic carry handle

Model No. SAR846 Mfg. No. S125 Price/Each \$

Master Lock

Note: Padlocks and key not included



HEAVY-DUTY PADLOCK RACK STATIONS

- · Locate padlocks near lockout point
- · Heavy gauge steel with durable powder coat finish ensures long life in manufacturing environment
- · Includes labels in English, French and Spanish





Master

Model No.	Mfg. No.	Description	Padlock Capacity	Price/Each
SAP985	S1506	6 1/4" x 1 1/2"	6 to 8	
SAP986	S1518	17 1/2" x 1 1/2"	18 to 22	

LOCKS AND HASPS NOT INCLUDED

TAG STATIONS

- · Durable tag centre holds 18 tags
- Hanger clips hold padlocks and hasps
- Includes face labels in English, French and Spanish
- Dimensions: 9 3/4" x 5 3/4" x 1 1/2"



SAP987







Model No.	Mfg. No.	Description	Price/Each
SAP987	S1601	Tag Centre (unfilled)	
SAP989	S1601FRC	Tag Centre, 12 Bilingual Tags	

COMPACT LOCKOUT STATIONS

- Ideal for locating machine specific lockout devices, tags and padlocks near lockout point
- 6 1/2" W x 2 7/8" D x 2 7/8" H bin holds circuit breaker lockouts, valve lockouts, plug lockouts, tags and much more
- Hanger clips hold padlocks and hasps
- Dimensions: 9 3/4" x 7 3/4" x 3 3/8"
- Includes face labels in English, French and Spanish





SAP990





Model No.	Mfg. No.	Description	Contains	Price/Each
SAP990	S1700	Compact Lockout Station	Unfilled	
SAP991	S1705P410	Compact Lockout Station	One hasp, two tags, 1 Zenex™ Lock	
SAP992	S1720E410	Circuit Breaker Lockout Station	Two SA0595 and two SA0594 breaker lockouts, four tags and two Zenex [™] Locks	
SAP993	S1745E410	Plug Lockout Station	One plug lockout, one tag and one Zenex™ Lock	

LOCKOUT STATIONS

Virtually Indestructible, the Strongest Stations Available!

- · Integrated, one-piece molded construction eliminates loose parts
- Resilient polycarbonate material provides twice the heat resistance and quadruples the impact strength of typical stations
- Reinforced snap-lock clips provide easy padlock and hasp storage and removal
- Exclusive translucent lockable cover protects contents and prevents loss of valuable safety lockout padlocks
- · Innovative hinge holds cover open for easy product selection
- Available with your choice of safety lock design with highly visible red locks keyed different of ZenexTM, aluminum or laminated steel in 4, 10 or 20 lock format
- Zenex[™] locks available with up to 100,000 key changes available to fit even the largest lockout systems
- Compliant with OSHA "One employee, One lock, One key" directive
- Lockout stations are bilingual with English/ French labels and lockout tags

SAO601

Master



4-LOCK STATIONS INCLUDE:

- 4 Master Lock® Safety SeriesTM padlocks
- 2 Safety Series[™] hasps for lockouts by up to six workers
- 12 Safety SeriesTM heavy-duty bilingual "Do Not Operate" lockout I.D. tags with brass grommets
- Dimensions: 12.25" x 16" x 1.75"

Model	Mfg.		Price
No	No.	Description	/Each
SA0598	1482BFRC	Base only (unfilled)	
SA0601	1482BP3FRC	Station with Laminated Padlocks	
SA0602	1482BP410FRC	Station with Zenex™ Padlocks	
SA0603	1482BP1106FRC	Station with American Lock® Aluminum Padlocks	

10-LOCK STATIONS INCLUDE:

- 10 Master Lock® Safety SeriesTM padlocks
- 2 Safety SeriesTM hasps for lockouts by up to six workers
- 24 Safety SeriesTM heavy-duty bilingual "**Do Not Operate**" lockout I.D. tags with brass grommets
- Dimensions: 15.5" x 22" x 1.75"

Model	Mfg.		Price
No	No.	Description	/Each
SA0599	1483BFRC	Base only (unfilled)	
SA0604	1483BP3FRC	Station with Laminated Padlocks	
SA0605	1483BP410FRC	Station with Zenex [™] Padlocks	
SA0606	1483BP1106FRC	Station with American Lock® Aluminum Padlocks	

SAO605



SAO609



20-LOCK STATIONS INCLUDE:

- 20 Master Lock® Safety Series™ padlocks
- 4 Safety Series[™] hasps for lockouts by up to six workers
- 48 Safety SeriesTM heavy-duty bilingual "**Do Not Operate**" lockout I.D. tags with brass grommets

 • Dimensions: 22" x 22" x 1.75"

Model No	Mfg. No.	Description	Price /Each
SA0600	1484BFRC	Base only (unfilled)	
SA0607	1484BP3FRC	Station with Laminated Padlocks	
SA0608	1484BP410FRC	Station with Zenex [™] Padlocks	
SA0609	1484BP1106FRC	Station with American Lock® Aluminum Padlocks	

DELUXE LOCKOUT STATIONS

- · Durable construction ensures long life in your facility
- · Covered compartments protects devices and keep dust and grime out
- Upper section is lockable ensuring lockout devices are there when needed
- · Add a combination lock for simple access control
- · 16 hanger clips holds two padlocks or hasps each
- Moveable dividers in top and bottom trays help organize devices
- Holes provided along the bottom for optional peg hook hangers to hang bulky devices
- Lower half has two tip-out drawers, each measuring 10" W x 6 7/8" H x 1/4" D
- Dividers included to create 2, 3, 4, 5 or 6 compartments
- Each compartment in lower section holds 25 tags, 150 tags total
- Lockout stations are bilingual with English/French labels and lockout tags
- Dimension: 23.5" W x 4.5" D x 27" H
- Station includes: 6 padlocks, 2 hasps, 1 snap-on hasp, 1 adjustable cable lockout, 4 gate valve lockout,
- 2 ball valve lockout , 1 compact plug prong lockout, 1 plug cover, 6 circuit breaker lockout , 2 wall switch covers, 2 packs of tags (12/pack)



Model	Mfg.		Price
No.	No.	Description	/Each
SAS415	S1900FRC	Base only (unfilled)	
SAS412	S1900VE410FRC	Station with Zenex [™] Padlocks	
SAS413	S1900VE1106FRC	Station with American Lock® Aluminum Padlocks	



SAS412

LOCKOUT STATIONS

- Durable construction for years of use in corrosive environments
- · Eight hanger clips holds two padlocks or lockout hasps each
- · Holes provided along with bottom for optional peg hook hangers to hang bulky devices
- · Lockable use a combination padlock to limit access to authorized employees
- · Covered compartments protect devices and keep dust and grime out
- Dimensions: 23.5" W x 4.5" D x 15.5" H
- Electrical focus station includes: 6 padlocks, 1 hasp, 1 snap-on hasp, 1 compact plug prong lockout, 1 plug cover, 4 circuit breaker lockout, 2 wall switch covers, 2 packs of tags (12/pack)
- Valve lockout focus station includes: 6 padlocks, 1 hasp, 1 snap-on hasp, 3 gate valve lockout, 2 ball valve lockout, 2 tags (12/pack)



SAS417



Model No.	Mfg. No.	Description	Price /Each
ELECTRICA	AL FOCUS STATIONS		
SAS416	S1850FRC	Base only (unfilled)	
SAS417	S1850E410FRC	Station with Zenex [™] Padlocks	
SAS418	S1850E1106FRC	Station with American Lock® Aluminum Padlocks	
VALVE LO	CKOUT FOCUS STATIC	ONS	
SAS416	S1850FRC	Base only (unfilled)	
SAS420	S1850V410FRC	Station with Zenex [™] Padlocks	
SAS421	S1850V1106FRC	Station with Aluminum American Lock® Padlocks	

SAS420



DELUXE TAG CENTRES

- Two tip-out bins each have three compartments for tags
- Each compartment holds 25 tags, capacity 150 tags
- Compartments can also hold safety eyewear and ear protection
- Each tip-out drawer measures 10" W x 6 3/4" H x 3 1/2" D
- Eight hanger clips can hold safety padlocks or hasps

Dimension: 22" W x 4" D x 11" H

Model No. SAS423 Mfg. No. S1800 Price/Each \$



TAGS NOT INCLUDED

SAS423



FFICE INSTRUMENDUCTS SCALES 8

SHIPPING 8

TOOLS &

WELDING &

SAFETY EQUIPMENT & SUPPLIES JANITORIAL 8 MAINTENANC

HANDLING 8

MINI LOCKOUT STATIONS

- Four solid Master Lock® padlocks with blue bumpers
- 25 durable lockout tags, 3" x 5 3/4", printed with "Do Not Operate"
- Tags are made of 20 mil styrene
- Three metal lockout hasps
- Lockouts are 4 3/8" long, have a 1" hasp and a perforated tab that is painted red and can accommodate up to six locks
- Lockout station is made of double-walled polystyrene, comes with pre-drilled mounting holes and metal hooks
- Size of station: 11" x 14"

Honeywell

NORTH

English Model No.	Mfg. No.	French Model No.	Mfg. No.	Description	Price /Each
SI957	LSE104	SE323	LSF104	Empty Station	
S1958	LSE104F	SE324	LSF104F	Station w/Accessories	





SINGLE LOCKOUT STATIONS

- 10 solid Master Lock[™] padlocks with blue trim
- 50 durable lockout tags, 3" x 5 3/4", printed with "Do Not Operate"
- Tags are made of 20 mil styrene
- Three metal lockout hasps
- Lockouts are 4 3/8" long, have a 1" hasp and a perforated tab that is painted red and can accommodate up to six locks
- · Lockout station is made of double-walled polystyrene, comes with pre-drilled mounting holes and metal hooks
- Size of station: 14" x 21"

Honeywell

NORTH

English Model No.	Mfg. No.	French Model No.	Mfg. No.	Description	Price /Each
S1959 S1960	LSE105 LSE105F	SE325 SE326	LSF105 LSF105F	Empty Station Station w/Accessories	

S1960

DEPARTMENT LOCKOUT STATIONS

- 20 solid Master Lock™ padlocks with blue trim
- 100 durable lockout tags, 3" x 5 3/4", printed with "Do Not Operate"
- Tags are made of 20 mil styrene
- Six metal lockout hasps
- Lockouts are 4 3/8" long, have a 1" hasp and a perforated tab that is painted red and can accommodate up to six locks
- Lockout station is made of double-walled polystyrene, comes with pre-drilled mounting holes and metal hooks
- Size of station: 21" x 29"
- Available only in English

Honeywell

NORTH

Mode No.	Mfg. No.	Description	Price /Each
SI961	LSE106	Empty Station	
SI962	LSE106F	Station w/Accessories	





LOCKOUT TOOL BOXES WITH COMPONENTS

A crucial part of any lockout/tagout program is to prevent worker injury by cutting the power on a piece of equipment that is being serviced. The Lockout Tool Box, 17" W x 5" D x 4 1/2" H, has what you need to lock and mark your equipment preventing its use until repairs have been completed.

KIT CONTAINS:

- 1 Plastic lockout tool box w/tray
- 1" to 2.5" gate valve lockout
- Small ball valve lockout
- 3/4" blue padlock
- 1 2" blue padlock
- 1 Wall switch lockout
- 1 Labeled lockout hasp
- 5 Lockout tags
- 1 Universal multi-pole lockout
- 1 277 V "No Hole" breaker lockout
- 1 480/600 V "No Hole"
- breaker lockout 1 Small plug lockout

BRADY®



COMBINATION LOCKOUT STARTER KITS

Protect your employees and comply with OSHA standards with the Combination Lockout Starter Kit. Whether you want to secure breakers wall switches, plugs or gate and ball valves, this kit has the lockout devices to get you started.

KIT CONTAINS:

- 6 Single pole breaker lockouts
- 227 V "No Hole" breaker lockouts
- Universal multi-pole breaker lockouts

Model No. SG946 Mfg. No. 65289 Price/Each \$

- Wall switch lockouts
- Small plug lockout
- Large plug lockout
- 2 1" to 2.5" gate valve lockouts
- 2 2.5" to 5" gate valve lockouts

Model No. SG947 Mfg. No. 65779 Price/Each \$

- Small ball valve lockouts
- Large ball valve lockouts
- Red labeled lockout hasps
- 3/4" blue padlocks
- 2" blue padlocks
- Lockout tags
- Yellow canvas locking carrying bags

BRADY



ELECTRICAL LOCKOUT TOOLBOXES

• All the basics for locking out breakers, electrical plugs, wall switches and fuses

KIT CONTAINS:

- 2 Mini cable lockouts
- 2 120 V snap-on breaker lockouts
- 2 120 V/277 V clamp-on breaker lockouts w/cleats
- 2 480 V/400 V Clamp-On Breaker Lockouts w/cleats
- 2 Universal multi-pole breaker lockouts
- 1 Oversized breaker lockout
- 13-in-1 plug lockout
- 1 Wall switch lockout
- 1 Small fuse blockout
- 1 Large fuse blockout
- 1 Extra-large lockout toolbox





Model No.	Mfg. No.	Description	Price /Each
SEC369	99310	Electrical Lockout Toolbox Kit	
SEC370	99312	Kit w/2 Safety Padlocks & 2 Tags	

PERSONAL BREAKER LOCKOUT POUCHES

- · Pouch contains one each of the most popular circuit breaker lockouts
- Covers 120 V/277 V and 460 V/600 V breakers in single- and multi-pole configurations

- 1 120 V/277 V clamp-on breaker lockout w/cleat
- 1 480 V/600 V clamp-on breaker lockout w/cleat
- 1 Universal multipole breaker lockout
- 2 1" group lockout hasps
- 2 Heavy-duty lockout tags w/nylon cable ties
- 1 Lockout belt pouch





Model	Mfg.		Price
No.	No.	Description	/Each
SEC367	105966	Personal Breaker Lockout Pouch Kit	
SEC368	105967	Kit w/2 Keyed-Alike Safety Padlocks	

PERSONAL LOCKOUT POUCHES

- Easy to carry pouch holds lockout essentials
- Holds one worker's personal padlocks, tags and circuit breaker devices

KIT CONTAINS:

- Padlock SAL138
- Pouch SAL538
- Breaker switch padlock SAL525
- Hasp SA875
- Circuit breaker lockouts SAO595
- Circuit breaker lockouts \$AO594

SED603

"DO NOT OPERATE" tags - see SBD042 for English and SEC862 for French replacement tags (25/pkg.)







Model No.	Mfg. No.	Description	Price/Each
SAL515	1456E410	Large Pouch w/Zenex™ Padlock	
SAL538	1456	Large Pouch Only	
SED603	S1010E410	Compact pouch w/Zenex [™] padlock	
SED602	S1010	Compact pouch only	

ELECTRICAL LOCKOUT KITS

(KEYED ALIKE PADLOCKS)

- Safety lockout carrying case keeps important lockout devices and padlocks together
- · Personal kits are for the individual worker; padlocks supplied are keyed-alike for added worker convenience
- · Kits include high-use components, satisfying most applications

KIT CONTAINS:

- Zenex[™] Padlocks
- Portable safety carrying case SEC446
- Breaker switch padlock SAL525
- Hasp SA875
- Snap-on hasp SAL541
- Circuit breaker lockouts SAO595
- 2 Circuit breaker lockouts SAO594
- Wall switch cover see SAO708 for replacement cover
- 12 "DO NOT OPERATE" tags see SBD042 for English and SEC862 for French replacement tags (25/pkg.)





Model No. Mfg. No.		Description	Price/Each
SAL536	1457E410KA	w/Zenex™ Padlocks	
SAL536 SAL537 SEC446	1457E3KA	w/Steel Padlocks	
SEC446	S1017	Carrying Case Only	

Master

ELECTRICAL & VALVE LOCKOUT KITS

- Modular lockout/tagout organizers
- · Lightweight safety lockout carrying case with modular, translucent storage compartments for improved organization and fast component selection
- Separate compartments for effective grouping of (1) padlocks and hasps, (2) valve lockout and (3) electrical lockout components
- Kits include high-use components, satisfying most applications
- Group kits are for multiple workers; padlocks supplied are keyed-different, so that no unwanted key interchange occurs
- Include permanent write-on labels (English, French and Spanish) that allow instant on-site customization for each worker



Model No. Price/Each Mfg. No. Description SAL517 1458VE410 SAL543 1458 Portable Safety Organizer Only


KIT CONTAINS:

- Padlocks SAL138 for SAL517
- Portable safety organizer SAL543
- Breaker switch padlocks SAL525
- Hasp **SA875**
- Snap-on hasp SAL541
- Adjustable cable lockout SED597 Plug cover lockout SAL520 Plug cover lockout SAL521

- SAL526, SAL527 and SAL528 gate valve cover
- Ball valve covers see SAO596 for replacement covers
- Circuit breaker lockouts SAO595
- Circuit breaker lockouts SAO594
- Wall switch covers see SAO708 for replacement cover
- "DO NOT OPERATE" tags see SBD042 for English and SEC862 for French replacement tags (25/pkg.)

ADJUSTABLE CABLE LOCKOUTS

- Infinitely adjustable for a secure fit every time
- Integrated, single-piece safety hasp and cable for ease-of-use Ideal for both multiple circuit breaker panel and side-by-side gate valve lockouts
- Tough, lightweight, ZenexTM thermoplastic body
- withstands chemicals; performs effectively in extreme conditions Tough flexible multistranded steel cable is insulated with a clear plastic coating
- Up to four workers can apply their personal safety locks
- Red lockout colour identifies the safety lockout application
- Complete with high-visibility permanent safety labels (English, French and Spanish) that can be written on to identify the responsible person and then erased for the next job
- Custom cable lengths available



Master

Model No.	Mfg. No.	Description	Price /Each
SED596	S806CBL3	Cable lockout w/3' cable	
SED597	S806	Cable lockout w/6' cable	
SED598	S806CBL15	Cable lockout w/15' cable	



LABELED SNAP-ON HASPS

- · Combines multiple-person lockout and tagout identification
- Features an easy-to-apply "snap-on" advantage with its spring-loaded locking arm
- Fits more lockout points than alternative rivet-hinge labeled lockout hasps
- Anodized aluminum and stainless steel construction for combined corrosion resistance and strength
- Complete with high-visibility permanent safety labels (English, French and Spanish) that can be written on to identify the responsible person and then erased for the next job
- Max. No. of Padlocks: 5



Model	Mfg.		Price
No.	No.	Colour	/Each
SAL541	427	Red	
SAQ002	427YLW	Yellow	

LOCKOUT HASPS

Multiple lockouts provide a means of locking control devices for machinery or electrical power sources, while maintenance or repairs are being carried out. Designed for use on fuse and switchboxes, air, steam, or acid valves. Accommodates padlock shackles up to 3/8" diameter and hasp is 1" diameter.



Model No.	Mfg No.	Description	Dimensions"	Price /Each
SC703	RSE66	Dual Scissor, Steel Polyester-Coated	5-1/4	
XA231	RAE60	Single Scissor, Aluminum Polyester-Coated	4-3/8 x 3/8	
SC706	MS01	Nylon Dielectric Single Vertical Line Lock	1-5/8 x 6-7/8	
SA0703	429	Dual Jaw Aluminum	2 x 5-7/8	
SA0704	418	4-Lock Heavy-Duty Steel	2-3/8 x 3-1/4	
SA0705	419	8-Lock Heavy-Duty Steel	2-3/8 x 6-7/8	

SAFETY LOCKOUT HASPS

- Attach hasp to energy disconnect switch
- Control cannot be turned on until last worker's padlock is removed from hasp
- · Multiple styles available





SAO704





SAN508







SAO703

SEA315			SA875		SARU/5		SED601	
Model No.	Mfg. No.	Description	Dimensions W" x L"	Inside Jaw Clearance"	Jaw Dia.	Padlock Capacity	Price /Each	
SEA314	416	Spark Resistant Aluminum	1-1/2 x 4-3/8	1	1/4"	6		
SEA315	417	Spark Resistant Aluminum	2 x 4-7/8	1-1/2	1/4"	6		
SA0704	418	Heavy-Duty Steel	2-3/8 x 3-1/4	1	1/4"	4		
SA0705	419	Heavy-Duty Steel	2-3/8 x 6-7/8	3	1/4"	8		
SA875	420	Steel Jaw w/Vinyl Coated Handle	1-3/4 x 4-1/2	1	1/4"	6		
SA876	421	Steel Jaw w/Vinyl Coated Handle	2-3/8 x 5	1-1/2	1/4"	6		
SAN507	422	Economy Yellow Safety Hasp w/Locking Tabs	1-3/4 x 4-1/2	1	1/4"	6		
SAN508	424	Economy Yellow Safety Hasp w/Locking Tabs	2-3/8 x 5	1-1/2	1/4"	6		
SAR075	428	Nylon Non-Conductive Hasp	1-5/8 x 6-7/8	1 x 2-1/2	3/16"	6		
SA0703	429	Dual Jaw Aluminum Hasp	2 x 5-7/8	1 x 2-1/2	1/4"	8		
SED601	S430	Steel Hasp w/Red Plastic Handle	2-1/4 x 3"	1	4 mm	2		

ROTATING ELECTRICAL PLUG LOCKOUTS

- · Outward/inward rotation allows for easier installation and storage
- Unique outward rotation allows for easier installation in confined space applications
- Surrounds the electrical plug; protects against accidental reconnection
- Each size rotates into itself to fit effectively into safety tool boxes
- Tough, lightweight, dielectric Zenex[™] thermoplastic bodies withstand chemicals; perform effectively in extreme conditions (temperature range -50°F (-46°C) to 350°F (177°C))
- Complete with high-visibility permanent safety labels (English, French and Spanish)
- The SAL521 labels can be written-on to identify the responsible person and then erased for the next job



Model	Mfg.		Price
No.	No.	For Electrical Plugs Sizes Up To	/Each
SAL520	487	2 1/4" Dia. x 3 1/4" w/Cord Dia. up to 3/4" (Most 110- and Many 220-Volt Plugs)	
SAL521	488	3" Dia. x 6" w/Cord Dia. up to 3/4" (Most 220- and 550-Volt Plugs)	

CIRCUIT BREAKER SWITCH PADLOCKS

- Provides the flexibility to effectively lock out breaker switches
- Flexi-cable allows the lock body to be moved out of the way and panel door to be closed properly
- Fits the tight space constraints within a circuit breaker shutoff boxes
- Numerous key changes are available to minimize the possibility of unwanted key duplication
- 1 1/8" wide steel body; 4-pin cylinder; 5" flexible steel cable

Model No. SAL525 Mfg. No. 7C5RED Price/Each \$





UNIVERSAL WALL SWITCH COVERS

- Prevent unintentional toggling of wall switch to "ON" position
- One-time installation uses the existing wall plate screws
- Hinges open for unobstructed normal operation switch
- Lock the switch in either the "ON" or "OFF" position by closing the cover over the switch, then applying padlock
- Locks out both toggle and DecoraTM paddle wall switches

Model No. SAO708 Mfg. No. 496B Price/Fach S







GRIP TIGHT™ CIRCUIT BREAKER LOCKOUTS

- Exclusive design accommodates virtually all styles of breaker toggles
- Fits all American Lock® and Master Lock® safety padlocks and hasps
- Two products replace at least five. SAO595 is used for single and double breaker toggles, while SAO594 is appropriate for tall and wide breaker toggles
- Grips tight with a simple thumb turn and clamping handle
- Narrow profile permits side-by-side breaker lockout
- Made of powder coated steel and reinforced polymer to operate in harsh conditions





COMPACT PLUG PRONG LOCKOUTS

- Compact design locks out 110 V 120 V electrical plugs
- Works with two-prong or two-prong with ground plugs
- Can be used with safety padlocks or lockout hasps, no key needed
- New design can now accommodate larger shackle locks and safety hasps





Model	Mfg.		Price
No.	No.	Description	/Each
SAR841	S2005	Electrical Outlet Lockout	



Model No.	Mfg. No.	Description	Price /Each
SA0594	491B	Tall & Wide Toggles	
SA0595	493B	Standard Single and Double Toggles	
SA0707	506	Set of each SA0594 and SA0595	

CIRCUIT BREAKER LOCKOUTS

SINGLE POLE CIRCUIT BREAKER LOCKOUT

Requires a switch breaker with a recessed hole in it. Accommodates breakers up to 9/16" (14 mm) wide.

Model No. SC909 Mfg. No. CB01 Price/Each \$





DOUBLE POLE CIRCUIT BREAKER LOCKOUT

Requires the breakers to be connected with a cross bar for lockout applications. Accommodates breakers with an overall width of 1 7/8" (48 mm).


Model No. SC910 Mfg. No. CB02 Price/Each \$

SINGLE POLE CIRCUIT BREAKERS LOCKOUT

Does not require a switch breaker with a recessed hole in it. Accommodates circuit breakers with an overall width of 1/2" (13 mm).

Model No. SC911 Mfg. No. CB03 Price/Each \$





STEERING WHEEL COVERS

- Bilingual steering wheel covers notify employees not to start or move vehicles
- Lock in place with a \$A876 hasp and a safety padlock (see pages 768-772 for padlocks)
- For added security, use SED597 lockout cable around the steering wheel and foot pedals
- Three sizes available for various diameter steering wheels





Model No.	Mfg. No.	Steering Wheel Diameter"	Price /Each
SED181	KDD712	16	
SED182	KDD723	20	
SED183	KDD734	24	

ELECTRICAL PLUG LOCKOUTS

· Lockout electrical plugs from any accidental reconnection Made of high visibility red plastic

which is entirely dielectric · Model SA864 will accept

110 V, plug 3 1/4" x 1 3/4" with a maximum of 1/2" cable

 Model SA865 will accept 220 to 550 V, plug 6 3/4" x 3" with a maximum 1" cable

Honeywell

NORTH

		450						
Model Mfg.		Dimensions						Price
No.	No.	L"	X	W"	X	Н"	Volts	/Each
SA864	LP110	3 1/4	Х	13/4	Х	13/4	110	
SA865	LP550	6 3/4	Х	3	Χ	3	220-550	

SEAL TIGHT™ HANDLE-ON BALL VALVE LOCKOUTS

- Patent-pending innovative design locks out the ball valves from 1/4" to 4"
- Lightweight and compact ergonomic design allows easy use and storage
- Constructed of metal alloy, this lockout device withstands corrosive environments and operates in extreme temperatures
- Works in virtually all ball valve installations metal and PVC valves, insulated pipes, and pipes with tight access due to close proximity to other valves, pipes or structures
- Works with all Master Lock® and American Lock® safety padlocks and safety hasps

Model No. SAS463 Mfg. No. S3068 Price/Each \$













ADJUSTABLE BALL VALVE LOCKOUTS

- Fits valves 1/2" to 2" in size
- Four locking holes are compatible with all Master Lock® and American Lock® safety padlocks
- · Locks valve in the closed position
- Includes removable handle insert to accommodate a wide range of handle designs and dimensions
- Durable, lightweight thermoplastic material performs effectively in extreme environments; -40°F to 200°F

Model No. SEI878 Mfg. No. S3081 Price/Each \$





Master Lock

BUTTERFLY VALVE LOCKOUT

- Adjustable butterfly valve lockout
- Locks out valve in seconds by feeding SED597 (S806) 6 ft cable or SED596 (S806CBL3) - 3 ft cable lockout device through desired eyelet and around valve neck
- Durable, lightweight thermoplastic material is chemical resistant and performs effectively in extreme environments
- Directional application arrows allow for ease of installation and minimize user error
- Stainless steel rivet allows device to smoothly pivot open and closed to ensure proper fit




Model No.	Mfg. No.	Description	Price /Each
SEK636	S3920	Lockout Device Only	
SEK637	S3921	Lockout Device & SED596 Adjustable Cable Lockout	





STANDARD BALL VALVE LOCKOUT DEVICES

- · Patented design fits all major brand ball valves
- · Simple one-piece design makes it easy to use
- · Assist in compliance with lockout regulations
- Fits most valves up to 3"





Model No.	Mfg. No.	Valve Size"	Max. Shackle Diameter"	Max. Handle Width"	Max. Handle Thickness"	Material	Price /Each
SAC636	65692	1/4 - 1	3/8	1	3/4	Powder-coated Steel	
SAC637	65693	1 1/4 - 3	3/8	9/10	1/2	Powder-coated Steel	

BALL VALVE LOCKOUTS

Available in three sizes for valves from 3/8" to 8". Constructed of heavy-duty, high visibility red polypropylene that is fully dielectric and chemical and solvent resistant. Model **SA857** allows you to lock valves in the open or closed position.

Honeywell



Model No.	Mfg. No.	Fits Valve Size"	Price /Each
SA857	BS01R	3/8 to 1 1/4	
SA858	BS02R	1 1/2 to 2 1/2	
SA859	BS03R	2 to 8	





SEAL TIGHT™ BALL VALVE LOCKOUTS

- Compact, lightweight, flexible and easy to use, the Seal Tight $^{\!\mathsf{TM}}$ valve lockout works on virtually every valve size and applications
- Eliminates the risk of accidentally moving a handle by removing it and concealing the stem
- Effectively locks out all valves from 3/8" to 4", thus eliminating specific valve lockout systems
- Simple to apply, with an intuitive wrapping strap and locking mechanism
- Works on virtually all valves; metal and PVC, insulated pipes, ceiling or wall-mounted pipes and hard to reach valves
- · Made of PVC polyester fabric and HDPE plastic, it withstands corrosive environments and operates in temperatures from -40°F to 300°F

Model No. SAO596 Mfg. No. 468L Price/Each \$







OVERSIZE PLUG & HOIST COVERS

- Offers broad application solutions sized at 7" diameter by 17" tall
- Insert PVC tubing to block access to control buttons for hoist control lockout
- Flexible and durable rip-stop nylon bag fits easily in safety tool boxes
- · Lock out with up to six padlocks or hasps
- Trilingual lock out warning printed on bag

Model No. SAO706 Mfg. No. 453L Price/Each \$





ROTATING GATE VALVE LOCKOUTS

- · Outward/inward rotation allows for easier installation and storage
- Unique, patent-pending outward rotation allows for easier installation in confined space applications
- Surrounds the valve operating handle, protects against accidental valve opening
- Each size rotates into itself to fit effectively into safety tool boxes
- Each size nests within the next larger size to save space in storage
- Tough, lightweight, dielectric Zenex[™] thermoplastic bodies withstand chemicals; perform effectively in extreme conditions (temperature range -50°F (-46°C) to 350°F (177°C))
- Up to four workers can apply their personal safety locks
- Red lockout colour identifies the safety lockout application
- Complete with high-visibility permanent safety labels (English, French and Spanish) that can be written on to identify the responsible person and then erased for the next job



SAL528		

Model No.	Mfg. No.	Description	Price /Each
SAL526	480	Fits 1" to 3" Dia. Valve Handle	
SAL527	481	Fits 2" to 5" Dia. Valve Handle	
SAL528	482	Fits 4" to 6 1/2" Dia. Valve Handle	
SAL529	483	Fits 6" to 10" Dia. Valve Handle	
SAL530	484	Fits 8" to 13" Dia. Valve Handle	
SAL531	485	1 Set Consists of 1 x SAL526,	
		SAL527, SAL528, SAL529 & SAL530	

CONFINED SPACE COVERS

- Signage and barrier protection all-in-one
- Provide OSHA required warnings
- Halt unauthorized entry
- · Easy to use
- Ultra durable
- Guard against weather and debris
- Prevent infestation
- Operating temperature: -40°F to 200°F
- Sizing and fit depend on flange dimensions

Small - Fits standard man-ways 20" to 23" (508 mm to 584.2 mm) Medium - Fits standard man-ways 23" to 28" (584.2 mm to 711.2 mm) Large - Fits standard man-ways 28" to 32" (711.2 mm to 812.8 mm) X-Large - Fits standard man-ways 32" to 39" (812.8 mm to 990.6 mm)











Mas

ELASTIC, NON-LOCKING ENGLISH

Model No.	Mfg. No.	Size	Price /Each
SDL009	S201CSS	Small	
SDL010	S201CSM	Medium	
SDL011	S201CSL	Large	
SDL012	S201CSXL	X-Large	

VENTILATED. LOCKABLE ENGLISH

Model	Mfq.		Price
No.	No.	Size	/Each
SDL013	S202CSS	Small	
SDL014	S202CSM	Medium	
SDL015	S202CSL	Large	
SDI 016	S202CSXI	X-Large	

SOLID. LOCKABLE ENGLISH

Madal	M.C.		Dutas
Model	Mfg.		Price
No.	No.	Size	/Each
SDL017	S203CSS	Small	
SDL018	S203CSM	Medium	
SDL019	S203CSL	Large	
SDI 020	S203CSXI	X-Large	

Also available Bilingual

CUSTOM TAGS MADE EASY!

- · No set-up fees
- Any print colors
- Full-color graphics and images, including design, image, and logo
- Choose a message with any letter font
- Available barcoding, sequential numbering, and tear-off perforations - Call us for details





HOW TO ORDER CUSTOM TAGS

STEP 1: MESSAGE, DESIGN

Develop your tag - provide message, layout, design and color.

STEP 2: SELECT MATERIAL AND SIZE

Consider tag placement, intended application, and environment.

STEP 3: FINISHING OPTIONS

Determine how you will install the tag. Call us for available options.

STEP 4: DECIDE ON QUANTITY

No need to order huge quantities -You can order as few as 25. Call, e-mail, or fax us to place your order!

SIZES:

4 1/4" x 2 1/8" 5 3/4" x 3 1/4" 8 1/2" x 3 7/8" Other sizes upon request



PF-CARDSTOCK TAGS

Tear-resistant and waterproof tags last longer than standard cardstock tags.

Tags are pulp-free - no wood pulp or paper content - unlike regular cardstock. They are pliable, yet will not rip or breakdown in moisture.

Tags do not tear readily when tugged on. Ideal for indoor use and short term outdoor exposure. The scuff-resistant, matte surface is easy to write on.

- · 10-mil polyolefin-based material
- Thin and flexible
- Top has 3/8" plain hole

RP-PLASTIC TAGS & HS-LAMINATE TAGS

Durable tag withstands pulls and tears in dirt and grease environments.

Plastic tags are water-resistant - to withstand weather conditions.

The rigid plastic is flexible, yet will not readily break down over a wide temperature range. Good for indoors and outdoors use. Writable surface is abrasion resistant.

- 15-mil rigid plastic material
- · Flexible, yet durable withstands stretching and ripping
- Top has 3/8" hole reinforced with metal grommet to prevent pull off

HS-LAMINATE TAGS

Tags are designed to withstand tough and abusive conditions.

HS-Laminate is a composite of all poly materials hard sealed on both sides with no edge seams. Matte surface is scratch resistant, yet easy to write on. Waterproof tags are ideal for extreme weather conditions.

- Tear-proof, weather-proof, chemical-resistant material withstands dirt and grease environments
- Thick laminate stands up to abuse and rough handling
- 3/8" top hole is reinforced with a pull-proof, metal grommet


Four corner mounting holes Adhesive mounting

strips included

TAG FINISHING OPTIONS

STRING TIES

- 12" string ties
- Available in Bundles of 100



Model No.	Price/Bn.
SAU888	

BEADED NYLON TIES

- 5" white nylon 6/6
- Self locking design with 18-lb pull strength



Model No.	Qty.	Price/Bn.
SAU890	100/Pkg.	
SAU889	1000/Pkg.	

ACCUFORM.

SNAP HOOK LOOP

- · Zinc-plated steel loop
- Inside dimensions: 1 1/2" x 2 13/16"



Model No.	Qty.	Price/Bn.
SAU891	100/Pkg.	





Model No.	Price/Each
SAT748	

SAFETY TAGS

- Header style tags meet Occupational Safety and Health Administration requirements
- · Choose from a variety of common styles and legends that apply to a variety of situations
- Tags are available in two materials: PF-cardstock and RV-plastic
- · 25 per package

PF-Cardstock

- 5 7/8" x 3 1/8" with 3/8" hole
- Pliable, 10-mil plastic
- Pulp-free, no wood-paper content
- Waterproof, tear-resistant for short-term use

RV-Plastic

- 5 7/8" x 3 3/8" with 3/8" hole, reinforced with metal grommet
- 15-mil tear-resistant plastic
- · Weather and chemical-resistant

BLANK HEADER TAGS



SAU650 SAU651



SAU654 SAU655



Front Back **SAU658 SAU659**



Front Back **SAU662 SAU663**

STANDARD SAFETY TAGS



Material PF-Cardstock RV-Plastic

Material

PF-Cardstock

RV-Plastic



SAU606 SAU607



SAU611



SAU614 SAU615



SFI941 SEI942







DANGER

DO NOT USE

REASON TAGGED EQUIPMENT DEFECTIVE
 PARTS MISSING

□ WORK INCOMPLETE □ DIRTY



SAU626 SAU627



SAU634 SAU635



SAU638 SAU639



EQUIPMENT STATUS & INSPECTION TAGS



Material PF-Cardstock RV-Plastic

SAU702 **SAU703**



Front **SAU698 SAU699**



Front **SAU706 SAU707**



SAU714 SAU715

Material	Size"	Price/Pkg. 25
PF-Cardstock	5 7/8 x 3 1/8	
RV-Plastic	5 7/8 x 3 3/8	



EQUIPMENT STATUS & INSPECTION TAGS (CONTINUED)



SAU718

SAU719

Material PF-Cardstock **RV-Plastic**



Back Front **SAU734 SAU735**



SAU738

SAU739



SAU742 SAU743

LOCKOUT TAGS



Material PF-Cardstock RV-Plastic



SAU778 SAU779



SAU782 SAU783



SAU790 SAU791



SAU786 SAU787



Material PF-Cardstock RV-Plastic





SAU802 SAU803



SAU810 SAU811



FRENCH BLANK HEADER TAGS



Material PF-Cardstock **RV-Plastic**



SED646 SED647



SED649



SED651



Material	Size"	Price/Pkg. 25
PF-Cardstock	5 7/8 x 3 1/8	
RV-Plastic	57/8 x 3 3/8	



FRENCH STANDARD SAFETY TAGS

STANDARD SAFETY



Material PF-Cardstock RV-Plastic



SAU834 SAU835



SAU838 SAU839



SAU846 SAU847



SAU842 SAU843



Material PF-Cardstock RV-Plastic



SAU858 SAU859



SAU854 SAU855



SAU862 SAU863



SAU866 SAU867



FRENCH EQUIPMENT STATUS & INSPECTION TAGS



Material PF-Cardstock **RV-Plastic**



SED654 SED655



SED656 SED657



SED658 SED659



SED660 SED661

FRENCH LOCKOUT TAGS



Material PF-Cardstock **RV-Plastic**



SAU870 SAU871



SAU874 SAU875



SAU878 SAU879



SAU882 SAU883



Material	Size"	Price/Pkg. 25
PF-Cardstock	5 7/8 x 3 1/8	
RV-Plastic	5 7/8 x 3 3/8	



ENGLISH LOCKOUT IDENTIFICATION TAGS

- These duraply tags are designed to create visibility and awareness
- All tags have 3/8" grommets and are 2 3/4" x 6 1/2" in size
- For use indoor or outdoor
- Tags can be written on with most types of markers and pens
- Colour: Yellow, red and black
- 25/pkg













IN COM.

Priced	per	Package
--------	-----	---------

Model	Mfg.		Price
No.	No.	Description	/Each
SC935	32669	This Equipment Locked Out	
SC937	32668	Do Not Operate	
SC938	32663	Do Not Operate-Maintenance Dept	
SC939	32667	Locked Out	
SC940	32665	Do Not Start-Electrician At Work	

FRENCH LOCKOUT IDENTIFICATION TAGS

- All lockout tags are 3" x 5 3/4" in size and made of rugged stain and mildew resistant 20 mil styrene
- The textured surface allows you to write all important information such as names, dates and expected completion time
- These tags are sold in packs of 25 with necessary fasteners
- Available with grommets for greater strength
- Tags are striped red for easier identification



SE338











SE343





IN COM.

REVERSE SIDE

Priced per Package

Model	Mfg.		Price
No.	No.	Description	/Each
SE338	33010	Danger - Ne pas opérer	
SE339	33011	Danger - Équipement verrouillé	
SE340	33012	Danger - Ne pas ouvrir	
SE341	33013	Danger - Ne pas démarrer	
SE342	33014	Danger - Ne pas opérer - Département de maintenance	
SE343	33015	Danger - Équipement verrouillé - Ne pas opérer	
SE344	33016	Danger - Équipement verrouillé - Électriciens au travail	

TAGS BY-THE-ROLL: **NEVER RUN OUT OF TAGS AGAIN!**

- Tag size: 6 1/4" x 3", with 3/8" hole
- 10-mil PF-Cardstock tags
- Tear-resistant, waterproof 'pulp-free' material
- Writable matte surface
- Dispenser size: 6 5/8" x 6 5/8" x 3 5/8"
- Available in rolls of 100 or 250 tags



Per Roll	Price/Roll
100	
250	



SAS784

ENGLISH TAGS



Front Back

100/Roll 250/Roll **SAS755 SAS449** DANGER NGER. T REMOVE S TAG! Front Back

100/Roll 250/Roll

SAS782

NGER) DO NOT OPERATE

Back Front 100/Roll 250/Roll **SAS783 SAS784**



Front 100/Roll 250/Roll **SAS785 SAS764**



SAS757

100/Roll 250/Roll **SEI937** SE1938



Front Back 100/Roll 250/Roll SE1939 SE1940

FRENCH TAGS (ROLLS OF 250 TAGS)

OUT

OF

SERVICE

CAUTION

SAS750

Model No. Mfg. No.		Description
SAS452	TAR123	Danger; Ne pas faire fonctionner
SAS453	TAR127	Danger; Ne pas faire fonctionner (w/Stripes)
SGC242 FRTAR46 Dail		Danger; Verrouillé; Ne pas faire fonctionner (w/Stripes)

LOOP 'N STRAPTM TAGS

- Attach tags by self-fastening strap for quick marking
- 0.023" polyethylene plastic tags resist dirt, grease and moisture
- Write on tag with permanent marker
- Tag body is 5 1/4" X 3 1/4", with 1 3/8" x 6" strap

DANGER

DO

NOT

OPERATE

SAS747

Available in packages of 25

QUICKTAGSTM

- Compact and convenient safety tag dispensing system
- Available as a set that includes 100 tags in a self-contained plastic dispenser with keyholes on the underside to mount near workstations
- Simply pull the tag out from the dispenser and separate at the perforation
- Re-load empty dispenser with refill packs of 100
- Reusable plastic dispenser is mountable or portable
- Tags are tear-resistant and waterproof, made from pulp-free polyolefin based material
- Writable matte surface
- Dispenser size: 8" x 4" x 1 3/4"
- Tag size: 6 1/4" x 3", 10-mil cardstock











ENGLISH TAGS

SAS435

FRENCH TAGS			
Model No. Mfg. No.		Description	
SAS440	TAL357	Danger; Ne Pas Entrer	
SAS441	TAL351	Danger; Ne pas faire fonctionner	
SAS442	TAL356	Danger; Hors service	
SAS443	TAL322	Danger	
SAS444	TAL326	Attention	

DANGER

OUT

OF

SERVICE

SAS748







REFILL 100/PACK

Model

QUICKTAGS™

No.	Language	Legend	/Each	No.	/Each
SE1929	English	Danger Do Not Operate		SEI933	
SEL124	French	Danger Ne Pas Faire Fonctionner		SEL128	
SE1930	English	Danger		SEI934	
SEL125	French	Danger		SEL129	
SEI931	English	Caution Barricade Tag		SEI935	
SEL126	French	Attention Étiquette de barrage		SEL131	

DANGER

SAS749




BLANK TAGS

We offer tags available blank so that you can write any message in pen, pencil, or marker. Use for coding, marking, quick identification, production status, or inventory.



MANILA BLANK CARDSTOCK TAGS

- 13 pt. Manila Cardstock Tags have patch-reinforced 3/16" hole
- Available plain hole, looped with 12" galvanized steel wire, or looped with 12" cotton string
- Available in pack of 100, or box of 1000



Hole Only				Price	Price
Size No.	Size"	100	1000	100/Pkg.	1000/Box
1	2 3/4 x 1 3/8	S1966	SAG441		
2	3 1/4 x 1 5/8	SAW514	SAG442		
3	3 3/4 x 1 7/8	SI968	SAG443		
4	4 1/4 x 2 1/8	SI969	SAG444		
5	4 3/4 x 2 3/8	S1970	SAG445		
6	5 1/4 x 2 5/8	SI971	SAG446		
7	5 3/4 x 2 7/8	SAW515	SAG447		
8	6 1/4 x 3 1/8	SAW516	SAG448		

Hole with Wir	e			Price	Price
Size No.	Size"	100	1000	100/Pkg.	1000/Box
1	2 3/4 x 1 3/8	SAW517	SAG449		
2	3 1/4 x 1 5/8	SAW518	SAG450		
3	3 3/4 x 1 7/8	SAW519	SAG451		
4	4 1/4 x 2 1/8	SBB051	SAG452		
5	4 3/4 x 2 3/8	SBB053	SAG453		
6	5 1/4 x 2 5/8	SAW522	SAG454		
7	5 3/4 x 2 7/8	SAW523	SAG455		
8	6 1/4 x 3 1/8	SAW524	SAG456		

Hole with Stri	ing			Price	Price
Size No.	Size"	100	1000	100/Pkg.	1000/Box
1	2 3/4 x 1 3/8	SAW525	SAG457		
2	3 1/4 x 1 5/8	SAW526	SAG458		
3	3 3/4 x 1 7/8	SAW527	SAG459		
4	4 1/4 x 2 1/8	SAW528	SAG460		
5	43/4 x 23/8	SAW529	SAG461		
6	5 1/4 x 2 5/8	SAW530	SAG462		
7	5 3/4 x 2 7/8	SAW531	SAG463		
8	6 1/4 x 3 1/8	SAW532	SAG464		

STANDARD COLOR BLANK CARDSTOCK TAGS

- 13 pt. coated color cardstock tags have a patch-reinforced 3/16" hole
- Available plain hole, looped with 12" galvanized steel wire, or looped with 12" cotton string
- Available in pack of 100, or box of 1000



Hole Only		Blu	e	Gre	en	Re	ed	Whi	te	Yell	ow	Price	Price
Size No.	Size"	100	1000	100	1000	100	1000	100	1000	100	1000	100/Pkg.	1000/Box
1	2 3/4 x 1 3/8	SAW536	SAG501	SAW560	SAG486	SAW584	SAG479	SAW608	SAG465	SAW632	SAG472		
2	3 1/4 x 1 5/8	SAW537	SAG502	SAW561	SAG487	SAW585	SAG480	SAW609	SAG466	SAW633	SAG473		
3	3 3/4 x 1 7/8	SAW538	SAG503	SAW562	SAG488	SAW586	SAG481	SAW610	SAG467	SAW634	SAG474		
4	4 1/4 x 2 1/8	SAW539	SAG504	SAW563	SAG489	SAW587	SAG482	SAW611	SAG468	SAW635	SAG475		
5	4 3/4 x 2 3/8	SAW540	SI978	SAW564	SI977	SAW588	SI976	SAW612	SI974	SAW636	SI975		
6	5 1/4 x 2 5/8	SAW541	SAG505	SAW565	SAG490	SAW589	SAG483	SAW613	SAG469	SAW637	SAG476		
7	5 3/4 x 2 7/8	SAW542	SAG506	SAW566	SAG491	SAW590	SAG484	SAW614	SAG470	SAW638	SAG477		
8	6 1/4 x 3 1/8	SAW543	SAG507	SAW567	SAG492	SAW591	SAG485	SAW615	SAG471	SAW639	SAG478		


Hole with W	/ire	Blu	e	Gre	en	Re	ed	Whi	te	Yell	ow	Price	Price
Size No.	Size"	100	1000	100	1000	100	1000	100	1000	100	1000	100/Pkg.	1000/Box
1	2 3/4 x 1 3/8	SAW552	SAG555	SAW576	SAG539	SAW600	SAG531	SAW624	SAG515	SAW648	SAG523		
2	3 1/4 x 1 5/8	SAW553	SAG556	SAW577	SAG540	SAW601	SAG532	SAW625	SAG516	SAW649	SAG524		
3	3 3/4 x 1 7/8	SAW554	SAG557	SAW578	SAG541	SAW602	SAG533	SAW626	SAG517	SAW650	SAG525		
4	4 1/4 x 2 1/8	SAW555	SAG558	SAW579	SAG542	SAW603	SAG534	SAW627	SAG518	SAW651	SAG526		
5	4 3/4 x 2 3/8	SAW556	SAG559	SAW580	SAG543	SAW604	SAG535	SAW628	SAG519	SAW652	SAG527		
6	5 1/4 x 2 5/8	SAW557	SAG560	SAW581	SAG544	SAW605	SAG536	SAW629	SAG520	SAW653	SAG528		
7	5 3/4 x 2 7/8	SAW558	SAG561	SAW582	SAG545	SAW606	SAG537	SAW630	SAG521	SAW654	SAG529		
8	6 1/4 x 3 1/8	SAW559	SAG562	SAW583	SAG546	SBB093	SAG538	SAW631	SAG522	SAW655	SAG530		

Hole with S	tring	Blu	e	Gre	en	Re	ed	Whi	te	Yell	OW	Price	Price
Size No.	Size"	100	1000	100	1000	100	1000	100	1000	100	1000	100/Pkg.	1000/Box
1	2 3/4 x 1 3/8	SAW544	SAG611	SAW568	SAG595	SAW592	SAG587	SAW616	SAG571	SAW640	SAG579		
2	3 1/4 x 1 5/8	SAW545	SAG612	SAW569	SAG596	SAW593	SAG588	SAW617	SAG572	SAW641	SAG580		
3	3 3/4 x 1 7/8	SAW546	SAG613	SAW570	SAG597	SAW594	SAG589	SAW618	SAG573	SAW642	SAG581		
4	4 1/4 x 2 1/8	SAW547	SAG614	SAW571	SAG598	SAW595	SAG590	SAW619	SAG574	SAW643	SAG582		
5	4 3/4 x 2 3/8	SAW548	SAG615	SAW572	SAG599	SAW596	SAG591	SAW620	SAG575	SAW644	SAG583		
6	5 1/4 x 2 5/8	SAW549	SAG616	SAW573	SAG600	SAW597	SAG592	SAW621	SAG576	SAW645	SAG584		
7	5 3/4 x 2 7/8	SAW550	SAG617	SAW574	SAG601	SAW598	SAG593	SAW622	SAG577	SAW646	SAG585		
- 8	6 1/4 x 3 1/8	SAW551	SAG618	SAW575	SAG602	SAW599	SAG594	SAW623	SAG578	SAW647	SAG586		

TYVEK® BLANK TAGS

- Tyvek® is a lightweight pressure-bonded fibre
- Flexible 7.5-pt. material is abrasion- and tear-resistant
- · Can withstand moisture, chemicals, and frequent handlingv
- · Tags have patch- and metal-reinforced 3/16" hole
- · Hole is available plain or looped with 12" galvanized steel wire
- Available in pack of 100 or box of 1000





WHITE TYVEK®

Hole Only Size No.	Size"	100	1000	Price 100/Pkg.	Price 1000/Box
HOLE ONLY					
5	43/4 x 23/8	SAW683	SAG747		
8	6 1/4 x 3 1/8	SAW694	SAG749		
HOLE WITH W	IRE				
5	43/4 x 23/8	SAW695	SAG750		
8	6 1/4 x 3 1/8	SAW697	SAG752		


COLOURED TYVEK®

Size No.	Size"	Blue 100	Green 100	Red 100	Yellow 100	Price 100/Pkg.
HOLE ONL	Υ					
5 8	4 3/4 x 2 3/8 6 1/4 x 3 1/8	SAW656 SAW658	SAW665 SAW667	SAW674 SAW676	SAW686 SAW535	
HOLE WITH	H WIRE					
5 8	4 3/4 x 2 3/8 6 1/4 x 3 1/8	SAW662 SAW664	SAW671 SAW673	SAW680 SAW682	SAW691 SAW693	

FLUORESCENT BLANK CARDSTOCK TAGS

- 10 pt. fluorescent cardstock tags have patch-reinforced 3/16" hole
- Available plain hole, looped with 12" galvanized steel wire, or looped with 12" cotton string
- · Available in pack of 100, or box of 1000





HOLE ONLY

Size No.	Size"	Fluorescent Green 100	Fluorescent Pink 100	Fluorescent Red 100	Fluorescent Yellow 100	Price 100/Pkg.
5	4 3/4 x 2 3/8	SAW698	SAW716	SAW734	SAW752	
6	5 1/4 x 2 5/8	SAW700	SAW718	SAW736	SAW754	
8	6 1/4 x 3 1/8	SAW702	SAW720	SAW738	SAW756	

HOLE WITH WIRE

CiN-	C'II	Fluorescent Green	Fluorescent Pink	Fluorescent Red	Fluorescent Yellow	Price
Size No.	Size"	100	100	100	100	100/Pkg.
5	4 3/4 x 2 3/8	SAW704	SAW722	SAW740	SAW758	
6	5 1/4 x 2 5/8	SAW706	SAW724	SAW742	SAW760	
8	6 1/4 x 3 1/8	SAW708	SAW726	SAW744	SAW762	

HOLE WITH STRING

			Fluorescent Green	Fluorescent Pink	Fluorescent Red	Fluorescent Yellow	Price
	Size No.	Size"	100	100	100	100	100/Pkg.
	5	4 3/4 x 2 3/8	SAW710	SAW728	SAW746	SAW764	
	6	5 1/4 x 2 5/8	SAW712	SAW730	SAW748	SAW766	
_	8	6 1/4 x 3 1/8	SAW714	SAW732	SAW750	SAW768	

TAG FINISHING OPTIONS



STRING TIES

- 12" string ties · Available in Bundles of 100

Model No.	Price/Bn.
SAU888	

BEADED NYLON TIES

- 5" white nylon 6/6
- · Self locking design with 18-lb pull strength



Model No.	Qty.	Price/Bn.
SAU890	100/Pkg.	
SAU889	1000/Pkg.	

SNAP HOOK LOOP

- · Zinc-plated steel loop
- · Inside dimensions: 1 1/2" x 2 13/16"



Model No.	Qty.	Price/Bn.
SAU891	100/Pkg.	

ACCUFORM.

TAG HOLDERS

- Hold a pack of tags in the location they are needed
- Plastic single-pocket tag holder
- 9" H x 4" W aluminum back
- · Four corner
- mounting holes Adhesive mounting strips included



Model No.	Price/Each
SAT748	

BLANK TAGS

Identify equipment, materials and pipes by stamping description directly onto tag






HANSON

SDN073





SDN076

Priced per Package

Model No.	Mfg. No.	Material	Shape	Tag Size"	Hole Size"	Wt.	Qty /Pkg.	Price /Each
								/ Lucii
SA962	947B	Brass	Octagon	1 1/4	3/16	1.9	100	
SDN075	41272	Brass	Rectangle	1 x 2	1/8	2.3	100	
SDN077	41292	Brass	Rectangle	1 x 3	1/8	3.7	100	
SA963	1098B	Brass	Round	1 1/2	3/16	2.2	100	
SDN066	41842	Brass	Round	1 1/4	3/16	1.5	100	
SDN067	41849	Brass	Round	13/8	3/8	2.9	100	
SDN065	1078B	Brass	Round	1	3/16	0.87	100	
SDN068	1110B	Brass	Round	2	3/16	3.8	100	
SA961	916B	Brass	Square	1 1/4	3/16	1.9	100	
SDN074	43169	Black Anodized Aluminum	Rectangle	1 x 3	1/8	0.056	5	
SDN073	43147	Black Anodized Aluminum	Round	1 1/2	3/16	0.036	5	
SDN072	43167	Red Anodized Aluminum	Rectangle	1 x 3	1/8	0.058	5	
SDN071	43145	Red Anodized Aluminum	Round	1 1/2	3/16	0.036	5	
SDN076	41273	Stainless Steel	Rectangle	1 x 2	1/8	1.9	100	
SDN078	41293	Stainless Steel	Rectangle	1 x 3	1/8	2.9	100	
SDN069	41858	Stainless Steel	Round	1 1/2	3/16	2.1	100	
SDN070	41843	Stainless Steel	Round	1 1/4	3/16	1.3	100	

NUMBERED BRASS TAGS

- Black filled numbers
- 18-gauge brass
- 3/16" hole

Available only in unbroken series of 25





Priced per Series

Model No.	Mfg. No.	Number Series	Price /Each	Model No.	Mfg. No.	Number Series	Price /Each
1" TAG [DIAMETER			1.5" TAC	G DIAMETE	R	
SDM709	40003	001 - 025		SA949	40023	001 - 025	
SDM710	40004	026 - 050		SA950	40024	026 - 050	
SDM711	40005	051 - 075		SA951	40025	051 - 075	
SDM712	40006	076 - 100		SA952	40026	076 - 100	
SDM713	40007	101 - 125		SA953	40027	101 - 125	
SDM714	40008	126 - 150		SA954	40028	126 - 150	
SDM715	40009	151 - 175		SA955	40029	151 - 175	
SDM716	40010	176 - 200		SA956	40030	176 - 200	

TIES

LADDER TIES

Lightweight, low cost nylon ties are strong yet flexible. Natural colour. Bags of 1000.



Model No.	Mfg. No.	Length"	Bundle Dia. Min" - Max"	Tensile Strength lbs.	Price /Each
PA876	8470	7	1/16 - 1 3/4	40	
PA877	8471	11	1 1/16 - 3	40	



WIRE TIES

- 26 gauge
- 12" long
- 1000/pkg. Priced per Package.


Model No. SC960 Price/Each \$

PLASTIC TAG FASTENERS

- 5" long
- 200/pkg.

Priced per Package

Model No. SI980 Price/Each \$



LEAD SECURITY SEALS **& SEALING PRESSES**

- Provides security in a wide variety of situationsSlip twisted wire through the hole in lead
- seal disc and crush with sealing press
- Can't be opened or tampered with, without detection
- 7/16" diameter lead seals with 10" two-ply annealed steel wires
- · Lead sealing press comes with two blank dies



Model	Mfg.		Price
No.	No.	Description	/Each
SA947	27905	Sealing Press	
SA948	27911	Seals, 100/pkg.	

SPLIT KEY RINGS

Designed for holding and preventing the loss of metal checks and tags.





Model	Mfg.		Qty	Price
No.	No.	Description	/Pkg.	/Each
SA957	40082	1" Ring	100	
SA958	40084	1 1/2" Ring	100	
SA959	40085	2" Ring	100	
SA960	40087	Spring Sleeve	100	


BEADED CHAINS

- · For quick, permanent fastening of checks and tags
- Easily closed by hand
- Flexible for hard-to-fasten places
- Available in 4 1/2" nickel or brass plated or 6" brass plated
- 100/pkg.



Priced per Package

Model No.	Mfg. No.	Description	Lenath"	Price /Each
SAG886	40096	Nickel Plated	4 1/2	, 22.20
SAG887	40097	Brass Plated	4 1/2	
SAG888	40098	Brass Plated	6	



STEEL HAND STAMPS

- · For hand-held, hammer struck applications
- · Manufactured from high quality steel
- Induction hardened for added durability and extended life
- · Bevelled striking edge prevents breakage and accidents during use
- Stamping end is hardened at 58-62 HRC and the striking end is hardened to 38-43 HRC to prevent splintering

 Letter sets contain 27 pieces, "A" through "Z" and "&"-ampersand

 Number sets contain 9 pieces, "0" through "9",
- numbers "6" and "9" are interchangeable



auroratools°

Model	Stamp		Price
No.	Size"	Type	/Each
TLZ389	1/8	Number	
TLZ392	1/8	Letter	
TLZ390	3/16	Number	
TLZ393	3/16	Letter	
TLZ391	1/4	Number	
TLZ394	1/4	Letter	

STEEL HAND STAMP SETS

FOR HAND-HELD HAMMER STRUCK APPLICATIONS



STANDARD STEEL STAMPS

- · Standard high quality stamps for general purpose uses at low cost
- Crowned striking surface
- Textured shank



HEAVY-DUTY STAMPS

- Heavy-duty marking performance
- Tempered shanks for extra durability and safety
- · Crowned striking surface
- · Larger shanks than standard



PREMIER TEMPERED STAMPS

- · Large shanks are tempered designed to hold up under continuous hard hammering
- Top quality tempered shanks



ROUND FACE LOW STRESS STAMPS

- Rounded characters produce minimum stress on the marked surface
- Meets government specifications for minimum stress marking
- Crowned striking surface
- · Textured shanks
- · Larger shanks than heavy-duty



LOW STRESS DOT DESIGN STAMPS

- · Made on premier size shanks
- Interrupted dot design has a radius on the character end
- Make a permanent mark with minimum stress on the marked metal
- Meets U.S. Atomic Energy specifications
- Applications where metal strength and/or risk of fracture is critical
- Ideal for use in aircraft, missile, oil supply and nuclear power





Model	Mfg.			Dimensions	Wt.	Price
No.	No.	Size"	Type	Sq." x L		/Each
STANDA	RD GENER/	AL PURPOSE				
SF090	20150	3/32	Letters	1/4 x 23	/8 1.50	
SF091	20521	3/32	Numbers	1/4 x 23		
SE234	20200	1/8	Letters	1/4 x 23		
SE235	20541	1/8	Numbers	1/4 x 23		
SE236	20250	3/16	Letters	5/16 x 23	/8 2.13	
SE237	20561	3/16	Numbers	5/16 x 23	/8 0.75	
SE238	20300	1/4	Letters	3/8 x 25	/8 3.00	
SE239	20581	1/4	Numbers	3/8 x 25		
SAK459	20350	3/8	Letters	1/2 x 23		
SAK460	20601	3/8	Numbers	1/2 x 23		
SF092	20400	1/2	Letters	5/8 x 3		
SF093	20621	1/2	Numbers	5/8 x 3	3.25	
HEAVY-I						
SF082	20801	3/32	Letters	5/16 x 21		
SF083	21340	3/32	Numbers	5/16 x 21		
SA932	20851	1/8	Letters	5/16 x 21		
SA935	21360	1/8	Numbers	5/16 x 21		
SA933	20951	3/16	Letters	3/8 x 23		
SA936 SA934	21400 21051	3/16 1/4	Numbers Letters	3/8 x 23 7/16 x 3		
SA937	21440	1/4	Numbers	7/16 x 3 7/16 x 3		
SF084	21201	1/2	Letters	3/4 x 3 3		
SF085	21500	1/2	Numbers	3/4 x 3 3		
	RTEMPERE			5,. x 53	,	
SF086	22100	3/32	Letters	5/16 x 23	2.38	
SF087	22841	3/32	Numbers	5/16 x 23		
SA938	22150	1/8	Letters	3/8 x 23		
SA941	22861	1/8	Numbers	3/8 x 23		
SA939	22250	3/16	Letters	7/16 x 23		
SA942	22901	3/16	Numbers	7/16 x 23	/4 1.40	
SA940	22350	1/4	Letters	1/2 x 3	6.00	
SA943	22941	1/4	Numbers	1/2 x 3		
SF088	22550	1/2	Letters	3/4 x 4		
SF089	23021	1/2	Numbers	3/4 x 4	6.00	
ROUND	FACE LOW	STRESS				
SF094	25750	3/32	Letters	5/16 x 23	/4 2.38	
SF095	26081	3/32	Numbers	5/16 x 23		
SF096	25800	1/8	Letters	3/8 x 23		
SF097	26101	1/8	Numbers	3/8 x 23		
SF098	25850	3/16	Letters	7/16 x 23		
SF099	26121	3/16	Numbers	7/16 x 23		
SF100 SF101	25900 26141	1/4 1/4	Letters Numbers	1/2 x 3 1/2 x 3		
SF102	26000	1/4	Letters	3/4 x		
SF103	26181	1/2	Numbers	3/4 x 4		
SAS103	25950	3/8"	Letters	5/8 x 31		
SAS104	26161	3/8"	Numbers	5/8 x 31		
LOW STE	RESS DOT D	ESIGN				
SAS093	26200	1/8	Letters	3/8 x 23	3.25	
SAS094	26601	1/8	Numbers	3/8 x 23		
SAS095	26250	3/16	Letters	7/16 x 23		
SAS096	26621	3/16	Numbers	7/16 x 23		
SAS097	26300	1/4	Letters	1/2 x 3		
SAS098	26641	1/4	Numbers	1/2 x 3	2.25	
SAS099	26350	3/8	Letters	5/8 x 31	/8 10.50	
SAS100	26661	3/8	Numbers	5/8 x 31		
SAS101	26400	1/2	Letters	3/4 x 4		
SAS102	26681	1/2	Numbers	3/4 x 4	6.00	

INDIVIDUAL STANDARD GENERAL PURPOSE STEEL HAND STAMP PIECES

- For hand-held, hammer struck applications
- Dimensions of characters in inches

	Model No.	Mfg. No.								
		32"	1101	/8"		16"		/4"		1/2"
11	ETTERS	<i></i>	<u> </u>	,0	3,	10	<u> </u>	1-1		1/2
A	SF444	20150-A	SF480	20200-A	SF516	20250-A	SF552	20300-A	SF588	20400-A
В	SF445	20150-A 20150-B	SF481	20200-A 20200-B	SF517	20250-A 20250-B	SF553	20300-A 20300-B	SF589	20400-A 20400-B
(SF446	20150-B	SF482	20200-В 20200-С	SF517	20250-C	SF554	20300-B 20300-C	SF590	20400-B 20400-C
D	SF447	20150 C	SF483	20200 C	SF519	20250 C	SF555	20300 C	SF591	20400-D
E	SF448	20150 B	SF484	20200 B	SF520	20250-E	SF556	20300 B	SF592	20400-E
F	SF449	20150 E	SF485	20200-F	SF521	20250-F	SF557	20300-F	SF593	20400-F
G	SF450	20150-G	SF486	20200-G	SF522	20250-G	SF558	20300-G	SF594	20400-G
	SF451	20150-H	SF487	20200-H	SF523	20250-H	SF559	20300-H	SF595	20400-H
ï	SF452	20150-l	SF488	20200-I	SF524	20250-I	SF560	20300-l	SF596	20400-l
J	SF453	20150-J	SF489	20200-J	SF525	20250-J	SF561	20300-J	SF597	20400-J
K	SF454	20150-K	SF490	20200-K	SF526	20250-K	SF562	20300-K	SF598	20400-K
L	SF455	20150-L	SF491	20200-L	SF527	20250-L	SF563	20300-L	SF599	20400-L
М	SF456	20150-M	SF492	20200-M	SF528	20250-M	SF564	20300-M	SF600	20400-M
N	SF457	20150-N	SF493	20200-N	SF529	20250-N	SF565	20300-N	SF601	20400-N
0	SF458	20150-0	SF494	20200-0	SF530	20250-0	SF566	20300-0	SF602	20400-0
Р	SF459	20150-P	SF495	20200-P	SF531	20250-P	SF567	20300-P	SF603	20400-P
Q	SF460	20150-Q	SF496	20200-Q	SF532	20250-Q	SF568	20300-Q	SF604	20400-Q
R	SF461	20150-R	SF497	20200-R	SF533	20250-R	SF569	20300-R	SF605	20400-R
S	SF462	20150-S	SF498	20200-S	SF534	20250-S	SF570	20300-S	SF606	20400-S
T	SF463	20150-T	SF499	20200-T	SF535	20250-T	SF571	20300-T	SF607	20400-T
U	SF464	20150-U	SF500	20200-U	SF536	20250-U	SF572	20300-U	SF608	20400-U
٧	SF465	20150-V	SF501	20200-V	SF537	20250-V	SF573	20300-V	SF609	20400-V
	SF466	20150-W	SF502	20200-W	SF538	20250-X	SF574	20300-W	SF610	20400-W
	SF467	20150-X	SF503	20200-X	SF539	20250-X	SF575	20300-X	SF611	20400-X
Υ	SF468	20150-Y	SF504	20200-Y	SF540	20250-Y	SF576	20300-Y	SF612	20400-Y
Z	SF469	20150-Z	SF505	20200-Z	SF541	20250-Z	SF577	20300-Z	SF613	20400-Z
N	UMBER	S								
0	SF470	20150-0	SF506	20200-0	SF542	20250-0	SF578	20300-0	SF614	20400-0
1	SF471	20150-1	SF507	20200-1	SF543	20250-1	SF579	20300-1	SF615	20400-1
2	SF472	20150-2	SF508	20200-2	SF544	20250-2	SF580	20300-2	SF616	20400-2
3	SF473	20150-3	SF509	20200-3	SF545	20250-3	SF581	20300-3	SF617	20400-3
4	SF474	20150-4	SF510	20200-4	SF546	20250-4	SF582	20300-4	SF618	20400-4
5	SF475	20150-5	SF511	20200-5	SF547	20250-5	SF583	20300-5	SF619	20400-5
6	SF476	20150-6	SF512	20200-6	SF548	20250-6	SF584	20300-6	SF620	20400-6
7	SF477	20150-7	SF513	20200-7	SF549	20250-7	SF585	20300-7	SF621	20400-7
8	SF478	20150-8	SF514	20200-8	SF550	20250-8	SF586	20300-8	SF622	20400-8
9	SF479	20150-9	SF515	20200-9	SF551	20250-9	SF587	20300-9	SF623	20400-9
Pı	rice/Each									






STEEL TYPE & TYPE HOLDER KITS

- Save time when you mark metal
- In one stroke, a series of letters and numbers can be stamped on a product or name plate with uniform legibility
- Type holder has spring pin to hold notched type securely
- 1/8" and 3/16" holder has a 15 character capacity
- 1/4" holder handles 12 characters
- · Letters, numbers, blanks must always equal full capacity of holder
- Kit contains 40 pieces: A through Z, 0 through 9, dash, and 3 blank spacers
 Packed in a sturdy wooden box with plastic insert for character storage



Mfg.	Character	Wt.	Price
No.	Size"	lbs.	/Each
27774	1/8	3.3	
27778	3/16	3.7	
27782	1/4	4.6	
	No. 27774 27778	No. Size" 27774 1/8 27778 3/16	No. Size" lbs. 27774 1/8 3.3 27778 3/16 3.7



GOTHIC BRASS INTERLOCKING STENCILS

- · Durable brass for long-lasting service
- · Stencils slide together and come apart easily
- Quick, legible signs on all surfaces
- · Use with brush or spray ink, paint or markers
- · Clean up easily with paint solvent
- Horizontal composition



LETTERS & NUMBERS - 92-PIECE SETS

Contains: 4 E's; 3 each of A, I, N, O, S, and Spacers; 1 Q; 2 each of the remaining letters and Periods; and 1 each of Beginner, Plain Ender, Period Ender, Comma, Dash, 2 Ampersands and 1 Apostrophe.

Numbers include 3 each of 0 and 1; 2 each of 2, 3, 4, 5, 6, 7, 8 and 9.

Model	Mfg.	Character	Pcs	Price
No.	No.	Height"	/Kit	/Each
SA926	10148	1	92	
SA927	10151	2	92	
SA928	10153	3	92	
SA929	10154	4	92	
SA930	10155	5	92	
SA931	10156	6	92	

LETTERS & NUMBERS - 45-PIECE SETS

Contains: All 26 letters (A-Z) and numbers (0-9); and 1 each of Beginner, Plain Ender, Period Ender, Comma, Dash, Period, Ampersand and Apostrophe and 2 Spacers

Model No.	Mfg. No.	Character Height"	Pcs /Kit	Price /Each
SDN092	10068	1	45	
SDN093	10071	2	45	
SDN094	10073	3	45	
SDN095	10074	4	45	
SDN096	10075	5	45	
SDN097	10076	6	45	

SINGLE LETTERS ONLY – 33-PIECE SETS

Contains: 1 each of A, B, C, D, E, F, G, H, I, J, K, L, M, N, O, P, Q, R, S, T, U, V, W, X, Y, Z, &, Beginner, Period Ender, Apostrophe, Comma, Dash, Period and Ampersand.

Model No.	Mfg. No.	Character Height"	Pcs /Kit	Price /Each
SAK464	10028	1	33	
SAK465	10031	2	33	
SAK466	10033	3	33	
SAK467	10034	4	33	
SAK468	10036	6	33	
SF076	10165	8	33	
SF077	10166	10	33	
SF078	10167	12	33	

NUMBERS ONLY - 15-PIECE SETS

Contains: 0, 0, 1, 2, 3, 4, 5, 6, 7, 8, 9 and a Beginner, Plain Ender, Dash and Period.

Model No.	Mfg. No.	Character Height"	Pcs /Kit	Price /Each
SAK469	10008	1	15	
SAK470	10011	2	15	
SAK471	10013	3	15	
SAK472	10014	4	15	
SAK473	10016	6	15	
SC672*	10160	8	13	
SC673*	10161	10	13	
SC674*	10162	12	13	

* 13 Piece set contains one 0 only and no dash. Other sizes and separate letter and number sets available. Vertical composition also available. Please inquire.




INDIVIDUAL LETTERS & NUMBERS

	Model	Mode						
	No.							
Character	2"	3"	4"	5"	6"	8"	10"	12"
LETTERS								
A	SF156	SF192	SF228	SF264	SF300	SF336	SF372	SF408
В	SF157	SF193	SF229	SF265	SF301	SF337	SF373	SF409
C	SF158	SF194	SF230	SF266	SF302	SF338	SF374	SF410
D	SF159	SF195	SF231	SF267	SF303	SF339	SF375	SF411
E	SF160	SF196	SF232	SF268	SF304	SF340	SF376	SF412
F	SF161	SF197	SF233	SF269	SF305	SF341	SF377	SF413
G	SF162	SF198	SF234	SF270	SF306	SF342	SF378	SF414
Н	SF163	SF199	SF235	SF271	SF307	SF343	SF379	SF415
1	SF164	SF200	SF236	SF272	SF308	SF344	SF380	SF416
J	SF165	SF201	SF237	SF273	SF309	SF345	SF381	SF417
K	SF166	SF202	SF238	SF274	SF310	SF346	SF382	SF418
L	SF167	SF203	SF239	SF275	SF311	SF347	SF383	SF419
М	SF168	SF204	SF240	SF276	SF312	SF348	SF384	SF420
N	SF169	SF205	SF241	SF277	SF313	SF349	SF385	SF421
0	SF170	SF206	SF242	SF278	SF314	SF350	SF386	SF422
Р	SF171	SF207	SF243	SF279	SF315	SF351	SF387	SF423
Q	SF172	SF208	SF244	SF280	SF316	SF352	SF388	SF424
R	SF173	SF209	SF245	SF281	SF317	SF353	SF389	SF42
S	SF174	SF210	SF246	SF282	SF318	SF354	SF390	SF420
T	SF175	SF211	SF247	SF283	SF319	SF355	SF391	SF427
U	SF176	SF212	SF248	SF284	SF320	SF356	SF392	SF428
V	SF177	SF213	SF249	SF285	SF321	SF357	SF393	SF429
W	SF178	SF214	SF250	SF286	SF322	SF358	SF394	SF430
Χ	SF179	SF215	SF251	SF287	SF323	SF359	SF395	SF431
Υ	SF180	SF216	SF252	SF288	SF324	SF360	SF396	SF432
Z	SF181	SF217	SF253	SF289	SF325	SF361	SF397	SF433
NUMBERS								
0	SF191	SF227	SF263	SF299	SF335	SF371	SF407	SF443
1	SF182	SF218	SF254	SF290	SF326	SF362	SF398	SF434
2	SF183	SF219	SF255	SF291	SF327	SF363	SF399	SF435
3	SF184	SF220	SF256	SF292	SF328	SF364	SF400	SF436
4	SF185	SF221	SF257	SF293	SF329	SF365	SF401	SF437
5	SF186	SF222	SF258	SF294	SF330	SF366	SF402	SF438
6	SF187	SF223	SF259	SF295	SF331	SF367	SF403	SF439
7	SF188	SF224	SF260	SF296	SF332	SF368	SF404	SF440
8	SF189	SF225	SF261	SF297	SF333	SF369	SF405	SF441
9	SF190	SF226	SF262	SF298	SF334	SF370	SF406	SF442

SAFETY SIGN STENCILS

- · Economical and reusable plastic stencils are pre-cut
- Use brush or spray paint to make a sign on wood, metal, paper, plastic or masonry
- Made of durable 0.015" PVC plastic
- Signs conform to OSHA regulations





Model No.	Mfg. No.	Description	Character Size"	Wt. Ibs.	Price /Each
LETTER	STENCILS				
SA983	12401	No Parking	2	0.8	
SA986	12406	Danger	2.5	0.8	
SA987	12407	Caution	2.5	0.8	
SA990	12410	Flammable	2	0.8	
SA991	12411	Exit	2	0.8	
SA992	12412	High Voltage	2	0.8	
SA993	12413	Fire Extinguisher	2	0.8	
SA999	12421	Keep Aisle Clear	3	0.8	
SYMBOI	LSTENCILS				
SA989	12409	Arrow symbol	2 x 10	0.8	
SA995	12416	Handicap symbol	15 1/2 dia.	0.35	
SA996	12417	No parking symbol	15 1/2 dia.	0.35	
SA997	12418	No smoking symbol	15 1/2 dia.	0.35	





PARKING LOT STENCILS

- · Parking lot stencils promote safety and direct traffic
- Use on a variety of surfaces with paints formulated for parking lot use
- · Precision cut to ensure high quality marking
- · Lay flat for best quality painting

COMMERCIAL GRADE

- Material 1/8" LDPE (Low Density Polyethylene)
- Long Life built for repetitive daily use
- · Will not be damaged by paint or solvents

ECONOMY GRADE

COMMERCIAL GRADE

- 1/32" high impact polystyrene
- Same high quality construction, but thinner material is meant for occasional use
- 12" high letters



Model	Mfg.	Description	Character	Wt.	Price
No.	No.		Size"	Ibs.	/Each
LETTER	STENCILS				
SEI879	70415	29-Pc. Alpha Kit	6 x 4	11.3	
SEI880	70355	12-Pc. Number Kit	6 x 4	4.7	
SEI881	70000	No Parking	4 x 3	2.3	
SEI882 SEI883 SEI884	70418 70358 70002	29-Pc. Alpha Kit 12-Pc. Number Kit No Parking	12x9 12x9 12x9 12x9	14.0 6.0 12.05	
SYMBO	L STENCILS				
SEI885	70471	Straight Arrow	62	18.2	
SEI886	70481	Curved Arrrow	62	21.8	
SEI887	70343	Handicap Symbol	39	5.0	

NO PARKING

ECONOMY GRADE

Model	Mfg.		Character	Wt.	Price
No.	No.	Description	Size"	lbs.	/Each
LETTER	STENCILS				
SB001	12430	No Parking	12	2	
SB002	12431	Handicap	12	2	
SB003	12432	Fire Lane	12	2	
SB005	12434	Reserved	12	2	
SB006	12435	Visitors	12	2	
SYMBO	L STENCILS				
SB007	12436	Straight Arrow	8 x 20	3.5	
SB008	12437	Curved Arrow	8 x 27	3.5	
SB009	12438	Handicap	37 x 43	3.5	


PLASTIC INTERLOCKING STENCILS

- · Made of interlocking flexible PVC plastic
- Easy-to-use interlocking corners
- Clean with water or paint solvent
- More economical than brass
- Available in 46 pieces and 138 pieces

46 pieces includes: 2 each A, E, R, S - 1 each of remaining letters and numbers, \$, &, large and small spacers, period, and dash.

138 pieces includes: 3 sets of the 46-piece set.

Model No.	Mfg. No.	Size"	Wt. lbs.	Price /Each	Model No.	Mfg. No.	Size"	Wt. Ibs.	Price /Each
46 PIEC	ES				138 PIECE	S			
SF079	10191	1	0.11		SAK461	10189	1	0.34	
SF080	10192	2	0.19		SAK462	10190	2	0.66	
SF081	10193	3	0.34		SAK463	10195	3	1.0	







STAMPS & STENCILS

HAND ROLLERS & PADS

- This hand roller gives clear, distinct markings at an economical price
- Unique open cell, skinless foam roller holds more ink, gives more marks with each inking
- Protective cover included
- Choice of 1 1/2" or 3" rollers
- · Stencil ink pads sold separately



Model	Mfg.		Wt.	Price
No.	No.	Description	lbs.	/Each
FOUNTA	IN ROLLERS			
PA265	310215	1 1/2" Fountain Roller	1.0	
PA266	310112	1 1/2" Replacement Roller	0.2	
PA267	310230	3" Fountain Roller	1.0	
PA268	310030	3" Replacement Roller	0.2	
HAND RO	OLLERS			
PA262	310021	1 1/2" Hand Roller	0.3	
PA260	310011	1 1/2" Replacement Roller	0.2	
PA263	310023	3" Hand Roller	0.3	
PA261	310013	3" Replacement Roller	0.2	
PA264	310050	Ink Pad	0.2	

MARSH

ROLMARK FOUNTAIN ROLLERS

- For stenciling applications on porous and non-porous surfaces
- Large ink reservoir in handle; pump action button for fast, uniform dispensing of ink
- Unique open cell, skinless foam roller for clear, solid-coverage marks
- · Protective cover included
- Choice of 1 1/2" or 3" rollers

ROLMARK INKS

- For use with fountain rollers and hand rollers
- · Waterproof, permanent and fast drying
- For marking on cartons, wood boxes, metal drums, pipes and other porous and non-porous surfaces
- · Comes in 1-quart cans
- Wt.: 3 lbs.

Model	Mfg.		Price
No.	No.	Colour	/Each
PA269	310300	Black	
PA270	310310	Blue	
PA271	310320	Brown	
PA272	310330	Green	
PA274	310350	Red	
PA275	310360	White	
PA276	310370	Yellow	
PA277	310380	Rolmark Cleaning Solvent	

MARSH STENCIL INIK ROLMARK ROLMARK ROCHOR POCHOR POCHOR

STENCIL INKS

- · Spray stencil ink works on almost any surface
- Available in a 12-oz. can, this spray stencil ink does not contain fluorocarbons

Model	Mfg.		Price
No.	No.	Colour	/Each
SC668	803108	Black	
SC670	803105	White	
SC671	803127	Yellow	



FOUNTAIN BRUSHES

- For big stenciling jobs where speed and convenience are important factors, fountain brushes are the ideal answer
- Recommended for use with quick drying inks, comes with cover

Model		Price
No.	Description	/Each
SC651	Automatic Fountain Brush	
SC652	Extra Tip	



MARSH



IDENTIFY LOCATIONS, SUPPLIES & TOOLS

- Mark on equipment, products, machinery, and shelves for unique identification
 Self-adhesive vinyl labels have peel-off back liner and mount to any clean, dry surface



Character height: 1" 10 characters per sheet Marker size: 1 1/2" H x 7/8" W

Character height: 1 15/16" 10 characters per sheet Marker size: 2 1/4" H x 7/8" W

Character height: 2 15/16" 6 characters per sheet Marker size: 3 1/2" H x 1 1/2" W

Character height: 3 7/8" 5 characters per sheet Marker size: 5" H x 1 3/4" W

BBBBBBBBB

666666666





Price	Character	Character
/Sheet	Per Sheet	Height"
	10	1
	10	1 15/16
	6	2 15/16
	5	3.7/8

NUMBERS

	1"	1 15/16"	2 15/16"	3 7/8"	
	10/Sheet	10/Sheet	6/Sheet	5/Sheet	
0	SC821	SC831	SE822	SC841	
1	SC822	SC832	SE823	SC842	
2	SC823	SC833	SE824	SC843	
3	SC824	SC834	SE825	SC844	
4	SC825	SC835	SE826	SC845	
5	SC826	SC836	SE827	SC846	
6	SC827	SC837	SE828	SC847	
7	SC828	SC838	SE829	SC848	
8	SC829	SC839	SE830	SC849	
9	SC830	SC840	SE831	SC850	

INDIVIDUAL LETTER & NUMBER MARKERS

Identically printed characters are ideal for multiple marking and identification.

- · Markers are printed on adhesive vinyl to be self-aligning so that the characters are spaced evenly
- Printed in high-contrast black on yellow
- Choose and use only the characters you require without having to order letter and number sets
- Available per sheet

LETTERS

LLTTERS				
	1"	1 15/16"	2 15/16"	3 7/8"
	10/Sheet	10/Sheet	6/Sheet	5/Sheet
A	SC743	SC769	SR590	SC795
В	SC744	SC770	SR591	SC796
C	SC745	SC771	SR592	SC797
D	SC746	SC772	SR593	SC798
E	SC747	SC773	SR594	SC799
F	SC748	SC774	SR595	SC800
G	SC749	SC775	SR596	SC801
Н	SC750	SC776	SR597	SC802
1	SC751	SC777	SR598	SC803
J	SC752	SC778	SR599	SC804
K	SC753	SC779	SR600	SC805
L	SC754	SC780	SR601	SC806
M	SC755	SC781	SR602	SC807
N	SC756	SC782	SR603	SC808
0	SC757	SC783	SR604	SC809
P	SC758	SC784	SR605	SC810
Q	SC759	SC785	SR606	SC811
R	SC760	SC786	SR607	SC812
S	SC761	SC787	SR608	SC813
T	SC762	SC788	SR609	SC814
U	SC763	SC789	SR610	SC815
V	SC764	SC790	SR611	SC816
W	SC765	SC791	SR612	SC817
Χ	SC766	SC792	SR613	SC818
Υ	SC767	SC793	SR614	SC819
Z	SC768	SC794	SR615	SC820

Also available in other sizes and Reflective Vinyl (black on yellow only), which adds visibility, especially in low light and dark areas when directing light on it. Please call for quote.

PRESSURE SENSITIVE NUMBERING KITS

- Pressure sensitive pre-spaced numbers are easy to align and affix to vehicle placards or for numbering ratings and specific information
- Numbers are 3 1/2" high printed black on clear Mylar™ or black on white vinyl, with permanent adhesive
- Available in a kit containing 500 numbers; 50 of each number 0 to 9
- · Single numbers sold 50 per package

IN COM.

Model No.		Model No.			
Black on	Mfg.	Black on	Mfg.	Qty	Price
Clear	No.	White	No.	/Pkg.	/Each
SA0097	UNCLKIT	SA0098	UNWHKIT	500	



MATERIALS

Our comprehensive selection of custom sign materials are designed to meet virtually every application and environmental demand.

Customize the size and materials to fit your need, and add your company logo for added personalization!



ADHESIVE VINYI:

Self stick sign is for indoor or sheltered areas. Adhere to most flat, clean, dry surfaces. Ideal for basic identification purposes or short term outdoor applications.

- · Flexible 4-mil thick vinyl with acrylic adhesive
- Non-glare printed surface
- Impact resistant
- Moisture resistant

PLASTIC:

Semi-flexible thick plastic sign for standard, medium-duty use. Use long-term indoor and sheltered outdoor locations - or temporary outdoor exposure, such as construction sites.

- 0.055" thick polyethylene plastic
- Non glare finish
- 3/16" mounting holes with rounded corners

ALUMINUM:

Provides the strength of metal, yet does not rust. Printed image is UV protected by 2-mil, high-gloss polyester overlaminate to resist fading. Ideal choice for indoor and outdoor use where a metal sign is required.

- 0.040" thick aluminum
- Withstands washdowns, harsh environments and is abrasion, chemical, and impact resistant.
- Durability warranty to 5 years
- 3/16" mounting holes with rounded corners



ACCU-SHIELD™:

Highest performance sign with superior construction for extreme conditions - outstanding UV protection, high impact strength, tough under harsh conditions such as chemicals, corrosion, and abrasions, and nearly indestructible to vandalism. Reverse printed image on the underside of the thick face and further protected underneath. Rugged appearance with a thick-edge design and pebble-textured backside.

- 0.152" thick specially-formulated polycarbonate and poly bonded back
- Durability warranty to 15 years
- 1/4" mounting holes with rounded corners



ADHESIVE DURA-VINYL™:

Dual-layered vinyl that outperforms standard vinyl. Printed image is protected by a high-gloss 2-mil UV resistant polyester over laminate to prevent fading for outdoor use.

- · Flexible 6-mil thick poly-composite
- · Durability warranty to 5 years
- · Abrasion, humidity, chemical, and solvent resistant
- · Adheres to smooth, curved and irregular surfaces



DURA-PLASTIC™:

Polycarbonate plastic offers high impact resistance and durability for outdoor applications and harsh environments. Printed image is protected by 2-mil, high-gloss polyester overlaminate with UV resistance to fading.

- 0.060" thick polycarbonate
- Resistant to abrasion, humidity, and chemicals
- Durability warranty to 7 years
- · 3/16" mounting holes with rounded corners



DURA-ALUMALITETM:

High strength, yet lightweight composite aluminum sign. 40% lighter than same thick solid aluminum, yet the same durability, stiffness and rigidity. UV protected by 2-mil, high-gloss polyester overlaminate to resist fading and abrasions.

• 0.118" thick - aluminum sheets bonded to both sides of thermoplastic core







ACCIDENT PREVENTION SIGNS

The Occupational Safety and Health Administration (OSHA 29 CFR§ 1910.145) provides specifications, design, application and use of header signs. These signs are intended to indicate potential, type and degree of the hazard that may lead to accidental injury or property damage. They define specific hazards by conveying a clear and rapidly understood message.

ACCIDENT PREVENTION HEADERS



DANGER — Indicates an imminently hazardous situation which, if not avoided, will result in death or serious injury. This signal word is to be limited to the most extreme situations. The signal word Danger should not be used for property damage hazards unless personal injury risk appropriate to the level is also involved.

WARNING — Indicates a potentially hazardous situation which, if not avoided, could result in death or serious injury. This signal word should not be used for property damage hazards unless personal injury risk appropriate to this level is also involved.

CAUTION — Indicates a potentially hazardous situation which, if not avoided, may result in minor or moderate injury. It may also be used to alert against unsafe practices that may cause property damage.

NOTICE — Indicates a statement of company policy directly or indirectly related to the safety of personnel or protection of property. This signal word should not be associated directly with a hazard or hazardous situation.

SAFETY FIRST, THINK, EMERGENCY Indicates general instructions relative to safe work practices, reminds of proper safety procedures and indicates the location of safety equipment.

ACCIDENT PREVENTION SIGN CONTENTS



A specific or "signal" word (or words) to designate a degree or level of safety alerting, always located in the uppermost portion of the sign. Intended to capture and direct attention to the potential hazardous situation.

The specific short message conveys the need to pay attention to a potential hazard or hazards, or take a necessary action to avoid such hazard(s).



Many signs consist of just header and legend — Signs can also contain a symbol...

Pictorials are graphic representations to clearly convey a specific alerting message compatible with and supplemental to the legend message. Universal in design, many are standardized to be easily understood.

MATERIALS

ADHESIVE VINYL (VS)

For light-duty applications. The ideal choice for indoor and sheltered outdoor marking needs. Mounts to all curved areas such as pipes, poles and secondary containers.

- 4-mil thick surface printed matte surface
- Permanent acrylic adhesive
- Moisture-resistant
- Service temperature range: -20°F to 140°F
- Durability: 2 years outdoors
- Square corners and scored backing for quick peel-off and application

PLASTIC (VP)

Semi-flexible, economical and appropriate for medium-duty use - ideal for indoor and sheltered outdoor environments.

- · Ideal for flat surfaces with enough flex to mount on slightly curved areas
- · 0.055" thick with good impact resistance and surface image with non-glare finish
- Contains UV inhibitors
- Service temperature range: -90°F to 168°F
- Durability: 2 years outdoors
- Rounded corners and 3/16" mounting holes

ALUMINUM (VA)

Get the strength of metal, without the rust. Superior abrasion and chemical resistance for indoor and outdoor environments.

- · Printed image on rigid
- 0.040" aluminum backing Protected by 2-mil high-gloss
- UV polyester over-laminate film
- Service temperature range: -20°F to 140°F
- Withstands splashes and washdowns
- · Endures outdoor environmental conditions
- Durability: 5 years outdoors
- Rounded corners and 3/16" mounting holes

ENGLISH ADMITTANCE & EXIT



Mat'l	7" x 10"	10" x 14"
VS		SAS593
VP	SASS91	SAS594
VA	SAS592	SAS595



7" x 10"	10" x 14"
SAS596	SAS599
SAS597	SAS600
SAS598	SAS601



7" x 10"	10" x 14'
SJ512	SJ513
SJ510	SJ511
SJ508	SJ509



7" x 10"	10" x 14"
SJ519	SJ520
SJ517	SJ518
SJ515	SJ516



10" x 14"
SAS611
SAS612
SAS613



7" x 10"	10" x 14"
SAP697	SAP698
SAP695	SAP696
SAP693	SAP694

AUTHORIZED PERSONNEL ONLY

Mat'l	7" x 10"	10" x 14"
VS	SS327	SS896
VP	ST371	SU607
VA	SU091	SV657



7" x 10"	10" x 14"
SAS614	SAS617
SAS615	SAS618
SAS616	SAS619



7" x 10"	10" x 14"
SS675	ST291
ST814	SV082
SU502	SW125



7" x 10"	10" x 14"
SAS620	SAS623
SAS621	SAS624
SAS622	SAS625



7" x 10"	10" x 14"
SS665	ST281
ST804	SV072
SU493	SW116



7" x 10"	10" x 14"
SJ437	SJ438
SJ435	SJ436
SJ433	SJ434



Mat'l	7" x 10"	10" x 14"
VS	SAS656	SAS659
VP	SAS657	SAS660
VA	SAS658	SAS661



7" x 10"	10" x 14"
SAP737	SAP738
SAP736	SJ725
SAP735	SJ724



7" x 10"	10" x 14"
SJ722	SJ723
SJ720	SJ721
SJ718	SJ719



7" x 10"	10" x 14"
SAS722	SAS725
SAS723	SAS726
SAS724	SAS727



7" x 10"	10" x 14"
SJ732	SJ733
SJ730	SJ731
SJ728	SJ729



7" x 10"	10" x 14"
SAS680	SAS683
SAS681	SAS684
SAS682	SAS685

NOTICE KEEP THIS DOOR CLOSED

Mat'l	7" x 10"	10" x 14"
VS	SAS692	SAS695
VP	SAS693	SAS696
VA	SAS694	SAS697



67
59
57

NOTICE NO TRESPASSING

7" x 10"	10" x 14"
SJ805	SJ806
SJ803	SJ804
SJ801	SJ802



7" x 10"	10" x 14"
SJ811	SJ812
SJ809	SJ810
SJ807	SJ808



7" x 10"	10" x 14"
SAS728	SAS731
SAS729	SAS732
SAS730	SAS733



7" x 10"	10" x 14"
SJ852	SJ853
SJ850	SJ851
SJ848	SJ849



Mat'l	7" x 10"	10" x 14"
VS	SJ878	SJ879
VP	SJ876	SJ877
VA	SJ874	SJ875

RESTRICTED AREA AUTHORIZED PERSONNEL ONLY

T Elloon	THE VITE
7" x 10"	10" x 14"
SAS740	SAS743
SAS741	SAS744
SAS742	SAS745

NOT AN EXIT

$\overline{}$	
7" x 10"	10" x 14"
SAS797	SAS800
SAS798	SAS801
SAS799	SAS802

NO TRESPASSING VIOLATORS WILL BE PROSECUTED

7" x 10"	10" x 14"
SAS776	SAS791
SAS777	SAS792
SAS778	SAS793

PRIVATE PROPERTY NO TRESPASSING

7" x 10"	10" x 14"
SS607	ST223
ST757	SV008
SU448	SW052



7" x 10"	10" x 14"
SAS632	SAS635
SAS633	SAS636
SAS634	SAS637

THIS DOOR MUST BE KEPT CLOSED

Mat'l	7" x 10"	10" x 14'
VS	SAS644	SAS647
VP	SAS645	SAS648
VA	SAS646	SAS649

Price/Each

Material Code	Material	7" x 10"	10" x 14"
VS	Adhesive Vinyl		
VP	Plastic		
VA	Aluminum		



ENGLISH CHEMICALS & HAZ-MAT



Mat'l	7" x 10"	10" x 14"
VS	SAT225	SAT226
VP	SAT223	SAT224
VA	SAT221	SAT222



7" x 10"	10" x 14"
SK174	SK175
SK172	SK173
SK170	SK171



7" x 10"	10" x 14"
SK216	SK217
SK214	SK215
SK212	SK213



7" x 10"	10" x 14"
SAT249	SAT250
SAT247	SAT248
SAT245	SAT246



7" x 10"	10" x 14"
SK368	SK369
SK366	SK367
SK364	SK365



7" x 10"	10" x 14"
SK375	SK376
SK373	SK374
SK371	SK372



Mat'l	7" x 10"	10" x 14"
VS	SAT339	SAT340
VP	SAT337	SAT338
VA	SAT335	SAT336



7" x 10"	10" x 14"
SAT345	SAT346
SAT343	SAT344
SAT341	SAT342



7" x 10"	10" x 14"
SAT369	SAT370
SAT367	SAT368
SAT365	SAT366



7" x 10"	10" x 14"
SK276	SK277
SK274	SK275
SK272	SK273



7" x 10"	10" x 14"
SAT375	SAT376
SAT373	SAT374
SAT371	SAT372



7" x 10"	10" x 14'
SEJ200	SEJ203
SEJ201	SEJ204
SEJ202	SBC444



Mat'l	7" x 10"	10" x 14"
VS	SAT405	SAT406
VP	SAT403	SAT404
VA	SAT401	SAT402



7" x 10" 10" x 14" SAT429 **SAT430** SAT427 SAT428 SAT425 SAT426



7" x 10"	10" x 14"
SBB083	SEJ206
SEJ205	SEJ207
SBB082	SEJ208



7" x 10" 10" x 14" **SAT489** SAT490 SAT487 **SAT488** SAT486 SAD049



7" x 10"	10" x 14"
SK557	SK558
SK555	SK556
SK 553	SK554

ENGLISH CONFINED SPACE



Mat'l	7" x 10"	10" x 14"
VS	SAT505	SAT506
VP	SAT503	SAT504
VA	SAT501	SAT502



7" x 10"	10" x 14"
SBC569	SBC575
SBC568	SBC574
SBC567	SBC573



7" x 10"	10" x 14"
SAT535	SAT536
SAT533	SAT534
SAT531	SAT532



7" x 10"	10" x 14"
SAT541	SAT542
SAT539	SAT540
SAT537	SAT538



7" x 10"	10" x 14"
SAT571	SAT572
SAT569	SAT570
SAT567	SAT568



7" x 10"	10" x 14"
SAT517	SAT518
SAT515	SAT516
SAT513	SAT514

ENGLISH ELECTRICAL



Mat'l	7" x 10"	10" x 14"
VS	SAT008	SAT011
VP	SAT009	SAT158
VA	SAT010	SAT159



7" x 10"	10" x 14
SJ562	SJ56
SBC648	SJ56
SJ558	SJ55



7" x 10"	10" x 14"
SL115	SL116
SL113	SL114
SL111	SL112



10" x 14
SAT70
SAT70
SAT71



7" x 10"	10" x 14"
SAT711	SAP725
SAT712	SL118
SAT713	SL117



7" x 10"	10" x 14"
SAT720	SAT723
SAT721	SAT724
SAT722	SAT725

Price/Each

Material Code	Material	7" x 10"	10" x 14"
VS	Adhesive Vinyl		
VP	Plastic		
VA	Aluminum		



ENGLISH ELECTRICAL CONT'D



Mat'l	7" x 10"	10" x 14"
VS	SJ597	SJ598
VP	SJ595	SJ596
VA	SJ593	SJ594



7" x 10"	10" x 14"
SAT915	SAT918
SAT916	SAT919
SAT917	SAT920



7" x 10"	10" x 14"
SAT921	SAT924
SAT922	SAT925
SAT923	SAT926



7" x 10"	10" x 14"
SAT669	SAT672
SAT670	SAT673
SAT671	SAT674



7" x 10"	10" x 14"
SAT939	SAT942
SAT940	SAT943
SΔT941	SAT944

ENGLISH EQUIPMENT



7" x 10"	10" x 14"
SAT675	SAT678
SAT676	SAT679
SAT677	SAT680



Mat'l		
	7" x 10"	10" x 14"
VS	SEJ209	SEJ212
VP	SEJ210	SEJ213
VA	SEJ211	SEJ214



7" x 10"	10" x 14"
SAT975	SAT978
SAT976	SAT979
SAT977	SAT980



7" x 10"	10" x 14"
SAT969	SAT972
SAT970	SAT973
SAT971	SAT974



7" x 10"	10" x 14"
SAT993	SAT996
SAT994	SAT997
SAT995	SAT998



DANGEF

DO NOT OPERATE WITHOUT

GUARDS IN PLACE



10" x 14
SAU03
SAU03
SAU03



	HANDS	
Mat'l	7" x 10"	10" x 14"
VS	SAU058	SAU061
VP	SAU059	SAU062
VA	SAU060	SAU063



7" x 10"	10" x 14"
SAU023	SAU026
SAU024	SAU027
SAU025	SAU028



7" x 10"	10" x 14"
SAU086	SAU089
SAU087	SAU090
SAU088	SAU091



7" x 10" 10" x 14" SAT754 SAT757 SAT758 SAT755 SAT756 SAT759



10" x 7"	14" x 10 "
SAT760	SAT763
SAT761	SAT764
SAT762	SAT765



7" x 10"	10" x 14"
SAT795	SAT798
SAT796	SAT799
SAT797	SAT800

ENGLISH FIRST AID



	IMMEDIATEE	
Mat'l	7" x 10"	10" x 14"
VS	SAU127	SAU130
VP	SAU128	SAU131
VA	SAU129	SAU132

1



7" x 10"	10" x 14"
SEJ223	SEJ226
SEJ224	SEJ227
SEJ225	SEJ228



17" x 7' 18" x 4" SEJ229 SBC835 SBC829 SRC834 SEJ230 SE1222



7" x 10"	10" x 14"
SAU145	SAU148
SAU146	SAU149
SAU147	SAU150



7" x 10"	10" x 14"
SAU163	SAU166
SAU164	SAU167
SAU165	SAU168



/ X 10 "	10" X 14
SAU169	SAU172
SAU170	SAU173
SAU171	SAU174



lat'l	7" x 10"	10" x 14"
VS	SAU181	SAU184
VP	SAU182	SAU185
VΔ	SAU183	SAU186



7" x 10"	10" x 14"
SL809	SL810
SL808	SAU199
SL807	SAU200



7" x 10"	10" x 14"
SAU201	SAU204
SAU202	SAU205
SAU203	SAU206



7" x 10"	10" x 14"
SAU207	SAU210
SAU208	SAU211
SA11209	SAII212



10" x 7"	14" x 10"
SAU213	SAU216
SAU214	SAU217
SAU215	SAU218



7" x 10"	10" x 14"
SAU219	SAU222
SAU220	SAU223
SAU221	SAU224

Price/Each



/lat'l	10" x 7"	14" x 10"
VS	SDN994	SBC850
VP	SDN945	SBC849
VA	SDN946	SDN887



10" x 7" 14" x 10" **SDN908** SBC848 SDN909 SBC847 SDN910 SDN911



10" x 7" 14" x 10" SDN924 SDN927 SDN925 SDN928 SDN926 SDN929



VS	Adhesive Vin
VP	Plastic
VA	Aluminum



ENGLISH PERSONAL PROTECTION



REQUIRED		
Mat'l	7" x 10"	10" x 14"
VS	SAU368	SAU371
VP	SAU369	SM254
VA	SAU370	SM253



7" x 10"	10" x 14
SAU372	SAU375
SAU373	SAU376
SAU374	SAU377



7" x 10"	10" x 14'
SAU384	SAU387
SAU385	SAU388
SAU386	SAU389



7" x 10"	10" x 14"
SAU402	SAU405
SAU403	SAU406
SAU404	SAU407



10" x 14"
SAU417
SAU418
SAU419



7" x 10"	10" x 14"
SM340	SM341
SM338	SM339
SM336	SM337



Mat'l	7" x 10"	10" x 14"
VS	SM068	SM069
VP	SM066	SM067
VA	SM064	SM065



7" x 10"	10" x 14"
SAU447	SAU450
SAU448	SAU451
SAU449	SAU452



7" x 10"	10" x 14'
SAU458	SAU461
SAU459	SAU462
SAU460	SAU463











7" x 10"	10" x 14
SAU534	SAU537
SAU535	SAU538
SAU536	SAU539







7" x 10"	10" x 14'
SAU506	SAU509
SAU507	SM245
SAU508	SM244



-	
7" x 10"	10" x 14
SAU522	SAU52
SAU523	SAU52
SAU524	SAU52



7" x 10"	10" x 14"
SAU540	SAU543
SAU541	SAU544
SAU542	SAU545



10" x 14"
SAU549
SAU550
SAU551



7" x 10"	10" x 14'
SM295	SM296
SM293	SM294
SM291	SM292

ENGLISH SMOKING CONTROL



Mat'l	7" x 10"	10" x 14"
VS	SEJ236	SBD156
VP	SEJ237	SBD155
VA	SEJ238	SBD154



7" x 10"	10" x 14"
SM355	SM356
SM353	SM354
SM351	SM352



<u> </u>	
7" x 10"	10" x 14"
SL892	SL893
SL890	SL891
SL888	SL889

SMOKING)	
" x 10"	10" x 14"
L892	SL893
L890	SL891
1 2 2 2	21 229



$\overline{}$	
7" x 10"	10" x 14"
SAS911	SAS917
SAS912	SL895
SAS913	SL894



7" x 10"	10" x 14"
SAS971	SAS974
SAS972	SAS975
SAS973	SAS976

DESIGNATED SMOKING AREA

7" x 10"	10" x 14"
SL956	SL957
SL955	SAS918
SL954	SAS919

ENGLISH SAFETY INCENTIVE



$\overline{}$	$\overline{}$
7" x 10"	10" x 14"
SAS905	SAS908
SAS906	SAS909
SAS907	SAS910
	SAS905 SAS906



7" x 10"	10" x 14"
SAS983	SAS914
SAS984	SAS915
SAS985	SAS916



	
7" x 10"	10" x 14"
SAS986	SAS920
SAS987	SAS921
SAS988	SAS922



Price/Each

Material Code	Material	7" x 10"	10" x 14"
VS	Adhesive Vinyl		
VP	Plastic		
VA	Aluminum		

ENGLISH SMOKING CONTROL CONT'D



Mat'l	7" x 10"	10" x 14"
VS	SAS989	SAS992
VP	SAS990	SAS993
VA	SAS991	SAS994



7" x 10"	10" x 14"
SL969	SL970
SL967	SL968
SL965	SL966



7" x 10"	10" x 14"
SAT020	SAT023
SL691	SAT024
\$1690	SAT025



7" x 10"	10" x 14"
SAT014	SAT017
SAT015	SAT018
SATO16	SAT019




10" x 7"	14" x 10"
SL981	SL982
SL979	SL980
SL977	SL978



7" x 10"	10" x 14"
SAT026	SAT029
SAT027	SAT030
SAT028	SAT031

ENGLISH TRAFFIC INDUSTRIAL







7" x 10"	10" x 14"
SAT044	SAT047
SL973	SAT048
SL972	SAT049



7" x 10"	10" x 14"
SAT050	SAT053
SAT051	SAT054
SAT052	SAT055



7" x 10" 10" x 14" SAT062 SAT065 SAT063 SAT066 SAT064 SAT067



7" x 10" 10" x 14"
SAT068 SAT071
SAT069 SAT072
SAT070 SAT073



7" x 10"	10" x 14
SAT074	SAT077
SAT075	SAT078
SAT076	SAT079



Mat'l	7" x 10"	10" x 14"
VS	SAT092	SAT095
VP	SAT093	SAT096
VA	SAT094	SAT097



7" x 10"	10" x 14"
SAT104	SAT107
SAT105	SAT108
SAT106	SAT109



7" x 10"	10" x 14"
SAT110	SAT113
SAT111	SAT114
SAT112	SAT115



7" x 10"	10" x 14"
SAT116	SAT119
SAT117	SAT120
SAT118	SAT121



7" x 10"	10" x 14"
SAT122	SAT125
SAT123	SAT126
SAT124	SAT127



7" x 10"	10" x 14"
SAT128	SAT131
SAT129	SAT132
SAT130	SAT133

ENGLISH FIRE & EMERGENCY EXITS



VS		
VP	7" x 10"	10" x 14"
VA	SAT134	SAT137
	SAT135	SAT138
	CAT136	CAT130

Mat'l



7" x 10"	10" x 14"
SAT140	SAT143
SAT141	SAT144
SAT142	SAT145



10" x 14"
SL038
SL036
SL034



7" x 10"	10" x 14"
SL022	SL023
SL021	SAS786
SL020	SAS787



7" x 10"	10" x 14"
SK986	SAT821
SAT819	SK985
SAT820	SK984



7" x 10"	10" x 14
SK992	SK99:
SK990	SK99
SK988	SK98



Nat'l VS	7" x 10"	10" x 14"
VP VP	SL005	SL006
VA	SL002	SL003
VA	SK999	SL001

EMERGENCY	
EXIT ONLY	
DOOR ALARM	
WILL SOUND	

7" x 10"	10" x 14"
SAT828	SAT831
SAT829	SAT832
SAT830	SAT833



7" x 10"	10" x 14"
SEJ216	SEJ219
SEJ217	SEJ220
SEJ218	SEJ221



7" x 10"	10" x 14"
SAT822	SAT825
SAT823	SAT826
SAT824	SAT827



7" x 10"	10" x 14"
SAT840	SAT843
SAT841	SAT844
SAT842	SAT845



7" x 10"	10" x 14"
SL569	SL570
SAT846	SAT848
SAT847	SAT849



lat'l	7" x 10"	10" x 14"
VS	SAT905	SAT906
VP	SL626	SAT907
VA	SL625	SAT908



10" x 7"	14" x 10"
SAU105	SAU108
SAU106	SAU109
SAU107	SAU110



10" x 7"	14" x 10"
SAT886	SAT889
SAT887	SAT890
SAT888	SAT891

Aluminum



10" x 7" 14" x 10" SAT892 SAP765 SAT893 SL597 SAT894 SL596



10" x /"	14" x 10"
SAT895	SAT898
SAT896	SAT899
SAT897	SAT900




7" x 10"	10" x 14"
SAT901	SAT904
SAT902	SL608
SAT903	\$1,607



/lat'l	12" x 4"	18" x 4"
VS	SAZ778	SBC912
VP	SBC907	SBC911
VA	SBA013	SBC910



100
18" x 4"
SBC935
SBC934
SEJ215







IF YOU DO NOT SEE THE LEGEND OR SIZE YOU ARE LOOKING FOR PLEASE CALL US!

VA

ENGLISH HOUSEKEEPING & HYGIENE



	The state of the s		
Mat'l	10" x 7"	14" x 10"	
VS	SEJ231	SEJ234	
VP	SEJ232	SBB439	
VA	SEJ233	SEJ235	

NOTICE **SPILL CLEAN UP** KIT

7" x 10"	10" x 14"
SAU296	SAU299
SAU297	SAU300
SAU298	SAU301



7" x 10"	10" x 14"
SAU326	SAU329
SAU327	SAU330
SAU328	SAU331



7" x 10"	10" x 14"
SAU356	SAU359
SAU357	SAU360
SAU358	SAU361



7" x 10"	10" x 14"
SAU332	SAU335
SAU333	SAU336
SAU334	SAU337



7" x 10"	10" x 14"
SAU302	SAU305
SAU303	SAU306
SAU304	SAU307



Mat'l	7" x 10"	10" x 14"
VS	SAU266	SAU269
VP	SAU267	SAU270
VA	SAU268	SAU271



7" x 10"	10" x 14
, ,,,,,	
SAU231	SAU234
SAU232	SAU23
SAU233	SV76



7" x 10"	10" x 14
SAU248	SAU25
SAU249	SAU25
SAU250	SAU25



7" x 10"	10" x 14"
SAU254	SAU257
SAU255	SAU258
SAU256	SAU259



ENGLISH FACILITY SIGNS

Mat'I 10" x 14" 14" x 20' SAX621 SEA498 VPVA **SEA497** SAZ775



14" x 10" SAX645 SEA507



14" x 10' Mat'l SAX648 VP SEA508 VA



4" x 12" SAX666 SAX667



4" x 12" SAX669 SAX670

RÉCEPTION ET **EXPÉDITION**

FRENCH FACILITY SIGNS

10" x 14" 14" x 20" SEE296 SEE298 SEE297 **SEE299**



14" x 10" SEE300 SEE301



14" x 10" SEE302 **SEE303**

Price/Each

BILINGUAL FACILITY SIGNS





4" x 12" Mat'l SEE304 VP SEE305 ۷A

4" x 12" SEE306 SEE307



14" x 10" SAX654 SEA509



14" x 10' SAX657 SEA510



14" x 10" SAX660 SAX661

NOTICE

RESTROOM

CLOSED

FOR

CLEANING

ACCUFORM.

Material Code	Material	10" x 7"	14" x 10"	4" x 12"	14" x 20"
VS	Adhesive Vinyl			-	
VP	Plastic				
VA	Aluminum				

FOLD-UPS™

- Free-standing signs to identify temporary hazardous conditions
- 0.125" rugged, high-impact plastic for multiple uses and rough handling
- 20" H x 12" W with handle cut-out, folds flat
- Same message both sides

Price/Each



















DO NOT

ENTER

SEL054

FRENCH ADMITTANCE



Mat'l	7" x 10"	10" x 14"
VS	SAZ545	SAZ546
VP	S0179	S0180
VA	S0177	S0178



7" x 10"	10" x 14"
S0124	S0125
S0122	SAZ541
S0120	S0121



7" x 10"	10" x 14"
S0139	S0140
S0137	S0138
SA7543	SA7544



$\overline{}$	
7" x 10"	10" x 14"
S0174	S0175
S0172	S0173
S0170	S0171



7" x 10"	10" x 14"
S0188	S0189
S0186	S0187
S0184	S0185



7" x 10"	10" x 14"
S0222	S0223
S0220	S0221
S0218	S0219

ATTENTION **ENTRÉE INTERDITE**

Mat'l	7" x 10"	10" x 14"	
VS	S0161	S0162	
VP	S0159	S0160	
VΔ	\$0157	\$0158	



7" x 10"	10" x 14"
SED665	SEF986
SEF983	SEF985
SEF982	SEF984



7" x 10"	10" x 14"
S0196	S0197
S0194	S0195
S0192	50193



7" x 10"	10" x 14"
S0393	S0394
S0391	S0392
S0389	S0390



10" x 14"
S0480
S0478
SAZ564







	PAS DE PLANNES HUES	
Mat'l	7" x 10"	10" x 14"
VS	SEJ239	SEB929
VP	SEJ240	SEJ243
VA	SEJ241	SEJ244



7" x 10"	10" x 14"
S0493	S0494
S0491	S0492
S0489	S0490



7" x 10"	10" x 14"
S0430	S0431
S0428	S0429
S0426	S0427



7" x 10"	10" x 14"
SP066	SP067
SP064	SP065
SAZ607	SP063







7" x 10"	10" x 14"
S0300	S0301
S0298	SAZ554
S0296	S0297

FRENCH CONFINED SPACE



Mat'l	7" x 10"	10" x 14"
VS	S0132	S0133
VP	S0130	S0131
VA	SAZ542	S0129



7" x 10"	10" x 14"
S0244	S0245
S0242	S0243
S0240	S0241



and the second second	
7" x 10"	10" x 14"
S0258	S0259
S0256	S0257
S0254	\$0255



7" x 10"	10" x 14"
SEG163	SEG142
SEG162	SEG141
SEG161	SEG140

FRENCH ELECTRICAL



7" x 10"	10" x 14"
S0842	S0843
S0840	S0841
S0838	S0839



7" x 10"	10" x 14"
S0117	S0118
S0115	S0116
S0113	S0114



/lat'l	7" x 10"	10" x 14"
VS	S0878	S0879
VP	S0876	S0877
VA	S0874	SAZ577



7" x 10"	10" x 14"
S0790	S0791
S0788	S0789
S0786	S0787



10" x 7"	14" x 10"
S0797	S0798
S0795	S0796
SAZ569	SAZ570



7" x 10"	10" x 14"
S0229	S0230
S0227	S0228
S0225	S0226



7" x 10"	10" x 14"
S0835	S0836
S0833	S0834
S0831	S0832



7" x 10"	10" x 14"
S0870	S0871
S0869	SAZ576
S0868	SAZ575

Price/Each

Material Code	Material	7" x 10"	10" x 14"
VS	Adhesive Vinyl		
VP	Plastic		
VA	Aluminum		



FRENCH EQUIPMENT



Mat'l	7" x 10"	10" x 14"
VS	SP526	SP527
VP	SP524	SP525
VA	SP522	SP523



7" x 10"	10" x 14"
SP259	SP260
SP257	SP258
SP255	SP256



7" x 10"	10" x 14"
SP575	SP576
SP573	SP574
SP571	SP572



10" x 14"
SP165
SP163
SP161

FRENCH FIRST AID



7" x 10"	10" x 14"
SP171	SP172
SP169	SP170
SP167	SP168



7" x 10"	10" x 14"
SP596	SP597
SP594	SP595
SP592	SP593

ATTENTION CETTE MACHINE MACHINE DOIT ÊTRE VERROUILLÉE AVANT L'ENTRETIEN

Mat'l	10" x 7"	14" x 10"
VS	SP483	SP484
VP	SP481	SP482
VA	SAZ644	SP480



7" x 10"	10" x 14"
SP468	SP469
SAZ642	SAZ643
SAZ640	SAZ641



7" x 10"	10" x 14"
SP437	SP438
SP435	SP436
SP433	SP434



















7" x 10"	10" x 14"
SAZ657	SAZ658
SP659	SAZ656
SP658	SAZ655



14" x 10"
SDN894
SDN895
SDN896



10" x 7"	14" x 10"
SDN915	SDN918
SDN916	SDN919
SDN917	SDN920



10" x 7"	14" x 10"
SDN933	SDN936
SDN934	SDN937
SDN935	SDN938

FRENCH HOUSEKEEPING & HYGIENE



Mat'l	7" x 10"	10" x 14"
VS	SP744	SP745
VP	SP742	SP743
VA	SP740	SP741



7" x 10"	10" x 14"
SP730	SP731
SP728	SP729
SP726	SP727



10" x 14"
SP765
SP763
SP761



7" x 10"	10" x 14"
SP823	SP824
SP821	SP822
SP819	SP820



7" x 10"	10" x 14"
SP791	SAZ673
SP789	SP790
SAZ671	SAZ672



SP816
2010
SP814
SAZ677

FRENCH PERSONAL PROTECTION



Mat'l	7" x 10"	10" x 14"
VS	S0719	S0720
VP	S0717	S0718
VA	S0715	S0716



7" x 10"	10" x 14"
S0110	S0111
S0108	S0109
S0106	S0107



7" x 10"	10" x 14"
S0277	S0278
S0275	S0276
S0273	S0274



7" x 10"	10" x 14"
S0293	S0294
S0291	S0292
S0289	S0290



7" x 10"	10" x 14"
S0285	S0286
S0283	S0284
S0281	S0282



7" x 10"	10" x 14'
S0356	S0357
S0354	S0355
S0352	S0353

ATTENTION VISIÈRE OBLIGATOIRE

	3221311131112		
Mat'l	7" x 10"	10" x 14"	
VS	S0264	S0265	
VP	SAZ551	S0263	
VA	SAZ549	SAZ550	



7" x 10"	10" x 14"
S0683	S0684
S0681	S0682
S0679	S0680



7" x 10"	10" x 14"
S0754	S0755
S0752	S0753
S0750	S0751

SÉCURITÉ **AVANT TOUT** UNE PROTECTION OCULAIRE Obligatoire dans Cette zone

7" x 10"	10" x 14"
S0662	S0663
S0660	S0661
S0658	S0659

PENSEZ LA SÉCURITÉ AU TRAVAIL COMMENCE ICI

7" x 10"	10" x 14'
SEG468	SEG955
SEG467	SEG956
SEG466	SEG957

Price/Each

Material Code	Material	7" x 10"	10" x 14"
VS	Adhesive Vinyl		
VP	Plastic		
VA	Aluminum		

IF YOU DO NOT SEE THE LEGEND OR SIZE YOU ARE LOOKING FOR PLEASE CALL US!



FRENCH SAFETY INCENTIVE

FRENCH SMOKING CONTROL



Mat'l	7" x 10"	10" x 14"
VS	SP045	SP046
VP	SP043	SP044
VA	SP041	SP042



7" x 10"	10" x 14"
SP851	SP852
SP849	SP850
SP847	SP848

ATTENTION DÉFENSE DE FUMER

7" x 10"	10" x 14"
SP837	SP838
SP835	SP836
SP833	SP834

FRENCH TRAFFIC INDUSTRIAL



7" x 10"	10" x 14"
SP143	SP144
SP141	SP142
SP139	SP140



7" x 10"	10" x 14"
SP359	SP360
SP357	SP358
SP355	SP356



7" x 10"	10" x 14"
SP679	SP680
SP677	SP678
SA7669	SP676

FRENCH FIRE & EMERGENCY EXITS



Mat'l	7" x 10"	10" x 14"
VS	SEF856	SEG350
VP	SEF855	SEG349
VA	SEF854	SEG348



7" x 10"	10" x 14"
SAZ600	SAZ601
SAZ598	SAZ599
SAZ596	SAZ597



7" x 10"	10" x 14"
SP103	SP104
SP100	SP101
SP098	SP099



10" x 14"
SP096
SP094
SP092



7" x 10" SEA330	10" x 14" SEA333
SEA329	SEA332
SEA328	SEA331



7" x 10"	10" x 14"
SP059	SP060
SP057	SP058
SP055	SP056



Mat'l	7" x 10"	10" x 14"
VS	SAZ611	SAZ612
VP	SQ093	SQ094
VA	SQ091	SQ092



10" x 14"
SP039
SP037
SP035



10" x 7"	14" x 10"
SAZ619	SAZ620
SAZ618	SP077
SAZ617	SP076



 10" x 7"
 14" x 10"

 SAZ627
 SAZ628

 SP081
 SAZ626

 SP080
 SAZ625



10" x 7" 14" x 10" SAZ633 SAZ634 SAZ631 SAZ632 SAZ629 SAZ630



10" x 7"	14" x 10'
SAZ623	SAZ624
SAZ622	SP084
SAZ621	SP083

Price/Each

Price

/Each



Mat'l	7" x 10"	10" x 14"
VS	SAZ605	SAZ606
VP	S0998	SAZ604
VA	SAZ602	SAZ603



0" x 14"
SAZ591
SAZ589
SAZ588



$\overline{}$	
7" x 10"	10" x 14"
SAZ586	SAZ587
SP007	SAZ585
SP006	SAZ584
SP007	SAZ585



7" x 10"	10" x 14"
SP693	SP694
SP691	SP692
SP689	SP690



7" x 10"	10" x 14"
S0984	S0985
S0983	SAZ583
\$0982	SA7582



Material Code	Material	7" x 10"	10" x 14"
VS	Adhesive Vinyl		
VP	Plastic		
VA	Aluminum		

Material

Aluminum

Aluminum

Adhesive Vinyl

Aluminum

Aluminum



BRADYGLO® RUNNING MAN EXIT SIGNS

- Replaces the familiar red EXIT signs with "Green Running Man" sign
- Safely leads people to an exit
- Goes beyond lingual limitations as it is simply a pictorial depiction of a man running though an exit door
- Install BradyGlo® Photoluminescent exit signs only in locations where an external illumination source is present
- ULS S572 Listed for high location, and indoor use only
- · Should not be exposed to direct sunlight, liquid spray or temperature outside the range of 10 °C to 40 °C
- Should be mounted in a manner that ensures rigidity and mechanical sufficiency
- Sign face can be periodically cleaned with a damp cloth; thinners or solvents should not be used on the sign frame
- Rated viewing distance of 15.24 m (50')
- Maximum operating time of 90 minutes
- Meets CAN/ULC-S572-10
- Dimensions: 15" W x 8-1/2" H



SDN122



SDN136

BRADY®



SDN131



SDN145

	***		D: 1		
Model	Mfg.		Display	Lance I	Price
No.	No.	Type	Type	Legend	/Each
UNFRAM	MED				
SDN122	143527	Single-Sided	Bolt-On	Running Man w/Left Arrow	
SDN123	143528	Single-Sided	Bolt-On	Running Man w/Right Arrow	
SDN124	143540	Single-Sided	Bolt-On	Running Man w/Upwards Arrow	
SDN125	143539	Single-Sided	Bolt-On	Running Man w/Downwards Arrow	
SDN126	143541	Single-Sided	Bolt-On	Running Man w/Up and to the Left Arrow	
SDN127	143542	Single-Sided	Bolt-On	Running Man w/Down and to the Left Arrow	
SDN128	143543	Single-Sided	Bolt-On	Running Man w/Up and to the Right Arrow	
SDN129	143544	Single-Sided	Bolt-On	Running Man w/Down and to the Right Arrow	
FRAMED) - SURFA	CE MOUNT			
SDN130	143517	Single-Sided	Bolt-On	Running Man w/Left Arrow	
SDN131	143518	Single-Sided	Bolt-On	Running Man w/Right Arrow	
SDN132	143530	Single-Sided	Bolt-On	Running Man w/Upwards Arrow	
SDN133	143529	Single-Sided	Bolt-On	Running Man w/Downwards Arrow	
FRAMED) - UNIVE	RSAL MOUNT			
SDN134	143521	Single-Sided	Hanging	Running Man w/Left Arrow	
SDN135	143522	Single-Sided	Hanging	Running Man w/Right Arrow	
SDN136	143534	Single-Sided	Hanging	Running Man w/Upwards Arrow	
SDN137	143533	Single-Sided	Hanging	Running Man w/Downwards Arrow	
SDN138	143523	Double-Sided	Hanging	Running Man w/Left Arrow	
SDN139	143524	Double-Sided	Hanging	Running Man w/Right Arrow	
SDN140	143536	Double-Sided	Hanging	Running Man w/Upwards Arrow	
SDN141	143535	Double-Sided	Hanging	Running Man w/Downwards Arrow	
FRAMED) - T-BAR /	MOUNT			
SDN142	143519	Single-Sided	Hanging	Running Man w/Left Arrow	
SDN143	143520	Single-Sided	Hanging	Running Man w/Right Arrow	
SDN144	143523	Single-Sided	Hanging	Running Man w/Upwards Arrow	
SDN145	143531	Single-Sided	Hanging	Running Man w/Downwards Arrow	
SDN146	143525	Double-Sided	Hanging	Running Man w/Left Arrow	
SDN147	143526	Double-Sided	Hanging	Running Man w/Right Arrow	
SDN148	143528	Double-Sided	Hanging	Running Man w/Upwards Arrow	
SDN149	143537	Double-Sided	Hanging	Running Man w/Downwards Arrow	

GLOW-IN-THE-DARK ARROW TAPE

- · Self-sticking polyester material
- · Daylight color is off-white
- · Provides a glowing directional guide when there is no light
- · Length: 15
- Exceeds ASTM E 2072-00 standard specification



Model No.	Mfg. No.	Style	Width"	Price /Each
SDM017	90971	V Arrow	2	
SDM018	90972	V Arrow	3	
SDM019	90973	Standard Arrow	2	
SDM020	90974	Standard Arrow	3	

EVACUATION MAP HOLDERS

- Printed with clear bold letters in the border to readily identify evacuation map, and is designed to easily accommodate 8.5" x 11" or 11" x 17" clear transparency film inserts (sold separately)
- Map can be printed from any computer and slides easily into the holder
- Made from 0.040" clear durable polycarbonate face with a plastic back
- Includes adhesive foam strips for mounting
- Glow evacuation holder has photo luminescent back to glow through transparency film insert (sold separately)

SEC863 EVACUATION MAP **EMERGENCY EVACUATION**



English Model No.	Mfg. No.	French Model No.	Mfg. No.	Fits Insert Sizes"	Overall Size"	Price /Each
STANDAR	D					
SEC863	DTA235	SEE336	DTA235	8 1/2 x 11	11 1/2 x 12	
SEC864	DTA237	SEE337	DTA237	11 x 17	15 x 17 1/2	
GLOW						
SEB589	DTA202	SEK971	DTA208	8 1/2 x 11	11 1/2 x 12	
SEC865	DTA204	SEE338	DTA210	11 x 17	15 x 17 1/2	

CLEAR I	NSERTS	
March 1	146	

Sold in	Packages	of 2
---------	----------	------

Model	Mfg.		Price
No.	No.	Size"	/Each
SEC866	DTA213	8 1/2 x 11	
SEC867	DTA215	11 x 17	

PROJECTION™ SIGNS

- 0.10" thick high-impact plastic
- 3D signs, projecting 45° from the wall, provide optimum viewing from front and sides
- 90D signs, projecting 90° from the wall, are viewed from either side





ENGLISH







SAW432

909

SAW454

3D

SAW463

SAW431

SAW453



SAW437 SAW438



SAW440

3D SAW439



SAW444

3D SAW443



SAW446

SAW445



3D 90° SAW450 SAW449



3D



90° SAW464

FRENCH





SED962



SED964



SED966



SED960

SED961

SED963

90°

3D

SED965

SED968

SED967

3D SED969 SED970

SED971



3D 909 SED972 SED973



SEE293 SEE292



90° SEE295 SEE294

	Panel Size	Overall Size	Standard 3D Price/Each	Standard 90° Price/Each
3D	6" x 5"	6" x 8 1/2" x 4"		_
90D	8" x 8"	8" x 8" x 1 1/2"	_	



CANADIAN STANDARDS ASSOCIATION IDENTIFICATION SAFETY SIGNS

Communicate regulatory, warning, or informational messages in a symbol to employees and visitors in the workplace. Use Canadian Standards Association (CSA) Z321 symbols designed to be easily understood for specific safety and/or health hazards. Symbols are divided into three classifications with each containing two sub-groups - for a combination of six colours and three shapes.

1. REGULATORY



1.1 PROHIBITION

Forbids an Action (red and black on white)



1.2 MANDATORY

Requires/Obligatory Action (white on black)

2. WARNING



2.1 CAUTION

Potential Hazard (black on yellow)



2.2 DANGER

Definite Hazard (white on red)

3. INFORMATION



3.1 EMERGENCY

First Aid, Health, Fire Protection, Fire Fighting, and Emergency Equipment (white on green)



3.2 GENERAL INFORMATION

Permission or Public Information (white on blue)

CSA SIGNS

Safety Signs meet the Canadian Standards Association (CSA) Z321 standard for Signs and Symbols for the Workplace. Signs contain symbol with text to provide flexibility in conveying the sign message. The safety symbol is contained in a geometric shape with accompanying colours. These are uniform designs for an easily understood sign. The particular shape and colour combination distinguish the type of safety classification category. These attention-getting signs communicate the text safety information message. Signs measure 355 mm x 254 mm (14" x 10").

Available in English Only, Bilingual French-English, and French Only formats.

DESIGN YOUR OWN CUSTOM CSA SIGN!

PROVIDE A MESSAGE, SELECT A PICTOGRAM SYMBOL AND MATERIAL AND LET US DO THE WORK.



Mat'I English VS SAU896 VP SU564 VA SAU897



SAU898 SU573 SAU899



French SAU900 SR643 SAU901



Mat'I English VS SAU902 VP SU567 VA SAU903



SAU904 SU554 SAU905



SAU906 SR648 SAU907



Mat'I English
VS SAU908
VP SU569
VA SAU909



SAU910 SU568 SAU911



French SAU912 SR646 SAU913



 Mat'I
 English

 VS
 SAU914

 VP
 SU570

 VA
 SAU915



SAU916 SU552 SAU917



French SAU918 SR645 SAU919



Mat'I English
VS SAU920
VP SU576
VA SAU921



Bilingual SAU922 SU577 SAU923



French SAU924 SR644 SAU925



Mat'I English
VS SAU926
VP SU578
VA SAU927



SAU928 SU571 SAU929



French SAU930 SR642 SAU931

Price/Each

Material Code	Material	14" x 10"
VS	Adhesive Vinyl	
VP	Plastic	
VA	Aluminum	









Mat'I English
VS SAU944
VP SAU945
VA SAU946



Mat'I English
VS SAU962
VP SAU963
VA SAU964



Mat'I English
VS SAU980
VP SAI721
VA SAU981



Mat'I English
VS SAU992
VP SAU993
VA SAU994



 Mat'I
 English

 VS
 SAV204

 VP
 SU566

 VA
 SAV205



Bilingual SAU934 SAI724 SAU935



SAU947 SAU948 SAU949



Bilingual SAU965 SAU966 SAU967



Bilingual SAU982 SAI722 SAU983



Bilingual SAU995 SAU996 SAU997



Bilingual SAV206 SU572 SAV207



French SAU936 SR651 SAU937



French SAU950 SAU951 SAU952



French SAU968 SAU969 SAU970



French SAU984 SQ118 SAU985



French SAU998 SAU999 SAV194



French SAV208 SR650 SAV209



No

Mat'l

۷S

VP

VA

Mat'l

٧S

VP

VA

Mat'l

۷S

VP

VA

Mat'l

۷S

VA

Mat'l

۷S

VP

VA

smoking

English

SAU938

SAI727

SAU939

Danger! Flammable materials

English SAU971 SAU972 SAU973



English SAU986 SU565 SAU987



English SAV195 SAV196 SAV197



Mat'I English
VS SAV210
VP SAV211
VA SAV212



Bilingual SAU940 SAI728 SAU941



Bilingual SAU956 SAU957 SAU958



Bilingual SAU974 SAU975 SAU976



SAU988 SU563 SAU989



Bilingual SAV198 SAV199 SAV200



Bilingual SAV213 SAV214 SAV215



French SAU942 SR652 SAU943



French SAU959 SAU960 SAU961



French SAU977 SAU978 SAU979



French SAU990 SQ117 SAU991



French SAV201 SAV202 SAV203



French SAV216 SAV217 SAV218

Price/Each

Material Code	Material	14" x 10"
VS	Adhesive Vinyl	
VP	Plastic	
VA	Aluminum	



CSA PICTOGRAM SIGNS

Pictogram signs are easily recognizable and understood symbols for communicating safety without words. Using the CSA Z321 colour symbol scheme, the signs are specific in shapes and colours to distinguish the type of message. Pictograms are ideal for conveying a message across any language barrier.

DESIGN YOUR OWN CUSTOM CSA PICTOGRAM SIGN!

FOR OTHER CSA PICTOGRAM SIGNS, PLEASE CONTACT US AND SPECIFY SYMBOL, SHAPE, SIZE AND LET US DO THE WORK.

SD121

SAW846

SEA371



SD125

SAWRER

SFA363





SD117

SAW840

SFA365

30 cm (12") 15 cm (6") SD116 **SAW839** SFA364



15 cm (6") 30 cm (12") SD114 SD115 **SAW841 SAW842 SFA366** SEA367



15 cm (6") 30 cm (12") SD112 SD113 **SAW843** SAW844 SFA368 **SEA369**



15 cm (6") SD120 SAW845 SEA370



15 cm (6") SD122 **SAW847** SEA372

30 cm (12") SD123 **SAW848** SEA373



15 cm (6" 30 cm (12") Mat'l ٧S SD101 SD103 **SAW850** VP **SAW849** ۷A **SEA374** SEA375



15 cm (6") 30 cm (12") SD107 SD108 SAW851 **SAW852 SEA376 SEA377**



15 cm (6") 30 cm (12") SD118 SD119 **SAW853 SAW854 SEA378** SEA379



15 cm (6") 30 cm (12") SD105 SD106 **SAW855** SAW856 SEA380 **SEA381**



15 cm (6") 30 cm (12") SD126 SD127 **SAW857** SAW858 **SEA382 SEA383**



15 cm (6") 30 cm (12" SD109 SD111 **SAW859 SAW860 SEA384** SEA385



15 cm (6") 30 cm (12") Mat'l VS SD140 SD141 ۷P **SAW861 SAW862 SEA386** SEA387 VA



15 cm (6") 30 cm (12") SD144 SD145 **SAW863 SAW864** SEA388 **SEA389**



15 cm (6") 30 cm (12") SD136 SD138 **SAW865 SAW866 SEA390** SEA391



15 cm (6") 30 cm (12") SD152 SD153 **SAW867 SAW868** SEA392 **SEA393**



15 cm (6") 30 cm (12") SD148 SD149 **SAW869** SAW870 SEA394 SEA395



15 cm (6") 30 cm (12") SD150 SD151 SAW871 **SAW872** SEA396 SEA397



15 cm (6") 30 cm (12") Mat'l SD142 SD143 VS SAW873 SAW874 ۷P VA **SEA398 SEA399**



15 cm (6") 30 cm (12") SD146 SD147 SAW875 SAW876 SEA400 **SEA401**



15 cm (6") 30 cm (12") SD132 SD134 SAW877 SAW878 **SEA402 SEA403**



15 cm (6") 30 cm (12") SD154 SD155 SAW879 SAW880 **SEA404** SEA405



15 cm (6") 30 cm (12") SD156 SD157 SAW881 **SAW882** SEA406 **SEA407**



15 cm (6") 30 cm (12") SD128 SD130 **SAW883 SAW884 SEA408 SEA409**



15 cm (6") 30 cm (12") Mat'l SD091 SD092 VS **SAW776 SAW777** VPVA SEA410 SEA411



15 cm (6") 30 cm (12") SD087 SD088 **SAW778** SAW779 SEA412 SEA413



15 cm (6") 30 cm (12") SD083 SD084 SAW780 **SAW781** SFA414 SEA415



15 cm (6") 30 cm (12") SD077 SD078 **SAW782 SAW783** SEA416 SEA417



15 cm (6") SD089 **SAW784** SEA418



15 cm (6") SD085 **SAW774** SEA420

30 cm (12") SD086 **SAW775** SEA421

Р	ri	ce	/E	a	c	h
	• • •		, -	•	•	•

Material Code	Material	15 cm (6")	30 cm (12")	
VS	Adhesive Vinyl			
VP	Plastic			
VA	Aluminum			



SD090

SAW785

SFA419



15 cm (6") Mat'l ۷S SD064 VP **SAW885** SEA422 VA



30 cm (12")

SD061

SAW898

SEA435



SEA424

30 cm (12") SD055 **SAW888 SEA425**

SD058

SAW889

SEA426



30 cm (12") SD059 **SAW890** SEA427

SD068



15 cm (6") 30 cm (12") SD070 SAW891 SAW892 SEA428 SEA429



15 cm (6") 30 cm (12") SD079 SD081 SAW893 **SAW894 SEA430** SEA431



15 cm (6") 30 cm (12") SD066 SD067 SAW895 **SAW896** SEA432 SEA433



15 cm (6") Mat'l SD060 VS VP**SAW897** VA SEA434



30 cm (12") 15 cm (6") SD075 SD076 **SAW899** SAW900 SEA436 SEA437



30 cm (12") 15 cm (6") SD056 SD057 SAW901 SAW902 SEA438 SEA439



30 cm (12") 15 cm (6") SD062 SD063 SAW770 SAW771 SEA440 SEA441



30 cm (12") 15 cm (6") SD072 SD074 SAW772 **SAW773**

SEA443

SD236

SAW797

SEA455



30 cm (12") 15 cm (6") SEA523 SEA524 **SAW786 SAW787** SEA444 SEA445



15 cm (6") Mat'l ٧S SD207 ۷P **SAW812 SEA446** VA

30 cm (12") **SBA798 SAW813 SEA447**



SD244

SAW791

SEA449

15 cm (6") SD243 SAW790 SEA448



SD205

SAW829

SEA451

15 cm (6") **SD203 SAW828 SEA450**



15 cm (6") 30 cm (12") SD195 SD197 SAW794 SAW795 SEA452 SEA453



15 cm (6") SD235 SAW796 **SEA454**

SEA442



15 cm (6") SD199 **SAW798** SEA456

30 cm (12") SD201 **SAW799 SEA457**



Mat'l 15 cm (6") SD238 ۷S **SAW800** VP SEA458 VA

30 cm (12") SD240 SAW801 SEA459



30 cm (12") 15 cm (6") SD211 SD213 SAW802 SAW803 SEA460 SEA461



30 cm (12") 15 cm (6") SD231 SD233 SAW804 SAW805 SEA462 SEA463



15 cm (6") 30 cm (12") SD215 SD217 **SAW806** SAW807 SEA464 SEA465



30 cm (12") 15 cm (6") SD227 SD229 **SAW808** SAW809 SEA466 SEA467



15 cm (6") 30 cm (12") SD219 SD221 SAW810 SAW811 SEA468 SEA469



Mat'l 15 cm (6") SD191 VS ۷P **SAW788** SEA470

30 cm (12") SD193 SAW789 SEA471

30 cm (12")

SD159

SAW825

SEA483



30 cm (12") 15 cm (6") SD188 SD189 **SAW814 SAW815** SFA472 SFA473



30 cm (12") 15 cm (6") SD168 SD170 **SAW816 SAW817** SEA474 SEA475



30 cm (12") 15 cm (6") SD175 SD176 **SAW818 SAW819** SEA476 SEA477



30 cm (12") 15 cm (6") SD165 SD166 SAW820 **SAW821**

SEA479

SD163

SAW833

SEA491

SEA478



30 cm (12") 15 cm (6") SD178 SD180 **SAW823 SAW822** SFA480 **SEA481**



15 cm (6") Mat'l SD158 ۷S SAW824 VP **SEA482** VA



15 cm (6") 30 cm (12") SD182 SD183 SAW826 SAW827 SEA484 **SEA485**



15 cm (6") 30 cm (12") SD185 SD186 SAW792 SAW793 **SEA486 SEA487**



15 cm (6") 30 cm (12") SD225 SD223 SAW830 SAW831 **SEA489**



15 cm (6") SD161 SAW832



15 cm (6") 30 cm (12") SD172 SD173 SAW834 **SAW835** SEA492

Price/Each

Material Code	Material	15 cm (6")	30 cm (12")
VS	Adhesive Vinyl		
VP	Plastic		
VA	Aluminum		





ISO SAFETY LABELS

- Communicate safety using internationally recognized labels as set forth by the International Organization for Standardization (ISO)
- Shapes and colours distinguish the type of safety
- Symbols communicate the specific safety message
- Adhere to documents, machinery, packaging and other areas requiring safety symbol messages
- Compliant to ISO 7010:2011 standard

High-performance, self-adhesive vinyl with overlaminate graphics for long wear and durability. Available in two sizes — specify when ordering.

ISO labels are available in three categories distinguishable by their shape and colour format:

Mandatory - take action to avoid the hazard.

Prohibition - forbid an action to avoid the hazard.

Warning - identify the hazard to avoid.

MANDATORY



Label Size 2" (~50 mm) 4" (~100 mm)

Wear Eye Protection SAX255

SAX256



Label Size 2" (~50 mm) 4" (~100 mm)





Label Size 2" (~50 mm) 4" (~100 mm)





Hearing Protection SAX316 SAX317



SAX320 SAX321



Electrical Supply SAX332 SAX333



Wear Head Protection SAX318 SAX319



Wear Protective Clothing SAX322 **SAX323**



Use Pedestrian Route **SAX334** SAX335



Wear Hand Protection SAX267 SAX268



& Eye Protection SAX324 SAX325



Consult Technical Manual for Proper Procedure SAX336 SAX337



Wear Face Shield & Eye Protection SAX257 SAX258



Wear Head, Hearing & Eye Protection **SAX326 SAX327**



Wash Hands SAX338 **SAX339**



Wear Foot Protection **SAX269 SAX270**



& Head Protection SAX328 SAX329



Lockout in De-Energized State SAX340 SAX341

PROHIBITION



Label Size 2" (~50 mm) 4" (~100 mm)



No Pedestrians

Label Size 2" (~50 mm) 4" (~100 mm)



No Fire or Open Flame SAX354 SAX355



Label Size No Pacemakers 2" (~50 mm) SAX366 4" (~100 mm) SAX367



SAX357

No Access

SAX344

SAX345



No Portable Transmitters SAX368 **SAX369**



Do Not Extinguish with Water **SAX346** SAX347



Do Not Throw Switch SAX358 SAX359



No Eating or Drinking SAX370 SAX371



Not Drinking Water **SAX348** SAX349



Do Not Touch Eletrical Hazard SAX360 **SAX361**



No Industrial Trucks SAX372 **SAX373**



Expose to Water SAX350 SAX351



Do Not Touch Surface SAX362 **SAX363**



No Smoking SAX352 SAX353



Do Not Touch SAX364 SAX365



Label Size	Qty/Pkg.	Price/Pkg.
2" (~50 mm)	10	
4" (~100 mm)	5	

WARNING



General Warning Hazard

SAX374

SAX375

Label Size 2" (~50 mm) 4" (~100 mm)



Tripping Hazard SAX376 SAX377



Slippery Surface Hazard SAX378 SAX379



Tipping Hazard SAX380 SAX381



Lifting Hazard SAX382 SAX383



Step Off Hazard SAX384 SAX385



Lift Truck Hazard

SAX386

SAX387

Label Size 2" (~50 mm) 4" (~100 mm)



Crush Hazard SAX388 SAX389



Crush Hazard SAX390 SAX391



Pinch Point Hazard SAX392 SAX393



Belt Drive Entanglement Hazard **SAX394** SAX395



Chain Drive Entanglement Hazard SAX396 SAX397



Entanglement Hazard

SAX398

SAX399

Label Size 2" (~50 mm) 4" (~100 mm)



Cut or Sever Hazard SAX400 **SAX401**



Automatic or Remote Starting Hazard **SAX402 SAX403**



Corrosive/Acid Hazard SAX404 **SAX405**



Splash Hazard SAX406 SAX407



Toxic Hazard SAX408 **SAX409**



Battery Hazard

SAX410

SAX411

Label Size 2" (~50 mm) 4" (~100 mm)



Electric Ground Hazard SAX412 SAX413



Static Sensitive Hazard SAX414 SAX415



Electro Magnetic Hazard SAX416 SAX417



Strong Magnetic Field Hazard SAX418 SAX419



Electric Voltage Hazard SAX420 SAX421



Voltage

Discharge Hazard

SAX422

SAX423

Label Size 2" (~50 mm) 4" (~100 mm)



Radioactive Material Hazard SAX424 **SAX425**



Low Temperature Hazard SAX426 SAX427



Explosive Atmosphere Hazard SAX428 **SAX429**



Explosives Hazard SAX430 SAX431



Fire Hazard **SAX432 SAX433**



SAX435

Label Size 2" (~50 mm) 4" (~100 mm)





Oxidizing Materials Hazard SAX436 SAX437



Laser Hazard SAX438 **SAX439**



UV Hazard **SAX440** SAX441



Label Size	Qty/Pkg.	Price/Pkg.
2" (~50 mm)	10	
4" (~100 mm)	5	

Post traffic signs to safely direct and regulate the flow of vehicles and pedestrians in and around parking areas, dock areas, and roadways. Keep driveways, throughways, and curbs free of vehicles and direct to designated parking locations with proper signs.




- · Heavy-duty, 0.080" aluminum signs will not rust
- Reflective sign face provides added visibility in low-light conditions
- UV-resistant inks prevent fading during long-term outdoor use
- Supplied with top and bottom centre holes for post- or fence-mounting

MATERIAL

High Intensity (HP) - High intensity prismatic sheeting is over three times brighter than standard engineer-grade sheeting.

Aluminum (AL): Lightweight 0.032" aluminum with enamel non-reflective finish

TRAFFIC REGULATORY SIGNS





\$





SEC331

\$




SEA940

\$


30" x 24" HP km/h SAX463 **SAX464** 15 **SAX465** 20 25 **SAX466** 30 SAX467 Price/Each \$



30" x 24" HP km/h SAX473 10 15 SAX474 20 **SAX475** 25 SAX476 30 SAX477 Price/Each



Other speeds also available. Contact us for details.





Mat'l 12" x 36' SEJ246 ΗР Price/Each \$



Mat'l 12" x 36" HP SEJ247 Price/Each \$



Mat'l 24" x 24 SEA975 HP Price/Each





SEA973



24" x 24" **SEA998**



SEA956 \$



Mat'l 24" x 24" SEA988 Price/Each \$



24" x 24" SEA984 \$



24" x 24" SEA985 \$



24" x 24' SEA992 \$

WARNING SIGNS

High Intensity (HP) – High intensity prismatic sheeting is over three times brighter than standard engineer-grade sheeting.





24" x 24 30" x 30" SEJ256 SEJ257



24" x 24" SAX543 SAX544



SEJ258

30" x 30" SEJ259



24" x 24" SAX546



36" x 12" SAX573 SAX574



SAX552



36" x 12" SAX577 SAX578



30" x 30' SAX558



36" x 36" SAX586

Price/Each



Size	High Intensity – HP
24" x 6" (60 cm x 15 cm)	
36" x 12" (90 cm x 30 cm)	
24" x 24" (60 cm x 60 cm)	
30" x 30" (75 cm x 75 cm)	
36" x 36" (90 cm x 90 cm)	

PARKING SIGNS

Engineer Reflective (RA) - Engineer grade reflective sign face provides added visibility in low-light condition.





12" x 18' SAX511

ZONE



12" x 18" SAX505



12" x 18" SAX513



12" x 18" SAX506



18" x 24" SAX515 SAX516



12" x 18" SAX507



12" x 18" SAX508



12" x 18" SAX523



SAX527



12" x 18"

SAX509

Dri	ral	Fa	cl
PH	ce/	Ed	CI

Size	Engineer Reflective – RA
6" x 12" (15 cm x 30 cm)	
12" x 12" (30 cm x 30 cm)	
18" x 12" (45 cm x 30 cm)	
24" x 18" (60 cm x 45 cm)	

SIGN POSTS & HARDWARE

SAX514

- Available in three sizes*: 8', 10' and 12' posts
- · Hardware set (sold separately) contains one nut, one bolt, one washer, and one spacer; two sets per installation are required · Galvanized
- SAO201: Screw Diameter: 3/8" Screw Length: 2"



*Other lengths also available. Contact us for details.

	as for accans		
Model No.	Description	Length'	
SA0195	Post	8	
SA0196	Post	10	
SA0197	Post	12	
SA0201	Hardware Set		
CAOTOE	2" Paca	4	

Price/Each

DIGI-DAY & DIGI-DAY PLUS+ ELECTRONIC SCOREBOARDS

 $Count\ up\ safe\ work\ days\ with\ attention-getting,\ lighted\ display\ scoreboard.$ Proudly show safe work days that counts up electronically and automatically.

- If a lost time accident occurs, it's easy to set the display back to zero. Innovatively designed frameless construction in durable lightweight aluminum
- Image goes to the edge, then wraps 2" deep for visual edge, unmistakable impact
- Incorporates Digi-Day® or Digi-Day® Plus+ display technology

DAVS

CIDENTS

AU TRAVAIL

OFFILTE ICI

PENYENT PROVENT THE ENTER

SED518

SED513

SEI372

- Built-in hidden mounting system
- Easy-to-use remote included

Want to create your own? Call our customer service department today to get started!

DIGI-DAY

Digi-Day®

Digi-Day®

Digi-Day® Plus+

Specifications:

- · For indoor use
- 28" x 20" x 2" frameless aluminum
- Four-digit, bright red LED display with 2 1/2" H numbers
- Operates on 110 VAC with 6' power cord

DIGI-DAY PLUS+

Specifications:

- · For wet, damp, harsh locations*
- 36" x 24" x 2" frameless aluminum
- Four-digit, bright red LED display with 4" H numbers
- Operates on 110 VAC with 12' power cord
- Meets IP65 for dust and water resistance
- For wet environment exposure, plug into GFI electrical outlet with weatherproof protective receptacle cover.





AU TRAVAIL A DEBUTE ICI

PROVENT

SED519

SEF819





SED520 SEI370

Digi-Day® digital numbers for Safe Work Days:

- Advance by one, every 24 hours, automatically
- Stand out in brightly lit, red LED numbers
- Is settable for the actual time to change by small, easy use handheld remote control
- Saves last number in event of power failure





	Size	Price/Each
Digi-Day®	28" x 20"	
Digi-Day® Plus	36" x 24"	




SAV227 SEI369



SAV228 **SEI374**



SED521 SEF814



SED522 SEF371



DIGI-DAY®2 ELECTRONIC SCOREBOARDS

Scoreboard counts up safe work days in two colors with Digi-Day®2 display. Proudly display safe work days in safety green that counts up electronically and automatically. If a lost time accident occurs, set the display back to red until meeting the new safe work days goal by turning back to green.

- · Set the display to count days only or flash between count days, date, and clock
- Track the 7-day week, or set the display to track only your company's work days
- Display count can be set to freeze or hold with indicator
- In a power failure, all information is stored operation resumes when power returns with notification indicator
- Frameless 28" x 20" x 2" aluminum scoreboard with image to the edges then wraps around for visual depth
- Easy-to-use remote included

SPECIFICATIONS:

- For indoor use
- 28" x 20" x 2" frameless aluminum
- Four-digit, bright red LED display with 2 1/2" H numbers
- Built-in hidden mounting system
- Operates on 110 VAC with 6' power cord

Size	Price/Each
28" x 20"	



ACCUFORM.



SEJ362 - English SEL058 - French



SEJ363 - English SEL059 - French



SEI364 - English SEL060 - French



SEI365 - English SEL061 - French



SEJ366 - English SEL062 - French



SEI367 - English SEL063 - French



REALLY BIG SIGNAL SCOREBOARDS

PROMOTE SAFETY AWARENESS IN A BIG WAY WITH A SIGNAL SAFETY SCOREBOARD

- Attention-getting scoreboard is large at 6-feet wide and 3-feet tall with 6" deep aluminum frame surrounding the sign cabinet
- · Includes full-size three-signal traffic light
- Operate red, yellow and green light to promote the safety status of the workplace with steady-on or flashing lights (relay available separately)
- · Signal lights individually controlled by switches

- Bold colours and large letters are printed onto durable plastic front face
- Choose numbering system to keep track and notify of "safe working" days
 Digi-Day* Numbers bright, red LED digital numbers automatically advance by one every 24 hours. Set it and run it from a remote control.
- · Operates on 110 VAC with 8-ft power cord and grounded plug
- · For indoor use only



 SAS428
 2 1/2" Digi-Day

 SAS429
 4" Digi-Day*



SAS431 2 1/2" Digi-Day' **SAS432** 4" Digi-Day'

English Model No.	French Model No.	Description	Price /Each
SAS428	SAS431	w/2 1/2" Digi-Day® Numbers	
SAS429	SAS432	w/4" Digi-Day® Numbers	

^{*}Customized scoreboards also available. Call for details.

WRITE-A-DAY SCOREBOARDS

- · Easily update safe working days with dry-erase marker
- Wipe-off and write-in on poly-coated space
- Constructed of durable plastic for indoor locations
- Has corner mounting holes

Size	Price/Each
20" x 14"	
28" x 20"	
ACCESSORIES	

Model No.	Description	Price/Each
OP442	Chisel Tip Dry Erase Marker, Black	



20" x 14" 28" x 20" English SAV221 SAV222



20" x 14" 28" x 20" French SEE334 SEE335



 20" x 14"
 28" x 20"

 English
 SAV223
 SAV224

 French
 SEL064
 SEL065



20" x 14" 28" x 20" English SAV219 SAV220 French SEL066 SEL067



20" x 14" 28" x 20" English SEJ377 SEJ378 French SEL068 SEL069



 20" x 14"
 28" x 20"

 English
 SEJ379
 SEJ380

 French
 SEL070
 SEL071

PIPE MARKERS - WHAT YOU NEED TO KNOW

ACCUFORM.

The proper marking of contents and flow direction in pipes and piping systems is a vital component of a thorough safety and identification program.



Pipe markers are quick visual cues, providing immediate identification information of pipe contents for emergency responders and workers to safely carry out their responsibilities when working in and around piping systems.

The legend or wording on the pipe marker is to be the primary means of naming the contents of the pipe. The name is to be brief, yet complete or in understood abbreviated format. Arrows are to accompany the legend to indicate the directional flow of the contents. Additional information may be necessary to identify the content details such as pressure and temperature.

Installation recommendations:

- · Above or below centre visual line of pipe
- Frequent intervals on straight pipe runs (visible from any point along the length)
- Close to valves
- Near branches and T's in piping
- Any change in direction of piping
- Near points before and after pipe going through walls, ceilings, and floors



A13.1 - 2007 scheme for the identification of piping systems... A uniform system for the identification of piping contents has been established to warn personnel when the piping contents are inherently hazardous... This standard has been prepared to specify the identification of the contents of piping systems on the basis of legends, it also suggests the use of colour as a supplementary

means of identifying the type of hazard of the material contained in the system.

Pipe markers are designed to meet or exceed ASME (ANSI) A13.1-2007 recommendations for size, colour and visibility.



29 CFR 1910.253 Oxygen-fuel gas welding and cutting (d)(4)(ii) Aboveground piping systems shall be marked in accordance with the American National Standard Scheme for the identification of piping systems, ANSI A13.1

1910.261 Pulp, paper, and paperboard mills (a)(3) General incorporation of standards. Establishments subject to this section shall comply with the following standards:

1910.261(a)(3)(ii) Scheme for the identification of piping systems, A13.1 1910.262 Textiles

1910.262(c)(7) Identification of piping systems. Identification of piping systems shall conform to American National Standard A13.1

LETTER HEIGHT & PIPE MARKER SIZES

The outside diameter of the pipe determines the letter height and background field length of the marker.

Outside Diameter of Pipe"	Length of Pipe Marker Colour Field"	Size of Letters"
3/4 to 1 1/4	8	1/2
1 1/2 to 2	8	3/4
2 1/2 to 6	12	1 1/4
8 to 10	24	2 1/2
Over 10*	32	3 1/2


^{*}Available as custom pipe markers

LEGEND

The legend on the marker gives the name of the contents in full or abbreviated form. Arrows should be used to indicate direction of flow.

COLOURS


Colours identify the characteristic hazards of the contents of the piping system.



Contents of the Pipe	Colour
Fire Quenching Fluids	WHITE ON RED
Toxic And Corrosive Fluids	BLACK ON ORANGE
Flammable Fluids	BLACK ON YELLOW
Combustible Fluids	WHITE ON BROWN
Potable, Cooling, Boiler Feed, And Other Water	WHITE ON GREEN
Compressed Air	WHITE ON BLUE

VISIBILITY & LOCATION

Where pipe lines are located high or low, place the lettering below or above the horizontal centerline of the pipe. Affix markers onto piping close to valves or flanges and adjacent to changes in direction, branches, and where pipes pass through walls or floors; and at 25' to 50' intervals on long straight pipe runs.



Pipes installed at a distance may make pipe markers difficult to read (refer to the distance reading chart). We can provide larger, legible pipe markers to meet your requirements. Please contact us for solutions.



CGSP PIPE MARKERS

MARK PIPES TO IDENTIFY AND LABEL HAZARDOUS AND NON-HAZARDOUS SUBSTANCES CONTAINED IN PIPING SYSTEMS BY USING COLOUR, LEGEND, AND PICTOGRAM.

Create pipe markers based on the Canadian General Standard Board CAN/CGSB-24.3-92

The combination of text with Workplace Hazard Materials Information System (WHMIS) symbols provides an impact and quick understanding of the pipe contents.

Comply with the guidelines in marking pipes by providing workers and emergency personnel the ability to easily identify contents of pipes in the event the contents could release into the environment.

When WHMIS controlled substances are contained in piping systems, the appropriate WHMIS symbol(s) are to be included on the pipe marker with the legend.

WHMIS SYMBOLS:



Compressed



Flammable and Combustible Materials





Immediate and Serious Toxic Effects



Biohazardous Infectious



Dangerously Reactive Material



Other

Toxic

Effects

HOW TO ORDER:

1. SPECIFY WHMIS HAZARD SYMBOL(S) - IF NECESSARY. 2. SPECIFY LEGEND OF PIPE CONTENT. 3. SPECIFY DIRECTIONAL ARROW - IF NECESSARY.



4. POINT OUT COLOUR COMBINATION.

Contents of the Pipe	Colour
Hazardous	BLACK ON YELLOW
Low Hazard Material	WHITE ON GREEN
Low Hazard Gas	WHITE ON BLUE
Fire Protection	WHITE ON RED

5. CHOOSE SIZE BASED ON PIPE SIZE.

Outside Diameter of Pipe Marker	Length Colour Field	Size of Letters
19 to 32 mm (3/4" to 1 1/4")	200 mm (8 inches)	13 mm (1/2")
38 to 51 mm (1 1/2" to 2")	200 mm (8 inches)	19 mm (3/4")
64 to 150 mm (2 1/2" to 6")	300 mm (12 inches)	32 mm (1 1/4")
200 to 250 mm (8" to 10")	600 mm (24 inches)	64 mm (2 1/2")
Over 250 mm (Over 10")	800 mm (32 inches)	89 mm (3 1/2")

6. SELECT PIPE MARKER TYPE BY PART NUMBER ALONG WITH QUANTITY.

SELF-STICK VINYL MARKERS

One legend is printed on the 4-mil flexible vinvl marker. Install on clean, smooth surface. Peel off liner backing and affix to the pipe with the high tack adhesive back. Marker withstands various environmental conditions. Arrow is provided for proper directional flow indication.

Fit Pipe Diameter	Marker Size
19 to 32 mm (3/4" to 1 1/4")	25 x 200 mm (1" x 8")
38 to 51 mm (1 1/2" to 2")	38 x 200 mm (1 1/2" x 8")
64 to 150 mm (2 1/4" to 6")	64 x 300 mm (2 1/2" x 12")
200 to 250 mm (8" to 10")	100 x 600 mm (4" x 24")
Over 250 mm (10")	114 x 800 mm (4 1/2" x 32")
Other Size	

Call for **Pricing**

SNAP TITE™ MARKERS

Pre-coiled design 'snaps' back around to fit around the pipe. 20-mil rigid vinyl is printed repeatedly with the legend and directional flow arrow, upright and upsidedown, around the marker for universal direction fit and visibility. Ideal for warm and cool pipes - easily install on and remove from pipes that are insulated, unpainted, and less perfection conditions.

Marker Size
150 x 200 mm (6" x 8")
229 x 200 mm (9" x 8")
355 x 300 mm (14" x 12")
483 x 300 mm (19" x 12")
635 x 300 mm (25" x 12")

Call for **Pricing**

^{*} Comes with Self-Adhesive Leading Edge.



DIRECTIONAL FLOW ARROW TAPES

- Provide 360° visibility for flow direction with printed arrows repeated the entire tape length
- 6-mil vinyl tape has self-adhesive back
- Available in four standard ANSI colours
- Available wound in 54' rolls.



ASME A13.1, 3.1 "Arrows shall be used to indicate direction of flow."





Black/Yellow		White/Green		White/Blue	White/Blue		
Roll Size	Model No.	Mfg No.	Model No.	Mfg No.	Model No.	Mfg No.	/Roll
1" x 54'	SAW353	RAW252BKYL	SAW356	RAW252GNWT	SAW359	RAW252BUWT	
2" x 54'	SAW354	RAW254BKYL	SAW357	RAW254GNWT	SAW360	RAW254BUWT	
4" x 54'	SAW355	RAW258BKYL	SAW358	RAW258GNWT	SAW361	RAW258BUWT	

White/Red		White/Brown		Black/Orange	Black/Orange		
Roll Size	Model No.	Mfg No.	Model No.	Mfg No.	Model No.	Mfg No.	/Roll
1" x 54'	SAW362	RAW252RDWT	SAW365	RAW252WTBR	SAW368	RAW252BKOR	
2" x 54'	SAW363	RAW254RDWT	SAW366	RAW254WTBR	SAW369	RAW254BKOR	
4" x 54'	SAW364	RAW258RDWT	SAW367	RAW258WTBR	SAW370	RAW258BKOR	

COLOUR BANDING PIPE MARKING TAPES

- Available in a variety of colours and are ideal for coding pipes
- 6-mil colour tapes have self-adhesive back and are self-wound in rolls with no peel-off liner
- · Apply tape to clean, smooth, dry surface
- Service temperature range is -20° to 140°F
- · Waterproof and wear-resistant





	Red		Green		Blue		Gray		Brown		Price
Roll Size	Model No.	Mfg No.	/Roll								
1" x 108'	SAW389	PTM613RD	SAW392	PTM613GN	SAW395	PTM613BU	SAW398	PTM613GY	SAW401	PTM613BN	
2" x 108'	SAW390	PTM623RD	SAW393	PTM623GN	SAW396	PTM623BU	SAW399	PTM623GY	SAW402	PTM623BN	
3" x 108'	SAW391	PTM633RD	SAW394	PTM633GN	SAW397	PTM633BU	SAW400	PTM633GY	SAW403	PTM633BN	

Roll Size	Black Model No.	Mfg No.	Yellow Model No.	Mfg No.	Orange Model No.	Mfg No.	White Model No.	Mfg No.	Purple Model No.	Mfg No.	Price /Roll
1" x 108'	SAW404	PTM613BK	SAW407	PTM613YL	SAW410	PTM6130R	SAW413	PTM613WT	SAW416	PTM613PR	
2" x 108'	SAW405	PTM623BK	SAW408	PTM623YL	SAW411	PTM6230R	SAW414	PTM623WT	SAW417	PTM623PR	
3" x 108'	SAW406	PTM633BK	SAW409	PTM633YL	SAW412	PTM6330R	SAW415	PTM633WT	SAW418	PTM633PR	



SELF-STICK VINYL PIPE MARKERS

Adhere self-stick pipe markers to clearly identify the pipe contents and flow direction.

- Bold, single legend on contrasting colour
- · Included arrow* provides proper directional flow marking
- 4-mil flexible vinyl marker has UV-resistant polyester overlaminate with high-tack, acylic adhesive back
- Durable, protective gloss surface withstands fading, abrasions, splashes, grease, dust, and dirt that wipes off
- Easy to install by peeling off back liner, apply to a smooth, clean pipe surface align and press firmly into place.
- Service temperature is -40° to 176°F

Available per each.



*Directional flow arrow tapes are also available (sold separately) to increase the visibility by banding around the pipe and hold the marker in place.

SNAP TITE™ PIPE MARKERS

It's a 'SNAP' to wrap around and identify contents in pipes with the flow direction. Snap TiteTM is pre-coiled to install quickly and easily - simply uncurl over the pipe, release it, and it 'SNAPs' into place.

- 360° coverage encircles the pipe for marker to be seen from virtually any angle
- Bold legend and directional flow arrow on contrasting colour is repeated upright and upside-down, for universal direction fit and visibility
- Heavy gauge 20-mil rigid vinyl plastic is lightweight, yet durable to withstand tough industrial environments
- Fits over pipes with dirty, greasy, or rough surfaces even over insulation or other less than perfect surfaces, and easy to remove and reapply
- Service temperature range is -4° to 158°F

Available per each.



Not recommended for hot pipes.

	Self Stick Viny	rl Pipe Markers		Pipe Marker		Sr	nap Tite™ Pipe Mar	kers	
Style SSA	Style SSB	Style SSD	Style SSH	Legend	Style STA	Style STB	Style STC	Style STE	Style STF
SAV229	SAV230	SAV231	SAV232	ACETONE	SAV613	SAV614	SAV615	SAV616	SAV617
SAV233	SAV234	SH426	SH425	ACETYLENE GAS	SAV618	SAV619	SAV620	SAV621	SAV622
SAV235	SAV236	SAV237	SAV238	ACID	SAV623	SAV624	SAV625	SAV626	SAV627
SAV239	SAV240	SH438	SH437	ACID WASTE	SAV628	SAV629	SAV630	SAV631	SAV632
SAV241	SAV242	SH450	SH449	AIR	SAV633	SAV634	SAV635	SAV636	SAV637
SAV243	SAV244	SH446	SH445	AIR	SAV638	SAV639	SAV640	SAV641	SAV642
SAV245	SAV246	SH442	SH441	AIR	SAV643	SAV644	SAV645	SAV646	SAV647
SAV247	SAV248	SH462	SH461	AIR SUPPLY	SAV648	SAV649	SAV650	SAV651	SAV652
SAV249	SAV250	SH470	SH469	ALCOHOL	SAV653	SAV654	SAV655	SAV656	SAV657
SAV251	SAV252	SH478	SH477	AMMONIA	SAV658	SAV659	SAV660	SAV661	SAV662
SAV253	SAV254	SAV255	SAV256	ARGON	SAV663	SAV664	SAV665	SAV666	SAV667
SAV257	SAV258	SAV259	SAV260	ARGON	SAV668	SAV669	SAV670	SAV671	SAV672
SAV261	SAV262	SH494	SH493	ASBESTOS FREE INSULATION	SAV673	SAV674	SAV675	SAV676	SAV677
SAV263	SAV264	SAV265	SAV266	BOILER DRAIN	SAV678	SAV679	SAV680	SAV681	SAV682
SAV267	SAV268	SAV269	SAV270	BOILER FEED	SAV683	SAV684	SAV685	SAV686	SAV687
SAV271	SAV272	SAV273	SAV274	BOILER FEED WATER	SAV688	SAV689	SAV690	SAV691	SAV692
SAV275	SAV276	SAV277	SAV278	BREATHING AIR	SAV693	SAV694	SAV695	SAV696	SAV697
SAV279	SAV280	SH570	SH569	CARBON DIOXIDE	SAV698	SAV699	SAV700	SAV701	SAV702

SELF-STICK

Style Code	Pipe Diameter"	Marker Size"	Letter Height"	Price/Each
SSA	3/4 to 1 1/4	1 x 8	1/2	
SSB	1 1/2 to 2	1 1/2 x 8	3/4	
SSD	2 1/2 to 6	2 1/2 x 12	1 1/4	
SSH	8 to 10	4 x 24	2 1/2	

SNAP TITE™

Style Code	Pipe Diameter"	Marker Size"	Letter Height"	Price/Each
STA	3/4 to 1 1/4	6 x 8	1/2	
STB	1 1/2 to 2	9 x 8	3/4	
STC	2 1/4 to 3	14 x 12	1 1/4	
STE	3 1/4 to 5	19 x 12*	1 1/4	
STF	5 1/4 to 6	25 x 12*	1 1/4	

^{*}Styles STE and STF have self-adhesive leading edge for a secure fit.

ENGLISH LABELS

ENGLISH LABELS		10: 11 1		Dina Maulan			With Till Dr. 14		
Style SSA	Self Stick Vin	yl Pipe Markers Style SSD	Style SSH	Pipe Marker Legend	Style STA	Style STB	ap Tite™ Pipe Mar Style STC	kers Style STE	Style STF
SAV281	SAV282	SAV283	SAV284	CAUSTIC	SAV703	SAV704	SAV705	SAV706	SAV707
SAV285	SAV286	SH582	SH581	CAUSTIC SODA	SAV708	SAV709	SAV710	SAV711	SAV712
SAV287	SAV288	SH586	SH585	CHEMICAL	SAV713	SAV714	SAV715	SAV716	SAV712 SAV717
SAV289	SAV290	SH598	SH597	CHILLED WATER	SAV718	SAV719	SAV713	SAV710	SAV717 SAV722
SAV207	SAV290 SAV292	SBB333	SH601	CHILLED WATER RETURN	SAV718	SAV713	SAV725	SAV721	SAV727
SAV293	SAV294	SBB334	SH605	CHILLED WATER SUPPLY	SAV728	SAV729	SAV730	SAV731	SAV732
SAV295	SAV296	SH630	SH629	CITY GAS	SAV733	SAV734	SAV735	SAV736	SAV732
SAV297	SAV298	SH634	SH633	CITY WATER	SAV738	SAV739	SAV740	SAV741	SAV742
SAV299	SAV300	SH638	SH637	COLD WATER	SAV743	SAV744	SAV745	SAV746	SAV747
SAV301	SAV302	SH646	SH645	COLD WATER SUPPLY	SAV748	SAV749	SAV750	SAV751	SAV752
SAV303	SAV304	SH650	SH649	COMPRESSED AIR	SAV753	SAV754	SAV755	SAV756	SAV757
SAV305	SAV306	SH658	SH657	COMPRESSED AIR	SAV758	SAV759	SAV760	SAV761	SAV762
SAV307	SAV308	SH662	SH661	CONDENSATE	SAV763	SAV764	SAV765	SAV766	SAV767
SAV309	SAV310	SAV311	SAV312	CONDENSATE DRAIN	SAV768	SAV769	SAV770	SAV771	SAV772
SAV313	SAV314	SH678	SH677	CONDENSATE RETURN	SAV773	SAV774	SAV775	SAV776	SAV777
SAV315	SAV316	SAV317	SAV318	CONDENSATE SUPPLY	SAV778	SAV779	SAV780	SAV781	SAV782
SAV319	SAV320	SH698	SH697	COOLING WATER	SAV783	SAV784	SAV785	SAV786	SAV787
SAV321	SAV322	SH702	SH701	COOLING WATER RETURN	SAV788	SAV789	SAV790	SAV791	SAV792
SAV323	SAV324	SAV325	SAV326	COOLING WATER SUPPLY	SAV793	SAV794	SAV795	SAV796	SAV797
SAV327	SAV328	SH710	SH709	DEIONIZED WATER	SAV798	SAV799	SAV800	SAV801	SAV802
SAV329	SAV330	SH730	SH729	DIESEL OIL	SAV803	SAV804	SAV805	SAV806	SAV807
SAV331	SAV332	SAV333	SAV334	DISCHARGE	SAV808	SAV809	SAV810	SAV811	SAV812
SAV335	SAV336	SH754	SH753	DOMESTIC COLD WATER	SAV813	SAV814	SAV815	SAV816	SAV817
SAV337	SAV338	SH766	SH765	DOMESTIC HOT WATER	SAV818	SAV819	SAV820	SAV821	SAV822
SAV339	SAV340	SAV341	SAV342	DOMESTIC HOT WATER RECIRCULATION	SAV823	SAV824	SAV825	SAV826	SAV827
SAV343	SAV344	SH770	SH769	DOMESTIC HOT WATER RETURN	SAV828	SAV829	SAV830	SAV831	SAV832
SAV345	SAV346	SH774	SH773	DOMESTIC HOT WATER SUPPLY	SAV833	SAV834	SAV835	SAV836	SAV837
SAV347	SAV348	SH782	SH781	DRAIN	SAV838	SAV839	SAV840	SAV841	SAV842
SAV349	SAV350	SH790	SI805	DRINKING WATER	SAV843	SAV844	SAV845	SAV846	SAV847
SAV351	SAV352	SH802	SH801	ELECTRIC TRACED	SAV848	SAV849	SAV850	SAV851	SAV852
SAV353	SAV354	SH818	SH817	EXHAUST AIR	SAV853	SAV854	SAV855	SAV856	SAV857
SAV355	SAV356	SBB335	SH857	FIRE PROTECTION WATER	SAV858	SAV859	SAV860	SAV861	SAV862
SAV357	SAV358	SAV359	SAV360	FIRE SPRINKLER WATER	SAV863	SAV864	SAV865	SAV866	SAV867
SAV361	SAV362	SH866	SH865	FREON	SAV868	SAV869	SAV870	SAV871	SAV872
SAV363	SAV364	SH870	SH869	FRESH WATER	SAV873	SAV874	SAV875	SAV876	SAV877
SAV365	SAV366	SH874	SH873	FUEL GAS	SAV878	SAV879	SAV880	SAV881	SAV882
SAV367	SAV368	SH878	SH877	FUEL OIL	SAV883	SAV884	SAV885	SAV886	SAV887
SAV369	SAV370	SH882	SH881	FUEL OIL RETURN	SAV888	SAV889	SAV890	SAV891	SAV892



ACCUFORM.

SELF-STICK

Style Code	Pipe Diameter"	Marker Size"	Letter Height"	Price/Each
SSA	3/4 to 1 1/4	1 x 8	1/2	
SSB	1 1/2 to 2	1 1/2 x 8	3/4	
SSD	2 1/2 to 6	2 1/2 x 12	1 1/4	
SSH	8 to 10	4 x 24	2 1/2	

$\mathbf{SNAP}\ \mathbf{TITE}^{\mathsf{TM}}$

Style Code	Pipe Diameter"	Marker Size"	Letter Height"	Price/Each
STA	3/4 to 1 1/4	6 x 8	1/2	
STB	1 1/2 to 2	9 x 8	3/4	
STC	2 1/4 to 3	14 x 12	1 1/4	
STE	3 1/4 to 5	19 x 12*	1 1/4	
STF	5 1/4 to 6	25 x 12*	1 1/4	

^{*}Styles STE and STF have self-adhesive leading edge for a secure fit.

ENGLISH LABELS

ENGLISH LABELS				1					
Style SSA	Self Stick Vin Style SSB	nyl Pipe Markers Style SSD	Style SSH	Pipe Marker Legend	Style STA	Style STB	nap Tite™ Pipe Mar Style STC	kers Style STE	Style STF
SAV371	SAV372	SH886	SH885	FUEL OIL SUPPLY	SAV893	SAV894	SAV895	SAV896	SAV897
				GAS					
SAV373	SAV374	SH894	SH893 SAV378	GASOLINE	SAV898	SAV899	SAV900	SAV901	SAV902
SAV375	SAV376	SAV377		GLYCOL	SAV903	SAV904	SAV905	SAV906	SAV907
SAV379	SAV380	SH902	SH901	GLYCOL RETURN	SAV908	SAV909	SAV910	SAV911	SAV912
SAV381	SAV382	SH906	SH905		SAV913	SAV914	SAV915	SAV916	SAV917
SAV383	SAV384	SH910	SH909	GLYCOL SUPPLY	SAV918	SAV919	SAV920	SAV921	SAV922
SAV385	SAV386	SH918	SH917	HEATING RETURN HEATING SUPPLY	SAV923	SAV924	SAV925	SAV926	SAV927
SAV387	SAV388	SH926	SH925		SAV928	SAV929	SAV930	SAV931	SAV932
SAV389	SAV390	SH962	SH961	HIGH PRESSURE CONDENSATE	SAV933	SAV934	SAV935	SAV936	SAV937
SAV391	SAV392	SH966	SH965	HIGH PRESSURE GAS	SAV938	SAV939	SAV940	SAV941	SAV942
SAV393	SAV394	SH970	SH969	HIGH PRESSURE NATURAL GAS	SAV943	SAV944	SAV945	SAV946	SAV947
SAV395	SAV396	SBB336	SH977	HIGH PRESSURE STEAM	SAV948	SAV949	SAV950	SAV951	SAV952
SAV397	SAV398	SH990	SH989	HOTWATER	SAV953	SAV954	SAV955	SAV956	SAV957
SAV399	SAV400	SAV401	SAV402	HOT WATER	SAV958	SAV959	SAV960	SAV961	SAV962
SAV403	SAV404	SH998	SH997	HOT WATER	SAV963	SAV964	SAV965	SAV966	SAV967
SAV405	SAV406	S1007	S1006	HOT WATER RETURN	SAV968	SAV969	SAV970	SAV971	SAV972
SAV407	SAV408	SI011	SI010	HOT WATER SUPPLY	SAV973	SAV974	SAV975	SAV976	SAV977
SAV409	SAV410	SAV411	SAV412	HYDRAULIC FLUID	SAV978	SAV979	SAV980	SAV981	SAV982
SAV413	SAV414	SAV415	SAV416	HYDRAULIC LINE	SAV983	SAV984	SAV985	SAV986	SAV987
SAV417	SAV418	SAV419	SAV420	HYDRAULIC OIL	SAV988	SAV989	SAV990	SAV991	SAV992
SAV421	SAV422	SI039	SI038	HYDROCHLORIC ACID	SAV993	SAV994	SAV995	SAV996	SAV997
SAV423	SAV424	SI043	SI042	HYDROGEN	SAV998	SAV999	SAW001	SAW002	SAW003
SAV425	SAV426	SI047	\$1046	HYDROGEN PEROXIDE	SAW004	SAW005	SAW006	SAW007	SAW008
SAV427	SAV428	SAV429	SAV430	INDUSTRIAL WATER	SAW009	SAW010	SAW011	SAW012	SAW013
SAV431	SAV432	SAV433	SAV434	INSTRUMENT AIR	SAW014	SAW015	SAW016	SAW017	SAW018
SAV435	SAV436	SAV437	SAV438	INSTRUMENT AIR	SAW019	SAW020	SAW021	SAW022	SAW023
SAV439	SAV440	SAV441	SAV442	LIQUID NITROGEN	SAW024	SAW025	SAW026	SAW027	SAW028
SAV443	SAV444	SI115	SI114	LOW PRESSURE CONDENSATE	SAW029	SAW030	SAW031	SAW032	SAW033
SAV445	SAV446	SI123	SI122	LOW PRESSURE NATURAL GAS	SAW034	SAW035	SAW036	SAW037	SAW038
SAV447	SAV448	SI131	SI130	LOW PRESSURE STEAM	SAW039	SAW040	SAW041	SAW042	SAW043
SAV449	SAV450	SI139	SI138	LUBE OIL	SAW044	SAW045	SAW046	SAW047	SAW048
SAV451	SAV452	SAV453	SAV454	MED-PRESSURE STEAM	SAW049	SAW050	SAW051	SAW052	SAW053
SAV455	SAV456	SAV457	SAV458	MIXED GAS	SAW054	SAW055	SAW056	SAW057	SAW058
SAV459	SAV460	SBB338	SI182	NATURAL GAS	SAW059	SAW060	SAW061	SAW062	SAW063
SAV461	SAV462	SI195	SI194	NITROGEN	SAW064	SAW065	SAW066	SAW067	SAW068
SAV463	SAV464	SI191	SI190	NITROGEN	SAW069	SAW070	SAW071	SAW072	SAW073
SAV465	SAV466	SI203	SI202	NON-POTABLE WATER	SAW074	SAW075	SAW076	SAW077	SAW078
SAV467	SAV468	SI207	SI206	OIL	SAW079	SAW080	SAW081	SAW082	SAW083



ACCUFORM.

SELF-STICK

Style Code	Pipe Diameter"	Marker Size"	Letter Height"	Price/Each
SSA	3/4 to 1 1/4	1 x 8	1/2	
SSB	1 1/2 to 2	1 1/2 x 8	3/4	
SSD	2 1/2 to 6	2 1/2 x 12	1 1/4	
SSH	8 to 10	4 x 24	2 1/2	

$\mathbf{SNAP}\ \mathbf{TITE}^{\mathsf{TM}}$

Style Code	Pipe Diameter"	Marker Size"	Letter Height"	Price/Each
STA	3/4 to 1 1/4	6 x 8	1/2	
STB	1 1/2 to 2	9 x 8	3/4	
STC	2 1/4 to 3	14 x 12	1 1/4	
STE	3 1/4 to 5	19 x 12*	1 1/4	
STF	5 1/4 to 6	25 x 12*	1 1/4	

^{*}Styles STE and STF have self-adhesive leading edge for a secure fit.

ENGLISH LABELS

	Self Stick Viny	yl Pipe Markers		Pipe Marker		Si	nap Tite™ Pipe Mar	kers	
Style SSA	Style SSB	Style SSD	Style SSH	Legend	Style STA	Style STB	Style STC	Style STE	Style STF
SAV469	SAV470	SI227	SI226	OXYGEN	SAW084	SAW085	SAW086	SAW087	SAW088
SAV471	SAV472	SAV473	SAV474	OXYGEN	SAW089	SAW090	SAW091	SAW092	SAW093
SAV475	SAV476	SI231	S1230	OXYGEN	SAW094	SAW095	SAW096	SAW097	SAW098
SAV477	SAV478	SAV479	SAV480	PLANT AIR	SAW099	SAW100	SAW101	SAW102	SAW103
SAV481	SAV482	SI239	SI238	PLANT WATER	SAW104	SAW105	SAW106	SAW107	SAW108
SAV483	SAV484	SAV485	SAV486	PLUMBING VENT	SAW109	SAW110	SAW111	SAW112	SAW113
SAV487	SAV488	SI247	SI246	POLYMER	SAW114	SAW115	SAW116	SAW117	SAW118
SAV489	SAV490	SI263	SI262	POTABLE WATER	SAW119	SAW120	SAW121	SAW122	SAW123
SAV491	SAV492	SAV493	SAV494	PROCESS WATER	SAW124	SAW125	SAW126	SAW127	SAW128
SAV495	SAV496	SI283	SI282	PROCESS WATER	SAW129	SAW130	SAW131	SAW132	SAW133
SAV497	SAV498	SI295	SI294	PROPANE GAS	SAW134	SAW135	SAW136	SAW137	SAW138
SAV499	SAV500	SI303	SI302	RAINWATER	SAW139	SAW140	SAW141	SAW142	SAW143
SAV501	SAV502	SAV503	SAV504	RAW WATER	SAW144	SAW145	SAW146	SAW147	SAW148
SAV505	SAV506	SI363	SI362	RETURN	SAW149	SAW150	SAW151	SAW152	SAW153
SAV507	SAV508	SI355	SI354	RETURN	SAW154	SAW155	SAW156	SAW157	SAW158
SAV509	SAV510	SI375	SI374	ROOF DRAIN	SAW159	SAW160	SAW161	SAW162	SAW163
SAV511	SAV512	SI383	SI382	SANITARY DRAIN	SAW164	SAW165	SAW166	SAW167	SAW168
SAV513	SAV514	SAV515	SAV516	SANITARY SEWER	SAW169	SAW170	SAW171	SAW172	SAW173
SAV517	SAV518	SAV519	SAV520	SANITARY VENT	SAW174	SAW175	SAW176	SAW177	SAW178
SAV521	SAV522	SAV523	SAV524	SERVICE AIR	SAW179	SAW180	SAW181	SAW182	SAW183
SAV525	SAV526	SI443	SI442	SODIUM HYPOCHLORITE	SAW184	SAW185	SAW186	SAW187	SAW188
SAV527	SAV528	SI447	SI446	SOFT WATER	SAW189	SAW190	SAW191	SAW192	SAW193
SAV529	SAV530	SI455	SI454	SPRINKLER	SAW194	SAW195	SAW196	SAW197	SAW198
SAV531	SAV532	SI459	SI458	SPRINKLER FIRE	SAW199	SAW200	SAW201	SAW202	SAW203
SAV533	SAV534	SI463	SI462	SPRINKLER WATER	SAW204	SAW205	SAW206	SAW207	SAW208
SAV535	SAV536	SI467	SI466	STEAM	SAW209	SAW210	SAW211	SAW212	SAW213
SAV537	SAV538	SI471	SI470	STEAM RETURN	SAW214	SAW215	SAW216	SAW217	SAW218
SAV539	SAV540	SI475	SI474	STEAM SUPPLY	SAW219	SAW220	SAW221	SAW222	SAW223
SAV541	SAV542	SI487	SI486	STORM WATER	SAW224	SAW225	SAW226	SAW227	SAW228
SAV543	SAV544	SI503	\$1502	SULFURIC ACID	SAW229	SAW230	SAW231	SAW232	SAW233
SAV545	SAV546	SAV547	SAV548	SUPPLY	SAW234	SAW235	SAW236	SAW237	SAW238
SAV549	SAV550	SI515	SI514	SUPPLY	SAW239	SAW240	SAW241	SAW242	SAW243
SAV551	SAV552	SI531	\$1530	TOWER WATER RETURN	SAW244	SAW245	SAW246	SAW247	SAW248
SAV553	SAV554	SI535	SI534	TOWER WATER SUPPLY	SAW249	SAW250	SAW251	SAW252	SAW253
SAV555	SAV556	SI543	SI542	TREATED WATER	SAW254	SAW255	SAW256	SAW257	SAW258
SAV557	SAV558	SI551	SI550	VACUUM	SAW259	SAW260	SAW261	SAW262	SAW263
SAV559	SAV560	SI555	SI554	VACUUM	SAW264	SAW265	SAW266	SAW267	SAW268
SAV561	SAV562	SI567	SI566	VENT	SAW269	SAW270	SAW271	SAW272	SAW273
		·				-			-



ACCUFORM.

SELF-STICK

Style Code	Pipe Diameter"	Marker Size"	Letter Height"	Price/Each
SSA	3/4 to 1 1/4	1 x 8	1/2	
SSB	1 1/2 to 2	1 1/2 x 8	3/4	
SSD	2 1/2 to 6	2 1/2 x 12	1 1/4	
SSH	8 to 10	4 x 24	2 1/2	

SNAP TITETM

Style Code	Pipe Diameter"	Marker Size"	Letter Height"	Price/Each
STA	3/4 to 1 1/4	6 x 8	1/2	
STB	1 1/2 to 2	9 x 8	3/4	
STC	2 1/4 to 3	14 x 12	1 1/4	
STE	3 1/4 to 5	19 x 12*	1 1/4	
STF	5 1/4 to 6	25 x 12*	1 1/4	

^{*}Styles STE and STF have self-adhesive leading edge for a secure fit.

ENGLISH LABELS

	Self Stick Viny	l Pipe Markers		Pipe Marker		Sn	ap Tite™ Pipe Marl	kers	
Style SSA	Style SSB	Style SSD	Style SSH	Legend	Style STA	Style STB	Style STC	Style STE	Style STF
SAV563	SAV564	SI571	SI570	VENT	SAW274	SAW275	SAW276	SAW277	SAW278
SAV565	SAV566	SAV567	SAV568	WASTE	SAW279	SAW280	SAW281	SAW282	SAW283
SAV569	SAV570	SAV571	SAV572	WASTE WATER	SAW284	SAW285	SAW286	SAW287	SAW288
SAV573	SAV574	SI591	SI590	WASTE WATER	SAW289	SAW290	SAW291	SAW292	SAW293
SAV575	SAV576	SI603	SI602	WATER	SAW294	SAW295	SAW296	SAW297	SAW298
SAV577	SAV578	SI599	SI598	WATER	SAW299	SAW300	SAW301	SAW302	SAW303
SAV579	SAV580	SI607	S1606	WELL WATER	SAW304	SAW305	SAW306	SAW307	SAW308
SAV581	SAV582	SAV583	SAV584	——	SAW309	SAW310	SAW311	SAW312	SAW313
SAV585	SAV586	SAV587	SAV588	→	SAW314	SAW315	SAW316	SAW317	SAW318
SAV589	SAV590	SAV591	SAV592		SAW319	SAW320	SAW321	SAW322	SAW323
SAV593	SAV594	SAV595	SAV596	——	SAW324	SAW325	SAW326	SAW327	SAW328
SAV597	SAV598	SAV599	SAV600	-	SAW329	SAW330	SAW331	SAW332	SAW333
SAV601	SAV602	SAV603	SAV604	-	SAW334	SAW335	SAW336	SAW337	SAW338
SAV605	SAV606	SAV607	SAV608	-	SAW339	SAW340	SAW341	SAW342	SAW343
SAV609	SAV610	SAV611	SAV612	-	SAW344	SAW345	SAW346	SAW347	SAW348



ACCUFORM.

SELF-STICK

Style Code	Pipe Diameter"	Marker Size"	Letter Height"	Price/Each
SSA	3/4 to 1 1/4	1 x 8	1/2	
SSB	1 1/2 to 2	1 1/2 x 8	3/4	
SSD	2 1/2 to 6	2 1/2 x 12	1 1/4	
SSH	8 to 10	4 x 24	2 1/2	

SNAP TITE™

Style Code	Pipe Diameter"	Marker Size"	Letter Height"	Price/Each
STA	3/4 to 1 1/4	6 x 8	1/2	
STB	1 1/2 to 2	9 x 8	3/4	
STC	2 1/4 to 3	14 x 12	1 1/4	
STE	3 1/4 to 5	19 x 12*	1 1/4	
STF	5 1/4 to 6	25 x 12*	1 1/4	

^{*}Styles STE and STF have self-adhesive leading edge for a secure fit.

CUSTOM PIPE MARKERS MADE EASY!

- No set-up fees
- Any print colors
- Full-color graphics and images, including design, image, and logo
- Choose a message with any letter font
- · Available barcoding, numbering, and other coding features Call us for details





HOW TO ORDER CUSTOM PIPE MARKERS

Step 1: Material and Size

Measure the pipe outside diameter, including insulation, to determine proper size

Step 2: Color Combination

Refer to the ASME color guide or choose your own color combination


Step 3: Legend

Specify your desired marker legend, and include directional flow arrows, if they apply

Step 4: Quantity

There are no set-up costs or minimums!





ASME Colors

SELF STICK VINYL

- · 4-mil flexible vinyl with 2-mil overlaminate
- UV resistant polyester film withstands elements
- High-tack, acrylic adhesive back and peel-off liner
- Directional flow
- arrow marker included
- Price per each

Fit Pipe Diameter	Marker Size	
3/4" to 1 1/4"	1" x 8"	
1 1/2" to 2"	1 1/2" x 8"	CALL FOR
2 1/2" to 6"	2 1/2" x 12"	PRICING
8" to 10"	4" x 24"	PRICING
Over 10"	4 1/2" x 32"	
Othor Sizo		



SNAP TITETM

- Pre-coiled design 'snaps' around to fit 360° over pipe
- 20-mil rigid vinyl with repeating message and directional arrow
- Ideal for irregular surfaces, insulated pipes, or where removal is necessary
- Not recommended for hot pipes
- Price per each

Fit Pipe Diameter	Marker Size	
Up to 1/4"	2" x 4"	
Up to 1/2"	4" x 6"	
3/4" to 1 1/4"	6" x 8"	CALL FOR
1 1/2" to 2"	9" x 8"	PRICING
2 1/4" to 3"	14" x 12"	PRICING
3 1/4" to 5"	19" x 12"*	
5-1/4" to 6"	25" x 12"*	





*Comes with self-adhesive leading edge

LABELLING SYSTEMS & SUPPLIES

FRENCH LABELS

FRENCH LABELS	C -16 CA: -1 AT	I Din a Manhana		Pino Markor			on TitoTM Ding 44	l	
Style SSA	Self Stick Viny Style SSB	rl Pipe Markers Style SSD	Style SSH	Pipe Marker Legend	Style STA	Style STB	nap Tite™ Pipe Marl Style STC	style STE	Style STF
SAY902	SAY903	SQ300	SAH018	ACIDE CHLORHYDRIQUE	SAZ086	SAZ087	SAZ088	SAZ089	SAZ090
SAY904	SAY905	SQ302	SAH020	ACIDE NITRIQUE	SAZ091	SAZ092	SAZ093	SAZ094	SAZ095
SAY906	SAY907	SQ306	SAH022	ACIDE SULFURIQUE	SAZ096	SAZ097	SAZ098	SAZ099	SAZ100
SAY908	SAY909	SQ310	SAH024	AIR	SAZ101	SAZ102	SAZ103	SAZ104	SAZ105
SAY910	SAY911	SQ313	SAH025	AIR	SAZ106	SAZ107	SAZ108	SAZ109	SAZ110
SAY912	SAY913	SQ315	SAH027	AIR	SAZ111	SAZ112	SAZ113	SAZ114	SAZ115
SAY914	SAY915	SQ328	SAH036	AIR COMPRIMÉ	SAZ116	SAZ117	SAZ118	SAZ119	SAZ120
SAY916	SAY917	SQ331	SAH037	AIR COMPRIMÉ	SAZ121	SAZ122	SAZ123	SAZ124	SAZ125
SAY918	SAY919	SQ334	SAH038	AIR COMPRIMÉ	SAZ126	SAZ127	SAZ128	SAZ129	SAZ130
SAY920	SAY921	SQ370	SAH066	ALIMENTATION	SAZ131	SAZ132	SAZ133	SAZ134	SAZ135
SAY922	SAY923	SQ372	SAH068	ALIMENTATION	SAZ136	SAZ137	SAZ138	SAZ139	SAZ140
SAY924	SAY925	SQ375	SQ374	ALIMENTATION	SAZ141	SAZ142	SAZ143	SAZ144	SAZ145
SAY926	SAY927	SQ380	SAH072	ALIMENTATION DE CHAUDIÈRE	SAZ146	SAZ147	SAZ148	SAZ149	SAZ150
SAY928	SAY929	SQ386	SAH078	ALIM. DE REFROIDISSEMENT	SAZ151	SAZ152	SAZ153	SAZ154	SAZ155
SAY930	SAY931	SQ392	SAH088	ALIMENTATION EN EAU CHAUDE	SAZ156	SAZ157	SAZ158	SAZ159	SAZ160
SAY932	SAY933	SQ395	SQ394	ALIM. EN EAU DE CHAUFFAGE	SAZ161	SAZ162	SAZ163	SAZ164	SAZ165
SAY934	SAY935	SQ402	SAH094	ALIM. EN EAU FROIDE	SAZ166	SAZ167	SAZ168	SAZ169	SAZ170
SAY936	SAY937	SQ407	SQ406	ALIM. D'EAU RÉFRIGÉRÉE	SAZ171	SAZ172	SAZ173	SAZ174	SAZ175
SAY938	SAY939	SQ409	SAH099	ALIMENTATION EN GLYCOL	SAZ176	SAZ177	SAZ178	SAZ179	SAZ180
SAY940	SAY941	SQ411	SAH101	ALIMENTATION EN MAZOUT	SAZ181	SAZ182	SAZ183	SAZ184	SAZ185
SAY942	SAY943	SQ415	SAH105	ALIMENTATION HYDRAULIQUE	SAZ186	SAZ187	SAZ188	SAZ189	SAZ190
SAY944	SAY945	SQ425	SAH115	ASPIRATION DE REFRIGERANT	SAZ191	SAZ192	SAZ193	SAZ194	SAZ195
SAY946	SAY947	SQ427	SAH117	ARGON	SAZ196	SAZ197	SAZ198	SAZ199	SAZ200
SAY948	SAY949	SQ430	SAH118	ARGON	SAZ201	SAZ202	SAZ203	SAZ204	SAZ205
SAY950	SAY951	SQ438	SAH121	AZOTE	SAZ206	SAZ207	SAZ208	SAZ209	SAZ210
SAY952	SAY953	SQ441	SAH122	AZOTE	SAZ211	SAZ212	SAZ213	SAZ214	SAZ215
SAY954	SAY955	SQ450	SAH129	BASSE PRESSION	SAZ216	SAZ217	SAZ218	SAZ219	SAZ220
SAY956	SAY957	SQ473	SAH141	CARBURANT DIESEL	SAZ221	SAZ222	SAZ223	SAZ224	SAZ225
SAY958	SAY959	SQ476	SAH142	CAUSTIQUE	SAZ226	SAZ227	SAZ228	SAZ229	SAZ230
SAY960	SAY961	SQ490	SAH148	CHLORE	SAZ231	SAZ232	SAZ233	SAZ234	SAZ235
SAY962	SAY963	SQ503	SQ502	CONDENSÉ	SAZ236	SAZ237	SAZ238	SAZ239	SAZ240
SAY964	SAY965	SQ506	SBA683	CONDENSATS À BASSE PRESSION	SAZ241	SAZ242	SAZ243	SAZ244	SAZ245
SAY966	SAY967	SQ531	SQ530	DESCENTE D'EAUX PLUVIALES	SAZ246	SAZ247	SAZ248	SAZ249	SAZ250
SAY968	SAY969	SQ556	SAH179	DRAIN DE CONSENSAT	SAZ251	SAZ252	SAZ253	SAZ254	SAZ255
SAY970	SAY971	SQ558	SAH181	DRAIN DE CONSENSAT	SAZ256	SAZ257	SAZ258	SAZ259	SAZ260
SAY972	SAY973	SQ567	SAH185	EAU	SAZ261	SAZ262	SAZ263	SAZ264	SAZ265
SAY974	SAY975	SQ571	SQ570	EAU	SAZ266	SAZ267	SAZ268	SAZ269	SAZ270



SELF-STICK

Style Code	Pipe Diameter"	Marker Size"	Letter Height"	Price/Each
SSA	3/4 to 1 1/4	1 x 8	1/2	
SSB	1 1/2 to 2	1 1/2 x 8	3/4	
SSD	2 1/2 to 6	2 1/2 x 12	1 1/4	
SSH	8 to 10	4 x 24	2 1/2	

$\mathbf{SNAP}\ \mathbf{TITE}^{\mathsf{TM}}$

Style Code	Pipe Diameter	Marker Size	Letter Height	Price/Each
STA	3/4 to 1 1/4	6 x 8	1/2	
STB	1 1/2 to 2	9 x 8	3/4	
STC	2 1/4 to 3	14 x 12	1 1/4"	
STE	3 1/4 to 5	19 x 12*	1 1/4"	
STF	5 1/4 to 6	25 x 12*	1 1/4"	

^{*}Styles STE and STF have self-adhesive leading edge for a secure fit.

IF YOU DO NOT SEE THE LEGEND OR SIZE YOU ARE LOOKING FOR PLEASE CALL US!

LABELLING SYSTEMS & SUPPLIES

FRENCH LABELS

PRENCII LABELS	Self Stick Vin	yl Pipe Markers		Pipe Marker		Si	nap Tite™ Pipe Marl	kers	
Style SSA	Style SSB	Style SSD	Style SSH	Legend	Style STA	Style STB	Style STC	Style STE	Style STF
SAY976	SAY977	SQ576	SAH188	EAU À HAUTE PRESSION	SAZ271	SAZ272	SAZ273	SAZ274	SAZ275
SAY978	SAY979	SQ583	SQ582	EAU CHAUDE	SAZ276	SAZ277	SAZ278	SAZ279	SAZ280
SAY980	SAY981	SQ589	SAH195	EAU CHAUDE DOMESTIQUE	SAZ281	SAZ282	SAZ283	SAZ284	SAZ285
SAY982	SAY983	SQ597	SAH203	EAU D'APPOINT	SAZ286	SAZ287	SAZ288	SAZ289	SAZ290
SAY984	SAY985	SQ627	SAH219	EAU DE PLUIE	SAZ291	SAZ292	SAZ293	SAZ294	SAZ295
SAY986	SAY987	SQ639	SQ638	EAU DE TOUR D'EAU	SAZ296	SAZ297	SAZ298	SAZ299	SAZ300
SAY988	SAY989	SQ657	SQ656	EAU FROIDE	SAZ301	SAZ302	SAZ303	SAZ304	SAZ305
SAY990	SAY991	SQ661	SQ660	EAU FROIDE DOMESTIQUE	SAZ306	SAZ307	SAZ308	SAZ309	SAZ310
SAY992	SAY993	SQ668	SQ667	EAU MUNICIPALE	SAZ311	SAZ312	SAZ313	SAZ314	SAZ315
SAY994	SAY995	SBA712	SAH241	EAU NON POTABLE	SAZ316	SAZ317	SAZ318	SAZ319	SAZ320
SAY996	SAY997	SQ673	SAH243	EAU POTABLE	SAZ321	SAZ322	SAZ323	SAZ324	SAZ325
SAY998	SAY999	SQ676	SQ675	EAU POTABLE	SAZ326	SAZ327	SAZ328	SAZ329	SAZ330
SAZ001	SAZ002	SQ679	SQ678	EAU RECIRCULÉE	SAZ331	SAZ332	SAZ333	SAZ334	SAZ335
SAZ003	SAZ004	SQ681	SAH247	EAU RECIRCULÉE	SAZ336	SAZ337	SAZ338	SAZ339	SAZ340
SAZ005	SAZ006	SQ683	SR038	EAU RÉFRIGÉRÉE	SAZ341	SAZ342	SAZ343	SAZ344	SAZ345
SAZ007	SAZ008	SQ688	SQ687	EAU SYSTÈME D'INCENDIE	SAZ346	SAZ347	SAZ348	SAZ349	SAZ350
SAZ009	SAZ010	SQ723	SAH277	ÉVENT	SAZ351	SAZ352	SAZ353	SAZ354	SAZ355
SAZ011	SAZ012	SQ727	SQ726	ÉVENT	SAZ356	SAZ357	SAZ358	SAZ359	SAZ360
SAZ013	SAZ014	SQ730	SAH278	ÉVENT	SAZ361	SAZ362	SAZ363	SAZ364	SAZ365
SAZ015	SAZ016	SQ741	SQ740	FILTRER	SAZ366	SAZ367	SAZ368	SAZ369	SAZ370
SAZ017	SAZ018	SQ742	SAH290	FLUIDE FRIGORIGÈNE	SAZ371	SAZ372	SAZ373	SAZ374	SAZ375
SAZ019	SAZ020	SQ744	SAH292	FRÉON	SAZ376	SAZ377	SAZ378	SAZ379	SAZ380
SAZ021	SAZ022	SQ748	SQ747	GAZ	SAZ381	SAZ382	SAZ383	SAZ384	SAZ385
SAZ023	SAZ024	SQ762	SBA741	GAZ COMBUSTIBLE	SAZ386	SAZ387	SAZ388	SAZ389	SAZ390
SAZ025	SAZ026	SQ776	SQ775	GAZ NATUREL	SAZ391	SAZ392	SAZ393	SAZ394	SAZ395
SAZ027	SAZ028	SQ781	SAH308	GAZ PROPANE	SAZ396	SAZ397	SAZ398	SAZ399	SAZ400
SAZ029	SAZ030	SQ784	SAH309	GICLEUR	SAZ401	SAZ402	SAZ403	SAZ404	SAZ405
SAZ031	SAZ032	SQ787	SAH310	GICLEUR D'EAU	SAZ406	SAZ407	SAZ408	SAZ409	SAZ410
SAZ033	SAZ034	SQ792	SQ791	GICLEUR D'INCENDIE	SAZ411	SAZ412	SAZ413	SAZ414	SAZ415
SAZ035	SAZ036	SQ810	SAH320	HUILE	SAZ416	SAZ417	SAZ418	SAZ419	SAZ420
SAZ037	SAZ038	SQ825	SAH325	HYDROXYDE DE SODIUM	SAZ421	SAZ422	SAZ423	SAZ424	SAZ425
SAZ039	SAZ040	SQ864	SAH336	OXYGÈNE	SAZ426	SAZ427	SAZ428	SAZ429	SAZ430
SAZ041	SAZ042	SQ870	SAH337	OXYGÈNE	SAZ431	SAZ432	SAZ433	SAZ434	SAZ435
SAZ043	SAZ044	SQ915	SAH365	RETOUR	SAZ436	SAZ437	SAZ438	SAZ439	SAZ440
SAZ045	SAZ046	SQ918	SQ917	RETOUR	SAZ441	SAZ442	SAZ443	SAZ444	SAZ445
SAZ047	SAZ048	SQ922	SQ921	RETOUR	SAZ446	SAZ447	SAZ448	SAZ449	SAZ450
SAZ049	SAZ050	SQ928	SQ927	RETOUR D'EAU CHAUDE	SAZ451	SAZ452	SAZ453	SAZ454	SAZ455
SAZ051	SAZ052	SQ931	SQ930	RETOUR D'EAU DE CHAUFFAGE	SAZ456	SAZ457	SAZ458	SAZ459	SAZ460



ACCUFORM.

SELF-STICK

Style Code	Pipe Diameter"	Marker Size"	Letter Height"	Price/Each
SSA	3/4 to 1 1/4	1 x 8	1/2	
SSB	1 1/2 to 2	1 1/2 x 8	3/4	
SSD	2 1/2 to 6	2 1/2 x 12	1 1/4	
SSH	8 to 10	4 x 24	2 1/2	

$\mathbf{SNAP}\ \mathbf{TITE}^{\mathsf{TM}}$

Style Code	Pipe Diameter"	Marker Size"	Letter Height"	Price/Each
STA	3/4 to 1 1/4	6 x 8	1/2	
STB	1 1/2 to 2	9 x 8	3/4	
STC	2 1/4 to 3	14 x 12	1 1/4	
STE	3 1/4 to 5	19 x 12*	1 1/4	
STF	5 1/4 to 6	25 x 12*	1 1/4	

^{*}Styles STE and STF have self-adhesive leading edge for a secure fit.

IF YOU DO NOT SEE THE LEGEND OR SIZE YOU ARE LOOKING FOR PLEASE CALL US!

LABELLING SYSTEMS & SUPPLIES

FRENCH LABELS

	Self Stick Viny			Pipe Marker		Sna	ap Tite™ Pipe Mark	ers	
Style SSA	Style SSB	Style SSD	Style SSH	Legend	Style STA	Style STB	Style STC	Style STE	Style STF
SAZ053	SAZ054	SQ934	SQ933	RETOUR D'EAU DE CONDENSEUR	SAZ461	SAZ462	SAZ463	SAZ464	SAZ465
SAZ055	SAZ056	SQ939	SQ938	RETOUR D'EAU RÉFRIGÉRÉE	SAZ466	SAZ467	SAZ468	SAZ469	SAZ470
SAZ057	SAZ058	SQ951	SAH385	RETOUR DE CONDENSATS	SAZ471	SAZ472	SAZ473	SAZ474	SAZ475
SAZ059	SAZ060	SQ955	SAH389	RETOUR DE GLYCOL	SAZ476	SAZ477	SAZ478	SAZ479	SAZ480
SAZ061	SAZ062	SQ958	SQ957	RETOUR DE L'EAU DE TOUR D'EAU	SAZ481	SAZ482	SAZ483	SAZ484	SAZ485
SAZ063	SAZ064	SQ960	SAH392	RETOUR DE MAZOUT	SAZ486	SAZ487	SAZ488	SAZ489	SAZ490
SAZ065	SAZ066	SQ962	SAH394	RETOUR DE VAPEUR	SAZ491	SAZ492	SAZ493	SAZ494	SAZ495
SAZ067	SAZ068	SQ978	SAH407	SORTIE	SAZ496	SAZ497	SAZ498	SAZ499	SAZ500
SAZ069	SAZ070	SQ980	SAH409	SORTIE DE POMPE À CONDENSATS	SAZ501	SAZ502	SAZ503	SAZ504	SAZ505
SAZ071	SAZ072	SR002	SR001	TUYAU D'ÉCHAPPEMENT	SAZ506	SAZ507	SAZ508	SAZ509	SAZ510
SAZ073	SAZ074	SR004	SAH424	TUYAU D'ÉCHAPPEMENT	SAZ511	SAZ512	SAZ513	SAZ514	SAZ515
SAZ075	SAZ076	SR007	SR006	VAPEUR	SAZ516	SAZ517	SAZ518	SAZ519	SAZ520
SAZ077	SAZ078	SR011	SR010	VAPEUR À BASSE PRESSION	SAZ521	SAZ522	SAZ523	SAZ524	SAZ525
SAZ079	SAZ080	SR014	SR013	VAPEUR À HAUTE PRESSION	SAZ526	SAZ527	SAZ528	SAZ529	SAZ530
SAV581	SAV582	SAV583	SAV584	——	SAW309	SAW310	SAW311	SAW312	SAW313
SAV585	SAV586	SAV587	SAV588	\longrightarrow	SAW314	SAW315	SAW316	SAW317	SAW318
SAV589	SAV590	SAV591	SAV592	——	SAW319	SAW320	SAW321	SAW322	SAW323
SAV593	SAV594	SAV595	SAV596	——	SAW324	SAW325	SAW326	SAW327	SAW328
SAV597	SAV598	SAV599	SAV600	-	SAW329	SAW330	SAW331	SAW332	SAW333
SAV601	SAV602	SAV603	SAV604	-	SAW334	SAW335	SAW336	SAW337	SAW338
SAV605	SAV606	SAV607	SAV608	→	SAW339	SAW340	SAW341	SAW342	SAW343
SAV609	SAV610	SAV611	SAV612	-	SAW344	SAW345	SAW346	SAW347	SAW348



ACCUFORM.

SELF-STICK

Style Code	Pipe Diameter"	Marker Size"	Letter Height"	Price/Each
SSA	3/4 to 1 1/4	1 x 8	1/2	
SSB	1 1/2 to 2	1 1/2 x 8	3/4	
SSD	2 1/2 to 6	2 1/2 x 12	1 1/4	
SSH	8 to 10	4 x 24	2 1/2	

SNAP TITETM

Style Code	Pipe Diameter"	Marker Size"	Letter Height"	Price/Each
STA	3/4 to 1 1/4	6 x 8	1/2	
STB	1 1/2 to 2	9 x 8	3/4	
STC	2 1/4 to 3	14 x 12	1 1/4	
STE	3 1/4 to 5	19 x 12*	1 1/4	
STF	5 1/4 to 6	25 x 12*	1 1/4	

^{*}Styles STE and STF have self-adhesive leading edge for a secure fit.

Can't find what you're looking for? Call us today!



IF YOU DO NOT SEE THE LEGEND OR SIZE YOU ARE LOOKING FOR PLEASE CALL US!

THE GLOBALLY HARMONIZED SYSTEM (GHS)

The Globally Harmonized System of Classification and Labeling of Chemicals (GHS) is an international system established by the United Nations to replace pre-existing classification and labeling methods. GHS presents a unified code to eliminate discrepancies in labeling conventions from one country to another. Using a harmonized standard reduces the chance of misinterpretation or confusion, thereby increasing safety regardless of the language spoken or even the level of literacy of those working with the substances.

It covers the following:

- · Classification of physical health and environmental hazards
- · Labeling environments
- · Universal symbols and pictograms
- Hazard warning statements, aspiration hazards
- · Signal word for type of hazard
- · Safety data sheet format

The risk of chemical exposure lurks at any stage; be it production, transport, handling or use. Incomplete or ambiguous data can be not only dangerous but have a negative impact on productivity. As such, GHS is designed to protect the environment as well as workers, consumers, transport workers, and emergency responders.

One of the other aims of GHS is to improve and expand international knowledge of the chronic health hazards of chemicals and thereby reduce, eliminate and/or replace these chemicals. Due to the complex nature of this domain, the GHS is constantly being modified and revised. Effective date is proposed to be two years after publication of final rule passage by Congress. For this reason, it's important to contact one of our experts to stay abreast of the latest GHS developments and how they affect you.



WHMIS REQUIREMENTS

The Workplace Hazardous Material Information System (WHMIS) is enforced nationwide. It was developed as a way of protecting workers from the adverse effects of hazardous materials in the workplace. WHMIS gives both the employers and employees the right to know about hazards associated with chemicals they work with.
This is accomplished through the use of Material Safety Data Sheets (MSDS), proper labelling and training.

Material Safety Data Sheets must:

- 1. Accompany every shipment of hazardous material.
- 2. Be kept on file and be accessible to all employees.
- 3. Be updated and revised every 3 years.

Must contain the following information (as a minimum):

- · Hazardous ingredients
- · Preparation information
- Product information
- · Physical data
- Fire or explosion data
- Reactivity dataToxicological properties
- Preventative measureFirst aid measures

Supplier label must:

- Be supplied by the manufacturer of the chemical.
- 2. Be applied to every container of hazardous material.
- 3. Have the distinct Hash border.

Must contain a total of 7 pieces of information:

- Product identifier
- Supplier identifier
- Hazard symbol
- Risk phrase
- Precautionary measures
- First Aid measures
- Reference to MSDS

Workplace labels are required:

- When the supplier label has been damaged or fallen off.
- 2. When transferring chemical from the original container to a smaller one.
- To contain at least
 pieces of information:
- Product identifier
- Product identifier
 Precautionary measure
- Reference to MSDS

Training is an important part of WHMIS. Training must cover such things as:

- How to read and understand labels and MSDS
- Procedures for safe use, storage, handling and disposal of hazardous material
- Procedures to be followed in case of emergency

Every employee who comes in contact with hazardous material must be trained

WHMIS AFTER GHS

The original WHMIS is not being replaced but rather updated to align as closely as possible with the United States and other key trading partners.
The new WHMIS will be called "WHMIS 2015".

TRANSITION PERIOD

	Manufacturers & Importers	Distributors	Employers
Phase 1 From coming into force to June 1, 2017	Use CPR or HPR requirements	Use CPR or HPR requirements	Use CPR or HPR requirements
Phase 2 From June 1, 2017, to June 1, 2018	Use HPR requirements	Use CPR or HPR requirements	Use CPR or HPR requirements
Phase 3 From June 1, 2018, to December 1, 2018	Use HPR requirements	Use HPR requirements	Use CPR or HPR requirements
Completion December 1, 2018	Use HPR requirements	Use HPR requirements	Use HPR requirements



CUSTOM GHS LABELS

CREATE YOUR OWN LABELS TO CONVEY HAZARD CLASS INFORMATION.

How to Order:

- 1. Specify label size and material by part number
- 2. Send us your chemical or material information Refer to "Required Label Elements" guide
- 3. Provide guidance on label design if different from examples
- 4. Contact us with your request; we'll send you a proof (upon request)

MATERIAL CHOICES

Adhesive-poly sheet - Flexible 2.6-mil thick vinyl has self-adhesive back. Peel-off liner and pressure-sensitive back permanently adheres to smooth, curved and irregular surfaces. Moisture resistant with outdoor durability

Adhesive coated paper - Economical, self-adhesive label is durable for limited use. 60-lb. coated paper with acrylic adhesive back. Peel off liner and permanently adhere to smooth, curved and irregular surfaces.

Sizes available in 3" x 4", 4" x 6", 6" x 8", 9" x 12", 10" x 14".

*9" x 12" and 10" x 14" (or larger) labels are recommended when DOT label pictogram is included to maintain the required 4" x 4" (100 mm x 100 mm) size.

ACETONE

Keep away from heat, spar measures against static dis Keep container closed who

well-ventilated place away

Use only in a well-ventilate Wear appropriate personal

Flush eves with water for a

Company Name:

Address:

CAS Number: 67-64-1 Category 2 Flammable Liquid and Category 2A Eye Damage/Irritation





DANGER

Highly flammable liquid and vapor.

Format 2

Highly flammable liquid and vapor.
Causes severe eye irritation

Company Confidential

1234 First Avenue Any Town, Any State 12345 Phone Number: 123-456-789

Fill weight: 10 lbs. Gross weight: 21 lbs. Expiration: 5/13/14 Lot Number: Fill Date:



Format 1

Keep away from heat, sparks and flame – No smoking, Take precautionary measures against static discharge. Keep from direct sunlight. Keep container closed when not in use. Store in a cool/low temperature, well-ventilation place away from heat and ignition sources. Use only in a well ventilated area. Avoid contact with eyes, skin and clothing. Wear appropriate personal protective equipment, avoid direct contact. Flush eye with water for at least 15 minutes while holding eyelids open.

Actual label design and layout may vary and are subject to the discretion of the competent authority

REQUIRED LABEL ELEMENTS

- 1. Product Identifier Should match the product identifier used on the Safety Data Sheets.
- 2. Signal Word Indicates the relative level of the hazard's severity. "Danger" and "Warning" are the GHS signal words.
- 3. Pictograms Graphic compositions intended to convey specific hazard information.
- 4. Hazard Statements A phrase assigned to a hazard class and category that describes the nature of the product hazards.
- 5. Precautionary Statements Describe recommended measures to minimize or prevent adverse effects resulting from exposure.
- 6. Supplier Identification The name, address and telephone number of the manufacturer or supplier.

Note: You are required to provide all necessary information specific to your hazardous chemical or material, to complete an accurate and safe label for your premises.

ACCUFORM.

CUSTOM WHMIS-GHS SUPPLIER LABELS

Manufacturers and suppliers of hazardous materials or chemicals are required to label drums, pails, bottles, and any other container of the product - as specified by the Hazardous Products Act and Regulations (WHMIS 2015).

Labels are specific in appearance and must follow particular format and information guidelines as specified by WHMIS. These labels must contain detailed hazard information in both English and French.

To order, specify material below and provide us a size. We will get back to you with a quote, proof, and delivery time.

Label Material

Pressure Sensative Paper Adhesive Vinyl Durable Laminated Adhesive Vinyl

Call us today for a quote!

When ordering labels, please provide us the following information from the Safety Data Sheet (SDS) for required label elements:

English



Supplier label must include the following:

Product identifier - the brand name, chemical name, common name, generic name or trade name of the hazardous product.

Initial supplier identifier - the name, address and telephone number of either the Canadian manufacturer or the Canadian importer*.

Pictogram(s) - hazard symbol within a red "square set on one of its points".

Signal word - a word used to alert the reader to a potential hazard and to indicate the severity of the hazard.

Hazard statement(s) - standardized phrases which describe the nature of the hazard posed by a hazardous product.

Precautionary statement(s) - standardized phrases that describe measures to be taken to minimize or prevent adverse effects resulting from exposure to a hazardous product or resulting from improper handling or storage of a hazardous product.

Supplemental label information – some supplemental label information is required based on the classification of the product. For example, the label for a mixture containing ingredients with unknown toxicity in amounts higher than or equal to 1% must include a statement indicating the percent of the ingredient or ingredients with unknown toxicity. Labels may also include supplementary information about precautionary actions, hazards not yet included in the GHS, physical state, or route of exposure. This information must not contradict or detract from the standardized information.

Compagnile 572, 128 rue Maitain St. Mytowel DM: NSW 980 (133) 456-7980



GHS, WHMIS & PPE PICTOGRAM LABELS

- · Pictograms communicate universally understood GHS,
- WHMIS Hazard symbols and approval PPE wear requirements Adhere to containers to convey the controlled product message
- Labels are high-performance, adhesive dura-vinyl (overlaminate graphics)
- Resistant to abrasive, humidity, chemicals, solvents, and sunlight fade
- Available in two sizes

GHS



Flame SDN428 SDN429



Flame Over Circle **SDN430 SDN431**



Exploding Bomb SDN432 SDN433



Corrosion **SDN434 SDN435**



Gas Cylinder SDN436 **SDN437**



Skull Crossbones SDN438 SDN439



Exclamation Mark SDN440 SDN441



Environment **SDN442 SDN443**



Severe Health Hazard **SDN444 SDN445**

PPE





Safety Goggles **SAX255 SAX256**



Face Shield **SAX257 SAX258**



Apron **SAX259 SAX260**



Dust Mask SAX261 SAX262



Vapour Respirator **SAX263 SAX264**



Self-Contained Air Respirator **SAX265 SAX266**



Label Size 2" (~50 mm) 4" (~100 mm)



Gloves **SAX267 SAX268**



Boots **SAX269 SAX270**



Full Protection Suit SAX271 SAX272



Label Size	Qty/Pkg.	Price/Pkg.
2" (~50 mm)	10	
4" (~100 mm)	5	



GHS PICTOGRAM LABELS

- GHS pictograms identify the hazards associated with chemicals and warn users of the precautions that should be taken
- The GHS recognizes ten hazard pictograms
- Labels are available in adhesive-poly sheet or adhesive coated paper
- Available in rolls of 250 or 500
- Adhesive-poly sheet (EV): Flexible 2.6-mil thick vinyl has self-adhesive back. Peel-off liner and pressure-sensitive back permanently adheres to smooth, curved and irregular surfaces. Moisture resistant with outdoor durability
- Adhesive coated paper (PS): Economical, self-adhesive label is durable for limited use. 60-lb. coated paper with acrylic adhesive back. Peel off liner and permanently adhere to smooth, curved and irregular surfaces









ADHESIVE-POLY (EV)

Size"	Qty/Roll	Flame	Flame Over Circle	Exploding Bomb	Corrosion	Gas Cylinder	Skull Crossbones	Exclamation Mark	Environmental	Health Hazard	Biohazardous Infectious Materials	Price /Each
1 x 1	250/Roll	SEF642	SEF646	SEF650	SEF654	SEF658	SEF662	SEF666	SEF670	SEF674	SDN378	
1 x 1	500/Roll	SEF643	SEF647	SEF651	SEF655	SEF659	SEF663	SEF667	SEF671	SEF675	SDN379	
2 x 2	250/Roll	SEF678	SEF682	SEF686	SEF690	SEF694	SEF698	SEF702	SEF706	SEF710	SDN380	
2 x 2	500/Roll	SEF679	SEF683	SEF687	SEF691	SEF695	SEF699	SEF703	SEF707	SEF711	SDN381	
4 x 4	250/Roll	SDN390	SDN394	SDN398	SDN402	SDN406	SDN410	SDN414	SDN418	SDN422	SDN382	
4 x 4	500/Roll	SDN391	SDN395	SDN399	SDN403	SDN407	SDN411	SDN415	SDN419	SDN423	SDN383	

ADHESIVE COATED PAPER (PS)

Size"	Qty/Roll	Flame	Flame Over Circle	Exploding Bomb	Corrosion	Gas Cylinder	Skull Crossbones	Exclamation Mark	Environmental	Health Hazard	Biohazardous Infectious Materials	Price /Each
1 x 1	250/Roll	SEF644	SEF648	SEF652	SEF656	SEF660	SEF664	SEF668	SEF672	SEF676	SDN384	
1 x 1	500/Roll	SEF645	SEF649	SEF653	SEF657	SEF661	SEF665	SEF669	SEF673	SEF677	SDN385	
2 x 2	250/Roll	SEF680	SEF684	SEF688	SEF692	SEF696	SEF700	SEF704	SEF708	SEF712	SDN386	
2 x 2	500/Roll	SEF681	SEF685	SEF689	SEF693	SEF697	SEF701	SEF705	SEF709	SEF713	SDN387	
4 x 4	250/Roll	SDN392	SDN396	SDN400	SDN404	SDN408	SDN412	SDN416	SDN420	SDN424	SDN388	
4 x 4	500/Roll	SDN393	SDN397	SDN401	SDN405	SDN409	SDN413	SDN417	SDN421	SDN425	SDN389	

GHS HAZARD PICTOGRAM LABEL VARIETY PACKS

- Assortment of all the GHS hazard class pictograms labels in one convenient pack
- Labels are manufactured on high gloss paper stock with removable adhesive
- Easy to peel cleanly from most surfaces including glass, metal and plastic
- A great choice for use in laboratory settings
- Available in two sizes



Model No.	Mfg No.	Label Size"	Quantity	Price/Each
SEJ584	GHS1300	1/2	1820 Labels/Pad	
SEJ585	GHS1299	1	1120 Labels/Pad	

GHS/WHMIS 2015 WALLET CARDS

- Keep a visual reminder of GHS label and pictogram requirements close at hand for easy reference
- Plastic wallet card measures 3 3/8" x 2 1/8" and is double sided
- One side of the wallet cart shows a representation of the 10 standard GHS pictograms, while the flip side shows a GHS label example
- · Available in English or French








Model No.	Mfg No.	Description	Price/Each
SDN426	LKC243	English	
SDN427	FRLKC243	French	

RIGHT-TO-KNOW LABELING KITS

- Quickly and easily customize adhesive vinyl labels with Right-To-Know information
- Write in chemical name and hazard ratings
- Use WHMIS pictogram stickers to
- identify hazards and personal protection
- Available in two formats: NFPA Diamond or Colour Bar
- Use clear overlaminate for added protection
- Kit includes 1 sheet of 17 pictogram stickers and choice of NFPA Diamond or Colour Bar format

Pictogram Stickers







ACCUFORM.

Model No.	Mfg No.	Size"	Style	Description	Price/Each
SAX167	LZN440	3 1/2 x 5	NFPA Diamond	English	
SAX168	LZN442	5 x 7	NFPA Diamond	English	
SAX169	LZS640	5 x 3 1/2	Colour Bar	English	
SAX170	LZS642	7 x 5	Colour Bar	English	
SEL118	FRLZN440	3 1/2 x 5	NFPA Diamond	French	

GHS/OTS WHMIS LABELS

- On-The-Spot WHMIS labels
- Convenient, easy-to-use
- Create workplace labels in minutes
- Made of vinyl material
- Self-laminating labels for extra protection against chemicalcontact Simply enter the product identifier
- using a pen or a permanent marker, pick the appropriate WHMIS and PPE symbols, add any specific handling precautions, apply laminate and adhere label to the container
- Sold in packages of 25





Priced per Package


Model No.	Mfg. No.	Size"	Description	Price /Each
SY084	08657	5 x 5	Self Laminating	
SY083	08660	3 x 6	Self Laminating	
SY074	08662	2 x 4	Self Laminating	

GHS WORKPLACE LABELS

- Workplace labels clearly identify hazards to your employees
- Labels offer an easy-to-use design to correctly identify the hazard information for labeling secondary containers in your workplace
- Premium peel-and-stick vinyl with a permanent adhesive







SGD766



WHMIS WALLET CARDS

Indicated date of WHMIS certification verifying employee's WHMIS training. Reverse side features a handy reminder of WHMIS symbols. Package: 25 cards.





Priced per Package

Model	Mfg.		Price
No.	No.	Description	/Each
SJ010	09403	English	
SJ012	09396	Bilingual	

WHMIS WORKPLACE LABELS


- · Easy-to-use, adhesive vinyl, write-on label
- Write in product name, precautionary measures and first aid information
- Check off appropriate hazard and protective equipment symbols
- Available in 3 sizes
- Use clear overlaminate for added protection



Model No.	Mfg No.	Description	Size	Price/Each
SAX174	LZW305	Bilingual	127 mm x 89 mm (5" x 3 1/2")	
SAX175	LZW307	Bilingual	178 mm x 127 mm (7" x 5")	
SAX176	LZW310	Bilingual	254 mm x 178 mm (10" x 7")	
CLEAR OVE	RLAMINATE			
SAX177	LZS155	Bilingual	127 mm x 89 mm (5" x 3 1/2")	
SAX178	LZS156	Bilingual	178 mm x 127 mm (7" x 5")	
SAX179	LZS177	Bilingual	254 mm x 178 mm (10" x 7")	

SELF-LAMINATING ROLL LABELS

- Fill in hazard codes and symbols in area provided
- Clear polyester flap adheres and covers label to protect information
- Vinyl label has self-adhesive back



ACCUFORM.

Model No.	Mfg No.	Size"	Description	Price/Roll of 100
SAX298	LZS321EV	1 x 3	English	
SEL121	FRLZS321EV	1 x 3	French	

GHS WORKPLACE TAGS

- · GHS-style workplace tags clearly identify hazards to your employees
- Tags are made from a durable rip-resistant waterproof stock with a reinforcing metal grommet





IN COM

Model No. English	Model No. French	Size"	Price /Each
SGD764	SGD786	3 x 6	
SGD767	SGD789	3 x 6	
SGD768	SGD790	3-3/8 x 5-3/4	
SGD769	SGD791	3 x 6	

SGD768



GHS INFORMATION WALL CHART

- · Provides a comprehensive overview of GHS labeling requirements
- · Chart details the 3 main hazard groups: Physical, Health & Environmental
- Indicates requirements for supplier labels when decanting or transferring hazardous chemicals; visual representations of the precautionary statement pictograms; and a list of the information required on a Safety Data Sheet



INCOM

Model No.	Mfg No.	Description	Size	Price/Each
SGD770	GHS1076	English, Plastic	24" x 18"	

GHS PICTOGRAM WALL CHART

- · GHS Pictogram Poster is a quick and easy way to convey the new GHS pictograms in the workplace
- Chart details the 3 main hazard groups; Physical, Health & Environmental
- Provides a detailed description of the related hazards
- Printed in full colour on durable, pliable plastic, this chart is easily mounted on any wall



INCOM

Model No.	Mfg No.	Description	Size	Price/Each
SGD771	GHS1010	English	24" x 36"	

HAZ-MAT WARNING LABEL POSTERS

- Reference posters quickly decipher hazardous material warning label systems
- Choose from combination of NFPA and HMCIS
- or NFPA, HMCIS and WHMIS
- 457 mm x 610 mm (18" x 24") durable plastic laminated posters

SAX192

ACCUFORM.

HAZARDOUS MATE	RIALS WARNI	NG SYMBOLS
METABLITY METABLITY	** Description of the control of the	

Model No.	Mfg No.	Description	Price/Each
SAX192	ZTP108	NFPA and HMCIS, English	
SAX193	ZTP127	NFPA, HMCIS and WHMIS, English	
SEL119	FRZTP108	NFPA and HMCIS, French	
SEL120	FRZTP127	NFPA, HMCIS and WHMIS, French	

RIGHT-TO-KNOW: SDS POSTERS

- · Display poster shows employees what information must be included in the new regulation Safety Data sheets (SDS) to comply with OSHA and GHS requirements
- Summary of the GHS standardized 16-section SDS
- Instructional sections cover product and company identification, hazards identification, composition, first aid measures and more
- Size: 20" x 32"
- Flexible plastic poster
- Available in English and French



ACCUFORM.

Model No.	Mfg No.	Description	Price/Each
SEJ572	ZTP133	English	
SEJ573	FRZTP133	French	

GHS POSTERS

- Displays GHS label and pictogram guidelines
- Guidelines separated into easy-to-understand sections
- Plastic laminate poster
- Size: 18" x 24"
- Available in English or French



ACCUFORM

Model No.	Mfg No.	Description	Price/Each
SEJ570	ZTP139	English	
SEJ571	FRZTP139	French	

GHS INFORMATION WALL CHARTS

- The GHS wall chart provides a comprehensive overview of new GHS labeling requirements for WHMIS
- The chart details the 3 main hazard groups; Physical, Health & Environmental
- Lists requirements for supplier labels when decanting or transferring hazardous chemicals
- Visual representations of the precautionary statement pictograms
- Lists the information required on the new regulation Safety Data Sheet
- Made of durable, pliable plastic
- Mount chart in a prominent place to help refresh your employee's knowledge of the GHS requirements
- Indoor or outdoor applications
- Available in two sizes and in English or English/French



INCOM

Model No.	Mfg No	Size"	Description	Price/Each
SEJ597	GHS1004C	18 x 24	English	
SEJ598	GHS1003C	24 x 36	English	
SEJ599	GHS1018	24 x 36	English/French	

GHS INFORMATION WALL CHART

- GHS Wall Chart provides a comprehensive
- overview of new GHS labeling requirements · Chart details the 3 main hazard groups;
- Physical, Health & Environmental
- Mount this durable, pliable plastic chart in a prominent place to help refresh your employee's knowledge of the GHS requirements



INCOM

Model No.	Mfg No.	Description	Size"	Price/Each
SGD770	GHS1076	Bilingual	24 x 18	

SAFETY DATA SHEET INFORMATION STATIONS

- · Provides a central place to easily access all the new regulation SDS sheets for your plant or office
- Sturdy metal pocket design to hold the included binder
- The mounting board is constructed of 1/4" rigid plastic with four mounting holes to provide easy mounting and years of durability Stations include either one (Single) or two (Double) standard 3-ring SDS
- binders with A Z alphabetical dividers to sort all of your Safety Data Sheets
- Available in two sizes in English or English/French





IN COM

	~			
Model No.	Mfg. No.	Size"	Description	Price/Each
SEJ590	GHS1012	Single Station, 18 x 24	English	
SEJ591	GHS1011	Double Station, 24 x 36	English	
SEJ592	GHS1021	Single Station, 18 x 24	English/French	
SEJ593	GHS1020	Double Station, 24 x 36	English/French	

Ask us about volume prices!



from quantity prices.

SAFETY DATA SHEET BINDERS

- · Organize and access Safety Data Sheets quickly and easily with SDS binders
- Binders come in two sizes; 1 1/2" and 3"
- The regular size binders come with a standard 1 1/2" D-slant format ring
- The large binder comes with a 3" D-slant ring for easy storage of large numbers of SDS sheets
- All our binders come with sturdy A-Z alphabetical reinforced dividers to sort and organize your Safety Data Sheets
- Printed with bright graphics on a white background, these binders will be highly visible in the workplace





INCOM

Model No.	Mfg No.	Size"	Description	Price/Each
SEJ594	GHS1008	1 1/2	English	
SEJ595	GHS1049	3	English	
SEJ596	GHS1009	1 1/2	English/French	
SDP091	GHS1082	3	English/French	

GHS INFORMATION STATIONS

- · Provides a central location to easily access all newly regulated SDS sheets as well as the basic information required for the GHS system for WHMIS
- The board is printed with the 3 main hazard groups; Physical, Health & Environmental
- Provides requirements for supplier labels when decanting or transferring hazardous chemicals
- Visual representations of the precautionary statement pictograms
- · Lists the information required on a Safety Data Sheet
- Printed in full colour on a mounting board and comes with a sturdy metal pocket
- Stations include either one (Single) or two (Double) standard 3-ring SDS binders with A - Z alphabetical dividers to sort all of your Safety Data Sheets
- The mounting board is constructed of 1/4" rigid plastic with 4 mounting holes to provide easy mounting and years of durability
- Available in two sizes in English or English/French

SEJ586





INCOM

Model No.	Mfg No.	Size"	Description	Price/Each
SEJ586	GHS1002C	Single Station, 18 x 24	English	
SEJ587	GHS1001C	Double Station, 24 x 36	English	
SEJ588	GHS1072	Single Station, 18 x 24	English/French	
SEJ589	GHS1019	Double Station, 24 x 36	English/French	

SDS PROJECTION™ SIGNS

- 0.10" thick high-impact plastic
- 3D signs, projecting 45° from the wall, provide optimum viewing from front and sides
- 90D signs, projecting 90° from the wall, are viewed from either side
- Includes: mounting holes and hardware





ACCUFORM.

Model No.	Mfg. No.	Panel Size"	Overall Size"	Standard 3D Price/Each	Standard 901 Price/Eacl
SEJ568	PSP768	6 x 5	6 x 8 1/2 x 4		_
SEJ569	PSP452	8 x 8	8 x 8 x 1 1/2	_	

SAFETY DOCUMENTS JOB-SITE BOX

- Have important paperwork readily available and protected on the job-site
- · Durable steel box has galvanized coating and exterior powder-coated finish to prevent rust
- Stainless steel, sloping hinge lid with lockable hasp and foam gasket
- 13-1/2" x 13-1/2" x 4-1/2" box holds up to a 3" binder
- · Designed for outdoor exposure
- Box can be set out on a counter or table, or installed on wall with rear mounting holes
- 2-1/2" binder included





Model No.	Mfg No.	Description	Price/Each
SEJ562	ZRS367	English	
SEL123	FRZRS367	French	

SDS BINDERS

- Organize documents in bright, safety yellow binders
- · Contrasting red letters on front cover and spine
- 3-ring binders have 914 mm (36") metal security chain



Mfg No.	Description	Ring Size"	Price/Each
ZRS641	English	1 1/2	
ZRS642	English	2 1/2	
ZRS643	English	3	
FBZRS641	Bilingual	1 1/2	
FBZRS642	Bilingual	2 1/2	
	ZRS641 ZRS642 ZRS643 FBZRS641	ZRS641 English ZRS642 English ZRS643 English FBZRS641 Bilingual	ZRS641 English 11/2 ZRS642 English 21/2 ZRS643 English 3 FBZRS641 Bilingual 11/2

SEI563



RIGHT-TO-KNOW BASKET STYLE CENTRE BOARDS

- Sturdy 0.063" thick aluminum backboard measures
 - Single basket style: 508 mm x 381 mm (20" H x 15" W)
 - Double basket style: 610 mm x 462 mm (24" H x 30" W) Coated wire basket bolted to lower portion to hold binder
- Single style centers include one 1 1/2" binder and
- double style centers include two 1 1/2" binders
- Boards have holes for wall mounting
- Comes in either single or double sized centers







ACCUFORM.

Model No.	Mfg No.	Description	Price/Each
SEJ556	ZRS339	SDS Single Basket English	
SEJ557	FBZRS339	SDS Single Basket English/French	
SEJ558	ZRS340	SDS Double Basket English	
SEJ559	FBZRS340	SDS Double Basket English/French	

METAL SDS STORAGE CASE

- · Metal SDS Storage Case provides a durable, protective and secure area for storage of all your SDS records
- Units have two metal closure latches
- · 4 pre-drilled holes easily mounts to any wall in your facility
- Highly-visible case will accommodate any SDS binders
- Language: English
- Type: Right-To-Know
- · No. of Binders: 1

Model No. SGD772 Mfg. No. GHS1046 Price/Each \$







PLACARD HOLDERS

- · Manufactured of natural aluminum with stainless steel clips for years of service
- · Holders come with 10 pre-drilled mounting holes for easy application
- The back plate has several dimples to ease the placards out of the holder and up and over the clip assembly



IN COM.

Model	Mfg.	Description	Price
No.	No.		/Each
SAQ008	PH223	Placard holder	
SAQ009	PH227	Easy Access Design	





18" x 18"

Mfg. No.
LVHR904XVE
MVTR620VA



18" x 18"

Model No.	Mfg. No.
SEI461 - PS	FRLVHR904XVE
SEI462 - AL	FRMVTR620VA



18" x 18"

Model No.	Mfg. No.
SEI463 - PS	LVHR907XVE
SEI464 - AL	MVTR001VA



18" x 18"

Mfg. No.
FRLVHR907XVE
FRMVTR001VA



Description	Price /Each
Adhesive Vinyl - 18" x 18" Aluminum - 18" x 18"	



CLASS 1









	A. Explosive 1.1A		B. Explosive 1.1	B. Explosive 1.1D		C. Explosive 1.4G		D. Explosive 1.5D	
Material	Model No.	Mfg. No.	Model No.	Mfg. No.	Model No.	Mfg. No.	Model No.	Mfg. No.	
Rigid Plastic	SJ334	TT110ASS	SAH452	TT110DSS	SJ347	TT140GSS	SJ350	TT150DSS	
Tagboard	SJ335	TT110ATB	SAH453	TT110DTB	SJ348	TT140GTB	SJ351	TT150DTB	
Adhesive Vinyl	SD299	TT110ATB	SAH454	TT110DPS	SD301	TT140GPS	SD303	TT150DPS	
Aluminum	SD300	TT110AAL	SAH455	TT110DAL	SD302	TT140GAL	SD304	TT150DAL	

CLASS 2









	E. Flammable	E. Flammable Gas		F. Compressed Gas		G. Poison Gas		H. Oxidizer	
Material	Model No.	Mfg. No.	Model No.	Mfg. No.	Model No.	Mfg. No.	Model No.	Mfg. No.	
Rigid Plastic	SJ356	TT210SS	SJ358	TT220SS	SJ360	TT230SS	SJ364	TT232SS	
Tagboard	SJ357	TT210TB	SJ359	TT220TB	SJ361	TT230TB	SJ365	TT232TB	
Adhesive Vinyl	SD307	TT210PS	SD311	TT220PS	SD315	TT230PS	SD309	TT232PS	
Aluminum	SD308	TT210AL	SD312	TT220AL	SD316	TT230AL	SD310	TT232AL	


CLASS 3



	I. Flammable Liquids			
Material	Model No.	Mfg. No.		
Rigid Plastic	SJ368	TT300SS		
Tagboard	SJ369	TT300TB		
Adhesive Vinyl	SD319	TT300PS		
Aluminum	SD320	TT300AL		

PLACARD PRICING

Material	Price /Each
Rigid Plastic (SS)	
Tagboard (TB)	
Adhesive Vinyl (PS)	
Aluminum (AL)	




	J. Flammable Solid		K. Spontaneou	K. Spontaneously Comb.		L. Dangerous When Wet		M. Oxidizers		oxides
Material	Model No.	Mfg. No.	Model No.	Mfg. No.	Model No.	Mfg. No.	Model No.	Mfg. No.	Model No.	Mfg. No.
Rigid Plastic	SJ370	TT410SS	SJ372	TT420SS	SJ374	TT430SS	SJ376	TT510SS	SEC884	TT521SS
Tagboard	SJ371	TT410TB	SJ373	TT420TB	SJ375	TT430TB	SJ377	TT510TB	SEC885	TT521TB
Adhesive Vinyl	SD321	TT410PS	SD323	TT420PS	SD325	TT430PS	SD327	TT510PS	SEC886	TT521PS
Aluminum	SD322	TT410AL	SD324	TT420AL	SD326	TT430AL	SD328	TT510AL	SEC887	TT521AL












	O. Poison, Poisonous Sub.		P. Infectious S	P. Infectious Substances		Q. Radioactive M	aterial	R. Corrosive	
Material	Model No.	Mfg. No.	Model No.	Mfg. No.		Model No.	Mfg. No.	Model No.	Mfg. No.
Rigid Plastic	SJ380	TT600SS	SAG840	TT620SS		SJ384	TT700SS	SJ386	TT800SS
Tagboard	SJ381	TT600TB	SAG841	TT620TB		SJ385	TT700TB	SJ387	TT800TB
Adhesive Vinyl	SD331	TT600PS	SAG842	TT620PS		SD335	TT700PS	SD337	TT800PS
Aluminum	SD332	TT600AL	SAG843	TT620AL		SD336	TT700AL	SD338	TT800AL









S. Misc Dangerous Goods	T. Danger, Mixed Loads

5. Misc Dangerous doods		i. Daliyel, Wikeu Luaus		U. Elivirollillelitai	ronutant	v. Lilliteu Qualitity		
Material	Model No.	Mfg. No.	Model No.	Mfg. No.	Model No.	Mfg. No.	Model No.	Mfg. No.
Rigid Plastic	SJ419	TT960SS	SJ390	TT950SS	SE1890	TT166SS	SE1894	TT980SS
Tagboard	SJ420	TT960TB	SJ391	TT950TB	SEI891	TT166TB	SE1895	TT980TB
Adhesive Vinyl	SD339	TT960TB	SD345	TT950PS	SE1892	TT166PS	SE1896	TT980PS
Aluminum	SD340	TT960AL	SD346	TT950AL	SE1893	TT166AL	SEI897	TT980AL

PLACARD PRICING

	Price
Material	/Each
Rigid Plastic (SS)	
Tagboard (TB)	
Adhesive Vinyl (PS)	
Aluminum (AL)	

OFFICE PRODUCTS

NSTRUMENTS,
SCALES &
FLECTRICAL

SHIPPING & PACKAGING TOOLS &

WELDING &
ETALWORKING

SAFETY EQUIPMENT & SUPPLIES ANITORIAL & NAINTENANCI

HANDLING &

CLASS 1 EXPLOSIVES FLIP CHART PLACARDS

- This placard system is industry specific to the hauling of explosive substances
- This unit carries common industry explosive legends in a durable 0.31" aluminum back plate with baked-on polyester finish to resist fading
- The legends are screen printed on corrosion resistant aluminum panels
- Stainless steel spring clips are mounted to hold the pages in place and all corners are rounded for easy handling
- The base of the unit is a bright white enamel finish

LEGENDS





Model	Mfg.		Price
No.	No.	Description	/Each
SEI900	FC7000WH	4-Legend Flip Chart	



- With 5 Canadian T.D.G. legends at your disposal, you can use this flip chart for almost any load
- Exclusive design is built for durability, heavy 0.031" white aluminum back plate for wind protection
- Baked-on polyester finish to resist fading
- Pages are made from a durable powder coated aluminum for longevity

LEGENDS















FUEL FLIP CHART PLACARDS

- These popular units are enamel and comply with the new "Clear Language" Transport Canada Regulations for bulk shipments for these products
- Both pages are Class 3 Flammable Liquid
- One page has the UN number 1202, and the other page has the UN number 1203
- · Units are constructed of all aluminum and stainless steel parts for added longevity

LEGENDS

Mode No. SAG84 SD357





			•
el	Mfg. No.	Description Materia	Price I /Each
845	FC4020AL	Flammable Class 3 (UN 1202) Aluminum B Flammable Class 3 (UN 1203)	Base
7	ECA020WH	Camp As Above	

INCOM



CANADIAN 14 LEGEND FLIP CHART PLACARDS

- Be ready for any shipment with 13 Canadian T.D.G. legends plus a blank white page
- Exclusive design is built for durability, heavy 0.031" aluminum back plate for wind protection
- Baked-on polyester finish to resist fading
- Pages are made from a durable powder coated aluminum for longevity

LEGENDS



Model	Mfg.		Price
No.	No.	Description	/Each
SAK382	FC5000WHR	14-Legend Flip Chart	







NCOM

DANGEROUS GOODS SHIPPING LABELS 4" X 4" (100 MM X 100 MM)

Shipping labels are essential for packages that contain dangerous goods
 Labels are available in two materials, paper for indoor

- applications and vinyl for extended outdoor usage
- Manufactured to Transport Canada specifications with fade resistant inks
- 500 labels/roll



CLASS 2











Flammable Gas		Compressed	Compressed Gas Poison Gas			Oxidizer	Flammable Lie	quids			
	Model	Mfg.	Model	Mfg.	Model	Mfg.	Model	Mfg.	Model	Mfg.	
Material	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	
Paper	SAG852	TT21P	SAG854	TT22P	SAG856	TT23P	SAG858	TT50P	SAG860	TT30P	
Vinyl	SAG853	TT21V	SAG855	TT22V	SAG857	TT23V	SAG859	TT50V	SAG861	TT30V	

CLASS 4











	Flammable Solid		Spontaneous	Spontaneously Comb. Dangerous When Wet		Oxidizers		Organi	Organic Peroxides		
	Model	Mfg.	Model	Mfg.	Model	Mfg.	Model	Mfg.	Model	Mfg.	
Material	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	
Paper	SAG862	TT41P	SAG864	TT42P	SAG866	TT43P	SAG868	TT51P	SED444	TT53P	
Vinyl	SAG863	TT41V	SAG865	TT42V	SAG867	TT43V	SAG869	TT51V	SED445	TT53V	

CLASS 6













	Poison, Poisonous Sub.		Infectious Su	Infectious Substances		Radioactive I		Radioactive II		II
	Model	Mfg.	Model	Mfg.	Model	Mfg.	Model	Mfg.	Model	Mfg.
Material	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.
Paper	SAG872	TT60P	SAG874	TT63P	SAG876	TT71P	SAG878	TT72P	SAG880	TT73P
Vinyl	SAG873	TT60V	SAG875	TT63V	SAG877	TT71V	SAG879	TT72V	SAG881	TT73V

CLASS 8





CLASS 9



Environmental Pollutant

Mfg.

No.

TT74P

TT74V

LIMITED **QUANTITY**



Limited Quan Model	Mfg.	
No.	No.	
SE1898	TT98P	
SE1899	TT98V	



Paper

Vinyl



SAG882

SAG883





Mfg.

No.

TT91P

TT91V



Model

SAK383

SAK384

No.

MARKS





TT80P

Model

SAG884

SAG885

No.

REGULATIONS PLACARDING WALL CHARTS

- Canadian regulations chart displays all the classes for both placards and shipping labels
- Designed as a valuable reference for TDG legislation
- For use in truck terminals, shipping/receiving or as a training aid
- The chart is made from a rigid flextop plastic material and is 24" x 36"



IN COM.

Model	Mfg.	Description	Price
No.	No.		/Each
SJ392	TD4001	Bilingual	

BILINGUAL DRIVERS DAILY LOGS WITH DVIR

- Easy to use Canada/US format helps drivers properly record daily log information as required under Canada's Commercial Vehicle Drivers Hours of Service Regulations
- · Both logs feature bilingual language and accommodate the new hours of service regulations effective January 1, 2007
- Feature Cycle 1 and Cycle 2 boxes, Daily Recap, 24 Hour Grid, Monthly Log Summary
- Includes the National Safety Code Standard 13 DVIR (Drivers Vehicle Inspection Report)
- SAQ098 is a full size log with DVIR on front; SAQ097 offers half the size with the DVIR on the back of the log pages

IN COM.

Model No.	Mfg. No.	Dimensions	Price /Each
SAQ097	661LD	8.5" x 5.5"	
SAQ098	663LD	8.5" x 11"	







3MTM SCOTCHLITETM DIAMOND GRADETM CONSPICUITY SHEETING SERIES 983

Series 983 sheeting features superior reflective qualities. The 2" version is DOT-C2 certified for truck trailer applications and guaranteed to meet or exceed all NHTSA requirements. All other widths are not DOT-C2 compliant. Series 983 sheeting offers the following:

Brightness—six times brighter than conventional sheeting. Maintains its superior conspicuity with a bright white appearance during the day and high reflectivity at night

2" x 12" Strips

2" x 24" Strips

- Angularity—reflects well at angles up to nearly 90°
- Outlining Capabilities—helps identify vehicle size and type
- Durability—resists weather, dirt and aging
 Warranty— The 2" version which are DOT-C2 certified for truck trailer applications have a 10 year warranty while all other widths and applications have a 7 year warranty

Available in pre-cut strips and 50-yard rolls in solid white or alternating pattern. Alternating patterns conspicuity material with 7" white and 11" red, designed for balanced retroreflectivity between the two colours, or conspicuity material designed for more versatile applications with the 6" red and 6" white colour in 12" increments. Pre-cut strips are cut at the colour change for faster application. 100 strips per case.



Size	/Pkg.	/Each
2" x 50 yards	1	
3" x 50 yards	1	
4" x 50 yards	1	
2" x 12" Strips	100	
2" x 50 yards	1	
2" x 18" Strips	100	
2" x 50 yards	1	
3" x 50 yards	1	
4" x 50 yards	1	

100

100

Priced per Package





Model

SN567

SN568

SN569

SN570

SN573

SN574

SN575

SN576

SR390

SR391

SOLID WHITE SN566

No.

Mfg.

983-10-2X50

983-10-3X50

983-10-4X50

983-10-2X12(100)

ALTERNATING 7" WHITE THEN 11" RED 983-32-2X50

983-32-2X18(100)

ALTERNATING 6" WHITE THEN 6" RED

983-326-2X50


983-326-3X50

983-326-4X50

983-326-2X12(100)

No

NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION (NHTSA) RECOMMENDATIONS (DOT-C2)





⁹⁸³⁻³²⁶⁻²X24(100) * Inquire about other colours and sizes

SAFETYWHIPS USA - FIELD PROVEN, **HIGH VISIBILITY PRODUCTS**

LIGHT-DUTY, HEAVY-DUTY AND SUPER-DUTY WARNING WHIPS

- Multiple pole, whip light and mount option
- Temporary or permanent mounting
- · Internationally proven technology and quality
- · Be seen, stay safe!



SAFETY WHIPS

11.5" x 11.5" mesh flag

Model				Price
No.	Length'	Base	Flag	/Each
LIGHT-DUT	Υ			
SDP028	5	Magnet	Orange	
SDP029	5	Magnet	Orange w/Reflective X	
SDP031	5	Window Mount	Orange w/Reflective X	
HEAVY-DUT	TY - NON-POWERE	:D		
SDN979	5	Threaded	Orange	
SDN990	5	Threaded	Orange w/Reflective X	
SDN981	8	Threaded	Orange	
SDN980	8	Threaded	Orange w/Reflective X	
SDN982	10	Threaded	Orange	
SDN991	10	Threaded	Orange w/Reflective X	
HEAVY-DUT	TY - POWERED			
SDN998	5	Threaded	Orange	
SDN995	5	Threaded	Orange w/Reflective X	
SDN993	8	Threaded	Orange	
SDN996	8	Threaded	Orange w/Reflective X	
SDN997	10	Threaded	Orange	
SDN985	10	Threaded	Orange w/Reflective X	



SDP028



SDP031





LIGHTING OPTIONS FOR HEAVY-DUTY SAFETY WHIP - POWERED

Model			Price
No.	Description	Colour	/Each
SDP019*	High Impact Plastic Lens	Amber	
SDN987	Low Profile - Sealed, Non-Flash LED	Amber	
SDP010	Low Profile - Sealed, Non-Flash LED	White	
SDP024	Non-Flash 8 LED	Amber	
SDP025	Non-Flash 8 LED	Red	
SDP023	Flash 8 LED	White	
SDP020	Quad-Flash, 6 LED	Amber	
SDP021	Quad-Flash, 6 LED	White	

^{*} Miniature lamps sold seperately







ACCESSORIES FOR HEAVY-DUTY SAFETY WHIP

Model No.	Mfg. No.	Description	Price /Each
FOR NON-P	OWERED WHIPS		
SDP006	519.30BNP	Heavy-Duty Spring Mount	
SDP583	ABM	Angle Bracket Mount	
SDP584	SPM	Stake Pocket Mount	
SDP582	HM1NP	Hitch Mount	
FOR POWER	RED WHIPS		
SDN978	519.30B	Heavy-Duty Spring Mount	
SDP027	ABM/RCA	Angle Bracket Mount	
SDP026	SPM/RCA	Stake Pocket Mount	
SDN988	HM1	Hitch Mount	
SDP012	519.33LHR	Magnet Mount, Handle & Cigarette Cord	

SUPER-DUTY PERMANENT MOUNT SAFETY WHIPS

• Complete whip assembly: Orange 16" x 16" flag with reflective X, heavy-duty spring and low profile - sealed, non flash LED

Model No.	Description	Price /Each
SDN984 SDP015	6' Safety Whip w/White LED 8' Safety Whip w/Amber LED	



QUADRAFLEX ROLL-UP SIGNS

- Temporary traffic control signs for construction, work zones and emergency traffic control
- Meets NCHRP-350 Certification and MUTCD standards
- · Designed with technology to increase sign detection, especially in low-light conditions
- Designed with micro-prismatic reflective sheeting bonded to a heavy-duty fibre-reinforced vinyl material
- Will not delaminate and provides outstanding durability, legibility and long sign life
- Signs will not wrinkle or crinkle and will maintain its legibility after multiple uses
- Easy to transport



Circle Cortina Industries Canada Limited

Model No.	Mfg. No.	Legend	Price /Each
60 CM (23 3/5	5") X 75 CM (29 1/2")		
SDP373	07-800-35102	Ligne D'Arrêt w/Arrow	
75 CM (29 1/2	2") X 75 (29 1/2")		
SDP367	07-800-0123	Men at Work Pictogram	
SDP368	07-800-0124	Arrow	
SDP369	07-800-0135	Merge Left Pictogram	
SDP370	07-800-0136	Yield Ahead Pictogram	
SDP372	07-800-35101	Do Not Pass Pictogram	
SDP374	07-800-35103	Stop Light Pictogram	
SDP375	07-800-35104	Man In Bucket Pictogram	
SDP376	07-800-35105	Flagman Pictogram	
SDP377	07-800-35106	Lentement	
SDP566	07-800-0137	Merge Right Pictogram	
90 CM (36") X	(90 CM (36")		
SDP359	07-800-3026-L	Men at Work Pictogram	
SDP360	07-800-3028-L	Construction w/Upwards Arrow	
SDP361	07-800-3044-L	Merge Right Pictogram	
SDP362	07-800-3045-L	Merge Left Pictogram	
SDP363	07-800-3051-L	Flagman Pictogram	
SDP366	07-800-3060-L	Arrow	
SDP378	07-800-3058-L	Yield Ahead Pictogram	
SDP371	07-800-30104	Emergency Scene Ahead	
90 CM (36") X	(120 CM (48")		
SDP364	07-800-3056-L	Yield Pictogram to Oncoming Traffic	
SDP365	07-800-3057-L	Road Closed Pictogram	



23-3/5" x 29-1/2" SDP373



36" x 48" **SDP364**



36" x 48" SDP365



29-1/2" x 29-1/2" SDP374



29-1/2" x 29-1/2" SDP375



29-1/2" x 29-1/2" SDP372



29-1/2" x 29-1/2" 36" X 36" SDP369 SDP362

Price

/Each



29-1/2" x 29-1/2" 36" X 36" SDP566 SDP361



29-1/2" x 29-1/2" SDP376

36" X 36" **SDP363**



SDP357

QUADRAFLEX ROLL-UP SIGN STANDS

Mfg.

07-804-1

07-804-3

No.

Model

SDP358

No. SDP357



Description

W/Roll-Up Bracket

W/Telescoping Mast



29-1/2" x 29-1/2" 36" X 36" SDP367 SDP359



36" X 36"

29-1/2" x 29-1/2" **SDP370**



29-1/2" x 29-1/2" SDP368

36" X 36" SDP366



29-1/2" x 29-1/2" SDP377



36" X 36" SDP360



SDP371

TRAFFIC SAFETY FLAGS

- · For use as hand or vehicle flags
- Comes with 24" or 36" wooden staff
- Use 36" wooden staff model with moving vehicles
- Flag size: 18" x 18"
- Available in mesh, vinyl or throw away vinyl
- Mesh flag: Heavy-duty fluorescent with plastic trim; resists tearing, fraying or snagging
- Vinyl flag: Fluorescent vinyl blend with heat-sealed hem
- Throw away vinyl flag sold as a case of 100
- Colour: Red/Orange



Model	Mfg.		Wooden	Price
No.	No.	Description	Staff"	/Each
FLAG WITH S	TAFF			
SC140	03-229-3406	Mesh Flag	24	
SC141	03-229-3463	Mesh Flag	36	
SAP711	03-229-3417	Vinyl Flag	24	
SC143	03-229-3405	Vinyl Flag	36	
FLAG ONLY				
SAI342	03-229-3412	Mesh Flag	-	
SEI553	03-229-3472	Throw Away Vinyl Flag	-	

ELECTRONIC LED SAFETY BATONS

- Pulsating high intensity LED lights
- Water and impact resistant construction
- 3 flash modes: steady on, slow flash and fast flash
- Takes C-cell batteries (XB874), batteries not included
- · Length: 12"

Model No. SDP537 Price/Each \$

HIGHWAY BANNERS

- Screened "WIDE LOAD" on one side and "OVERSIZE LOAD" on reverse, made of durable material
- Black on yellow 18" x 96" complete with 5' tie down ropes

WIDE LOAD

OVERSIZE LOAD

Model	Mfg.		Size		Price	
No.	No.	Description	W"	X	H"	/Each
SC150	03-11-000	Wide Load/Oversize Load	96	Х	18	

TRUCK "D" BANNER ROLL UP SIGNS

- Made using durable Level 1 Hi-Intensity Retro Reflective material
- Ideal for day and night time hauling
- · Meets and exceeds all provincial regulations
- 10 heavy duty grommets; 5 upper and 5 lower



Model			Price
No.	Height"	Width"	/Each
SDP621	45.72 cm (18")	243.84 cm (96")	

TRAFFIC CONTROL SIGNS

- · High-intensity, double-sided hand-held traffic sign
- Directs traffic by signaling the desired warning towards oncoming vehicles
- STOP legend red with white legend and border
- SEJ663: SLOW legend orange with black legend and border
- SO101: SLOW legend fluorescent yellow/green with black legend and border
- Size: 18" x 18"
- Optional 81" orange plastic handle sold seperately





Model	Mfg		Price
No.	No.	Description	/Each
SEJ663*	03-836	STOP/SLOW Sign — MUTCD regulated	
SFU870	03-836-FR	ARRÊT/LENTEMENT Sign— MUTCD regulated	
S0101	03-8580N	STOP/SLOW Sign — MTO TC-22 regulated	
SEI644	03-824	81" Plastic Handle	

^{*} For all provinces except ON & QC

MUNICIPAL TRAFFIC SIGNS

- · Octagon shaped paddle sign
- Sign is plastic with engineer grade reflective material
- Ideal for school crossing guards and low speed construction areas
- 18" sign and 9" plastic
- polygrip handle included Meets MUTCD regulations



Model	Mfg		Price
No.	No.	Description	/Each
SE1474	03-855	STOP/STOP Sign w/handle	
SEI475	03-852	STOP/SLOW Sign w/handle	
SFU868	03-890-AA	ARRÊT/LENTEMENT Sign w/handle	
SFU869	03-891-AL	ARRÊT/ARRÊT Sign w/handle	

SLOW MOVING VEHICLE SIGNS

Available in two styles. Heavy duty, aluminum backed triangle mounts easily using screwholes provided. Self-adhesive decal triangle mounts quickly to any smooth, clean surface. Meets all provincial and federal specifications.



Model	Mfg.		Price
No.	No.	Description	/Each
SC153	05-099-10	Aluminum Sign	
SC154	TTR006-AC	Self- Adhesive Sign	

6" CYALUME® LIGHTSTICKS

Provides a light source more dependable than flashlights and safer than flares or candles.

- Convenient, safe emergency back-up lighting for applications at night, in confined space or in blackout
- Lightsticks visible even in dense smoke
- Just bend, snap and shake for instant light
- Non-toxic, non-flammable and weatherproof
- Regular and hi-intensity products available
- 6" length ideal for vehicle identification markers, maintenance/refueling lights, route markers and disaster preparedness lights



Model	Mfg.		Price
No.	No.	Colour	/Each
12 HOURS			
SAK740	27017	Green	
SAK741	27054	Red	
SAK742	27020	Yellow	
SAK743	27019	Orange	
8 HOURS			
SAK744	27078	White	
SAK745	27077	Blue	



Model No.	Mfg. No.	Colour	Price /Each
30-MINU	TE HI-INTENSITY		
SAK746	27061	Yellow	
SAK747	27021	White	
SAK748	27063	Red	

TRIANGULAR REFLECTOR KITS

- Ideal for increasing visibility around disabled vehicles
- Fast and easy to set up and stow away
- Weighted base provides additional stability
- Instructions for proper use are printed on the case and on each triangle
- Kit includes 3 Triangles and a red carry case
- Meets DOT FMVSS 125 standards








Model		Price
No.	Description	/Each
SGD773	Industrial Kit	

SPEED BUMPS

- 1-piece lightweight 100% recycled rubber
- Resistant to corrosion, moisture, oil and weather variations
- Perfect for speed reduction in parking lots, school zones and areas with heavy pedestrian traffic
- Black with bright yellow reflective stripes for maximum daytime visibility
- Reflectors offer maximum night time visibility
- Easily installed with 14" rebar spike for permanent or temporary installation
- 11" W x 2" H



Model		Spikes	Weight	Price
No.	Length	Required	lbs.	/Each
SPEED BUMP				
SEH142	4'	5	35	
SEH143	6'	4	55	
REBAR SPIKE				
SEH144	14"	-	-	

SAFETY FLARES

- Visible in fog, rain, or snow
- Easy to ignite with self-contained striker
- 20 or 30-minute duration
- Spike or wire stands available
- . UL approved




Priced per Package

Model	Mfg. No.	Description	Qty (Dl.)	Price
No.	NO.	Description	/Pkg.	/Each
20 MINU	TES			
SAI373	2720	Spike	72	
SAI374	9240	Wire stand	72	
30 MINU	TES			
SAI375	2730	Spike	36	
SAI376	9340	Wire stand	36	

FLARE CONTAINERS










SDP618

CAR STOPS

- · Durable, bring order to parking lots
- Solid colouring throughout means they never need painting and will retain an attractive appearance
- Made with 100% recycled plastic, they are protected against damages brought on by road chemicals, deterioration and corrosion, eliminating the danger of exposed reinforcing rods seen in traditional concrete car stops
- Predrilled and can be installed by one person
- Hardware sold separately
- 6' lengths available in safety yellow, handicap blue and cement grey
- 4' length available in safety yellow only





		4'	6'
Hardware:	- 1/2" x 8" lag screws	2	3
	- 9/16" washers - Expanding	2	3
	nylon anchors	3	3
Securing	Countersunk		
holes:	1/2" diameter		



Yellow Model No.	Mfg. No.	Blue Model No.	Mfg.	Grey Model No.	Mfg. No.	Length'	Wt. Ibs.	Price /Each
CARST	OPS							
SE102	7040	-	-	-	-	4	29.5	
SE105	7050	SE106	7052	SE107	7053	6	41.5	

HARDWARE

Model No.	Mfg. No.	Description	Wt. Ibs.	Price /Each
SE108	7056	For 4' Car Stops	1	/ Lucii
SE109	7055	For 6' Car Stops	1	

PARKING CURBS

- 1-piece lightweight 100% recycled rubber
- Resistant to corrosion, moisture, oil and weather variations
- Safer and more durable than concrete or plastic; will not chip, crack or deform
- Black with bright yellow reflective stripes for maximum visibility
- Easily installed with 14" rebar spikes for permanent or temporary installation



Model No.	Length	Spikes Required	Weight lbs.	Price /Each
PARKING CURB	zengen	пеципси	1031	/ Eucli
SEH140	3'	3	20	
SEH141	6'	4	35	
REBAR SPIKE				
SEH144	14"	-	-	





ONE-PIECE TRAFFIC CONES

- 1-piece lightweight PVC construction offers flexibility and durability
- Temperature resistance in hot and cold environments
- Ideal for parking lots, sporting events, festivals and crowd delineation
- Colour: Orange



	•	
7-		б
ZEI	NYIH	Ĭ
	Safety Products	

Model		Price
No.	Height"	/Each
SEH138	18	
SDP595	28	

TRAFFIC CONES

- 100% PVC construction offers excellent flexibility and durability
- Temperature resistance in hot and cold environments
- Fluorescent orange color provides high visibility
- Available with 6" and 4" reflective collars
- High-density interlocking base offers maximum stability
- Meets Minister of Transport regulations for Quebec, Ontario and Alberta





Model			Wt.	Price
No.	Height"	Collar	lbs.	/Each
SEF026	18	6" (QC, ON, AB)	3.15	
SEF027	28	4" (ON, AB)	6.75	
SEF028	28	6" and 4" (QC, ON, AB)	6.75	

RECESSED CONES

- One-piece wide body design and construction Easier stacking - no pinch points with collars
- Increased durability for reflective sheeting;
- recessed collars resist direct wear Protected reflective translates into longer
- service life lowering overall usage costs 28" cone with 6" reflective collar on top
- and 4" reflective collar on bottom Weight: 7 lbs.
- Base width: 14"
- · Meets MUTCD standards

Model No. SAO093 Mfg. No. 03-500-100R Price/Fach \$





PACK & POPTM **COLLAPSIBLE CONES**

- · Constructed of orange waterproof nylon
- Internal light has two settings: steady burn and flashing
- Cone light endures 100 000 flashes or 36 hours of steady burn
- Collapses flat for easy storage
- Replaceable lithium battery
- Sold in packs of 4 with one carrying bag included
- Meets MUTCD Standards





Model No.	Mfg. No.	Size"	Price /Each
SAR385	03-501-06	18	
SAR386	03-501-02	28	

TRAFFIC CONE

- 1-piece lightweight PVC construction offers flexibility and durability
- · Ideal for sporting events, driver's education courses and marking indoor hazards
- Height: 6"
- Colour: Orange

Model No. SCG920 Price/Each \$





COLOURED CONES

- 1-piece lightweight PVC construction offers flexibility and durability
- Temperature resistance in hot and cold environments
- ideal for parking lots, sporting events, festivals and crowd delineation
- Choice of six colour coding options
- Height: 18"
- Weight: 3 lbs.











	SEH136	SEH137	SEH139
Model			Price
No.		Colour	/Each
SEK283		Red	
SEH135		White	
SEH136		Blue	
SEH137		Yellow	
SEH138		Orange	
SEH139		Green	

PREMIUM TRAFFIC CONES

- 100% PVC construction offers maximum flexibility and durability
- Superior temperature resistance in hot and cold environments
- · Fluorescent orange color provides high visibility
- Available with 6" and 4" 3M™ high intensity collars
- · High density interlocking base offers maximum stability







** Meets Minister of Transport regulations for Quebec, Ontario and Alberta



SEB768



SEB772

SDS934











TENSACONE™ TOPPERS

- Transforms your line of traffic cones into a cost effective temporary barrier system
- Ideal for use in health and safety, roadside maintenance and engineering applications, or anywhere where a temporary barrier is required
- For use with a base weight and fits most standard traffic cones
- Fits securely to the top of the cone; retracting heavy-duty belt is connected to the next cone providing up to 12' of barrier
- More effective at restricting access than cones alone Faster and easier to use than string or traffic tape
- Lighter and easier to set up than rigid barriers
- Less cones are required, saving space and money
- Robust construction, stands up to heavy-duty use
- 13' red and white diagonal stripe belt
- Other colours available upon request





TENSATOR®

Model	Mfg.	Wt.	Price
No.	No.	lbs.	/Each
SAQ141	TC114-30-MAX-NO-D3X-C	2	

included

- TRAFFIC CONE HOLDERS
- Bolts to vehicle bumper
- Conserves valuable inside storage space
- Holds 18" and 28" cones only

Model No. SB832 Mfg. No. 03-500-99 Price/Each \$





DOME-TOP **DELINEATOR POST**

- Standard 42" high post with indentations for easier grip
- 100% LDPE construction offers
- maximum flexibility and durability Two pre-applied 4" 3MTM high intensity reflective tape collars
- Recycled rubber base is re-vulcanized for improved durability
- Perfect for parking lots, hotels and airports







Sale	ty i loudets		
Model	Wt.		Price/
No.	lbs.	Description	Each
POST W/SO	QUARE BASE		
SGG099	13	Red	
SGG100	13	Blue	
SGG101	13	Yellow	
POST W/O	CTAGON BAS	E	
SGG102	14	Red	
SGG103	14	Blue	
SGG104	14	Yellow	
POST ONL'	Y		
SGF032	1.85	Red	
SGF033	1.85	Blue	
SGF034	1.85	Yellow	
RUBBER BA	ASE ONLY		

RETRACTABLE CONE BAR

- Designed for use with traffic cones and delineator posts
- Permits to easily and quickly setup a safety barrier
- Lightweight design permits ease of transport and setup Made of high quality ABS materials for best durability
- Fluorescent orange colour for
- enhanced daytime visibility
- 3M reflective tape offers maximum nighttime visibility and safety





Model	Collapsed	Extended	Colour	Price
No.	Length	Length		/Each
SDP614	4' 5"	7' 5"	Black/Orange	

NIGHTSEARCHER® PULSAR-PRO HAZARD WARNING LIGHTS

· 10 light modes for any environment, including Rotate, Quad Flash, Single Blink, Alternating Blink, SOS Rescue, Steady on High, Steady on Low

Crushproof up to 3.3 tons

- 360° Illumination
- CREE® LED for brightness and efficiency
- Rechargeable Li-ion 700mAh 3.7 V battery
- IP65 rating (waterproof and dustproof)
- Floats in water
- Suitable for a variety of industries, including law enforcement, fire, utility, rail, mining, construction, emergency preparedness and public works

Light pattern: Continuous/Flashing/Rotating/Strobe

· Mounting type: Magnetic





SFI924

NightSearcher

Model		Qty	Price
No.	Colour	/Case	/Each
SFI924	Amber	5	
SF1925	Blue	5	
SF1926	Red	5	
SF1927	Amber	1	
SF1928	Blue	1	
SFI929	Red	1	

PREMIUM DELINEATOR POSTS

- Standard 42" high post with indentations for easier grip
- 100% LDPE construction offers maximum flexibility and durability
- Superior temperature resistance in hot and cold environments
- Fluorescent orange colour provides high visibility
- Two pre-applied 4" high intensity reflective tape collars
- High density interlocking 16" x 16" base offers maximum stability and durability



Model		Wt.	Price
No.	Description	lbs.	/Each
SEC153	Delineator Post w/Octagonal Base	12	
SGG105	Delineator Post w/Square Base	13	
SEB773	Delineator Post Only	1.8	
SEB774	Rubber Octagonal Base	10	
SGG098	Rubber Square Base	11	



Octagonal

Square

SGG103

SEB774

SGG098

CHANNELIZER CONES

- 42" high channelizer cone is made of high impact orange polyethylene
- Comes with a 4" and 6" reflective collar for improved visibility
- Unique shaped handle makes it easy to transport
- Cone dimensions: 4" at top tapering to 8" at bottom
- Choice of 10-lb. square base or 16-lb. octagon shaped base sold separately



SEE893



Model No.	Mfg. No.	Description	Price /Each
SE1476	03-770-42-64	Channelizer Cone	
SEE893	03-752-10	10-lb. Square Base	
SC104	03-752-16	16-lb. Octagon Base	



EZ-GRAB™ CHANNELIZERS

- · Constructed of HDPE with UV inhibitors
- Lower profile design uses less space
- EZ-Grab[™] handle makes it easy to transport and store
- 4" hi-intensity stripes
- Meets NCHRP-350 crash test requirements and MUTCD standards
- 13" D at top x 16.5" D at bottom x 44.12" H
- · Choice of 15-lb. or 20-lb. base, sold separately





Model No.	Mfg No.	Description	Provincial Specification	Wt. lbs.	Price /Each
CHANNE	LIZER				
SEI395	03-756-4HI0	Black/Orange	ON,NL	-	
SEI396	03-755-4HI	Orange/White	BC, AB, SK, NS, PE, MB	-	
BASE					
SAS372	03-732-WR	Base for SEI395, SEI396 and SAS3	73 -	15	
SEC002	03-732	Base for SEI395, SEI396 and SAS3	73 -	20	

CHANNELIZERS

- Molded from linear low density polyethylene
- 2-piece channelizer drum is stackable
- Meets or exceeds M.T.O. TC-54 specifications
- Choice of 15-lb. or 25-lb. base, sold separately





Model No	Mfg. No.	Description	Provincial Specification	Wt. Ibs.	Price /Each
CHANNE	LIZER				
SAS373	YJ-22616	Orange/White	Quebec only	-	
BASE					
SAS372	03-732-WR	Base for SEI395, SEI396 and SAS373		15	
SECO02	03-732	Base for SEI395, SEI396 and SAS373		20	

GRIP N GO™ TRIM LINE CHANNELIZERS

- Utilizes less space than traditional traffic drums
- · Handle accommodates most barricade lights
- Made of impact resistant polyethylene material
- Model SEJ659 meets NCHRP-350 crash certification and MUTCD standards
- Model SEJ660 conforms to ON standard (MTO) for TC-52 channelizers
- · Tapered stackable design
- Overall height 49": channelizer 42" H, handle 7" H
- Channelizer base measures 8" W
- · Choice of 10-lb. square base or 16-lb. octagon shaped base sold separately



CCI	Canada		
Circle Cortina Industries Canada Limited			

Model No.	Mfg. No.	Description	Price /Each
CHANNELIZERS	S		
SEJ659	03-750B-5HI0	Black w/Orange Stripes	
SEJ660	03-750-4HI	Orange w/White Stripes	
BASE			
SEE893	03-752-10	10-lb. Square Base	
SC104	03-752-16	16-lb. Octagon Base	

TRAILBOSS CHANNELIZER DRUMS

- · Constructed of high density polyethylene
- Drum designed to inhibit roll after impact to eliminate further hazards or potential damage
- Tapered drum design enables nesting for storage or transport
- Drum handle accommodates one or two Type A or C lights designed to be attached with a standard size bolt and bolt protector
- Meets MUTCD and NCHRP-350 requirements with or without barricade lights
- Drum height: 41.27"
- Drum diameter (at bottom): 23"
- · Choice of 25-lb. or 30-lb. base, sold separately





CHANNELIZERS


Model	Mfg.	Reflective	Price
No.	No.	Stripes	/Each
SAS571	03-780-4HI	High Intensity Grade	


ACCESSORIES


Model	Mfg.		Price
No.	No.	Description	/Each
SAS572	03-732-25	Base, 25 lbs.	
SAS573	03-732G	Base, 40 lbs.	

QUEST BRANDS® SNOW FENCE

- · Lightweight, reusable and durable for easy handling
- NJ433: Protect shrubs from freezing rain and heavy snowfall
- NJ434 & NJ435: Controls drifting and blowing snow
- High density polyethylene
- High visible colour
- Colour: Orange
- 50' L x 4' W








NJ435	
Mr.	Price

Model No.	Mfg. No.	Description	Wt. Ibs.	Price /Each
NJ433	WP450X	Light Duty Flat Profile	4	
NJ434	FWB450X	Light Duty Oval Flat Profile	8	
NJ435	SF4850X	Heavy Duty Oval Flat Profile	14	

QUEST BRANDS® SAFETY FENCE

- · Lightweight, reusable and durable for easy handling
- Used as a safety warning barrier
- High density polyethylene
- · High visible colour
- Diamond mesh profile 50' L x 4' W
- Weight: 11 lbs.





Model	Mfg.		Price
No.	No.	Colour	/Each
NJ436	DLW450X	Orange	
NJ437	DLW450G	Green	

IMPACT RESISTANT DELINEATOR

- · Tubular surface mount delineator is a high performance, surface mounted, flexible plastic chennelization and delineation device
- Can be bonded to asphalt or concrete surfaces to provide traffic control in areas requiring easy removal or relocation
- Provides excellent impact resistance and rebounds after impact
- Comes with a base and 3" x 6" Hi-Intensity reflective white sheeting on the post







Model	Mfg.			Price
No.	No.	Height"	Colour	/Each
SFJ593	04-36-WWG	36	White	
SFJ594	04-36-YYG	36	Yellow	
SFJ595	04-36-BWG	36	Black	
SFJ596	04-36-0WG	36	Orange	
SFJ597	04-48-WWG	48	White	
SFJ598	04-48-YYG	48	Yellow	
SFJ599	04-48-BWG	48	Black	
SFJ600	04-48-0WG	48	Orange	
SFJ592	04-10-Base	Base for Impact R	Resistant Delineator	

POLYETHYLENE BOLLARD COVERS

- Enhance and protect the appearance of your steel bollards
- Reduce maintenance; avoid scraping and painting each spring
- Constructed of 1/8" UV stable polyethylene for durability
- Easy installation with patented GripperTabsTM included
- · Colour: Safety yellow with reflective red tape or high visibility red with white reflective tape, for great visibility day or night
- · 5-year warranty against fading and cracking





Yellow Model No.	Red Model No.	Fits Bollard Diameter"	Fits Bollard Length"	Wt. lbs.	Price /Each
KH806	KH836	4.5	52	7	
KH808	KH838	4.5	64	9	
KH809	KH839	6.6	52	8	
KH810	KH840	6.6	60	9	
KH811	KH841	6.6	72	10	

REMOVABLE ORNAMENTAL STEEL BOLLARDS

- Provides attractive yet functional barrier for vehicle access and parking
- · Locks into galvanized steel socket cemented into ground (padlock not included)
- Cover plate on socket protects hole, leaving no protrusion above the surface after removal
- Dimensions: 4 1/2" dia. with 6" diameter rings
- Height: 40"
- Weight: 84 lbs.
- · Finish: Powder black coating for durability

Model No. KH820 Price/Each \$







PORTABLE SAFETY ZONE

- · Quickly creates a safe and complete visual barrier zone in virtually unlimited indoor applications
- Simple set-up and take-down
- · Slim design takes little space and allows for easy storage
- · Lightweight and balanced for easy transportation by one operator
- Robust construction in "safety orange" powder coated steel
- Comes complete with 100' safety orange fencing, 4 posts, 4 rubber base pads and 4 magnetic fence clips
- Easily fits through 30" doorways
- Suitable for both indoor and outdoor applications on smooth surfaces



Model	Mfg.		Price
No.	No.	Description	/Each
SDP585	70-6030	Portable Safety Zone	
SDP586	70-6036	Optional LED Lights	







SDP586

RAPID ROLL BARRIERS

- Extended Length: 50'
- Material: Plastic

WHEELED BARRIERS

- Reflective safety tape is fitted on both sides of the cartridge
- Orange cartridge and raised profile fencing
- Includes 4 x orange posts with end lockout and 4 rubber bases

3-LEGGED BARRIERS

- · Reflective safety tape is fitted on both sides of the cartridge
- Orange cartridge and raised profile fencing
- Includes 4 x orange posts with end lockout and 4 rubber bases
- Steel cartridge base







ModeL No.	Mfg. No.	Description	Height"	Wt. Ibs.	Price /Each
SFU863	70-7050	Wheeled	64	215	
SFU864	70-7000	3-Legged	57.5	183	

TRAFFIC BARRIERS

- Rugged plastic traffic barricades are perfect for a variety of applications
- Can be filled with sand or water, and quickly emptied for easy transportation
- Colour: Orange





Model No.	Mfg. No.	Height"	Length"	Price /Each
SFU851	TB-5-10	24	62 1/4	
SFV004	TB-6-10	33 3/4	69 3/4	

BARRICADE LIGHTS

- Incandescent, 6-V barricade light
- · Has a lamp life of 2000 hours and flashes 55 to 75 flashes per minute
- Can be set for flash or steady burn
- · High clarity polycarbonate lens provides extreme durability
- Attaches to most barricades and channelizers with a bolt
- · Meets all MUTCD and ITE specifications
- · Requires two 6 V batteries (not included)
- · Colour: Amber
- Light Dia.": 7
- Overall Dimensions: 7 1/2 L" x 5 1/2 W" x 11 1/2 H"

Model No. SEM242 Mfg. No. 03-10-3WAY6V Price/Each \$





D-CELL BARRICADE LIGHT

- · Three modes: flash, steady, off
- · Pushing on the mode switch changes the light from a flashing type "A" to a steady burn type "C" and back again
- Requires four easy to install D batteries (not included)

Model No. SEI701 Mfg. No. 03-10-3WAYDC Price/Each \$

REPLACEMENT BATTERIES, 12/PKG.

Model No. XB875 Mfg. No. EN95 Price/Pkg. \$





PLASTXTM A-FRAME BARRICADE

- Ideal as a temporary or long term solution to cordon off areas
- Patented PlastxTM will not rot, rust, crack or peel and is chemical resistant
- ADA compliant to MUTCD standards
- For a complete unit order two legs and one board, add a second board for increased stability

PLASTX[™] A-FRAME BARRICADE LEG

- Mounting holes will accommodate all manufactured boards
- Holds up to two 8' L x 2" W x 8" H boards
- 26" L x 2" W x 42" H
- Available in white or orange

PLASTX™ A-FRAME BARRICADE T-BOARD

- 7 years UV package protects against deterioration
- Made of extruded grade PVC
- Available with hi-intensity stripes or engineer grade stripes
- 8' L x 2" W x 8" H
- Available in black and orange stripes or white and orange stripes



Model No.	Mfg. No.	Colour	Price /Each
BARRICADE LEG			
SEI202	97-01-004	White	
SEI203	97-01-0040	Orange	
T-BOARD			
SEI204	97-01-029B-02	Black and Orange Stripe	
SEI205	97-01-029-02	White and Orange Stripe	

STREET BARRICADES




- Reflective striping wood board, 2" thick x 6" wide x 8' long
- Board is inserted on iron supports, on orange steel A-frame legs
- O.A. height of legs: 4'
- All components sold individually
- For complete unit, order two iron supports and one barricade board

Model No.	Description	Price/Each
SA0203	Orange A-Frame Support	
SA0204	Barricade Board	

PORTABLE INTERLOCKING BARRIERS

- Ideal for directing people in areas where crowd control is required
- Rugged welded steel construction
- Feet are removable so railing will lay flat for shipping and storage
- · Includes connectors to attach multiple units together
- Overall size is 102" L x 40" H
- Distance between vertical bars: 7"
- Rail diameter: 1 5/8"
- Weight: 56 lbs.



Model		Price
No.	Description	/Each
SEE395	Galvanized Finish	
SEE396	Safety Yellow Finish	

EZ-SPAN™ EXPANDABLE PLASTIC BARRICADES



- · Made of durable recyclable polypropylene
- Expandable plastic barricade providing an attractive, visible warning barrier
- Rugged enough for outdoor use and it is weatherproof,
- maintenance free and contains no parts that will rust or corrode
- Retracts and expands up to 11 1/2', but folds down to a compact16 1/2" x 3' high
- Plastic feet will not scratch or mar expensive floors
- Weight: 15 lbs.

Model No. SAQ195 Price/Each \$



EXPANDABLE BARRIERS

- Steel and aluminum construction
- Collapsible design allows for easy storage when not in use
- Lightweight and free standing for easy setup when needed
- Side hook allows multiple units to be used together
- Expanded width: 10'
- Height: 37"
- Weight: 20 lbs.
- · Colour: Black and yellow
- · Optional caster kit: SDK991

Model No. SDK990 Price/Each \$

OPTIONAL CASTER SETS FOR ZENITH EXPANDABLE BARRIER SDK990

- · Number of casters: 4
- · Type: Rubber

Model No. SDK991 Price/Each \$







ZEN/TH

SNOW FLAGS


- Used to locate important fittings covered with snow such as fire hydrants, water valves and natural gas valves
- Flags are made of a high visibility, low temperature red fabric
- 9" x 12", triangular shaped
- Also available with 3' fibreglass pole



Model	Mfg.	Price
No.	No.	/Each
SH420	03-229-3454	

PENNANTS

- Ideal to draw attention to construction sites, work areas and events
- Vinyl-coated with tensile strength of 107 lbs.
- Available with printed legend or solid colours
- With Legend; red background printed "Danger Keep Out"
- Legend pennant size: 12" x 18" on a 60' string Solid colours available in red, orange,





Model	Mfg.		Price
No.	No.	Message	/Each
PENNAN	IT W/LEGEND*		
NG127	03-407	Red w/Danger Keep Out	
COLOUI	RED PENNANTS		
NG128	03-400-60	Red	
NG129	03-402-60	Orange	
SE1875	03-405-60	Yellow	
NG132	03-403-60	Multicolour	

^{*} Available in English only

MARKING FLAGS

- For surveying, construction and agriculture
- Mark location of underground sprinklers, pipes and lines
- 2 1/2" x 3 1/2"
- 21" staff
- 100 flags per bundle





Model	Mfg.		Price
No.	No.	Description	/Each
SAQ792	15079	Orange Fluorescent	
SAQ793	15080	Red Fluorescent	
SAQ794	15081	Pink Fluorescent	
SAQ795	15082	Lime Fluorescent	
SAQ796	15084	Yellow	

AIRPORT WINDSOCKS

- · Made of strong vinyl-coated nylon fabric
- Dayglow orange colour
- Reinforced at both ends with extra stitching
- Hardware package includes hemi-rings, bolts, nuts, machine screws and half rings (sold separately)
- Dimensions: 18" L x 8' L x 11" H



Model No.	Mfg. No.	Description	Price /Each
SEI609	03-WS-8	8' Airport Windsock	
SEI610	03-WS-8H0	Hardware Package	
SEI611	03-WS-8KT	Windsock & Hardware Kit	

DRIVEWAY "T" POSTS

- · Strong, durable and reusable posts
- Used for snow clearing, parking lot or roadway markers
- Bright colour and reflective material on both sides offer excellent visibility day or night
- Will not rust
- Tough enough to be driven into the ground with a sledge hammer
- Auto impact resistant
- Standard size: 5'

REFLECTIVE STRIPS ON **BOTH SIDES!**



-			
	L7 : I		
	 син	1 6	
_		_	®

Priced per Package

Model No.	Mfg. No.	Description	Qty /Pkg.	Price /Each
SH407	RE94706	Lime Strip	6	
SH408	RE88906	Red/Silver Strip	6	



REFLECTIVE WALKWAY STICKS

- Impact resistant and flexible fibreglass construction
- Durable in all types of weather conditions
- Reflective strips provide 360° visibility and stand out during night-time or day-time use
 - · Tapered end for easy installation, opposite end has a protective cap



Model	Mfg.	Description	Price
No.	No.		/Each
SH409	RE9712	4' Safety Yellow Stick, 6" Reflective Band	

REFLECTIVE DRIVEWAY MARKERS

- · Ideal for driveways, parking lots, and walkways at home, office, construction and municipal areas
- Reflector housing made from unbreakable ABS material
- Reflective material on both sides for ideal visibility, day or night
- Lens is sonically welded and locks out moisture
- Stake length 48" H
- Available in red or blue



Model	Mfq		Price
No.	No.	Description	/Each
SE1876	05-099-02-R	Red	
SE1877	05-099-02-B	Blue	

BARRICADE TAPE

- · Barricade tapes warn against hazards or dangerous work zones in light duty construction projects
- Ideal for temporary use outdoors or permanent indoor warning
- Made from a low-density polyethylene film with a black printed image on one side
- Length: 1000'
- Width: 3"



CAUTION CONSTRUCTION AREA

DANGER

INCOM

CAUTION HIGH VOLTAGE

ENGLISH BARRICADE TAPE

Model No.	Mfg. No.	Description	Colour	Price /Each
STANDAR	RD - 2.0 MIL			
SFV836	BT1025	Caution High Voltage	Black on Yellow	
SFV837	BT1026	Caution Keep Out	Black on Yellow	
SFV838	BT1001	Danger Do Not Enter	Black on Red	
SFV839	BT1044	Caution Do Not Enter	Black on Yellow	
HEAVY-D	UTY - 3.0 MIL			
SGC178	TNBT57	Danger	Black on Red	
SGC179	TBBT44	Caution Do Not Enter	Black on Yellow	
SGC180	TNBT31	No Legend	Black on Yellow	
SGC182	TNBT56	Danger	Black on Yellow	
SFV843	TNBT37	Caution Construction Area	Black on Yellow	
SFV844	TNBT25	Caution High Voltage	Black on Yellow	
SFV845	TNBT30	Caution Wet Paint	Black on Yellow	
SFV846	TNBT39	Caution Workmen Above	Black on Yellow	

BILINGUAL BARRICADE TAPE

Model No.	Mfg. No.	Description	Colour	Price /Each
HEAVY-D	UTY - 3.0 MIL			
SGC181	TNBT13	Attention Zone de Construction/ Caution Construction Zone	Black on Yellow	
SGC185	TBNT14	Entrée Interdite/ Caution Do Not Enter	Black on Yellow	

FRENCH BARRICADE TAPE

Model No.	Mfg. No.	Description	Colour	Price /Each
HEAVY-D	UTY - 3.0 MI	L		
SGC183	TNBT16	Danger Entrée Interdite	Black on Red	
SGC184	TNBT15	Espace Restreint-Entrée Interdite	Black on Yellow	

FLOOR TAPE APPLICATORS

- · Designed for applying tape accurately and securely to floors and ground
- Economy style designed to apply tape in straight lines only; accepts tape roll widths up to 4"



INCOM

Model	Mfg.	Max. Roll	Overall	Price
No.	No.	Diameter"	Height"	/Each
SED019	WTD-200	4	39	

BARRICADE TAPE

- Warn against hazards by restricting entry to dangerous areas
- Ideal for both indoor and temporary outdoor usage
- · Made of polyethylene









Model				Price
No.	Message	Colour	Roll Size	/Each
STANDARD	DUTY - 1.5 MIL			
SEK397	Caution	Black on Yellow	3" x 1000'	
SFJ602	Caution	Black on Yellow	3" x 300'	
SEK398	Attention	Black on Yellow	3" x 1000'	
SEK399	Danger	Black on Red	3" x 1000'	
SDS739	Danger	Black on Yellow	3" x 1000'	
HEAVY-DU	ΓY - 2.0 MIL			
SEK400	Caution	Black on Yellow	3" x 1000'	
SEK401	Attention	Black on Yellow	3" x 1000'	
SEK402	Danger	Black on Red	3" x 1000'	
EXTRA HEA	VY-DUTY - 2.5 MIL			
SEK403	Caution	Black on Yellow	3" x 1000'	
SEK404	Attention	Black on Yellow	3" x 1000'	
SEK405	Danger	Black on Red	3" x 1000'	
SDS740	Danger	Black on Yellow	3" x 1000'	

REINFORCED BARRICADE TAPE

- · Offers the ultimate in durability on the jobsite
- · Printed on a material similar to that used in manufacturing sandbags, these tapes do not stretch or break under normal stress conditions
- Keeps its shape in the rain and can withstand very strong winds
- Thickness: 5 mils
- Length: 500'
- Width: 3"



COM

Model	Mfg.			Price
No.	No.	Message	Colour	/Each
SGC187	REBT2058	Caution	Black on Yellow	
SGC186	REBT2057	Danger	Black on Red	

TEMPORARY PAVEMENT MARKING TAPE

- · Ideal for parking lots and work sites
- 4" W x 50 yard roll comes with a weather resistant adhesive
- · Choice of white or yellow construction grade rolls



Model	Mfg.		Price
No.	No.	Description	/Each
SC144	03-10-105	White	
SC145	03-10-106	Yellow	

BIO-DEGRADABLE FLAGGING TAPE

- Made with 69% wood fibre
- Non-toxic, will not harm wildlife, livestock or the environment
- Complete degradation will occur in 6 to 12 months, depending on environmental conditions
- 3" x 50 yards roll





Model No.	Mfg. No.	Description	Colour	Price /Each
SAB490	91090	Caution	Black on Yellow	
SAB491	91091	Caution Do Not Enter	Black on Yellow	
SAD253	91092	Caution-Men Working Overhead	Black on Yellow	

TOUGHSTRIPE™ FLOOR MARKING TAPE

- Made with Brady's new B-514 polyester
- Ideal for marking aisles, passageways and storage locations, pointing out important safety equipment and egress pathways
- Service temperature range of 0°F-129°F
- Resists harsh chemicals
- Exceeds safety standards for clean, dry non-slip surfaces
- 100' per roll



FLOOR MARKING TAPE - 2"

Model	Mfg.			Price
No.	No.	Width"	Colour	/Each
SED030	104311	2	White	
SED031	104313	2	Red	
SED032	104315	2	Green	
SED033	104314	2	Blue	
SED034	104312	2	Yellow	
SED035	104317	2	Black/Yellow	

FLOOR MARKING TAPE - 3"

Model	Mfg.			Price
No.	No.	Width"	Colour	/Each
SED036	104341	3	White	
SED037	104343	3	Red	
SED038	104345	3	Green	
SED039	104344	3	Blue	
SED040	104342	3	Yellow	
SED041	104347	3	Black/Yellow	

FLOOR MARKING TAPE - 4"

Model No.	Mfg. No.	Width"	Colour	Price /Each
NO.	NO.	wiatn	Colour	/EdCII
SED042	104371	4	White	
SED043	104373	4	Red	
SED044	104375	4	Green	
SED045	104374	4	Blue	
SED046	104372	4	Yellow	
SED047	104377	4	Black/Yellow	

FLAGGING TAPE

- · Superior visibility when laying out boundaries
- Economical and reusable
- 1 3/16" wide
- · Fluorescent colour tapes are 150' long, standard colour tapes are 300' long



Model	Mfg.		Price
No.	No.	Colour	/Each
1 3/16" x 15	50' FLUORESCENT		
SAM827	17000	Orange Fluorescent	
SAM828	17001	Lime Fluorescent	
SAM829	17002	Red Fluorescent	
SAM830	17003	Pink Fluorescent	
SAM831	17004	Green Fluorescent	
SAM832	17005	Yellow Fluorescent	
1 3/16" x 30	00' STANDARD		
SAM833	17023	Standard Blue	
SAM834	17027	Standard Black	

AISLE MARKING TAPE

- PVC tapes made from a durable 6-mil thick vinyl film with a rubber adhesive system that will adhere to most any clean, dry surface
- Matte smooth conformable tape that is great for marking hazards on floors, walls and equipment
- Commonly used in aisle demarcation, colour coding and pipe banding applications





Model	Mfg.			Price
No.	No.	Width"	Colour	/Each
SAL689	PST221	2	Blue	
SAL688	PST218	2	Orange	
SAL684	PST211	2	Green	
SAL685	PST212	2	Red	
SAL686	PST213	2	White	
SAL683	PST210	2	Yellow	
SAL687	PST215	2	Black	
SAL696	PST321	3	Blue	
SAL695	PST318	3	Orange	
SAL691	PST311	3	Green	
SAL692	PST312	3	Red	
SAL693	PST313	3	White	
SAL690	PST310	3	Yellow	
SAL694	PST315	3	Black	

RECOMMENDED GUIDELINES

Blue: General Information White: Traffic and Housekeeping Orange: Warning/Hazardous Biohazard Yellow: Caution Safety and First Aid Equipment Green: Black: **Boundaries**

Fire Protection/Danger/Stop Red: Stripes: Hazard/Warning

HAZARD WARNING TAPE

IN COM.


NON-LAMINATED

- PVC tapes will quickly bring attention to any workplace hazard
- Made from a 6-mil conformable vinyl film with a rubber adhesive system to adhere to most any clean, dry surface
- Smooth semi-matte surface
- Ideal for floors, walls, pipes and equipment
- 108' per roll

LAMINATED

- · PVC tape with a durable, clear laminating film over top
- Smooth gloss finish will resist wear and is easily cleaned
- Over-lamination improves tape's ability to withstand heavy abrasion
- 108' per roll





Priced per Roll

Model	Mfg.			Pric
No.	No.	Width"	Colour	/Eacl
NON-LA	AMINATED			
SAL701	WT2300	2	Black/White	
SAL697	WT2110	2	Yellow/Black	
SAL699	WT2200	2	Red/White	
SAL702	WT2310	3	Black/White	
SAL698	WT2130	3	Yellow/Black	
SAL700	WT2210	3	Red/White	
LAMINA	ATED			
SAL668	LWT221	2	Red/White	
SAL667	LWT220	2	Yellow/Black	
SAL669	LWT222	2	Black/White	
SAL670	LWT223	2	Green/White	
SAL672	LWT321	3	Red/White	
SAL671	LWT320	3	Yellow/Black	
SAL673	LWT322	3	Black/White	
SAL674	LWT323	3	Green/White	
SAL676	LWT421	4	Red/White	
SAL675	LWT420	4	Yellow/Black	
SAL677	LWT422	4	Black/White	
SAL678	LWT423	4	Green/White	
SAL680	LWT621	6	Red/White	
SAL679	LWT620	6	Yellow/Black	
SAL681	LWT622	6	Black/White	
SAL682	LWT623	6	Green/White	

ENGINEER GRADE REFLECTIVE TAPE

- · Offer vibrant daytime visibility with reflective properties for night time use
- Rated for use outdoors for a 7-year life span
- Aggressive adhesive that will adhere to almost any clean, dry, smooth surface
- · Hazard striped products have a protective lamination to ensure the printed stripe will not wear off
- Comes with removable release liner
- · Not intended for flexible vehicle graphics
- 30' roll





Model	Mfg.			Price
No.	No.	Width"	Colour	/Each
SN611	RST106	2	Black/Yellow	
SN612	RST107	2	Red/White	
SAS555	RST101	2	White	
SAS556	RST102	2	Red	
SAS557	RST104	2	Yellow	
SAS558	RST105	2	Orange	

GLOW IN THE DARK TAPE

- Protect your workers during darkness or evacuation
- · Glow in the dark material automatically
- absorbs energy from any light source Vinyl-coated on one side with
- a pressure-sensitive adhesive
- Perfect to locate emergency equipment and identify evacuation routes during emergency situations
- 30' roll





INCOM

Model No.	Mfg. No.	Width"	Price /Each
PLAIN			
NC938	523522P	2	
NC939	523524P	4	
NC940	523526P	6	
BLACK \$7	TRIPES		
SAS545	GT230BK	2	
SAS546	GT430BK	4	
SAS547	GT630BK	6	
RED STRI	PES		
SAS548	GT230RD	2	
SAS549	GT430RD	4	
SASS50	GT630RD	6	

COLOURED VINYL ARROWS & DOTS

- Great choice for marking direction of travel or demarcation of hazards
- Commonly used for production work flow, inventory management and pedestrian directional aids Arrows and dots are all made from a durable
- solid coloured vinyl so there is no print to wear off
- Adhesive backing
- Custom sizes and colours available upon request





			Priced per Roll
Model No.	Mfg. No.	Colour	Price /Each
ARROW 4"	' - 100 PER ROLL		
SAS533	VA400W	White	
SAS534	VA400K	Black	
SAS535	VA400G	Green	
SAS536	VA400R	Red	
SAS537	VA400B	Blue	
SAS538	VA400Y	Yellow	
CIRCLE 3"	- 500 PER ROLL		
SAS539	VA300W	White	
SAS540	VA300K	Black	
SAS541	VA300G	Green	
SAS542	VA300R	Red	
SAS543	VA300B	Blue	
SAS544	VA300Y	Yellow	

TRUEGRIP® GENERAL PURPOSE NON-SKID TAPE

- · Silicon Carbide 46-grit mineral abrasive surface
- Good abrasion, chemical and water resistance
- Meets NFSI 101-A, ANSI B101.1, OSHA 1910.24, and 1910.26
- Colour: Black
- 60' roll



IN COM

Model	Mfg.		Price
No.	No.	Width"	/Each
SEC957	SG7001CB	1	
SEC958	SG7002CB	2	
SEC959	SG7004CB	4	
SEC960	SG7006CB	6	
SEC961	SG7012CB	12	

TRACTION CLEAT

- Helps prevent injuries from slipping and falling
- Grit sandpaper surface with adhesive backing
- Water, grease, and oil resistant
- · Ideal for both indoor and outdoor applications
- Pre-cut sizes with rounded corners offer a finished look and prevents the corners from lifting
- Meets or exceeds NFSI 101-A and OSHA 1910.24 and 1910.26
- RoHS compliant







Model No.	Dimensions W" x L"	Description	Qty /Pack	Price /Each
SDN107	3/4 x 24	Rounded Edge Strip	50	
SDN108	3 x 24	Strip	50	
SDN109	6 x 24	Strip	50	
SDN110	6 x 30	Strip	50	
SDN111	5 1/2 x 5 1/2	Square	50	
SDN112	6 x 24	Strip w/Refletive Band	10	
SDS936	6 x 24	Black/Yellow Strip	1	

ANTI-SKID TAPE

- Helps prevent injuries from slipping and falling
- Grit sandpaper surface with adhesive backing
- Water, grease, and oil resistant
- Ideal for both indoor and outdoor applications
- Meets or exceeds NFSI 101-A and OSHA 1910.24 and 1910.26
- RoHS compliant
- Length: 60'





Model			Price
No.	Width"	Colour	/Each
SDN088	2	Red/White	
SDN089	2	Black/Yellow	
SDN090	2	Yellow	
SDN091	2	Red	
SDN098	1	Black	
SDN099	2	Black	
SDN100	4	Black	
SDN101	6	Black	
SDN102	12	Black	
SDN103	1	Clear	
SDN104	2	Clear	
SDN105	4	Clear	
SDN106	6	Clear	

SAFESTEP® ANTI-SLIP SOLUTIONS

- Immediately creates a durable, safe and slip resistant surface
 Ideally suited for stairs, landings, platforms, ramps, ladders and wash down areas
- · Virtually indestructible; withstands vehicle and forklift traffic
- Corrosion and chemical resistant
- · Excellent slip-resistance, even when wet
- Easy glue and screw installation





RUST-OLEUM

Model	Mfg.			Dir	nensio	ns		Price
No.	No.	Description	Grit	W"	X	L"	Colour	/Each
SDN798	271795	Step Cover	Coarse	10	Х	36	Black & Yellow	
SDN799	271796	Step Cover	Coarse	10	Х	48	Black & Yellow	
SDN790	271819	Step Edge	Coarse	2 3/4	Х	36	Yellow	
SDN791	271820	Step Edge	Coarse	2 3/4	Х	48	Yellow	
SDN806	271810	Sheet	Coarse	47	Х	47	Black	
SDN809	271813	Sheet	Coarse	47	Х	96	Black	
SDN794	292461	Step Cover	Medium	10	Х	36	Black & Yellow	
SDN795	292462	Step Cover	Medium	10	Χ	48	Black & Yellow	
SDN787	292483	Step Edge	Medium	2 3/4	Х	36	Yellow	
SDN788	292484	Step Edge	Medium	2 3/4	Х	48	Yellow	
SDN805	292178	Sheet	Medium	47	Х	96	Black	

3MTM SAFETY-WALKTM SLIP RESISTANT TAPES

The easy, economical way to help prevent slips and falls, and help meet OSHA and ADA requirements.

GENERAL PURPOSE

- · Mineral-coated, slip-resistant material features a highly durable surface
- · Low-profile design reduces trip hazard
- · Available in a variety of colors and sizes

CONFORMABLE

- · High-friction, slip-resistant material has a special aluminum backing that conforms around corners and adheres to irregular surfaces
- · Available in black and safety yellow in a range of sizes

MEDIUM RESILIENT

- Resilient, non-mineral, slip-resistant material
- Soft surface is suitable for bare feet
- Available in black and gray in a variety of sizes

Model	Mfg.				Dim.		Price
No.	No.	Colour	Description	W	х	L	/Each
GENERA	L PURPOSE						
NG062	F-610-BLK-3/4X60	Black	Roll	3/4"	Х	60'	
NG063	F-610-BLK-1X60	Black	Roll	1"	Х	60'	
NG064	F-610-BLK-2X60	Black	Roll	2"	Х	60'	
NG067	F-610-BLK-6X24	Black	Strips (50/pkg.)	6"	Х	24"	
CONFO	RMABLE						
NG073	F-510-BLK-2X60	Black	Roll	2"	Х	60'	
NG074	F-510-BLK-4X60	Black	Roll	4"	Х	60'	
NG075	F-510-BLK-6X60	Black	Roll	6"	Х	60'	
NG077	F-530-SYL-2X60	Yellow	Roll	2"	Х	60'	
MEDIUN	A RESILIENT						
NG082	F-310-BLK-2X60	Black	Roll	2"	Х	60'	
NG083	F-310-BLK-6X60	Black	Roll	6"	Х	60'	
NG085	F-370-GRY-1X60	Grey	Roll	1"	Х	60'	
NG086	F-370-GRY-2X60	Grey	Roll	2"	Х	60'	





ADHESIVE ANTI-SLIP FLOOR SIGNS

- Aggressive adhesive will adhere to most smooth, clean and dry floors
- Laminate textured vinyl for added durability and slip resistance
- Will stand up to heavy pedestrian traffic
- High quality adhesive vinyl
- Thickness: 1/32"
- Language: English
- Material: Plastic
- Height: 17"
- Width: 17"

IN COM.

Model No.	Description	Price/Each
SFU877	Stop Floor Sign	
SFU878	Warning Forklift Traffic	
SFU879	Safety Glasses Required	
SFU880	Pedestrian Crossing	
SFU881	Safety Footwear Required	
SFU882	Keep Aisle Clear	
SFU883	Keep Aisle Clear	
SFU884	Emergency Shower	
SFU885	Yield	
SFU886	Eye Wash Fountain	







SFU881



SFU878



SFU882







SFU883



SFU884

SFU880



BIG FOOT™ ANTI-SLIP FLOOR COATINGS

HEAVY-DUTY PEDESTRIAN GRADE

- · For areas with heavy pedestrian or light rolling traffic
- Ideal for ramps, walkways, locker rooms, stairs and assembly areas Resists gasoline, oil, acids, alkalis and aliphatic solvents
- Fire retardant when cured

Model No.	Mfg. No.	Description	Colour	Coverage Ft²	Price /Each
AA603	1602679	1 gallon	Black	50	
AA604	1602121	1 gallon	Grey	50	
AF069	1592315	1 gallon	Yellow	50	






870

CROWD CONTROL

FREE-STANDING CROWD CONTROL BARRIERS

- 4-way connection permits all posts to receive up to three tapes from any direction
- Slow retracting tape cassette insures tape will retract safely
- Specially designed locking mechanism prevents accidental release
- Receiver post without tape cassette for use at the end of a line of posts
- Height: 35"







Locking mechanism prevents accidental release! **SDN328 SDN336** SDN324 SDN325 SE1765

WITHOUT WHEELS

Model	Tape	Message/	Tape	Price
No.	Colour	Tape Design	Length'	/Each
STAINLES	S STEEL BARRIERS			
SAS226	Red	-	7	
SEA794	Black	-	7	
SDN298	Yellow	-	7	
SDN299	Yellow	Caution Do Not Enter	7	
SDN300	Yellow	Attention Ne Pas Entrer	7	
SDN301	Blue	-	7	
SDN302	Green	-	7	
SDN303	Black/White	Black with White Stripe	7	
SDN304	Yellow/Black	Yellow & Black Stripes	7	
SDL100	Red	-	12	
SDN771	Black	-	12	
SDN772	Yellow	-	12	
STEEL - BL	ACK BARRIERS			
SDN305	Red	-	7	
SAS227	Black	-	7	
SDN306	Yellow	-	7	
SDN307	Yellow	Caution Do Not Enter	7	
SDN308	Yellow	Attention Ne Pas Entrer	7	
SDN309	Blue	-	7	
SDN310	Green	-	7	
SDN311	Black/White	Black with White Stripe	7	
SDL987	Yellow/Black	Yellow & Black Stripes	7	
SDN773	Red	-	12	
SDL101	Black	-	12	
SDN774	Yellow	-	12	
STEEL - YE	LLOW BARRIERS			
SDN312	Red	-	7	
SDN313	Black	-	7	
SAS228	Yellow	-	7	
SAS229	Yellow	Caution Do Not Enter	7	
SEE818	Yellow	Attention Ne Pas Entrer	7	
SDN314	Blue	-	7	
SDN315	Green	-	7	
SDN316	Black/White	Black with White Stripe	7	
SDN317	Yellow/Black	Yellow & Black Stripes	7	
SDN775	Red	-	12	
SDN776	Black	-	12	
SDL102	Yellow	<u>-</u>	12	
	-	·		

RECEIVER POSTS, WITHOUT WHEELS

Model		Price
No.	Description	/Each
SAS230	Stainless Steel	
SAS231	Black - Steel	
SAS232	Yellow - Steel	

WITH WHEELS

Model	Tape	Message/	Tape	Price		
No.	Colour	Tape Design	Length'	/Each		
STAINLESS	STAINLESS STEEL BARRIERS					
SE1760	Red	-	7			
SDN318	Black	-	7			
SDN319	Yellow	-	7			
SDN320	Yellow	Caution Do Not Enter	7			
SDN321	Yellow	Attention Ne Pas Entrer	7			
SDN322	Blue	-	7			
SDN323	Green	-	7			
SDN324	Black/White	Black with White Stripe	7			
SDN325	Yellow/Black	Yellow & Black Stripes	7			
SDL103	Red	-	12			
SDN777	Black	-	12			
SDN778	Yellow	-	12			
STEEL - BLACK BARRIERS						
SDN326	Red	-	7			
SDN327	Black	-	7			
SDN341	Yellow	-	7			
SDN328	Yellow	Caution Do Not Enter	7			
SDN329	Yellow	Attention Ne Pas Entrer	7			
SDN330	Blue	-	7			
SDN331	Green	-	7			
SDN332	Black/White	Black with White Stripe	7			
SDN333	Yellow/Black	Yellow & Black Stripes	7			
SDN779	Red	-	12			
SDL104	Black	-	12			
SDN780	Yellow	-	12			
STEEL - YELLOW BARRIERS						
SDN342	Red	-	7			
SDN334	Black	-	7			
SEI764	Yellow	-	7			
SDN335	Yellow	Caution Do Not Enter	7			
SDN336	Yellow	Attention Ne Pas Entrer	7			
SDN337	Blue	-	7			
SDN338	Green	-	7			
SDN339	Black/White	Black with White Stripe	7			
SDN340	Yellow/Black	Yellow & Black Stripes	7			
SDN781	Red	-	12			
SDN782	Black	-	12			
SDL105	Yellow	-	12			

RECEIVER POSTS, WITH WHEELS

Model		Price
No.	Description	/Each
SEI761	Stainless Steel	
SE1763	Black - Steel	
SE1765	Yellow - Steel	

WALL MOUNT BARRIERS

- · Wall mount barrier is ideal where floor space is essential
- Slow retracting tape cassette insures tape will retract safely
- Specially designed locking mechanism prevents accidental release
 Wall mount barrier includes one wall receiver and hardware
 Dimensions: 3 5/8" L x 3" W x 5 5/8" H





Model No.	Tape Colour	Message/Tape Design	Tape Length'	Price /Each					
STAINLES	STAINLESS STEEL WALL MOUNT BARRIERS								
SDN560	Red	-	7						
SED813	Black	-	7						
SDN561	Yellow	-	7						
SDN562	Yellow	Caution Do Not Enter	7						
SDN563	Yellow	Attention Ne Pas Entrer	7						
SDN564	Blue	-	7						
SDN565	Green	-	7						
SDN566	Black/White	Black with White Stripe	7						
SDN567	Yellow/Black	Yellow & Black Stripes	7						
SDN571	Red	-	12						
SDN764	Black	-	12						
SDN765	Yellow	-	12						
STEEL - BL	ACK WALL MOUNT	BARRIERS							
SDN554	Red	-	7						
SAS233	Black	-	7						
SEC074	Yellow	-	7						
SEB178	Yellow	Caution Do Not Enter	7						
SDN555	Yellow	Attention Ne Pas Entrer	7						
SDN556	Blue	-	7						
SDN557	Green	-	7						
SDN558	Black/White	Black with White Stripe	7						
SDN559	Yellow/Black	Yellow & Black Stripes	7						
SDN568	Red	-	12						
SDN569	Black	-	12						
SDN570	Yellow	-	12						



CROWD CONTROL

TENSATOR®

SLIMLINE TENSABARRIER®

- The most popular Tensabarrier post model traditionally seen in hotels, banks, airports, theaters, and other high-traffic areas
- Easy to move into position
- · Belts retract slowly and safely
- Made of woven polyester, the belts are strong enough to last the lifetime of the post
- Works with retractable belts of either 7.5' or 13'
- Height: 38
- Post diameter: 2"
- Base diameter: 14", does not take up a lot of floor space
- Weight: 24 lbs.

Model No.	Mfg. No.	Tube	Tape Colour	Tape Length	Price /Each
BARRIE	RS				
SF951	890B-33-33-33-STD-NO-B9	Black	Black	7.5'	
SF952	890B-33-33-33-STD-NO-S3	Black	Black/White	7.5'	
SF953	890B-33-33-33-STD-NO-S4	Black	Black/Yellow	7.5'	
SF954	890B-33-33-33-STD-NO-Y5	Black	Yellow	7.5'	
SF950	890U-1P-1P-1P-STD-NO-L5	Polished Chrome	Blue	7.5'	
SF949	890U-1P-1P-1P-STD-NO-R5	Polished Chrome	Red	7.5'	
RECEIV	ER POSTS				
SF957	890B-33-33-RCV	Black	-	-	
SF956	890U-1P-1P-RCV	Polished Chrome	-	-	



ADVANCE TENSABARRIER®

- Use for indoor and outdoor applications
- · Design ensures easy setup and quick storage
- Smooth 2.5" post contains the SlowRetract® belt cassette for a seamless look and maximum safety
- Locking belt receivers prevent accidental release of the belt
- 4-way connecting system allows up to three receivers to attach to a post
- · Receiver post without cassette also available
- Additional tape colour options and custom printing available upon request
- Posts are also available in stainless steel or chrome finishes
- Dimensions: 36" H, tube dia. 2.5", base dia. 14"
- Belt dimensions: 7.5' L x 2" W (13' available upon request)
- · Material: Steel

Model No.	Mfg. No.	Tube Colour	Tape Colour	Message	Price /Each
POST/1	TAPE COMBINATION				
SEH483	889B-33-21-STD-NO-RGX-C	Red	Red/White	Caution Do Not Enter	
SEH484	889B-33-33-STD-NO-B9X-C	Black	Black/Yellow	Caution Do Not Enter	
SEH485	889B-33-35-STD-NO-YAX-C	Yellow	Black/Yellow	Caution Do Not Enter	
SEH486	889B-33-21-STD-NO-D4X-C	Red	Black/Yellow Diagonal Stripe	-	
SEH487	889B-33-33-STD-NO-D4X-C	Black	Black/Yellow Diagonal Stripe	-	
SEH488	889B-33-35-STD-NO-D4X-C	Yellow	Black/Yellow Diagonal Stripe	-	
SEH489	889B-33-35-STD-NO-Y5X-C	Yellow	Yellow	-	

TENSATOR

			Un
Model	Mfg.	Tube	Price
No.	No.	Colour	/Each
RECEIV	'ER POSTS		
SEH490	889B-21-21-RCV	Red	
SEH491	889B-32-33-RCV	Black	
SEH492	889B-35-35-RCV	Yellow	



ROLLABARRIER®

- Wheelable, stackable convenience and contemporary good looks
- Patented SlowRetract™ braking mechanism insures that belt will retract slowly and safely if accidentally released
- Locking belt receivers prevent the belt from being accidentally released
- Nylon grommet to prevent belt from fraying, belt will look fresh year after year
- Unique nesting mechanism for moving 3 to 4 posts at once
- Each post is 39" high with a tube diameter of 2.5" and a base diameter of 13.5"
- Tape length: 7' 6"
- Grey hammertone finish
- Posts are also available in stainless steel, chrome or powder coat finishes
- · Lifetime limited warranty

TENSATOR®



REPLACEMENT TAPE CASSETTES FOR TENSABARRIER' & ROLLABARRIER'

• Tape length: 7' 6"

Model No.	Mfg. No.	Tape Colour	Price /Each	Model No.	Mfg. No.	Tape Colour	Price /Each
SF960	CASSETTE-STD-NO-R5X-C	Red		SF964	CASSETTE-STD-NO-S3X-C	Black w/white stripe	
SF961	CASSETTE-STD-NO-L5X-C	Blue		SF965	CASSETTE-STD-NO-S4X-C	Black w/yellow stripe	
SF962	CASSETTE-STD-NO-B9X-C	Black		-	-	-	
SF963	CASSETTE-STD-NO-Y5X-C	Yellow		-	-	-	



CROWD CONTROL

TENSABARRIER® WALL MOUNTED UNITS

- Handsomely styled wall-mounted TensaBarrier®
- Designed for indoor use where only a limited area of traffic control is necessary
- Available in chrome or impact resistant ABS plastic casing with tape
- Wall receptacle is in black only
- Magnetic case recommended for warehouses
- Wall receptacle included with all TensaBarrier® wall mounted units

TENSATOR

Model No.	Mfg. No.	Description	Tape Colour	Tape Length	Price /Each
SF968	897-15-S-1P-NO-L5X-C	Black and Chrome Case	Blue	15'	
SF969	897-15-S-21-NO-R5X-C	Black and Red Case	Red	15'	
SF970	897-15-S-33-NO-S3X-C	Black Case	Black w/White Stripe	15'	
SEI733	897-15-M-33-NO-D4X-D	Black Case w/Magnetic Backing	Black w/Yellow Dia Stripe	15'	
SEI734	896-STD-33-NO-D4-C	Black Case	Black w/Yellow Dia Stripe	7.5'	
SEI735	896-MAX-33-NO-D4-C	Black Case	Black w/Yellow Dia Stripe	13'	
SF959	898CLIP	Wall Receptacle	<u> </u>	-	



OUTDOOR TENSABARRIER®

- Tube constucted of UPVC in white, red or yellow mounted on PVC grey base
- Lightweight when empty for easy transportation
- Fill base with water or sand for stability
- Weather resistant
- Post: 37" H; tube O.D.: 2.5"; base: 15" diameter
- 4-way retractable tape cassette
- Additional tape colour options and custom printing available upon request

TENSATOR®

Model No.	Mfg. No.	Tube Colour	Tape Colour	Tape Length	Price /Each
POST/TAPE	COMBINATION				
SAM967	885-35-STD-NO-D4X-C	Yellow	Yellow/Black Diagonal	7' 6"	
SAM968	885-32-STD-NO-D4X-C	White	Yellow/Black Diagonal	7'6"	
SAM969	885-21-STD-NO-D4X-C	Red	Yellow/Black Diagonal	7' 6"	
SF979	885-35-STD-NO-YAX-C	Yellow	Yellow w/Black Message - Caution Do Not Enter	7' 6"	
POST/TAPE	COMBINATION STRIPED				
SF980	885-32-MAX-NO-D3X-C	Red	Red/White Diagonal	13'	
SF981	885-21-MAX-NO-D3X-C	White	Red/White Diagonal	13'	
SF982	885-35-MAX-NO-D4X-C	Yellow	Yellow/Black Diagonal	13'	
RECEIVER P	OSTS				
SF983	885-32-32-RCV	Red	-	-	
SF984	885-21-21-RCV	White	-	-	
SF985	885-35-35-RCV	Yellow	-	-	



REPLACEMENT CASSETTES FOR ADVANCE, OUTDOOR & STOWAWAY® TENSABARRIER®

- Cassettes are 4-way and quick retracting
- Includes tape, spring mechanism, receiver and tape end piece
- Additional tape colour options and custom printing available upon request

Model	Mfg.		Tape	Tape	Price
No.	No.	Description	Colour	Length	/Each
SAM970	CASSETTE-STD-NO-D4X-C	Striped	Yellow/Black Diagonal	7'6"	
SF987	ADV144-YA	Caution Do Not Enter	Yellow w/Black Message	7'6"	
SF988	CASSETTE-MAX-NO-D3X-C	Striped	Red/White Diagonal	13'	
SF989	CASSETTE-MAX-NO-D4X-C	Striped	Yellow/Black Diagonal	13'	

CUSTOM TENSABARRIER® OPTIONS:



DYE SUBLIMINATION WEBBING

Custom digital dye-printed 2" & 6" wide belts are available for any Tensabarrier® product containing a retractable belt. Text, full color graphics, photos, messages & promotions can all be applied to your line management products with your own unique content design.



SCREEN PRINTED WEBBING

Text or solid color logos and messages can be applied as a cost effective alternative to digital dye sublimation.

874

CROWD CONTROL

MARINE POSTS

- · Excellent weather resistance
- · Designed for use in many outdoor settings
- Best product in the market to be used in harsh environmental conditions, while still maintaining an attractive aesthetic
- Superior gloss, colour retention and storage stability
- All stainless steel hardware
- · Over 40 belt color choices or custom printing options available
- Works for retractable belts of either 7.5' or 13'
- Height: 38"
- Post diameter: 2.5"
- Base diameter: 14"



Model	Mfg.		Tape	Tape	Price
No.	No.	Tube	Colour	Length	/Each
POSTS					
SDN949	MP-33-STD-NO-B9X-C-S	Black	Black	7.5'	
SDN950	MP-33-MAX-NO-B9X-C-S	Black	Blue	7.5'	
SDN951	MP-21-MAX-NO-D3X-C-S	Black	Black	13'	
SDN952	MP-32-MAX-NO-B9X-C-S	Red	Red/White	13'	
SDN953	MP-32-MAX-NO-B9X-C-S	White	Black	13'	
SDN954	MP-35-MAX-NO-D4X-C-S	Yellow	Black/Yellow	13'	
RECEIVER	POSTS				
SDN955	MARINE POST-33-RCV	Black	-	-	
SDN956	MARINE POST-21-RCV	Red	-	-	
SDN957	MARINE POST-32-RCV	White	-	-	
SDN958	MARINE POST-35-RCV	Yellow	-	-	

SINGLE & DUAL LINE HEAVY DUTY POSTS

- Rugged post and base recommended for outdoor use
- Weather resistant
- · Recycled rubber stackable base
- Over 40 belt color choices or custom printing options available
- · Dual line post is ADA compliant
- Works with retractable belts of either 7.5' or 13'
- Height: 38"
- Post diameter: 2.5"
- Base diameter: 19"

TENSATOR®

SDN959	SDN971	SDN965	

1965 SDN975

Model	Mfg.		Tape	Tape	Price
No.	No.	Tube	Colour	Length	/Each
SINGLE LI	NE POSTS				
SDN959	886-21-STD-NO-R5X-C	Red	Red	7.5'	
SDN960	886-21-MAX-NO-D3X-C	Red	Red/White	13'	
SDN961	886-33-MAX-NO-D4X-C	Black	Black/Yellow	13'	
SDN962	886-21-MAX-NO-R5X-C	Red	Red	13'	
SDN963	886-33-MAX-NO-B9X-C	Black	Black	13'	
SDN964	886-33-MAX-NO-05X-C	Black	Orange	13'	
RECEIVER	POSTS				
SDN971	886-21-RCV	Red	-	-	
SDN972	886-33-RCV	Black	-	-	
DUAL LIN	IE POSTS				
SDN965	886T2-35-STD-NO-D4X-C	Yellow	Black/Yellow	7.5'	
SDN966	886T2-32-STD-NO-F2X-C	White	Orange	7.5'	
SDN967	886T2-33-STD-NO-B9X-C	Black	Black	7.5'	
SDN968	886T2-33-STD-NO-D4X-C	Black	Black/Yellow	7.5'	
SDN969	886T2-35-MAX-NO-D4X-C	Yellow	Black/Yellow	13'	
SDN970	886T2-21-MAX-NO-R5X-C	Red	Red	13'	
RECEIVER	POSTS				
SDN973	886T2-35-RCV	Yellow	-	-	
SDN974	886T2-21-RCV	Red	-	-	
SDN975	886T2-32-RCV	White	-	-	

ADVANCED PEDESTRIAN GUIDANCE

- · Yellow cart includes 4 caddies that can extend up to 105'
- Mobile deployment provides quick set up of continuous barrier with ease
- Large diameter wheels make the units easy to move
- Locking wheels for added stability
- Strong frame with yellow and black diagonally striped belts create a highly visible barrier
- Cart and caddy system is compact and easy to move
- · Robust steel frame delivers durability in harsh environments
- Chemical resistant, hard wearing rubber wheels and hand-grips

Model No. SDN976 Mfg. No APG 1 Price/Each \$

TENSATOR®





DELUXE POST STORAGE CART

- · Six tier storage cart
- Heavy duty design to withstand continuous use for many years while protecting stanchions with padded slots
- Can store and transport up to 18 Tensabarrier® stanchions
- Finish: Steel

Model No. SGC240 Mfg. No 3035 Price/Each \$

TENSATOR®



CLASSIC PORTABLE POSTS

- Portable posts provide a flexible railing system for traffic direction and crowd control
- Posts can be set-up, moved or stored easily to meet your changing needs
- · Available in three styles in different finishes
- Posts available with or without tapped holes for sign frames or brackets

- · Popular post for guiding traffic
- · Sturdy design
- Forged universal loop, recommended maximum rope length of 6' 0"
- 2" O.D. tube

- · Clean, functional design and lightweight
- Forged universal loop, recommended maximum rope length of 6' 0"

- · Ideal for warehouses, factories or other areas requiring high visibility
- Scuff resistant, ABS plastic base

 Forged universal loop, recommended maximum rope length of 7' 0" 					TEN	SAT	OR	
Without	Tapped Holes	With Tap	ped Holes					
Model No.	Mfg. No.	Model No.	Mfg. No.	Finish	Base Dia."	O.A. Height"	Wt. lbs.	Price /Each
TRADIT	TIONAL							
SF990	310T-1P-N0T	SI835	310T-1P-TAP	Polished Chrome	11 1/2	39	35	
SF991	310T-1S-NOT	SI836	310T-1S-TAP	Satin Chrome on Steel	11 1/2	39	35	
SF992	310T-2P-NOT	SI837	310T-2P-TAP	Polished Brass	11 1/2	39	35	
UNIVER	RSAL							
SF993	314U-1P-NOT	SI838	314U-1P-TAP	Polished Chrome	11 1/2	34	25	
SF994	314U-1S-NOT	SI839	314U-1S-TAP	Satin Chrome on Steel	11 1/2	34	25	
SF995	314U-2P-NOT	SI840	314U-2P-TAP	Polished Brass	11 1/2	34	25	
SAFETY	,							
SF996	303	SI841	303-TAP	Yellow w/Black Top & Base	13 1/2	36	25	
		•						



ROPES

- Three different rope styles available to use with classic portable posts; velour, naugahyde or twisted rope
- Velour and naugahyde have cotton core, recommend indoor use
- Twisted rope is plastic, indoor and outdoor usage
- Rope Dia.: 1.5"
- Long-lasting
- Sold per foot





TENSATOR®

Model	Mfg.		Price
No.	No.	Colour	/Foot
VELOUR			
SG023	ROPE-VELR-22-01/0	Red	
SEI725	ROPE -VELR-33-01/0	Black	
SG024	ROPE-VELR-24-01/0	Royal Blue	
NAUGAHYD	DE		
SEI727	ROPE-NAUG-21-01/0	Red	
SEI728	ROPE-NAUG-33-01/0	Black	
SEI729	ROPE-NAUG-43-01/0	Maroon	
TWISTED PL	ASTIC		
SA0109	ROPE-TWST-35-01/0	Yellow	

ROPE ENDS

- · Available in two styles, open hook and snap type
- Fits 1-1/2" diameter ropes
- · Open hook and snap type ends are permanently attached to rope at factory
- Order two rope ends for each length of rope

Polished Crome (Open Hook)







TENSATOR®

Model	Mfg.	Finish	Price
No.	No.	Finish	/Each
OPEN HOOKS	5		
SG010	5ROPEEND-HOOK-1P	Polished Chrome	
SG012	ROPEEND-HOOK-2P	Polished Brass	
SEI731	ROPEEND-HOOK-33	Black	
SNAPS			
SG013	ROPEEND-SNAP-1P	Polished Chrome	
SG015	ROPEEND-SNAP-2P	Polished Brass	
SE1732	ROPEEND-SNAP-33	Black	


SIGN HOLDERS

FOR CLASSIC PORTABLE POSTS SELECT EITHER A SIGN BRACKET OR A FRAME

Sign Bracket

- · Use with classic portable post models
- Fits 1/4" inserts or signs
- · Available in chrome or black finish

- · Full-framed message holder to fit on top of existing classic portable posts
- Horizontal or vertical orientation Available in 7" x 11" or 11" x 14" sizes
- Accommodates 1/8" inserts or signs
- · Available in chrome or black finish



SG043

				100 100	- 41
Model	Mfg.	Model	Mfg.		Price
No.	No.	No.	No.	Description	/Each
CHRO	ME FINISH	BLACK	FINISH		
SG043	NOSC-1P	SG044	NOSC-33	Sign Bracket	
SG027	NOSC-1P-0711LD-V	SG039	NOSC-33-0711LD-V	Sign Frame 7"W x 11"H	
SG028	NOSC-1P-0711LD-H	SG040	NOSC-33-0711LD-H	Sign Frame 11"W x 7"H	
SG029	NOSC-1P-1114LD-V	SG041	NOSC-33-1114LD-V	Sign Frame 11"W x 14"H	
SG030	NOSC-1P-1114LD-H	SG042	NOSC-33-1114LD-H	Sign Frame 14"W x 11"H	

ADAPTERS

For sign frame

Model No. SAQ831 Mfg. No. HDSC-33 Price/Each \$

TENSATOR®


FOR TENSABARRIER' POSTS SELECT EITHER A SIGN BRACKET WITH ADAPTER OR A FRAME WITH ADAPTER

Sign Bracket & Adapter

- Use with Tensabarrier® posts
- Fits 1/4" inserts or signs
- · Available in chrome or black finish

- · Full framed message holder to fit on top of existing Tensabarrier® posts
- · Horizontal or vertical orientation • Available in 7" x 11" or 11" x 14" sizes
- Accommodates 1/8" inserts or signs

•	Available	in	chrome or	black	finish
---	-----------	----	-----------	-------	--------



Model No.	Mfg. No.	Model No.	Mfg. No.	Description	Price/Each
CHRO!	ME FINISH	BLACK	FINISH		
SE1766	BRACKET-HDSC-1P	SEI771	BRACKET-HDSC-33	Sign Bracket with Adapter	
SEI767	HDSC-1P-0711LD-V	SEI772	HDSC-33-0711LD-V	Sign Frame & Adapter 7"W x 11	"H
SE1768	HDSC-1P-0711LD-H	SEI773	HDSC-33-0711LD-H	Sign Frame & Adapter 11"W x 7	"H
SE1769	HDSC-1P-1114LD-V	SE1774	HDSC-33-1114LD-V	Sign Frame & Adapter 11"W x 14	"H
SE1770	HDSC-1P-1114LD-H	SE1775	HDSC-33-1114LD-H	Sign Frame & Adapter 14"W x 11	"H

STANCHIONS

- Effective for crowd control, defining walkways, and brings awareness to potential hazards
- Use indoors/outdoors
- Suitable for manufacturing facilities, schools, churches, restaurants, military bases, office buildings, events, parks and much more
- Made of high density polyethylene containing UV inhibitors
- Will not rust and resists fading
- Recyclable
- Base can be filled with sand for additional stability
- Medium and heavy-duty options available
- Medium-duty: The chain can be attached on the enclosed C-hook or be ran in a continuous length through the top of the stanchion
- Heavy-duty: Attach the chain to the stanchion with the enclosed C-hook and base can be attached to floor

	SE1664	SEIGG8	SI	E1666	2
@Mr.Chain		• 4			

Model	Mfg.		Base	Pole	Overall	Empty	Filled with	Price
No.	No.	Colour	Diameter"	Diameter"	Height"	Weight lbs.	Sand lbs.	/Each
MEDIUM-	DUTY							
SEI663	96402	Yellow	14	2.5	40	2.6	6.6	
SEI664	96403	Black	14	2.5	40	2.6	6.6	
SE1665	96401	White	14	2.5	40	2.6	6.6	
HEAVY-DI	UTY							
SE1666	99902	Yellow	16	3	41	3.1	12	
SEI667	99903	Black	16	3	41	3.1	12	
SEI668	99905	Red	16	3	41	3.1	12	

CHAINS

- Durable 2" link plastic chain
- Connects to stanchion or post with master links or S-hooks
- Made of high density polyethylene containing UV inhibitors
- Will not rust and resists fading
- · Lightweight, strong and durable
- Recyclable Sold per foot

MASTER LINKS

- · Used to connect two lengths of plastic chain and to repair chain
- Made of acetal plastic containing UV inhibitors

S-HOOKS

- Allows you to hang or connect plastic chain in a variety of applications
- Made of acetal plastic containing UV inhibitors







Description	Size"	Yellow Model No.	Mfg. No.	Black Model No.	Mfg. No.	White Model No.	Mfg. No.	Red Model No.	Mfg. No.	Price /Each
Chain (per foot)	2	SG197	50002	SE1669	50003	SEI670	50001	SEI671	50005	
Master Link	2	SG200	50702	SEI672	50703	SEI673	50701	SEI674	50705	
"S" Hook	2	SG203	50302	SEI675	50303	SE1676	50301	SEI677	50305	

DOME MIRRORS

- · Increase surveillance and prevent accidents due to blind corners
- Constructed of acrylic for added durability
- All mirrors have a black protective edge and hanging clips
- Full dome mirrors come with 4 hanging chains and hooks
- · All mirrors are open-topped

Ideal Locations:

360° 4-way intersections 180° T-intersections 90° Corner intersections

> USE FURNITURE POLISH TO CLEAN MIRRORS.
> GLASS CLEANER WILL DAMAGE SURFACE.



FULL DOME -360°

Model No.	Mirror Dia."	Price /Each
SEJ875	20	
SEJ876	24	
SEJ877	31	
SEJ878	47	


Note: Comes with hanging hardware



HALF DOME -180°

Model	Mirror	Price
No.	Dia."*	/Each
SEJ879	20	
SEJ880	24	
SEJ881	31	
SEJ882	47	

* The dimensions listed are that of a full dome





QUARTER DOME - 90°

Model	Mirror	Price
No.	Dia."*	/Each
SEJ883	20	
SEJ884	24	

* The dimensions listed are that of a full dome

CLOSED-TOP DOME MIRRORS

- Removes blind spots reducing the chance of accidents caused by blind corners
- Durable heavy-duty acrylic construction

USE FURNITURE POLISH TO CLEAN MIRRORS. GLASS CLEANER WILL DAMAGE SURFACE.



FULL DOME - 360°

Model	Mirror	Pric
No.	Dia."	/Eac
SDP520	18	
SDP521	26	
SDP522	32	
SDP523	48	

HALF DOME – 180°

Model	Mirror	Price
No.	Dia."*	/Each
SDP524	18	
SDP525	26	
SDP526	32	
SDP527	48	

* The dimensions listed are that of a full dome



DROP-IN CEILING PANEL DOMES

- One-piece drop-in dome replaces a standard 2' x 2' drop-ceiling tile
- Dome provides 360° viewing for optimal surveillance
- Ideal for 4-way intersections
- · Diameter: 24"

Model No. SDP536 Price/Each \$



USE FURNITURE POLISH TO CLEAN MIRRORS. GLASS CLEANER WILL DAMAGE SURFACE.



CONVEX MIRRORS

INDOOR

- Removes blind spots reducing the chance of accidents caused by blind corners
- Includes adjustable arm

Mirror	Model	Price	Model	
Dia."	No.	/Each	No.	
12	CDDEVE		CDDEOO	

Mirror Dia."	Model No.	Price /Each	Model No.	Price /Each
12	SDP505		SDP500	
18	SDP506		SDP501	
26	SDP507		SDP502	
30	SDP508		SDP503	
36	SDP509		SDP504	

OUTDOOR





USE FURNITURE POLISH TO CLEAN MIRRORS.
GLASS CLEANER WILL DAMAGE SURFACE.

ROUNDTANGULAR CONVEX MIRRORS

- Designed to fit into smaller spaces
- Grants the same view as a full sized convex mirror but occupies a smaller area
- Ideal for blind spots near machinery and areas where mounting space is limited
- Comes with adjustable arm







USE FURNITURE POLISH TO CLEAN MIRRORS. GLASS CLEANER WILL DAMAGE SURFACE.

FLAT MIRRORS

- Offers optimal view with accurate depth perception
- Durable acrylic mirror
- Framed mirrors come with with galvanized steel back





USE FURNITURE POLISH TO CLEAN MIRRORS.
GLASS CLEANER WILL
DAMAGE SURFACE.

UNFRAMED FRAMED

Dim. L" x W"	Model No.	Price /Each	Model No.	Price /Each
12 x 12	SDP510	, = 4411	SDP515	, 244
12 x 18	SDP511		SDP516	
18 x 24	SDP512		SDP517	
24 x 30	SDP513		SDP518	
30 x 36	SDP514		SDP519	





2 1/4" ROUND GLASS INSPECTION MIRRORS

• Telescoping handle: 7" extends to 36"

Handle has non-slip, black cushion grip

Model No. SED113 Mfg. No. 2100ML2 Price/Each \$

MAG-MAT



RECTANGULAR INSPECTION MIRRORS

- Facilitates inspection of inaccessible work pieces and machines
- 2" x 3 3/4" rectangular steel mirror
- Telescoping handle: 10 3/4" extends to 26"

Model No. SED114 Mfg. No. 2100ME2X3 Price/Each \$





MAG-MATE

Model No.	Mfg. No.	Mirror Length"	Mirror Width"	Handle Length"	Price /Each
TY0499	318	3 1/2	2 1/2	7 1/4 to 32 3/4	
TY0500	312A	2	2	7 to 29	

INSPECTION MIRRORS & MAGNETIC RETRIEVER TOOLS

- 2" x 2" rectangular glass mirror
- 5/16" diameter magnet with 2-lb. lift
- Chrome-plated brass telescoping handle 6 1/4", extends to 28"

Model No. TLV723 Mfg. No. 301G240 Price/Each \$



RECTANGULAR GLASS

INSPECTION MIRRORS Non-slip, solvent-resistant telescoping handle 6 1/2", extends to 36 1/2"

Shaft made of stainless steel

• 2" x 1 1/4"

Model No. TLV721 Mfg. No. 315 Price/Each \$



1 1/2" ROUND GLASS INSPECTION MIRRORS

- 4 1/2" telescoping handle extends to 24"
- · Shaft made of chrome-plated brass
- · Handle has a pocket clip with a non-slip black cushion grip

Model No. TLV720 Mfg. No. 306TR Price/Each \$







24/SEVEN® COMFORTABLE, MODULAR, SIMPLE TO USE

- The 3' x 3' mats interlock on all four sides to cover large areas, or can be used as single stations
- Optional yellow and black borders provide safe access

What is your application? Choose from 5 formulations

General purpose rubber - Natural rubber formulation designed for general application, such as areas with water or debris

CFR rubber - Designed for areas with mineral oil based cutting fluids and solvents


CFR rubber with GritWorks!" - For wet areas that need extra traction

NBR 100% nitrile - Designed for areas with petrochemicals such as hydrocarbons, naphthenes, paraffins and petroleum distillates

NBR 100% nitrile with GritWorks!" - For wet areas that need extra traction



WEARWELL



SOLID

3" x 39" Female (F) Ramp snaps onto the protruding mat knobs



REASONS TO CHOOSE 24/SEVEN®

- Modular design
- Quick installation and replacement
- Comfort
- 5 formulations
- Can customize on site



Model		Dim.	Price
No.	Description	W x L	/Each
SOLID			
NH589	General Purpose No. 570 Solid Mat	3' x 3'	
SAQ100	CFR No. 570 Solid Mat	3' x 3'	
SAL233	CFR w/GritWorks!® No. 574 Solid Mat	3' x 3'	
SAQ101	Nitrile No. 570 Solid Mat	3' x 3'	
SAQ103	Nitrile w/GritWorks!® No. 574 Solid Mat	3' x 3'	
OPEN			
NH587	General Purpose No. 572 Open Mat	3' x 3'	
SAL228	CFR No. 572 Open Mat	3' x 3'	
SAL234	CFR w/GritWorks!® No. 576 Open Mat	3' x 3'	
SAQ102	Nitrile No. 572 Open Mat	3' x 3'	
SAQ104	Nitrile w/GritWorks!® No. 576 Open Mat	3' x 3'	
BLACK RAMPS			
NH591	General Purpose Female	3" x 39"	
NH594	General Purpose Male	3" x 39"	
SAQ128	CFR Female	3" x 39"	
SAQ125	CFR Male	3" x 39"	
SAQ129	Nitrile Female	3" x 39"	
SAQ126	Nitrile Male	3" x 39"	
YELLOW RAMPS			
NH593	General Purpose Female	3" x 39"	
NH596	General Purpose Male	3" x 39"	
SAL230	CFR Female	3" x 39"	
SAL232	CFR Male	3" x 39"	
SAQ130	Nitrile Female	3" x 39"	
SAQ127	Nitrile Male	3" x 39"	

WORKRITE NO. 474

1/2" THICK GENERAL PURPOSE ANTI-FATIGUE DRAINAGE MATS

- for use around water and non-caustic agents
- Flow-through design and underside knobs
- Molded beveled edges allow easy access
- Lightweight design facilitates frequent cleanings
- Colour: Black




WEARWELL

Model	Dimensions	Price
No.	W' x L'	/Each
SDM621	3 x 5	
SDM618	3 x 10	
SDM619	3 x 20	

DRAINAGE MAT

- Designed to help prevent injuries and increase worker comfort
- Resistant natural rubber is recommended for both wet or dry work
- Beveled edging to help prevent tripping
- Easy to clean
- Type: Anti-Fatigue
- Thickness: 7/8'
- · Colour: Black



ERGODECK® ERGONOMIC FLOORING SYSTEMS NO. 560 & NO. 562

- Professional grade 18" x 18" super-sized ergonomic tiles quickly assemble to cover large and custom-sized areas
- The patented LockSafe® system securely connects the tiles
- for a neat, clean, installation that will withstand heavy use and cart traffic
- The incredibly substantial design creates a floor above the facility floor, covering up imperfections and safety hazards
- ErgoDeck[™] tiles can be unlocked and repositioned to create a different configuration when work flow changes
- Optional 6" wide safety ramps and corners accommodate carts and have countersunk holes so ErgoDeck" can be attached to the floor
- · Designed specifically for heavy cart traffic withload capacity of 64 PSI
- · Available in open grid and solid tile designs
- 7/8" thick
- Sold/Priced per: Tile

ERGODECK HEAVY-DUTY OPEN GRID NO. 560

 For use in wet (non-greasy) or dry areas where small debris or fluids are present

ERGODECK' HEAVY-DUTY SOLID NO. 562


• For use in dry areas where small parts fall to the floor, or where ease of maintenance is a priority



Model			Dim.				Qty	Price
No.	Description	W"	X	L"	X	D"	/Case	/Each
SAL215	Open Grid No. 560, Single Tile	18	Х	18		-	1	
SAL224	Solid No. 562, Single Tile	18	Х	18		-	10	
RAMP &	CORNER ACCESSORIES							
SAL219	Ramp - Yellow, Single	6	Х	18		-	1	
SAL217	Outside Corner - Yellow, Single	6	Х	15	Х	15	1	

ERGODECK® GENERAL PURPOSE NO. 564 & NO. 566

- General purpose Ergodeck® specifically designed to increase worker productivity
- Has a box-spring foundation that flexes to provide anti-fatigue benefits
- Professional grade 18" x 18" super-sized ergonomic tiles quickly assemble to cover large and custom-sized areas
- Patented LockSafe® system securely connects the tiles for a neat installation to withstand heavy use and cart traffic
- Tiles can be unlocked and repositioned to create different configurations
- · Optional 6" wide safety ramps and corners
- 7/8" thick
- Colour: Charcoal



Model		Dim.			Qty	Price	
No.	Description	W"	x	L"	/Case	/Each	
SAQ312	Open Grid No. 564, Case	18	Х	18	10		
SAQ313	Solid No. 566, Case	18	Х	18	10		
RAMP &	CORNER ACCESSORIES						
SAL219	Ramp - Yellow, Single	6	Х	18	-		
SAL217	Outside Corner - Yellow, Single	15	Х	15	-		

FREQUENTLY ASKED QUESTIONS:

What if one of my tiles gets damaged?


Simply remove it and replace with a new tile.

How do you connect a ramp to the side of the tile that has interlocks?

Simply cut off the interlocks on the ramp.

What do I need to install ErgoDeck®?

A rubber mallet. Each box of tiles contains installation instructions.



ERGODECK® ERGONOMIC FLOORING SINGLE TILE NO. 590

- Professional grade 18" x 18" super-sized ergonomic tiles quickly assemble to cover large and custom-sized areas
- The patented LockSafe® system securely connects the tiles for a neat, clean, installation that will withstand heavy use and cart traffic
- The incredibly substantial design creates a floor above the facility floor, covering up imperfections and safety hazards
- ErgoDeck® tiles can be unlocked and repositioned to create a different configuration when work flow changes
- Optional 6" wide safety ramps and corners accommodate carts and have countersunk holes so ErgoDeck® can be attached to the floor
- Surface Type: Diamond
- Material: PVC
- Thickness: 7/8"
- Environment: Oily/Wet/Dry



LIFETIME WARRANTY



Model			Dim.		Qty	Price
No.	Description	W"	X	L"	/Case	/Each
JH629	Open Grid No. 590, Tile	18	Х	18	-	
JH630	Open Grid No. 590, Case	18	Х	18	10	


F.I.T.TM NO. 540 & NO. 541

FUNCTIONAL INTERLOCKING TILES FOR INDUSTRIAL & COMMERCIAL AREAS

Innovation made simple: The most versatile, functional and comfortable 12" x 12" modular tile ever created.


- Best interlocking system angular LockSafe® interlocking system provides a stronger connection, yet the tiles easily "zip" apart for re-positioning
- Exceptional comfort ergonomic design and PVC formula dramatically reduce fatigue and lead to increased productivity
- Easy ramp system one ramp fits both "male" and "female" edges
- No-fuss installation just snap the tiles together and configure to fit your exact work spaces
- Outstanding value for your cost reduction initiatives save on replacement costs, installation time, and employee lost time
- Thickness: 5/8"

Green rating: > 40% post consumer PVC





- · Unlike other modular ergonomic flooring systems, large installations of F.I.T.TM can be rolled-up for quick cleaning, repositioning or storage
- · It's amazing LockSafe® interlocking system works like flexible hinges to hold tiles together even when large connected sections are tightly rolled
 - F.I.T.TM is designed for onsite customization the tiles can be cut every 3" and still connect
- Just cut the tiles and reconnect for a seamless installation
 This unique feature makes F.I.T. TM the most versatile interlocking tile on the market and facilitates total coverage of areas with multiple work centres and equipment with unusual shapes



OPEN - for use in wet areas - surface slants toward holes to facilitate drainage

> 1-YEAR WARRANTY



Model			imensi	ons	Qty		Price
No.	Description	W"	х	L"	/Case	Colour	/Each
SBA982	Open No. 540, Case	12	Х	12	20	Black	
SBA983	Solid No. 541, Case	12	Х	12	20	Black	
RAMPS & CORNERS							
SBA986	Ramp No. 540, Case	3	Х	12	20	Black	
SBA987	Ramp No. 540, Case	3	Х	12	20	Yellow	
SBA988	Ramp w/Corner No. 540, Case	3	Х	15	4	Black	
SBA989	Ramp w/Corner No. 540, Case	3	Х	15	4	Yellow	

F.I.T.™ KITS NO. 546 EMERGENCY SHOWER STATION MATS

- Simple and compact emergency eyewash and shower mats kits
- Easy to assemble, no cutting or tools required
- Patented LockSafe® connections simply snap together and zip apart
- Green is recommended for eyewash stations and red for shower stations
- Highly visible mats designate the location of emergency stations
- Created for high visibility per ANSI recommendations
- Elevates user above hazardous overflow
- Conforms to ANSI Z535.1-1998 standard
- Available in two sizes
- 5/8" thick
- Contents:
- 6 Tiles
- 2 Male Corner Ramps
- 1 Male Ramp w/o Tab
- 2 Male Ramps w/Tab
- 2 Female Ramps



1-YEAR WARRANTY









ANTI-FATIGUE LINK MATS

- · Designed to help prevent injuries and increase worker comfort
- Modular interlocking design on all four sides permits coverage of large floor spaces
- Recommended for wet and dry environments
- · Lightweight and easy to clean
- Optional black and yellow border
- ramps to prevent tripping Material: Natural Rubber
- Style: Solid Mat
- Surface: Honeycomb Pattern
- Thickness: 1/2"



- · General purpose natural rubber mat
- 3" x 39" female border snaps onto the protruding knobs of the mat

SDL866

- Grease proof 50% nitrile rubber/ 50% natural rubber mat
- 3" x 39" male border snaps into the underside of the mat





MATS

Model	Dime	ensi	ons		Price
No.	W'	X	Ľ	Colour	/Each
SDL865	3	Х	3	Black	
SDL866	3	Х	3	Maroon	

BORDER RAMPS

Model			Price
No.	Connection	Colour	/Each
SDL867	Male	Black	
SDL868	Female	Black	
SDL869	Male	Yellow	
SDL870	Female	Yellow	

ANTI-FATIGUE MAT

- · Designed to help prevent injuries and increase worker comfort
- Recommended for wet and dry environments
- · Lightweight and easy to clean
- Modular interlocking design on all four sides permits coverage of large floor spaces
- Optional black and yellow border ramps to prevent tripping
- Thickness: 1/2"
- Colour: Black
- · Material: Natural Rubber
- Type: Anti-Fatigue
- · Surface Type: Smooth
- Width: 3'
- · Length: 3'

Model No. SDS622 Price/Each \$






ANTI-FATIGUE DOME MATS

- · Designed to help prevent injuries and increase worker comfort
- Raised dome design increases circulation in the users legs through subtle posture changes resulting in less stress
- Beveled edging to help prevent tripping
- · Recommended for dry work environments
- · All mats are 1/2" thick, natural rubber
- Colour: Black
- Style: Solid Mat

SDL865

Surface: Bi-Level Pattern







SDL863 - Center SDL864 - End



SINGLE MATS

Model	Dim	ensi	ons	Border	Price
No.	W'	X	Ľ	Colour	/Each
SDL857	2	Х	3	Black	
SDL858	2	Х	3	Yellow	
SDL859	3	Х	4	Black	
SDL862	3	Х	4	Yellow	

MODULAR MATS

Model	Dim	ensi	ons		Border	Price
No.	W'	X	Ľ.	Description	Colour	/Each
SDL860	3	Х	4	Center	Black	
SDL861	3	Х	4	End	Black	
SDL863	3	Х	4	Center	Yellow	
SDL864	3	Х	4	End	Yellow	

REJUVENATOR® NO. 502 MATS

- · Customizable urethane mat, a perfect combination of extremely high performance and exceptional comfort
- Connects on all four sides to accommodate any custom sized area -even an entire floor
- No need for seaming or gluing; mats snap together and stay together
- Robust, abrasion resistant exterior skin totally encapsulates the resilient, crush-resistant urethane sponge interior making mat virtually indestructible
- An elevated square-grid surface creates an appealing symmetrical look for industrial, laboratory, pharmaceutical or commercial environments
- Ideal for dry and heavy use areas and exposure to a wide range of temperatures





Model			Dim		Price
No.	Description	W	X	L	/Each
SAR340	Mat	3'	Х	3'	
SAR341	Edge, Female	2"	Х	39"	
SAR342	Edge, Male	2"	Х	39"	
SED588	Center Mat	3'	χ	5'	
SED589	End Mat w/ Female connectors	3'	Х	5'	
SED590	End Mat w/ Male connectors	3'	χ	5'	

REIUVENATOR' NO. 502 MATS FOR SINGLE WORKSTATION

- · With molded-in ramps for easy access
- 5/8" thick
- · Colour: Black

Model	Dim.			Price
No.	W'	X	L'	/Each
SED585	2	Х	3	
SED587	3	Х	5	



ULTRASOFT DIAMOND-PLATE NO. 414

- Unparalleled comfort and enhanced employee productivity and morale
- Double-thick Nitricell® sponge base is a PVC loaded with nitrile rubber
- Designed for heavy-use areas
- Popular, high-tech diamond-plate surface resists abrasion and most chemical spills
- · Beveled safety edges
- Available in black or black w/yellow safety borders

DIAMOND-PLATE SPONGECOTE® NO. 415

- Resilient Nitricell® sponge base provides comfort and enhances productivity
- Ideal for dry work areas
- 9/16" thick
- · Beveled safety edges
- Available in black or black w/yellow safety borders

Call for your FREE sample!





NO. 414

Model		Dim.		Price
No.	W'	X	Ľ	/Eacl
15/16" BLACK/YELLOW				
SAJ810	2	Х	3	
NG924	3	Х	5	
NG925	2	Х	75	
NG926	3	Х	75	
NG927	4	Х	75	
15/16" BLACK				
SAJ809	2	Х	3	
NG917	3	Х	5	
NG918	2	Х	75	
NG919	3	Х	75	
NG920	4	Х	75	

Note: Other lengths available

NO. 415

Model		Dim.	Price	
No.	W'	X	Ľ	/Each
9/16" BLACK/YELLOW				
NB416	2	Х	3	
NB430	3	Х	5	
NB425	2	Х	75	
NB439	3	Х	75	
SAL165	4	Х	75	
9/16" BLACK				
NB420	2	Х	3	
NB431	3	Х	5	
NB426	2	Х	75	
NB440	3	Х	75	
SAL164	4	Х	75	

Note: Other lengths available

DIAMOND-PLATE WITH GRITWORKS!® NO. 416


- Ideal for primarily dry areas with slight overspray or where grease and oil get tracked onto the mat
- Carbide grit that increases traction by over 50% while also increasing the chemical resistance and durability of the surface
- Super resilient, Nitricell® sponge base which is PVC loaded with nitrile rubber
- · Exceptional comfort, rebound and long life
- All mats come with safety-beveled edges
- · Colour: Black

Carbide grit increases traction by over 50%






Standard



NO. 416

Model		Dim.			Price
No.	W'	X	Ľ		/Each
STANDARD 9/16"					
SAL632	2	Х	3		
SAL634	3	Х	5		
SAL638	3	Х	75		

Note: Other lengths available



Double thick Nitricell® sponge base

Model		Dim.		Price
No.	W'	X	Ľ	/Each
ULTRASOFT 15/16"				
SAL633	2	Х	3	
SAL635	3	Х	5	
SAL639	3	Х	75	
** * ** ** ** ** ** ** ** ** ** ** ** *				

Note: Other lengths available















DIAMOND-PLATE SELECT NO. 495
COMFORT & INDUSTRIAL STYLE ON A BUDGET!




- Diamond-Plate Select is an excellent alternative to similar SpongeCote® products
- Priced for those on a tighter budget, it has a specially formulated blown-vinyl sponge base called Flex-Link®
- It's designed to prevent worker fatigue in dry industrial applications and is a good choice for areas that require a high-tech look
- Available in two thicknesses:
 Standard 9/16" thick with safety beveled edges
 Ultra Thick 15/16" thick with safety beveled edges designed for extra softness
- Colour: Black, black w/yellow borders






Model		Dim.		Pri
No.	W'	x	Ľ	/Ea
9/16" - BLACK				
SAL348	2	Х	3	
SAL357	3	Х	5	
SAL360	3	Х	75	
9/16" - BLACK/YELLOW				
SAL349	2	Х	3	
SAL358	3	Х	5	
SAL361	3	Х	75	
15/16" - BLACK				
SAL200	2	Х	3	
SAL206	3	Х	5	
SAL208	3	Х	75	
15/16" - BLACK/YELLOW				
SAL201	2	Х	3	
SAL207	3	Х	5	
SAL209	3	Х	75	

Note: Other lengths available



Model No.	w'	Dim.	Ľ		Price /Each
5/8" BLACK					
SBA894	2	Х	3		
SBA895	3	Х	5		
5/8" BLACK	W/YEI	LLOV	V BOI	RDERS	
SBA902	2	Х	3		
SBA903	3	Х	5		

Model	Dim.				Price
No.	W'	X	Ľ		/Each
1" BLACK					
SBA878	2	Х	3		
SBA879	3	Х	5		
1" BLACK W	//YELL	ow	BORD	ERS	
SBA886	2	Х	3		
SBA887	3	х	5		



TILE-TOP AM NO. 420 & ULTRASOFT TILE-TOP AM NO. 419

100% ANTI-MICROBIAL (AM) MATS

- Especially effective in areas where exposure to micro-organisms and chemicals is common
- Tile-Top AM mats are permanently anti-microbial
- The non-porous vinyl surface has an extra wear layer for exceptional abrasion and chemical resistance
- The mats superb comfort comes from its nitrile composite sponge base
- Tile-Top AM is a standard 1/2" thick while UltraSoft Tile-Top AM (7/8" thick) features a double-thick sponge base for those employees who need an even more comfortable standing surface

100% antimicrobial!





TILE-TOP NO. 420AM - 1/2" THICK

	Dim.			Price			
Black	Blue	Grey	Charcoal	W'	X	Ľ	/Each
SAQ654	SAQ655	SAQ658	SAQ657	2	Х	3	
SAQ670	SAQ671	SAQ674	SAQ673	3	Х	5	
SAQ661	SAQ662	SAQ664	SAQ663	2	Х	60	
SAQ677	SAQ678	SAQ680	SAQ679	3	Х	60	
SAQ686	SAQ687	SAQ689	SAQ688	4	Х	60	

Note: Other lengths available

ULTRASOFT TILE-TOP NO. 419AM - 7/8" THICK

	Model No.					Dim. Price				
Black	Blue	Grey	Charcoal	W'	x	Ľ	/Each			
SAQ319	SAQ616	SAQ618	SAQ617	2	Х	3				
SAQ320	SAQ628	SAQ630	SAQ629	3	Х	5				
SAQ619	SAQ620	SAQ622	SAQ621	2	Х	60				
SAQ631	SAQ632	SAQ634	SAQ633	3	Х	60				
SAQ639	SAQ640	SAQ642	SAQ641	4	Х	60				

Note: Other lengths available

SMART TILE-TOP NO. 496

- · Priced like a sponge mat, yet wears five times longer
- Compare to other marbleized anti-fatigue mats and reap the savings!
- Resilient sponge base is called Rebound

 a 100% recycled urethane composite
- Comfortable and functional in dry industrial applications
- Green rating > 80% recycled

A smart solution to standing worker fatigue, this mat is economically priced and GREEN.











	Model	No.			Dim.		Price
Black	Grey	Blue	Charcoal	W'	X	Ľ	/Each
1/2" THIC	CK						
SBA910	SBA926	SBA942	SBA958	2	Х	3	
SBA911	SBA927	SBA943	SBA959	3	Х	5	
SBA912	SBA928	SBA944	SBA960	2	Х	60	
SBA913	SBA929	SBA945	SBA961	3	Х	60	
SBA914	SBA930	SBA946	SBA962	4	Х	60	
7/8" THIC	CK						
SBA918	SBA934	SBA950	SBA966	2	Х	3	
SBA919	SBA935	SBA951	SBA967	3	Х	5	
SBA920	SBA936	SBA952	SBA968	2	Х	60	
SBA921	SBA937	SBA953	SBA969	3	Х	60	
SBA922	SBA938	SBA954	SBA970	4	Х	60	

Note: Other lengths available



OFFICE

TUF SPONGE NO. 451 & DELUXE TUF SPONGE NO. 442

WEARWELL

TOP QUALITY PVC SPONGE MATTING!



Comfort & practicality all rolled into one mat!

- Excellent choices for practical and economical comfort
- Blown-vinyl sponge ergonomically designed to reduce floor hardness up to 50%
- Available in workstation mats and rolls, they can easily be "custom" cut to fit your work areas
- Available in widths up to 6' with all edges safety rounded on full rolls and stock sizes

COLOUR:

- Tuf Sponge: Black, grey, black w/yellow borders (available on request)
- Deluxe Tuf Sponge: Black, grey

TUF SPONGE NO. 451

Model No.			Dim.			
Black	Grey	Thickness"	W'	x	Ľ	/Each
NB550	NB551	3/8	2	Х	3	
NB565	NB566	3/8	3	Х	5	
NB568	NB569	3/8	3	Х	60	

Note: Other lengths available

DELUXE TUF SPONGE NO. 442

Mode	el No.			Dim.		Price
Black	Grey	Thickness"	W'	х	Ľ	/Each
SAL174	SAL175	5/8	2	Х	3	
SAL180	SAL181	5/8	3	Х	5	

ULTRA-TRED ARMORCOTE NO. 440

A URETHANE COATED, PVC SPONGE ANTI-FATIGUE MAT



Urethane coating increases durability, resistance to chemicals & clean-up ease!

- Offers the comfort of a PVC sponge plus the chemical and abrasion resistance of a double-thick urethane coating on the surface
- Ideal for use in mostly dry applications such as labs and other medium traffic areas 3/8" thick
- Colour: Black w/yellow safety borders

WARRANTY

WEARWELL

Model		Dim.		Price
No.	W'	X	Ľ	/Each
NB533	2	χ	3	
NB537	3	Х	5	
NB534	3	Х	12	
SAJ811	2	Х	60	
NB538	3	Х	60	
NB540	4	χ	60	


Note: Other lengths available

ENDURABLE NO. 459



- · This PVC sponge has a remarkably durable and abrasion resistant surface
- The dense PVC surface, created during the manufacturing process, is heat bonded to a comfortable sponge base
- This dual density anti-fatigue mat lasts much longer than similar products, but is very economical
- Edges beveled for safety
- 1/2" thick
- Colour: Black





1-YEAR WARRANTY

New, longer wearing, two-in-one construction!

Model		Dim.		Price
No.	W'	X	Ľ	/Each
NG593	2	Х	3	
NG596	2	Х	60	
NG594	3	Х	5	
NG595	3	Х	12	
NG597	3	Х	60	
NG598	4	Х	60	

Note: Other lengths available



1/4" RUBBER RUNNER



- · Flexibility in cold weather
- Long wearing, superior abrasion resistance and comfort
- · Does not curl up on the edges
- · Absorbs noise from hard floor
- 1/4" thick
- Colour: Black



1/8" RUBBER RUNNER



- · Flexibility in cold weather
- Long wearing, superior abrasion resistance and comfort
- Does not curl up on the edges
- Absorbs noise from hard floor
- 1/8" thick
- · Colour: Black

Applications: All entrances.



Model	Dimensions	Price
No.	W' x L'	/Each
JA686	3 x lin.ft.	/lin.ft.

Model	Di	mensi	ons	Price	
No.	W'	x	Ľ	/Each	
WIDE RIBBED					
NI364	2	Х	lin.ft.	/lin.ft.	
NI306	3	Х	lin.ft.	/lin.ft.	
NI307	4	Х	lin.ft.	/lin.ft.	

STANDARD CORRUGATED VINYL NO. 381

THE MOST POPULAR RUNNER MAT!



The all-purpose runner that makes floors safer to walk on!

- Protects floors from foot traffic or special events
- Adds traction where needed
- Reduces cleaning costs
- Flexible, yet durable vinyl compound easily rolls up after use
- Won't curl or shrink during use and is resistant to many chemicals and cleaning fluids
- 1/8" thick
- · Colour: Black



WARRANTY



Model	Dir	nensi	ons	Price
No.	W'	X	Ľ	/Each
SDT956	3	Х	6	
SDT874	3	Х	12	
SDU103	4	Х	6	
NB376	4	Х	105	

RUNNER MATS

- Fine ribbed rubber runner mats
- · Durable rubber mat resists harsh weather conditions
- Easy to clean
- · Adds traction to any entrance
- Thickness: 1/8"
- · Colour: Black





Model	Dimensions		Price
No.	W' x L'	Style	/Each
SDL875	2 x 75	Fine Ribbed	
SDL876	3 x 75	Fine Ribbed	
SDL877	4 x 75	Fine Ribbed	
SDL878	2 x lin.ft.	Fine Ribbed	/lin.ft.
SDL879	3 x lin.ft.	Fine Ribbed	/lin.ft.
SDL880	4 x lin.ft.	Fine Ribbed	/lin.ft.
SGG088	3 x 75	Wide Ribbed	
SGG089	3 x lin.ft.	Wide Ribbed	/lin.ft.

Note: Other lengths available

OFFICE PRODUCTS NSTRUMENTS SCALES & ELECTRICAL SHIPPING & PACKAGING

TOOLS &

WELDING &

SAFETY EQUIPMENT

JANITORIAL & MAINTENANC MATERIAL HANDLING 8

HOG HEAVEN

- Solid textured nitrile rubber surface for better chemical and oil resistance, and superior slip resistance
- Welding safe
- Electrically conductive
- Closed cell nitrile/PVC cushion
- 100% nitrile border will not crack or curl
- · Unmatched durability
- Available in black and black/yellow safety stripes



HAPPY FEET

- Combine exceptional anti-fatigue performance with unique safety features
- Dense closed-cell rubber cushion encapsulated with solid nitrile rubber
- Resistant to chemicals, animal fats and petroleum products
- Static dissipative and safe for use in computer rooms and electrical parts manufacturing
- Safe for welding
- Low profile, beveled edges available
- with safety striped borders
- Colour: Black, black and yellow, other colours available on request



Anti-fatigue mat

specifically designed

for welding!



5/8" THICK

Model		Dim.		Price
No.	W'	х	Ľ	/Each
BLACK NO	. 421			
SAM152	2	Х	3	
SAM153	3	Х	5	
SAM154	3	Х	12	
SAM155	4	Х	6	
BLACK/YE	LLOW N	VO. 4	23	
SAM159	2	Х	3	
SAM160	3	Х	5	
SAM161	3	Х	12	
SAM162	4	x	6	

7/8" THICK

Model		Dim.		Price						
No.	W'	X	Ľ	/Eacl						
BLACK NO. 422										
SAM166	2	Х	3							
SAM167	3	Х	5							
SAM168	3	Х	12							
SAM169	4	Х	6							
BLACK/YE	LLOW N	10.4	24							
SAM173	2	Х	3							
SAM174	3	Х	5							
SAM175	3	Х	12							
SAM176	4	Х	6							

TEXTURE-SURFACE NO. 480

Model		Dim.	Price	
No.	W'		Ľ	/Each
BLACK				
SAM180	2	Х	3	
SAM181	3	Χ	5	
BLACK/YELLOW				
SAM183	2	Х	3	
SAM184	3	Χ	5	

CUSHION MAXTM

- Superior anti-microbial, anti-fatigue mat for comfort and ergonomic benefits
- Made of 100% nitrile/PVC closed cell foam · Diamond patterned surface that
- is more than twice as durable as traditional PVC foam mats
- · Solid pattern helps to reduce slip and fall accidents while beveled borders make for a safe transition from floor to mat
- Cost effective alternative to traditional PVC foam mats
- Ozone resistant
- · Recommended for use in warehouses, picking lines, assembly lines, work stations, check out stations, labs or other wet or dry environments
- 5/8" thick
- Colour: Black




WELDSAFE® NO. 447

- Dramatically reduces fatigue while withstanding the challenges of welding environments
- Specially formulated to repel sparks and hot metal shards, the thick rubber surface has a melt point of over 500°F
- The super resilient Nitricell® sponge base is a nitrile rubber composite that offers unparalleled comfort
- All edges are safety bevelled
- 9/16" thick
- Green rating > 33% post industrial material
- · Colour: Black









Model		Dim.	1	Price	
No.	W'	X	Ľ	/	Each
SAR819	2	χ	3		
SAR820	3	Х	5		
SAR821	3	Х	12		
SAR822	4	Х	6		

Available with drainage holes



Model	D	im.		Price
No.	W'	X	Ľ	/Each
NG181	2	Х	3	
NG182	3	Х	5	

Note: Other lengths available.







NON-CONDUCTIVE **CORRUGATED SWITCHBOARD** NO. 702 & DIAMOND PLATE SWITCHBOARD NO. 701

CAN INSULATE UP TO 30 000 V!

- High-performance non-conductive matting protects personnel in areas with dangerous high-voltage equipment
- Maximum rating: 30 000 V
- Recommended usage: up to 17 000 $\,\mathrm{V}$
- The corrugated surface is abrasion resistant and easily cleaned
- 1/4" thick
- Conforms to ANSI/ASTM D-178-01 Type 2, Class II
- Passes MSHA IC-246 fire resistance test (mining safety)
- Colour: Black





NO. 702

Model		Dim		Price
No.	W'	X	Ľ	/Each
CORRUGA	TED			
SAL242	2	Х	75	
NB657	3	Х	75	

Note: Other lengths available

NO. 701

Model		Dim.		Price				
No.	W'	X	Ľ	/Each				
DIAMOND-PLATE								
SAL236	2	Х	75					
SAL238	3	Х	75					

STATIC DISSIPATIVE ANTI-FATIGUE NO. 791

QUICKLY DRAINS STATIC ELECTRICITY FROM WORKERS

· Frequently used in commercial areas where static discharge can harm products or equipment

- Excellent resistivity: RTG 1 x 10⁷ ohms
- Super resilient Nitricell® sponge base provides long-term comfort and relieves employee fatigue Easy-to-clean vinyl surface and safety bevelled edges
- Each mat has a one mega ohm snap and must be grounded
- Workers must be wearing conductive shoes or heel grounders (SAL252) to allow the mats to function
- 1/2" thick
- Ground wire sold separately







Model		Dim.			Price
No.	W'	х	Ľ	Colour	/Each
NH534	2	Х	3	Grey	
NH535	3	Х	5	Grey	
SAJ574	15' L Ground \	Vire (Sol	d Separately)	-	

Grounding snap is attached to lower left hand corner of each mat

ELECTRICALLY CONDUCTIVE ANTI-FATIGUE NO. 786DP



Protects workers from fatique & electronic equipment from damage!

- Ideal for use in areas at risk for damage from static electricity from workers before it can be passed on to sensitive equipment with microprocessors or to flammable liquids
- Surface prevents the accumulation of static electricity
- Nitricell® sponge base provides superior comfort and productivity
- This mat must be grounded; for maximum effectiveness, ground every 8' to 10'
- 9/16" thick
- · Colour: Black





WEARWELL

Model	Dim.			Price	
No.	W'	X	Ľ	Description	/Each
NB692	3	Х	5	Diamond Plate Surface	
SAL243	2	Х	3	Smooth Surface	
SAR335	3	Х	5	Smooth Surface	
SAJ574	-	-	-	15' L Ground Wire (Sold separately)	

Note: Other lengths available

Can't find what you're looking for?



Call us today!

1-YEAR WARRANTY

STAT-FREE WORK SURFACE MATS

- · Very functional, effective solution in areas where static control is imperative
- Designed for workbenches and desks, underneath computers and at workstations where sensitive components are packaged or repaired
- Flexible, three-layer construction has a conductive scrim sandwiched between two layers of vinyl
- Provides excellent electrical properties
- For maximum effectiveness, ground the mat using SAR851 and ground the worker with SAR852
- · Colour: Blue





Model		Dim.			Price				
No.	W'	X	Ľ		/Each				
SAR847	2	Х	3						
SAR848	2	Х	4						
ESD WORK SURFACE ACCESSORIES									
SAR851 Common	Common Point Ground Cord 15'								
SAR852 Wrist	Strap	w/6'	Coil Cor	d					

ESD WORK SURFACE ACCESSORIES

COMMON POINT GROUND CORD 15'

- The molded-in male fastener connects to the snap on the table top mat, while the terminal on the 15' cord connects to a building ground
- For use with a ESD Wrist Strap
- · Grounds two wrist straps to one point
- Solderless terminal
- RTG 1 mega ohm

Model No. SAR851 Price/Each \$



WRIST STRAP WITH 6' COIL CORD

- · Use to ground workers to their ESD tabletops matting
- One size fits all comfort strap

Model No. SAR852 Price/Each \$





WORKSAFE® LIGHT NO. 478 CFR



A NEW compound resistant to mineral oil based cutting fluids.

1-YEAR WARRANTY

- This best-selling, lightweight, high performance drainage mat is now resistant to mineral oil based cutting fluids
- The new CFR (Cutting Fluid Resistant)
 formulation is perfect for wet industrial areas
- Its lightweight design eases the strain of clean-up, yet keeps employees quite comfortable
- WorkSafe® Light is 1/2" thick with molded beveled edges for easy access
- A well-engineered drainage system that keeps debris from becoming trapped



Model			Price		
No.	Description	W'	X	Ľ	/Each
NB632	-	3	Х	5	
NB630	-	3	Х	10	
NB631	-	3	Χ	20	
SAL221	Connector		-		

ELEVATE SPORT NO. 372 DRAINAGE MAT

ANTI-FATIGUE MATTING

- Ultimate sports and leisure
- matting for wet, barefoot traffic
 Lightly embossed surface that delivers
- Lightly embossed surface that delivers
 both comfort and slip prevention underfoot
- Below the surface, channeled underbars provide fast, multi-directional drainage
- Constructed of UV resistant, anti-fungal and anti-microbial PVC
- Type: Anti-Fatigue
- Thickness: 3/8"
- · Material: PVC
- · Surface Type: Slotted
- Environment: Wet





Model		Price			
No.	Colour	W'	X	Ľ	/Each
JH565	Blue	2	Х	3	
JH568	Blue	3	Х	5	
JH597	Charcoal	2	Х	3	
JH600	Charcoal	3	Х	5	

WORKSAFE® NO. 477

7/8" THICK, HIGH PERFORMANCE DRAINAGE MAT



A high performance drainage mat designed for safety, cleanliness & worker comfort!

> 1-YEAR WARRANT

- · Extra-thick, drainage mat designed for worker comfort
- Premium natural rubber compound; use around water, mild chemicals and detergent solutions
- Angled drainage holes and underside knobs allow debris and fluids to flow through
- Connect mats side by side with connector strips
- Optional edging also available
- Colour: Black



Model		Dim.					
No.	Description	W'	X	Ľ	/Each		
NB468	Single	2	χ	3			
NB469	Single	3	Х	4			
NB621	Single	3	Х	5			
NB472	Connector		-				

COMFORT FLOWTM

- Fully launderable mat that performs great as an anti-fatigue mat and as a flow-through mat in wet or dry environments
- · Constructed of 100% high density nitrile rubber
- For superior resistance to grease and oil
- Provides excellent anti-fatigue properties for added employee comfort and improved ergonomics
- Non-skid backing keeps mat in place
- Drainage holes for easyflow of water and debris
- Beveled edges for safe access
- Anti-microbial treated: Guards against degradation from micro-organisms and minimizes mats being a source of odours
- Recommended for use in kitchens, behind bars and wet industrial applications
- Welding safe; highly resistant to high temperatures
- Low profile, 3/8" thick and slip-resistant surface
- Colour: Black







Model		Dim.		Price
No.	W'	x	Ľ	/Each
SAR813	2	х	3	
SAR814	3	Х	5	
SAR815	4	Х	6	
SAR816	3	Х	9	

TRAXION GRIP NO. TIL1

- Modular interlocking 12" x 12" tile mat
- Wraparound edging prevents tripping
- 529 holes per tile assures excellent drainage of fluids
- Raised grippers on tiles guard against slippage
- 1/2" PVC is resistant to chemicals, oils, grease and animal fat
- Resistant to mould and mildew
- Fire resistant

Applications:

Wet or dry work areas.

Modular design allows you to size the mat to your exact specifications!

Model		Price
No.	Colour	/Each
TILES		
NB726	Black	
NB727	Blue	
WRAPAROUND EDGES		
NB734	Black	
NB735	Blue	

COMFORT TRED NO. TIL2





- Raised ridges scrape off dirt
- Drainage holes allow dirt to fall through tiles
- Resistant to mould and mildew
- 12" x 12" tiles with optional beveled wraparound edges

Applications:

Indoor entrances and shower areas.



allows you to size the mat to your exact

WRAPAROUND EDGES

TILES

Model		Price	Model	Price
No.	Colour	/Each	No.	/Each
NB378	Black		NB386	
NB380	Grey		NB388	
NC822	Navy		NG055	

ADD-A-LEVEL® WORK PLATFORMS

- Stackable platform is adjustable to any height for worker comfort
- Modular design permits hundreds of floor plans with interchangeable parts that snap together
- Can be assembled to desired height, length, or width with stacker and Poly-Clip system
- Made from strong, durable, high-impact plastic which resists oils, gas, acids and most chemicals
- No tools required
- Flow-through grid design permits scrap and liquids to fall through or drain below
- Base unit includes 4 rubber feet
- Join the base to one or more add-on units to raise the height
- Each unit is 2 5/8" and includes 4 stackers to connect platforms together vertically
- For horizontal connection use poly clips
- For worker comfort and to prevent worker fatigue place a platform mat on the top platform
- Choose a 1/2" grease-resistant mat or a 7/8" comfort drainage mat, both available in black or black with yellow borders for added visibility
- Plug-Lock system locks mats to platforms
- · Ideal to outfit entire machine areas and departments

PLATFORM MATS

Model		Dim		Price
No.	W'	X	Ľ	/Each
7/8" COMFORT DRAIN	AGE MAT - BLAC	CK		
NG201	2	Х	3	
NG202	2	Х	5.5	
NG203	2	Х	8	
BLACK W/YELLOW BO	RDERS			
NG205	2	Х	3	
NG206	2	Х	5.5	
NG207	2	Х	8	


ACCESSORIES


Model			Dim.		Price
No.	Description	W'	X	Ľ	/Each
NG209	Poly-Clip Connectors (4/pkg.)		-		
PLATFORMS					
NG185	Base Unit	2	Х	3	
NG186	Add-on Unit	2	Х	3	
NG187	Base Unit	2	Х	5.5	
NG188	Add-on Unit	2	Х	5.5	
NG189	Base Unit	2	Х	8	
NG190	Add-on Unit	2	Х	8	














0


SANITIZING FOOTBATH MAT NO. 222

DECONTAMINATES & DISINFECTS FOOTWEAR

- Great for food processing plants, keeps hygienic areas free of contamination and germs
 Has thousands of pliable rubber scrapers
- that dislodge contaminants from footwear as the shoe soles are immersed in the disinfectant solution
- Holds one gallon of disinfectant solution - chlorine or quaternary
- SAQ090 allows the mat to hold up to 5.5 gallons of sanitizing solution
- When filled to a practical level, the solution will totally immerse the treads of the boot sole while the fingertips release any accumulations
- · Colour: Black
- Accepted for use in Canadian food processing facilities

5/16"









Model	Dim.	Absorption	Price
No.	W" x L"	Capacity	/Each
SAL651	24 x 32	1 gallon	

FOOT SANITIZING MATS

- Foot sanitizing mats are designed to decontaminate shoes and boots from spreading germs and bacteria
- Ideal for food processing facilities
- Rubber scrappers at the base of the mat dislodge contaminants from shoes or boots while the soles are soaking in solution
- Chemically resistant to common disinfectant solutions
- Capacity: 5.5 gallons
- Dimensions: 2-2/3' W x 3-1/4' L
- · Colour: Black
- Environment: Dry
- Style: Solid MatSurface: Pebbled Pattern



CLEAN ROOM MAT


- Adhesive surface removes dirt and dust from shoes and equipment wheels
- Ideal for reducing contamination in clean rooms and controlled environments
- · Each layer can be used multiple times and removed once dirty
- Place on tile, concrete or low-profile carpeting
- · Material: Polyethylene
- No. of Sheets: 30



Model	Dim	ens	ions		
No.	L"	X	W"	Thickness	Colour
SDS992	36	Х	18	40 mics	Blue
SDS993	36	Χ	18	40 mics	White
SDS994	45	Х	18	40 mics	Blue
SDS995	45	Χ	18	40 mics	White
SDS996	45	Х	24	40 mics	Blue
SDS997	45	Х	24	40 mics	White
SDS998	36	Х	24	40 mics	Blue
SDS999	36	Х	24	40 mics	White
SDT001	45	Х	36	40 mics	Blue
SDT002	45	Х	36	40 mics	White

GRADE "A" NO. 482

- Specially formulated anti-bacterial nitrile rubber composite designed to withstand solutions used in a wide variety of food processing environments
- 100% anti-microbial with built-in handles to ease pick-up and cleaning of the mats
- NSF Certified
- Hygienic porthole and solid underside design of the mat simplify cleaning and virtually eliminates areas where food can collect
- Substantial underside knobs allow quick drainage and increase the comfort level of the mat
- Flat, but textured surface increases traction when greasy and wet
- 1/2" thick
- Colour: Terra cotta
- Accepted for use in Canadian food processing facilities
- CFIA approved



Built-in Handle



2-YEAR WARRANTY

Model		Price		
No.	W"	х	L"	/Each
SAN571	30	Х	36	
SAN572	30	Х	60	
SAN572	30	Х	60	

ZENTH

Model

SDL873 SDL874

No.

Description

Black with Black Border

Black with Yellow Border

/Each

BEST

WD™ ELEGANCE MAT

- For application in dry areas
- Appropriate for use in hotels, banks, post offices and retail stores
- Attractive pattern choice to compliment any décor
- Other colours and dimensions available
- Thickness: 9/16"







Anti-Fatigue 8/10 Durability 8/10

SDP157

	Adnerence	//	10	
nsi	ons			

Mod	el No.	Dimensions	Price
Texture Grey	Texture Beige	W' x L'	/Each
SDP157	SDP162	2 x 3	
SDP158	SDP163	3 x 5	
SDP159	SDP164	3 x 12	

WD™ TRACTION PLUS MAT

- · For application in dry areas
- Appropriate for use in car dealerships,
- convenience stores and packaging stations
- Raised Herringbone top surface affords multi-directional grip for safe movements
- Colour: Black/Blue
- Other colours and dimensions available
- Thickness: 5/8"







SDP101

Anti-Fatigue 8/10

Durability 8/10

Adherence 9/10

Model	Dim	ensi	ons	Price
No.	W'	X	Ľ	/Each
SDP101	2	Х	3	
SDP102	3	Х	5	
SDP103	3	Х	12	

BETTER

COMFOR-KING™ MAT

- For applications in dry areas
- Suitable for retail stores, car dealerships, and grocery stores
- Maintains flexibility and anti-fatigue properties even in low temperatures
- Other colours and dimensions available
- Thickness: 3/8"









Anti-Fatigue 10/10

Durability 6/10

Adherence 8/10

Mode	l No.	Dimensions	Price
Black	Black & Yellow	W' x L'	/Each
SEB181	SDP113	2 x 3	
NG878	SDP114	3 x 5	
SDP112	SDP115	3 x 12	
NG880	SDP116	2 x 60	

INDUSTRIAL DECK PLATE MAT

- · For industrial applications in dry areas
- · Appropriate for use in assembly lines, packaging stations and other workstations
- Heavy-duty, slip resistant surface tolerates cart traffic
- Other colours and dimensions available
- Thickness: 9/16"









Anti-Fatigue 5/10 Durability 7/10

SDP117

Adherence 9/10

Model No. **Dimensions** Black Black & Yellow W' x L' SDP122 SDP117 2 x 3 SDP123 SDP118 3 x 5 SDP124 SDP119 3 x 12 SDP125

GOOD

TUFF-SPUN MAT

- · For applications in dry areas
- Appropriate for use in retail stores, car dealerships and grocery stores
- Closed-cell sponge optimizes economical comfort and fatigue relief
- Other colours and dimensions available
- Thickness: 3/8"











Anti-Fatigue 5/10

Adherence 5/10

Model No.		Dim	ensi	Price	
Black	Black & Yellow	W'	X	Ľ	/Each
SDP137	SDP142	2	Х	3	
SDP138	SDP143	3	Χ	5	
SDP139	SDP144	3	Х	12	
SDP140	SDP145	3	Х	60	

WEAR-BONDTM TUFF-SPUN° MAT

- · For applications in dry areas
- Appropriate for use in retail stores, car dealerships and grocery stores
- Other colours and dimensions available
- Thickness: 9/16"





Black





Model	No.	Dim	Dimensions		Price
Black	Black & Yellow	W'	X	Ľ	/Each
SAX700	SAX707	2	Х	3	
SAX701	SAX708	3	Х	5	
SAX702	SAX709	3	Х	12	
SAX705	SAX712	3	Х	75	

BEST

WD™ FOODMASTER MAT

- · For application in food preparation areas such as bakeries, bars, and cafeterias
- Specially formulated surface resists spillage of food, sugar, fat, oil and alcohol
- · Other colours and dimensions available
- Thickness: 9/16"





ZEDLAN







SDP167

Model No.		Dimensions			
Dark Grey	Light Grey	W'	X	Ľ	/Each
SDP167	SDP172	2	Х	3	
SDP168	SDP173	3	Х	4	
SDP169	SDP174	4	Х	12	
SDP170	SDP175	2	Х	60	

WD™ DECK PLATE MAT

- · For industrial application in dry areas
- Appropriate for use in assembly lines, packaging stations and other workstations
- Heavy-duty, slip resistant surface tolerates cart traffic
- Other colours and dimensions available
- Thickness: 5/8"











Anti-Fatigue 8/10

SEE635

Durability 8/10 Adherence 9/10

Model No.		Dimensio	ns Price
Black	Black & Yellow	W' x	L' /Each
SEE635	SEE637	2 x	3
SEE636	SEE638	3 x	5
SDP106	SDP109	3 x	12
SDP107	SDP110	2 x	75

BETTER

SHEER-GRIP™ MAT

- For applications in wet areas such as locker rooms, showers and walk in freezers
- Soft, flexible surface provides excellent fatigue relief
- Colour: Grey
- Other dimensions available
- Thickness: 1/2"









Anti-Fatigue 3/10

Durability 10/10

Adherence 10/10

Model	Dimensions			
No.	W'	х	Ľ	,
SDP127	2	Х	40	
SDP128	3	Х	40	
SDP129	4	Х	40	

SAFEWALKTM LIGHT MAT

- · Closed-cell rubber construction
- · Appropriate for use in dishwashing areas, cafeterias, laundry rooms, and arenas
- Other dimensions available
- Thickness: 7/8"
- Black: For wet areas
- Terra Cotta: For oily environments











Durability 7/10

Adherence 8/10

Model		Dimensions	Price
No.	Colour	W' x L'	/Each
SDP132	Black	3 x 5	
SDP133	Black	3 x 9.9	
SDP135	Terra Cotta	3 x 5	
SDP136	Terra Cotta	3 x 9.9	

GOOD

PRO-TEKT™ MAT

- · For commercial floor protection applications
- Provides good slip resistance and insulation
- Easy to clean and cut to shape
- Colour: Black
- Other dimensions available
- Thickness: 1/8'



Anti-Fatigue 0/10

Durability 6/10

Adherence 6/10





Model	Din	Dimensions		
No.	W'	X	Ľ	/Ea
SDP148	3	Х	60	
SDP149	4	Χ	60	
SDP150	6	Х	60	

WIDE RIB RUBBER MAT

- · Durable rubber surface is slip-resistant and resists abrasion
- · For commercial floor
- protection applications Provides good slip
- resistance and insulation Easy to clean and cut to shape
- Colour: Black
- Other dimensions available
- Thickness: 1/8"





Anti-Fatigue 0/10 Durability 4/10

SDP153

Adherence 6/10

Model	Dimensions			Price
No.	W'	x	Ľ	/Each
SDP153	3	Х	75	
SDP154	4	Х	75	

CHOOSING THE RIGHT MAT

There are three types of matting to consider. To select the right type for you, we recommend following these steps:

- 1. Identify the type of area where you wish to install the carpet, taking into account the amount of traffic it will experience. (ex: heavy traffic vs. light traffic)
- Refer to the collection of products in the following pages and locate the right fit for you. We've categorized each mat to correspond to one of the four traffic categories, colour coded for your convenience
- Choose a scraper, a wiper/scraper and a wiper mat. Note: for best results, use three types of mats in the following combination (ex: Upfront Scraper, Super Soaker and Proluxe)

1-SCRAPER

- Exterior usage or between two doors
- · Aggressive scraper surface, which will capture the majority of dirt from the soles of shoes
- Does not absorb moisture, which facilitates maintenance

2-WIPER/SCRAPER

- · Interior usage or between two doors
- Irregular surface which enables trapping moderate dirt that was not captured at the scraper level
- Moderately retains water and moisture that may later evaporate or be extracted at a later time

3-WIPER

- · Interior usage
- Plays a major role in the retention of water and fine dust
- · Minimizes the risk of slipping and falling

Light Traffic	Light- Medium Traffic	Medium- Heavy Traffic	Heavy Traffic
Less than 125	Between 125 and	Up to 1500	Over 1500
persons per day	500 persons per day	persons per day	persons per day
Small business	Office building	Convenience Store	University
Boutiques	Small retail store	Restaurant	Airport
Side Entrance	Bank/Postal Service	Hotel	Hospital
Etc.	Car Dealership	Theatre	Large retail store
	Motel & Inn	Museum	Shopping Mall
	Etc.	Convention Centre	School
		Etc.	Etc.

DID YOU KNOW?

The proper use of entrance mats is recognized by the Green Building Council of Canada, under LEED° certification system (Leadership in Energy and Environmental Design), visioning a transformed built environment leading to a sustainable future. Some Mat Tech products can contribute to obtaining 2 credits:

1 Credit*: "Permanently use the entrance matting system to capture dirt, particles etc. from entering the building at all high volume entrances"

1 Credit**: Use material with recycled content in order that the sum [...] constitutes at least 7.5% of the total value of the material in the project. For more information, visit the website: www.cagbc.org

*EQ Credit 5 requirements, Green Building Rating System v1.0


**MR Credit 4.1 requirement, Green Building Rating System v1.0



WIPER/SCRAPERS

CHEVRON™ MAT

- · For indoor vestibule and lobby
- For medium traffic locations such as office buildings, small retail stores, banks and post offices
- Recycled surface made from 50% plastic bottles
- Other colours and dimensions available
- Thickness: 5/16"





- · For indoor vestibule or lobby
- For light-traffic locations such as boutiques, small businesses and side entrances
- Recycled surface made from 50% plastic bottles
- Other colours and dimensions available
- Thickness: 5/16"











Dirt removal 6/10

Steel-Blue

Water absorption 6/10

Crush resistance 6/10







Dirt removal 4/10

Water absorption 4/10

Crush resistance 3/10

	Model No.		Dimensi	ons	Price
Charcoal	Brown	Steel-Blue	W' x	Ľ	/Each
NH548	SAY896	SDP241	3 x	5	
NH550	SAY898	SDP242	3 x	10	
NH552	SAY897	SDP243	4 x	6	
SDP252	SDP248	SDP244	6 x	10	
JA936	SDP249	SDP245	3 x	60	
JA938	SDP250	SDP246	4 x	60	
SDP253	SDP251	SDP247	6 x	60	

Model No.		Dime	Dimensions				
Charcoal	Brown	W'	X	Ľ	/Each		
NG833	NG823	3	Х	5			
JA923	JA921	3	χ	10			
NG837	NG827	4	χ	6			
JA927	JA925	4	χ	10			
NG836	NG826	3	χ	60			
NG839	NG829	4	χ	60			
SEB534	SDL823	6	χ	60			

WIPERS

OXFORD-LITE™ MAT

- For indoor medium-traffic locations such as office buildings, small retail stores, banks and post offices
- Thermoflex backing for superior floor protection
- Other colours and dimensions available
- Thickness: 5/16"










Black/Brown




Water absorption 9/10

Crush resistance 7/10



PROLUXE™ MAT

- For indoor light-traffic locations such as boutiques, small businesses and side entrances
- Year round value solution
- providing safety on wet floorsOther colours and dimensions available
- Thickness: 5/16"









Model No. Dimensions						
Charcoal	Walnut	W' x L'	/Each			
SDP269	SDP268	2 x 3				
NG782	SDP270	3 x 4				
NG783	SDL825	3 x 5				
NG785	SDL833	4 x 6				
JA930	SDL829	3 x 10				
NG787	SDL847	3 x 60				
NG788	SDP271	4 x 60				
SDL855	SDL852	6 x 60				

SCRAPERS

CROWN-TRED™ MAT

- · For outdoor and indoor entrances and vestibules
- For light-traffic locations such as small businesses, boutiques and side entrances
- Colour: Black
- Thickness: 1/4"











Model	Dimensions	Price
No.	W x L	/Each
SDL816	2'10" x 4'7"	
SDL817	3'9" x 5'7"	
SDL818	2'10" x 9'3"	


MAT-A-DORTM MAT

- · For outdoor and indoor entrances and vestibules
- · For medium-traffic locations such as office buildings, small retail stores and car dealerships
- Colour: Black
- · Other dimensions available
- Thickness: 5/8"









Crush resistance 10/10

Model	Dimensions	Price
No.	W x L	/Each
NG819	2' x 2'8"	
NG820	2'8" x 3'3"	
NG821	3' x 6'	

WIPER/SCRAPERS

THREE-N-ONE™ MAT

- · For indoor vestibule and looby
- For light traffic locations such as small businesses, boutiques and side entrances
- Other colours and dimensions available
- Thickness: 5/16"









Water absorption 4/10

Crush resistance 3/10

Mod	del No.	Dimen	sions	Price
Charcoal	Walnut	W' x	Ľ	/Each
SDP182	SDP187	2 x	3	
SDP183	SDP188	3 x	4	
SDP184	SDP189	3 x	5	
SDP185	SDP190	3 x	10	
SDP186	SDP191	4 x	6	

CROSS-OVER™ MAT

- For indoor medium-traffic locations such as office buildings, and small retail stores
- Other colours and dimensions available
- Thickness: 5/16"









NG743



NG819

Water absorption 6/10

Crush resistance 6/10

	Model No.		Dim	ensi	ons	Price
Charcoal	Walnut	Green	W'	X	Ľ	/Each
NG743	NG735	SDP192	3	Х	5	
JA942	JA940	SDP193	3	Х	10	
NG746	NG738	SDP194	4	Х	6	
JA945	JA943	SDP195	4	Х	10	
SDL693	SDL692	SDP196	6	Х	10	

WIPERS

ECO-STEP™ MAT

- For indoor light-traffic locations such as small businesses, boutiques and side entrances
- Other colours and dimensions available
- Thickness: 1/4"



















Crush resistance 2/10

Mod	el No.	Dimensions	Price
Charcoal	Walnut	W' x L'	/Each
SDP222	SDP224	2 x 3	
SDP223	SDP225	3 x 4	
SAX714	SAX720	3 x 5	
SAX715	SAX721	3 x 10	
SAX717	SAX723	4 x 6	

WALK-A-WAY™ MAT

- · For indoor medium-traffic locations such as office buildings, and small retail stores
- Other colours and dimensions available
- Thickness: 5/16"









Green



Water absorption 8/10

Crush resistance 6/10

	Model No.		Dimensions	Price
Charcoal	Walnut	Green	W' x L'	/Each
NG767	NG759	SDP226	3 x 5	
JA954	JA952	SDP227	3 x 10	
NG770	NG762	SDP228	4 x 6	
JA957	JA955	SDP229	4 x 10	
SDL705	SDL704	SDP230	6 x 10	

SCRAPERS

DIAMOND-DELUXETM DUET MAT

- · For outdoor and indoor entrances and vestibules
- For medium to high-traffic locations such as hotels, theaters and museums
- Other colours and dimensions available
- · Thickness: 1/2'











Dirt removal 7/10

Water absorption 0/10

Crush resistance 8/10

Mod	el No.	Dimens	ions	Price
Grey Charcoal	Brown Caramel	W' x	Ľ	/Each
NH070	NH072	3 x	5	
NH073	NH075	4 x	6	

ASTRO-PLUS™ MAT

- · For indoor/outdoor entrances and vestibules
- For high traffic locations such as hotels, theaters, and museums
- Other colours and dimensions available
- Thickness: 5/8'





Dirt removal 10/10 Water absorption 0/10



SDP207

Sandy Brown

Mo	del No.	Dimen	sio	ns	Price
Charcoal	Sandy Brown	W'	X	Ľ	/Each
SDP177	SDP178	3-3/10	Х	4	
SEM254	SEM257	3-3/10	χ	5	
SDP179	SDP180	3-3/10	χ	8	
SEM255	SEM258	6-3/10	Х	4	
SDL624	SDP181	6-3/10	Х	8	

Crush resistance 9/10

WIPER/SCRAPERS

OXFORD™ ELITE MAT

- · For indoor vestibules and lobbies
- · For medium/high traffic locations such as hotels theaters and museums
- Other colours and dimensions available
- Thickness: 7/16"











Dirt removal 7/10 Water absorption 8/10 Crush resistance 7/10

Mod	el No.	Dime	nsi	ons	Price
Black/Grey	Black/Brown	W'	X	Ľ	/Each
SDP197	SDP202	3	Х	5	
SDP198	SDP203	3	Χ	10	
SDP199	SDP204	4	Х	6	
SDP200	SDP205	4	Х	10	
SDP201	SDP206	6	Х	10	

MARATHON™ MAT

- For indoor vestibules and lobbies
- For high traffic locations such as Universities, airports and hospitals
- Other colours and dimensions available
- Thickness: 3/8"

SDP197











Dirt removal 7/10

Water absorption 8/10

Crush resistance 9/10

	Model No.		Dimensions Price
Charcoal	Grey-Blue	Beige	W' x L' /Each
SDP207	SDP212	SDP217	3 x 5
SDP208	SDP213	SDP218	3 x 10
SDP209	SDP214	SDP219	4 x 6
SDP210	SDP215	SDP220	4 x 10
SDP211	SDP216	SDP221	6 x 10

WIPERS

OXFORD™ MAT

- · For indoor areas
- For medium-high traffic locations such as hotels, theaters, and museums
- Other colours and dimensions available
- Thickness: 7/16"
















Water absorption 10/10





DUST-STARTM MAT

- · For indoor high traffic areas such as universities, schools, airports and shopping malls
- Other colours and dimensions available
- Thickness: 1/2"















Water absorption 10/10

Crush resistance 3/10

Mod	el No.	Dimensions	Price
Charcoal	Walnut	W' x L'	/Each
SEM260	SDL648	3 x 5	
SEM262	SEM265	3 x 10	
SEM261	SEM264	4 x 6	
SDL658	SDL656	4 x 10	
SDL662	SDL660	6 x 10	

SCRAPER MAT

- Scrape shoes and boots clean to avoid tracking dirt, slush, and snow
- Durable rubber mat resists harsh weather conditions Numerous rubber fingers are ideal for trapping dirt
- Beveled edging to help prevent tripping
- Easy to clean
- Surface Pattern: Textured
- 1/2" thick

ZEN

· Colour: Black

Applications: Heavily trafficked outdoor entrances




Model	Dim.
No.	W" x L"
SFQ527	24 x 32
SFQ528	32 x 39
SFQ529	28 x 46
SFQ530	36 x 60
SFQ531	36 x 72

SUPER SCRAPE NO. 555 MATS

- Ideal for removing dirt and adding slip resistance
- 100% nitrile rubber construction is ideal for kitchens, locker rooms, slippery inclines, restaurants and more
- Low profile
- · Highly durable for years of use
- 3/16" thick
- Colour: Black





Model		Dim.			
No.	W'	X	Ľ		/Each
JA680	2.5	Х	3		
JA681	3	Х	5		
JA682	3	Х	10		
JA683	4	x	6		

Ask us about volume prices!



In many cases you will benefit from quantity prices.

WIPER/SCRAPERS - WATERHOG™ FASHION

- Unique ridged construction effectively removes and traps dirt and moisture
- Exclusive rubber-reinforced face nubs prevent pile from crushing, extending product life
- Anti-static 100% premium polypropylene fibre system
- · Highly durable, makes it the perfect choice for indoor or outdoor applications
- Gripper rubber backing minimizes movement
- Exclusive "water dam" traps dirt and water so they stay in the mat and off of your floor-minimizing slip hazards and floor damage around the perimeter of the mat
- Attractive fabric border
- · Fabric dries quickly; will not fade or rot
- · Can easily be vacuumed or hosed off
- 3/8" thick
- Other sizes and colours available







Mod	lel No.		Dim.		Price
Charcoal	Grey	W'	X	Ľ	/Each
JA154	JA159	3	Х	5	
JA155	JA160	3	Х	10	
JA156	JA161	4	Х	6	
JA157	JA162	4	Х	10	
JA158	JA163	6	Х	12	

SCRAPER MATS

- Scrapes shoes and boots clean to avoid tracking dirt, slush, and snow
- Durable rubber mat resists harsh weather conditions
- Low profile design, 5/16" thick
- Easy to clean
- 3' W x 5' L
- Available with slots to facilitate drainage

ZEN/TH

Model

SDL872

No. SDL871

Colour: Black



BOOT 'N SHOE BRUSHES

- · Brushes thoroughly clean all boot and shoe surfaces
- Flip the brushes up to reveal a heavy duty sole scraper

Anchor it in concrete or secure the solid metal frame with a single foot while cleaning the other

Shipped completely assembled Polypropylene stiff bristle



Model	Block Size"					Price	
No.	Description	W"	X	L"	X	D"	/Each
NH576	Boot 'N Shoe Brush, Blue	14 3/4	Х	16 1/2	Х	7	
NH577	Replacement Brush, Blue	10	Х	4 1/2	Х	3 1/2	

WET SHOE/BOOT TRAY

Keeps dirt and moisture away from floors and carpets

Description

Solid

Slotted

- Built-in gutter collects water and dirt to keep it away from footwear and off of the floor
- Lightweight, recycled plastic boot tray helps keep floors free of snow, slush and rain
- Material Plastic
- Qty/Case: 6 Trays
- Priced/Sold Per: Tray



Model		Dim.			Price
No.	W"	X	L"	Colour	/Each
JI503	27	Х	14	Black	
JI504	27	Х	14	Grey	

BOOT SCRAPER

- Scrape shoes and boots clean to avoid tracking dirt, slush, and snow
- Rubber fingers brush the sides and bottom of boots
- Portable or can be made fixed (mounting hardware not included)
- Overall Length: 12"
- · Easy to clean

Model No. SFQ526 Price/Each \$





AUTOMATIC SHOE COVER DISPENSER

- · Automatically fits over shoes without bending, saving time and effort
- Improve cleanliness and help reduce cross contamination in many facilities such as food processing, hospitals, farms, pharmaceutical and other areas
- that must remain clean
- Quick and easy to refill





Model No.	Mfg. No.	Description	Price /Each
JD263	AD1	Shoe Cover Dispenser	
SHOE	COVER REFILLS		

SHOE COVER REFILLS						
Model No.	Mfg. No.	Туре	Qty /Box	Price /Box		
JH466	ADR2	Regular	100			
JH467	ADR3	Non-Slip	100			

BOOT-BOY® INDUSTRIAL FOOTWEAR CLEANERS

- · Constructed of 14-gauge hot rolled steel
- Nylon brush is long-lasting and easily replaceable
- Brush can be used wet with water, degreasers in pan or dry
- Plugs into any standard outlet
- 1/3 HP ball bearing motor
- CSA Approved
- Powder coated finished in red

Model No. NI593 Price/Each \$



