

---

# 4GV Plus

SUBMERSIBLE 4" SEWAGE PUMP CURVES



**6 - 10 HP THREE PHASE AND**

**3.1 - 5 HP THREE PHASE**

---

6 - 10 HP Three Phase

## 4GV Plus 3Ø Composite Curve




NOTE: Curves show performance with clear cold water.


<b>A</b> = 7.95"	<b>C</b> = 6.69"
<b>B</b> = 7.28"	

## 4GV Plus 3Ø

### POWER



### HEAD



**NOTE:** Curves show performance with clear cold water.


\*: Pump efficiency / shaft power

○: Overall efficiency / input power


**FLOW**

## 4GV Plus 3Ø

### POWER



### HEAD



**NOTE:** Curves show performance with clear cold water.

\*: Pump efficiency / shaft power

O: Overall efficiency / input power


### FLOW

## 4GV Plus 3Ø

### POWER



### HEAD



**NOTE:** Curves show performance with clear cold water.



\*: Pump efficiency / shaft power

○: Overall efficiency / input power

### FLOW

## 3.1 - 5 HP Three Phase

## 4GV Plus 3Ø Composite Curve



NOTE: Curves show performance with clear cold water.


<b>F</b> = 6.89"	<b>H</b> = 5.79"
<b>G</b> = 6.30"	

## 4GV Plus 3Ø

### POWER



### HEAD



**NOTE:** Curves show performance with clear cold water.


\*: Pump efficiency / shaft power

O: Overall efficiency / input power


**FLOW**

## 4GV Plus 3Ø

### POWER



### HEAD



**NOTE:** Curves show performance with clear cold water.

\*: Pump efficiency / shaft power


O: Overall efficiency / input power

### FLOW




## 4GV Plus 3Ø

### POWER



### HEAD



**NOTE:** Curves show performance with clear cold water.

\*: Pump efficiency / shaft power

O: Overall efficiency / input power

**FLOW**





# Xylem |'zīləm|

- 1) The tissue in plants that brings water upward from the roots;
- 2) a leading global water technology company.

We're 12,500 people unified in a common purpose: creating innovative solutions to meet our world's water needs. Developing new technologies that will improve the way water is used, conserved, and re-used in the future is central to our work. We move, treat, analyze, and return water to the environment, and we help people use water efficiently, in their homes, buildings, factories and farms. In more than 150 countries, we have strong, long-standing relationships with customers who know us for our powerful combination of leading product brands and applications expertise, backed by a legacy of innovation.

**For more information on how Xylem can help you, go to [www.xylem.com](http://www.xylem.com)**



Xylem, Inc.  
2881 East Bayard Street Ext., Suite A  
Seneca Falls, NY 13148  
Phone: (866) 325-4210  
Fax: (888) 322-5877  
[www.xylem.com/brands/gouldswatertechnology](http://www.xylem.com/brands/gouldswatertechnology)

Goulds is a registered trademark of Goulds Pumps, Inc. and is used under license.  
© 2012 Xylem Inc. C4GVPLUS3PH May 2012