


WATD 65

Steel Beds



WATD 65


Steel Single Bed




This bed features a 65-profile frame with curved edges, ensure a safe sleeping environment

Knock Down System
1292*2080*1800 mm

This bed features a durable steel mesh base with welded supports, providing a strong, stable foundation and long-lasting use.



Aluminum tracks for steel bed curtains offer a lightweight, durable, and smooth-operating solution for hanging bead curtains.






***Durable powder-coated
finish, offering long-lasting
protection against scratches,
chips, and corrosion.***

WATD 65

Steel Bunk Bed




This bed features a 65-profile frame with curved edges, ensure a safe sleeping environment.

Knock Down System
1292*2080*2200 mm

This bed features a durable steel mesh base with welded supports, providing a strong, stable foundation and long-lasting use



Aluminum tracks for steel bed curtains offer a lightweight, durable, and smooth-operating solution for hanging bead curtains.



Bed ladder has a smooth oval frame with comfortable oval-shaped steps, providing a secure and stylish way to reach lofted beds.






***Durable powder-coated
finish, offering long-lasting
protection against scratches,
chips, and corrosion.***

WATD 65 Steel Single Bed

Specification




- Strong YG65 steel frame with 65×65 mm legs and 20×20 mm support tubes.
- Bed base built with 25×50 mm steel supports and a 3 mm steel mesh for airflow and stability.
- Reinforced under-mesh structure for higher load capacity.
- Secure 20×20 mm safety side support and 2 mm steel joint hook for firm assembly.
- Curtain system includes YG01 steel support, smooth aluminum track, and durable plastic hooks.
- Finished in RAL 7035 powder coat for corrosion resistance and easy maintenance.



WATD 65 Steel Bunk Bed

Specification

- Strong YG65 steel frame with 65×65 mm legs and 20×20 mm support tubes for stability.
- Bed frame reinforced with 25×50 mm supports and a 3 mm steel mesh base for airflow and durability.
- Additional under-mesh reinforcement using 25×25 mm tubes for higher load capacity.
- Secure 20×20 mm safety side support and a 2 mm steel joint hook for firm assembly.
- Ladder made from 20×40 mm oval steel tubing with wide steel steps and an adjustable plastic foot.
- Curtain system includes YG01 steel support, smooth aluminum track, and durable plastic hooks.
- Finished in RAL 7035 powder coat for corrosion resistance and easy maintenance.





Shop at:
store.watd.pro

Contact Us at:
+966 50965 9100

WATD