

S4S GUARDIAN 1

Single Channel Chlorine (CL2) Gas Alarm System

Specification Sheet
Ref: S4S1743CL2

System Features:

- Data logging
- Three alarm stages + relays
- 4~20mA analogue output
- Sensor input 4~20mA
- Weather-proof
- Back lit alpha numeric full status display
- Front panel access to set up and maintenance of parameters



A fixed single point gas alarm unit that meets the requirements for economic and reliable monitoring of Chlorine (CL2) gas levels in Swimming Pool and Leisure Centre Plant Rooms that may require hazardous area sensing.

Measuring Range:

Chlorine Gas: 0-5ppm (Other ranges by request)

Indicators:

Two line alpha numeric back lit display

Power - Green LED

Alarms 1, 2, 3 - Red LEDs

Fault - Amber LED

Alarms inhibit - Amber LED

Audible Alarm:

1, 2, 3 and Fault Alarms - mutable

85dB @ 10cm

Alarm Settings:

Alarm 1: 0.5 ppm CL2

Alarm 2: 1.0 ppm CL2

Alarm 3: 5 ppm CL2

All alarms are digitally set and are fully adjustable between zero and full scale

Delay to alarm (Option)

Sensor Cable:

3 core 0.75mm² screened 500m

Power Supply:

230/115v AC 50/60 Hz

24v nominal 15 to 30vDC

The two voltages may be utilised simultaneously - standby supply

Power Consumption:

4 watts - full alarm

Outputs:

1, 2, 3 and fault alarm relays -SPCO normally de-energised - energised option, latched or unlatched. All contacts rated 3A - 230v AC

4-20mA & CANbus

Logging:

Intervals - variable time

Roll over/stop

Storage - 2,880 readings RS232 lead

Requires:

PC or laptop (dedicated) Hyperterminal - downloaded from S4S website

Miscellaneous:

Operating temperature -15 to +50C

Storage temperature -5 to 55C

Alarm relay inhibit during calibration Sounder Inhibit System function test

Dimensions:

L 145mm H 145mm D 65mm 24vDC version (S) D 100mm AC version (D)

Weight:

0.8 kg

Protection:

IP64

Field Terminals:

screw type 2.5mm

Cable entry:

top, bottom, sides, rear



Guardian Point
Chlorine (CL2)
Gas Sensor



Sonos
Sounder Beacon



NOTE: This datasheet is non-contractual

www.sensorsforsafety.co.uk

E: sales@sensorsforsafety.co.uk T: 01423 206360 F: 01423 206370

Sensors for Safety Ltd | Knaresborough Tech Park | Manse Lane | Knaresborough | N.Yorks | HG5 8LF | UK