

Section 1. IDENTIFICATION

Product Name: FAST CAST 709 POLYOL Product Identifier/Chemical Name: Polyurethane Polyol

Material Use:Component B of a Polyurethane SystemSupplier/Manufacturer:Goldenwest Manufacturing Incorporated

2036 Nevada City Hwy, Box 573, GV, CA 95945

530 272-1133 Fax 530 272-1070

Emergency Phone: Chemtrec: 800-424-9300

Section 2. HAZARDS IDENTIFICATION

Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS):

Health, Specific target organ toxicity - Single exposure, 3 Health, Acute toxicity, 5 Dermal Health, Acute toxicity, 5 Inhalation

GHS Label elements, including precautionary statements

GHS Signal Word: WARNING

GHS Hazard Pictograms:



GHS Hazard Statements:

H336 - May cause drowsiness or dizziness H313 - May be harmful in contact with skin H333 - May be harmful if inhaled

GHS Precautionary Statements:

P261 - Avoid breathing dust/fume/gas/mist/vapors/spray.

P501 - Dispose of contents/container to a licensed waste disposal services provider.



Hazards not otherwise classified (HNOC) or not covered by GHS

Route of Entry: Eyes; Ingestion; Inhalation; Skin; Target Organs: Eyes; Skin; Respiratory system;

Inhalation: Heating, spraying, foaming or otherwise mechanically dispersing operations way generate

vapor or aerosol concentrations sufficient to cause irritation or other adverse effects.

Minimal respiratory tract irritation may occur with exposure to a large amount of material.

Rev. Date: 11/13/2015

Skin Contact: Prolonged or repeated exposure can cause skin irritation or dermatitis in some individuals.

Eye Contact: May cause watering of the eye and irritation of the conjunctiva.

NFPA: Health = 1, Fire = 0, Reactivity = 0, Specific Hazard = None

HMIS III: Health = 1, Fire = 0, Physical Hazard = 0





Section 3. COMPOSITION/INFORMATION ON INGREDIENTS

Ingredients:

| CAS# | % | Chemical Name |
|-----------|--------|---|
| 0 | 40-50% | Non-Hazardous |
| 1318-02-1 | .1-1% | Zeolites other than erionite (clinoptilolite, phillipsite, mordenite, non-fibrous Japanese zeolite, synthetic zeolites) |
| 6846-50-0 | 50-60% | 2,2,4-Trimethyl-1,3-pentanediol diisobutyrate |



Section 4. FIRST AID MEASURES

Inhalation: Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, oxygen

should be administered by qualified personnel. Call a physician or transport to a medical

facility immediately.

Skin Contact: Remove all contaminated clothing and shoes. Wash skin with large quantities of water and

soap. Wash clothing before wearing again and clean shoes. If redness, itching or a burning

sensation develops or persists after the area is washed, consult a physician.

Eye Contact: Flush with large amounts of water for 15 minutes. Use fingers to assure that the eyelids are

separated and that the eye is being irrigated. Get immediate medical attention.

Ingestion: If swallowed, do not induce vomiting unless directed to do so by medical personnel. This

material is an aspiration hazard. Never give anything by mouth to an unconscious person.

Seek medical attention.

Section 5. FIRE-FIGHTING MEASURES

Flash Point: 277°F
Flash Point Method: COC

Dry powder, foam, carbon dioxide. Use cold water spray to cool fire exposed containers to minimize risk of rupture. A solid stream of water directed into hot burning liquid could cause frothing. If possible, contain fire run off.

Section 6. ACCIDENTAL RELEASE MEASURES

Spill: Remove all sources of flames, heating elements, gas engines, etc. Emergency clean-up personnel

should wear chemical goggles, rubber or plastic gloves and clothing as required to protect against contact. Prevent spreading and contamination of surface waters and drinking supplies. Notify local

health officials and other appropriate agencies if such contamination should occur.

Clean up: With adequate ventilation and appropriate personal protective equipment, cover the area with an inert

absorbent material such as clay or vermiculite and transfer to steel waste containers. Ventilate area to

remove the remaining vapors.

Section 7. HANDLING AND STORAGE

Handling Precautions:

Do not smoke or use naked lights, open flames, space heaters or other ignition sources near pouring, frothing or spraying operations. If contamination with isocyanates is suspected, do not reseal containers. Special Emphasis for spray applications of mixed products containing isocyanates: Inspect the application area for potential to expose other persons or for overspray to drift onto buildings, vehicles or other property. When spraying building exteriors, persons entering or exiting the building as well as those inside could be exposed to polyisocyanates due to wind conditions, open windows or air intakes. Do not begin application work until these potential problems have been corrected.



Revision Date: 11/13/2015

Rev. Date: 11/13/2015

Storage Requirements: When stored between 60°-85° F in sealed containers, typical shelf life is 6

months or more from the date of manufacture. Open containers must be handled

properly to prevent moisture pickup.

Section 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering Controls: All ventilation should be designed in accordance with OSHA standard (29

CFR 1910.94). Uses requiring heating and/or spraying may require more

aggressive engineering controls or PPE.

Personal Protective Equipment: Personal protective equipment

Respiratory protection: Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards

such as NIOSH (US) or CEN (EU).

Hand protection: Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching gloves outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands. Splash contact Material: butyl-rubber Minimum layer thickness: 0.3 mm Break through time: 30 min Material tested: Butoject (KCL 897 / Aldrich Z677647, Size M) data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374 If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

<u>Eye protection:</u> Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin and body protection: Complete suit protecting against chemicals, Flame retardant antistatic protective clothing, the type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

<u>Hygiene measures:</u> Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Zeolites other than erionite (clinoptilolite, phillipsite, mordenite, non-fibrous Japanese zeolite, synthetic zeolites) (1318-02-1) [.1-1%]: no data available

2,2,4-Trimethyl-1,3-pentanediol diisobutyrate (6846-50-0) [50-60%]: no data available



Section 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Pigmented liquid. Odor: Mild

Physical State: Liquid

Solubility: No data available **Odor Threshold:** No data available Freezing/Melting Pt.: No data available

Flash Point:

Specific Gravity/Density: N/A

Viscosity: No data available **Vapor Density:** >1

Boiling Point: > 500° C

Auto-Ignition Temp.: No data available Flammability: None Flammable UFL/LFL: No data available **Partition Coefficient:** No data available Vapor Pressure: No data available

No data available Evap. Rate: pH: <1

Decomp. Temp.: No data available

Section 10. STABILITY AND REACTIVITY

Reactivity: No specific data

Chemical Stability: Product is stable under normal circumstances

Conditions to Avoid: No specific data Materials to Avoid: Oxidizing Materials

Hazardous Decomposition: Under normal storage conditions decomposition should not be produced.

Hazardous Polymerization: Will not occur

Section 11. TOXICOLOGICAL INFORMATION

Zeolites other than erionite (clinoptilolite, phillipsite, mordenite, non-fibrous Japanese zeolite, synthetic zeolites) (1318-02-1) [.1-1%]

Information on toxicological effects

Acute toxicity:

Oral LD50 Oral - rat - > 10,000 mg/kg

Inhalation LC50 Dermal LD50

LD50 Dermal - rabbit - > 2,000 mg/kg

Other information on acute toxicity no data available

Skin corrosion/irritation: Skin - Human - No skin irritation

Serious eye damage/eye irritation: Eyes - rabbit - No eye irritation

Respiratory or skin sensitization: no data available

Germ cell mutagenicity: Genotoxicity in vitro - Human - lymphocyte Cytogenetic analysis

Genotoxicity in vivo - mouse - Intraperitoneal

Rev. Date: 11/13/2015

277° F



Carcinogenicity:

This product is or contains a component that is not classifiable as to its carcinogenicity based on its IARC, ACGIH, NTP, or EPA classification.

IARC: 3 - Group 3: Not classifiable as to its carcinogenicity to humans (Zeolites crystalline alumiosilicates, composed of silica (SiO2) and alumina (Al2O3), in various proportions plus metallic oxides. Pr)

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity: no data available

Teratogenicity: no data available

Specific target organ toxicity - single exposure (Globally Harmonized System): Inhalation - May cause respiratory irritation.

Specific target organ toxicity - repeated exposure (Globally Harmonized System): no data available

Aspiration hazard: no data available

Potential health effects: Inhalation May be harmful if inhaled. Causes respiratory tract irritation. Ingestion May be harmful if swallowed. Skin May be harmful if absorbed through skin. Causes skin irritation. Eyes Causes eye irritation.

Signs and Symptoms of Exposure: prolonged or repeated exposure can cause: Damage to the lungs. Cough, Difficulty in breathing, Gastrointestinal disturbance, prolonged or repeated exposure can cause: Damage to the lungs., To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Synergistic effects: no data available

Additional Information:

RTECS: ZG6800000

2,2,4-Trimethyl-1,3-pentanediol diisobutyrate (6846-50-0) [50-60%]

Information on toxicological effects Acute toxicity: LD50 Oral - rat - female - > 2,000 mg/kg

Inhalation: no data available

LD50 Dermal - rabbit - male and female - > 2,000 mg/kg (OECD Test Guideline 402)

Skin corrosion/irritation: Skin - rabbit Result: No skin irritation - 4 h (OECD Test Guideline 404)



Serious eye damage/eye irritation: Eyes - rabbit Result: No eye irritation (OECD Test Guideline 405)

Respiratory or skin sensitization: no data available Germ cell mutagenicity: Hamster ovary Result: negative

Carcinogenicity:

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity: no data available

Specific target organ toxicity - single exposure: no data available

Specific target organ toxicity - repeated exposure: no data available

Aspiration hazard: no data available

Additional Information:

Repeated dose toxicity - rat - male - No observed adverse effect level - 150 mg/kg RTECS: SA1420000

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Section 12. ECOLOGICAL INFORMATION

Zeolites other than erionite (clinoptilolite, phillipsite, mordenite, non-fibrous Japanese zeolite, synthetic zeolites) (1318-02-1) [.1-1%]

Information on ecological effects

Toxicity:

Persistence and degradability: no data available

Bioaccumulative potential: no data available

Mobility in soil: no data available

PBT and vPvB assessment: no data available



Other adverse effects: no data available

2,2,4-Trimethyl-1,3-pentanediol diisobutyrate (6846-50-0) [50-60%]

Information on ecological effects

Toxicity:

Toxicity to fish static test LC50 - Pimephales promelas (fathead minnow) - > 1.55 mg/l - 96 h. (OECD Test Guideline 203)

Toxicity to algae Growth inhibition EC50 - Selenastrum capricornutum (green algae) - > 7.49: mg/l - 72 h (OECD Test Guideline 201)

Persistence and degradability: Biodegradability aerobic - Exposure time 28 d Result: 70.73 % - Readily biodegradable. (OECD Test Guideline 301B) Remarks: The 10-day time window criterion is not fulfilled.

Bioaccumulative potential: no data available

Mobility in soil: no data available

Results of PBT and vPvB assessment PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

Other adverse effects: no data available

Section 13. DISPOSAL CONSIDERATION

Disposal: Any disposal practice must be in compliance with all federal, state and local laws and regulations. Chemical additions, processing or otherwise altering this material may make the waste management information presented in this MSDS incomplete, inaccurate or otherwise inappropriate. Waste characterization and disposal compliance are the responsibility solely of the party generating the waste or deciding to discard or dispose of the material. Do not allow material to enter sewers, a body of water, or contact the ground. Refer to RCRA 40 CFR 261, and/or any other appropriate federal, state or local requirements for proper classification information.



Rev. Date: 11/13/2015

Section 14. TRANSPORT INFORMATION

Not DOT/RCRA Regulated IATA/IMDG/ICAO Non regulated

Section 15. REGULATORY INFORMATION

Component (CAS#) [%] - CODES

Zeolites other than erionite (clinoptilolite, phillipsite, mordenite, non-fibrous Japanese zeolite, synthetic zeolites) (1318-02-1) [.1-1%] IARC

2,2,4-Trimethyl-1,3-pentanediol diisobutyrate (6846-50-0) [0-60%] TSCA

Regulatory CODE Descriptions

IARC = IARC Carcinogen Risks
TSCA = Toxic Substances Control Act

Section 16. OTHER INFORMATION

Disclaimer:

Although reasonable care has been taken in the preparation of this document, we extend no warranties and make no representations as to the accuracy or completeness of the information contained herein, and assume no responsibility regarding the suitability of this information for the user's intended purposes or for the consequences of its use. Each individual should make a determination as to the suitability of the information for their particular purpose(s).