

## OMNISPORTS

**PLAY WITHOUT BOUNDARIES** 

## GREAT SPACES




#### AN INDUSTRY LEADER

Tarkett Sports is a division of the Tarkett Group, which was established in 1886. The knowledge and expertise accrued by Tarkett over 130 years has made it one of the largest flooring manufacturers in the world.

With over \$2.5 Billion in annual sales and an average of 13 million square feet of flooring produced per day, Tarkett is a global leader in commercial, residential, and sports solutions.





## BUILT **STRONGER,** TOGETHER

Tarkett Sports does it all. We offer a full range of surfacing products. From our line of commercial, residential and athletic artificial turf, sports tracks, and indoor flooring, we have the right solution to fit your needs. Tarkett Sports is built stronger, together.





••••••••••••









## WHY TARKETT **SPORTS**



#### **TARKETT SPORTS BRAND**

Tarkett Sports is a world leader in athletic surfacing, offering a comprehensive portfolio of sports flooring solutions through its brands: FieldTurf, Beynon Sports, Renner Sports, EasyTurf, Desso, GrassMaster, PlayMaster and Tarkett Sports Indoor.



#### **DESIGN & CONSTRUCTION EXPERTS**

Tarkett Sports and our partners are some of the most experienced and knowledgeable teams in the industry. When it comes to the design and construction of your sports surface, we are the experts.



#### **FINANCIALLY STABLE**

The Tarkett Group is a worldwide leader of innovative flooring and sports surface solutions. Tarkett Sports Indoor is backed by unprecedented financial support and stability. You can rest easy.



#### **LEADING DURABILITY**

Manufactured and installed with the highest attention to detail, Tarkett Sports Indoor's systems showcase proven durability.



#### **EXPERIENCE**

With over 5,000 installations in North America in the last 10 years, Tarkett Sports Indoor has the knowledge and expertise to make your sports facility a success.

#### **TRUSTED**



For indoor facilities, Tarkett Sports Indoor offers the most trusted sports flooring for various style facilities in North America.


#### **ENDLESS PURSUIT** € **OF INNOVATION**

From the Dropzone rubber, PolyTurf Pad and Pour system, Omnisports vinyl sports flooring, ClutchCourt wood, and EcoPure linoleum, our innovation and versatility extend beyond just sports. We're there to support your team.



#### SERVICE

We are as committed to your program as you are, and we're with you for the long term. When you buy from Tarkett Sports, you're buying from a company that knows how to take care of you.



## A TURNKEY SOLUTION

#### WITH TARKETT SPORTS INDOOR

......

#### **OMNISPORTS**

The Game-Changing versatility of Omnisports

**Applications:** Gymnasium • Daycare • Multi-Purpose Rooms • Cafetorium • Yoga • Martial Arts

#### DROPZONE

The surface strength of Dropzone rubber flooring

Applications: Weight Rooms • Strength & Cardio Equipment • Spinning • Training Turf • Functional & Extreme Training • Ice Rinks

#### **CLUTCHCOURT**

Inspiring tradition of ClutchCourt Northern Maple

Applications: Gymnasium (Basketball & Volleyball) • Aerobics • Racquetball

#### **POLYTURF PLUS PAD & POUR**

The durable playing surface of PolyTurf Plus Pad & Pour

**Applications:** Multi-Purpose Rooms • Cafetorium • Gymnasium • Inline Skating

#### LUMAFLEX

The pinnacle of sports performance with Lumaflex

**Applications:** Gymnasium • Multi-Purpose Rooms • Inline Skating • Aerobic and Fitness

#### DANCEFLOOR

Perform at your best with Dancefloor

Applications: Dance Studio • Dance Stage

#### **ECOPURE**

The natural sustainability of EcoPure Linoleum

**Applications:** Multi-Purpose Rooms • Gymnasium • Daycare

## AHEALTHY **ATHLETE IS A** B F F F F

......

#### **A HEALTHY SPORTS SURFACE IS A BETTER SPORTS SURFACE**

Omnisports<sup>™</sup> is manufactured to keep athletes on the floor and off the bench. Omnisports exemplifies Tarkett's approach to material content with products made from 40.2% to 43.5% natural materials depending on thickness.

- No Lead
- No Formaldehyde
- Exceeds Reach & California Prop 65 No Cadmium
- For Zero Restricted Substances No Mercury

"We've also hosted the Harlem Wizards, which is a farm team of the Harlem Globetrotters and we had an event here where they played a faculty and parent team to open our new gym. Judging by the way they dunked the ball, the flooring system works magnificent. We've also been able to host our graduation in here. So in other words, we were able to insure that the flooring can provide sports, but also any other events that a school might want to use in a gymnasium..."

#### **BRYAN NIXON**

HEAD OF SCHOOL, WHITBY SCHOOL **GREENWICH, CONNECTICUT** 

#### **PHTHALATE-FREE** MANUFACTURING

As part of Tarkett's initiative for sustainability and eco-innovation, Omnisports is one of the only phthalatefree resilient sports floors available in North America.

- IMPROVES THE INDOOR ENVIRONMENT AND AIR QUALITY
- SAME COMPONENTS USED IN FOOD CONTAINERS AND CHILDREN'S TOYS



#### SCS Global Services

A healthy indoor environment begins with low levels of volatile organic compounds (VOCs).

#### VOC EMISSIONS LESS THAN 10 **MICROGRAMS PER CUBIC METER\***

A lower VOC emission rate than most other resilient sports floors

\*VOCs after 28 days (ISO 16000)



The mindful MATERIALS Library is a searchable database where users can find architectural building products that have various transparency and sustainability attributes. You can now find numerous Tarkett Sports' products in the mindful MATERIALS Library.



#### **ASTHMA & ALLERGY FRIENDLY**

Omnisports is manufactured to keep more athletes on the floor and off the bench. It is the first sports surface to be certified asthma & allergy friendly, providing a healthier sports flooring solution. When combined with Multi-Poxy Adhesive from Tarkett Sports, Omnisports 7.1 mm and 9.4 mm with popular GreenLay<sup>™</sup> installation exceed all of the asthma & allergy friendly certification standards.

- LOW VOC EMISSIONS
- LOW ALLERGEN RETENTION

#### LOW VOCs AND BETTER INDOOR AIR QUALITY

#### COMPLIES WITH CALIFORNIA SECTION 01350, THE MOST STRINGENT AIR QUALITY **REGULATION IN THE U.S.**

# ROBERT CONTRACTOR OF CONTRACTO

The complete range of Omnisports<sup>™</sup> indoor flooring meets the intense demands of today's sports and recreation environments better than any sports floor on the market. From basketball to volleyball, and yoga to Futsal, Omnisports indoor flooring accommodates any level of play, any budget and nearly any event.

.........

The versatility of Omnisports extends beyond just sport. It can accommodate tables, chairs or portable stages for events like conferences and assemblies. Omnisports is the perfect gym floor for schools, universities and community centers, where all kinds of sports or events might take place.

Bleachers Heavy Rol

Leisure a

Education & Volleyb

Competit

Competit

Competit

#### MVP: MOST VERSATILE PLAYER

s Illing Load Equipment	Omnisports HPL
and Recreational Sports	Omnisports 3.5 mm Omnisports 5.5 mm
nal Multi-Use Basketball pall	Omnisports 7.1 mm Omnisports 9.4 mm
tion-Level Basketball	Omnisports with Lumaflex & Lumaflex Elite
tion-Level Volleyball	Omnisports 12 mm & Omnisports Lumaflex Elite
tion-Level Dance & Aerobics	Omnisports Lumaflex FIT

## **OMNISPORTS** RANGE

18.0

THICKNESS (MM)



LUMAFLEX 18 mm CLASS 4 Versatile

Combination System

OMNISPORTS

14

46% - 57%








#### EASYCOURT 48 mm CLASS 5

- Portable Surface
- Easy-to-Handle Lightweight Tiles
- A Full Court installation in Less than 40 Minutes
- Easy-Locking Tile Design



#### LUMAFLEX ELITE 18 mm

CLASS 5

 Versatile Combination System



#### LUMAFLEX FIT 18 mm CLASS 5

 Versatile Combination System



#### CLASS 5

#### 58% AND MORE

## UNLIMITED DESIGN POSSIBILITES

#### **OMNISPORTS 3.5 & 5.5**



**OMNISPORTS 7.1 & 9.4** 



#### **OMNISPORTS 12**



**OMNISPORTS HPL** 



\*This pattern has a 3" wide plank. Maple patterns have a 2-1/4" wide plank. For illustrative purposes only. Not an accurate representation of the actual product. Colors may vary.

FOREST GREEN	RED	ORANGE	GREY

	14 mg		25	
К*	GOLDEN MAPLE	LIGHT MAPLE	GREY MAPLE	BLUE MAPLE
	SKY BLUE	NIGHT BLUE	ROYAL BLUE	PURPLE
	YELLOW	LIGHT GREEN	FOREST GREEN	MINT GREEN

ROYAL BLUE



## TECHNICAL DATA

CERTIFICATION & CLASSIFICATION	STANDARDS	OMNISPORTS 3.5	OMNISPORTS 5.5	OMNISPORTS 7.1	OMNISPORTS 9.4	OMNISPORTS 12
Types of floor covering		Heterogeneous indoor floor coverings	Heterogeneous indoor floor coverings	Heterogeneous indoor floor coverings	Heterogeneous indoor floor coverings	Heterogeneous indoor floor coverings
<b>TECHNICAL CHARATERISTICS</b>				•		
Total Thickness	EN 428/EN 429	3.5 mm (0.138")	5.5 mm (0.216")	7.1 mm (0.279")	9.4 mm (0.37")	12 mm (0.47')
Total Weight	EN 430	3.29 kg/m2 (0.67 lb./sq. ft.)	4.25 kg/m2 (0.87 lb./sq.ft.)	4.7 kg/m2 (0.96 lb./sq. ft.)	5.7 kg/m2 (1.17 lb./sq. ft.)	7.1 kg/m2 (1.45 lb./sq. ft.)
Roll Width	EN 426/EN 427	2 m (6.5')	2 m (6.5')	2 m (6.5')	2 m (6.5')	2 m (6.5')
Roll Length	EN 426/EN 427	23 m (75.5')	26 m (85.3')	26 m (85.3')	26 m (85.3')	15 m (49.2')
SPORTS CHARACTERISTICS						
Ball Rebound	ASTM F2772-11	Passed	Passed	Passed	Passed	Passed
Force Reduction	ASTM F2772-11	Class 1	Class 2	Class 2	Class 3	Class 4
Surface Finish Effect	ASTM F2772-11	Passed	Passed	Passed	Passed	Passed
Vertical Deformation	ASTM F2772-11	Passed	Passed	Passed	Passed	Passed
TECHNICAL REQUIREMENTS						
Taber Abrasion	ASTM D3389	0.02 g (1,000 Cycles)	0.02 g (1,000 Cycles)	0.02 g (1,000 Cycles)	0.02 g (1,000 Cycles)	-
Reaction to Fire	ASTM E648	Class 1 (Radiant Panel)	Class 1 (Radiant Panel)	Class 1 (Radiant Panel)	Class 1 (Radiant Panel)	Class 1 (Radiant Panel)
Wear Layer Performance Grade	ASTM F1303	Type 1, Grade 1, Commercial	Type 1, Grade 1, Commercial	Type 1, Grade 1, Commercial	Type 1, Grade 1, Commercial	Type 1, Grade 1, Commercial
Rolling Load	EN 1569	≤ 1.0 mm (No Degradation)	$\leq$ 0.5 mm (No Degradation)	≤ 0.5 mm (No Degradation)	≤ 0.5 mm (No Degradation)	≤ 0.5 mm (No Degradation)
In-Room Sound Insulation	NF S31-074	62 dB	61 dB	61 dB	65 dB	-
Microbial Resistance	ASTM G21 (backing)	No growth	No growth	No growth	No growth	-
Stain Resistance	ASTM F925	Excellent	Excellent	Excellent	Excellent	Excellent
Health Certifications				THULLAR THE DESIGN THE DESIG	PITMALATE Tentority	THINKAS
		No REACH restricted chemical <b>s</b> ISO 14001 manufacturing ISO 9001 manufacturing	No REACH restricted chemicals ISO 14001 manufacturing ISO 9001 manufacturing	No REACH restricted chemical <b>s</b> ISO 14001 manufacturing ISO 9001 manufacturing	No REACH restricted chemical <b>s</b> ISO 14001 manufacturing ISO 9001 manufacturing	No REACH restricted chemical <b>s</b> ISO 14001 manufacturing ISO 9001 manufacturing
WARRANTY						
Product and Wear	15 years	15 years	15 years	15 years	15 years	15 years
Moisture Tolerance	15 years	15 years	15 years	15 years	15 years	15 years

## **INSTALLATION** METHODS

•••••

#### OMNISPORTS<sup>™</sup> IS A VERSATILE SPORTS SURFACE THAT GOES BEYOND THE NUMBER OF SPORTS AND EVENTS IT CAN HOST.

Before the first game can be played, a new Omnisports floor needs to be installed according to the conditions on site to ensure maximum performance and durability. A variety of installation methods are available to accommodate each facility's particular circumstances, backed by a 15-year warranty for moisture tolerance based on each installation recommendation. Always consult a Tarkett Sports representative in choosing the right installation method for your project.



			DIRECT FULL-ADHESIVE INSTALLATIONS			
	GreenLay 92% RH	Lumaflex 85% RH*	Multi-Poxy 98% RH	Multi-Set 83% RH	HP Sport Spray 90% RH	Tarkolay 100% RH
OMNISPORTS HPL		•				•
OMNISPORTS 3.5 mm		•		•	•	٠
OMNISPORTS 5.5 mm		•		•	•	•
OMNISPORTS 7.1 mm		•		•	•	•
OMNISPORTS 9.4 mm		•	•	•	•	•
OMNISPORTS 12 mm		•		•	•	

#### TARKOLAY

Every flooring installation is different. In some cases, high moisture, cracks, joints or other factors present challenges that require an underlayment. Tarkolay is a FloorScore-certified underlayment that isolates the flooring system away from the substrate, removing the potential for vapor pressure to form. Tarkolay also assists with installations over moving joints, minor cracks in concrete substrates, and over existing surfaces that are adverse to standard installation methods. Only Multi-Poxy adhesive may be used with Tarkolay.

#### **1. ISOLATION OF THE SPORTS SURFACE**

Tarkolay mitigates adverse conditions by separating the sports surface from the subfloor. Through isolation, an imperfect subfloor is less likely to affect the integrity of the surface installation.

#### 2. DIMENSIONALLY STABLE UNDERLAYMENT

Tarkolay is a dimensionally stable underlayment with a smooth top surface for excellent adhesion to the sports floor.

#### 3. RAISED TEXTURE FOR DISPERSING WATER VAPOR

The embossed texture on the bottom of Tarkolay allows water vapor from the subfloor to dissipate without building pressure that would harm the integrity of the installation.



#### GREENLAY

GreenLay has revolutionized sports flooring installations as the new standard of performance and environmental responsibility. In an 8,000-square-foot gymnasium, less than one gallon of adhesive is used compared to nearly 64 gallons for a full-spread installation.




#### HOW IT WORKS

GreenLay uses small amounts of adhesive along the parallel walls of the court, in doorways and around volleyball sleeves, while Tarkotape from Tarkett secures each seam for welding. The Omnisports material does the rest with its excellent dimensional stability and virtually tension-free manufacturing process to make it the only resilient sports flooring that can be installed this way. In short, the superior quality of Omnisports makes GreenLay possible.




### THE RIGHT OPTION

#### OVER 10,000 OMNISPORTS INSTALLATIONS WORLDWIDE



BLUE SPRINGS FIELD HOUSE Blue Springs, MO Omnisports 8.3 • 35,000 sq.ft. BOYS & GIRLS CLUB Lasalle, QC Omnisports 6.5 • 7,700 sq.ft. PLAINFIELD CENTRAL FIELD HOUSE Plainfield, IL Omnisports HPL with Tarkolay • 22,000 sq.ft.





TOTAL TURF EXPERIENCE Pitman, NJ Omnisports 8.3 • 83,200 sq.ft.

**CAROLINA COURTS** Indian Trail, NC Omnisports 6.5 • 42,000 sq.ft.

BOSTON UNIVERSITY Boston, MA Lumaflex with Omnisports Compact 2.0 • 18,000 sq.ft.




CÉGEP GÉRALD-GODIN Sainte-Geneviève, QC Omnisports 6.5 • 7,600 sq.ft. GILLILAND MIDDLE SCHOOL Tempe, AZ Omnisports 3.5 • 20,405 sq.ft. BLACKSTONE VALLEY PREP HIGH SCHOOL St, Cumberland, RI Omnisports 8.3 with HPL • 9,300 sq.ft.

COLLEGE OF ST. ELIZABETH Morristown, NJ Omnisports 9.4 with Tarkolay • 4,700 sq.ft.



GUELPH YMCA Guelph, ON Omnisports 6.5 • 2,800 sq.ft.



GOTHENBURG YMCA Gothenburg, NE Omnisports 8.3 with Greenlay • 10,500 sq.ft.

