ODOR 1, LLC

P.O.BOX 1014 AIRWAY HEIGHTS, WA 99001 PHONE # (800) 498-6367

> Safety Data Sheet Revision date: 5/21/15

This SDS complies with 29 CFR 1910.1200 and appendix D (The Hazard Communication Standard-GHS)

SECTION 1: IDENTIFICATION:

PRODUCT NAME: Aqua-Dry Kits (50G, 100G, 500G)- Component A

PRODUCT TYPE: Deodorizing delivery system (pouch) for the generation of chlorine dioxide **CHEMICAL NAME:** Powder composition containing Sodium Chlorite and additives

SUPPLIER: EMERGENCY 24/7 CONTACT
ODOR 1 CHEMTREC PHONE 1-800-424-9300

P.O. BOX 1014

AIRWAY HEIGHTS, WA 99001

PHONE: (800)498-6367 FAX: (206)257-3454

SECTION 2: HAZARDS IDENTIFICATION:

Emergency Overview

GHS Classification:

H272 Oxidizing solids (Category 2)

H301 Acute Toxicity- Oral (Category 3)

H310 Acute Toxicity- Dermal (Category 2)

H330 Acute Toxicity- (inhalataion: dust, mist) (Category 2)

H314 corrosion- Causes severe skin burns and eye damage (Category 1B)

H318 eye damage- Serious eye damage/eye irritation (Category 1)

H400 Acute aquatic toxicity (Category 1)

GHS Label elements, including precautionary statements

Pictograms



GHS Signal Word Danger

GHS Hazard statement(s): H272 May intensify fire: oxidizer.

H301 Toxic if swallowed.

H310+H330 Fatal in contact with skin or if inhaled. H314 Causes severe skin burns and eye damage.

H400 Very toxic to aquatic life.

Precautionary statement(s)- PREVENTION:

P210 Keep away from heat, sparks, open flames, hot surfaces, no smoking

P220 Keep/Store away from clothing/ combustible materials.

P260 Do not breath dust/fume/gas/mist/vapors/spray.

P262 Do not get in eyes, on skin, or on clothing

P270 Do not eat, drink or smoke when using this product

P271 Use only outdoors or in a well ventilated area

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/ face protection.

P284 (in case of inadequate ventilation) Wear respiratory protection.

Precautionary statement(s)- RESPONSE:

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do Not induce vomiting.

P303+P361+P353 IF ON SKIN (or hair): Remove/take off imeediately all contaminated clothing. Rinse skin with water/shower.

Product Name: Aqua-dry Kits (50G, 100G, 500G)- Component A

Page 2 of 6

P304+P340- IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER or doctor.

P363 Wash contaminated clothing before reuse.

P370+P378- In case of fire: Use carbon dioxide, powder, alcohol-reisstant foam for extinction.

P391 Collect spillage

P403+P233 Store in well ventilated place. Keep container tightly closed.

P405 Store locked up

P501 Dispose of contents/container to comply with local, state and federal regulations.

Other Hazards Not Contributing to the Classification: Not available.

Unknown Acute Toxicity: Not available.

Potential Health effects:

Inhalation: May be fatal if inhaled. Material is extremely destructive to the tissue of the mucous membranes and upper respiratory tract.

Skin: May be fatal if absorbed through skin. Causes skin burns.

Eyes: Causes eye burns **Ingestion:** Toxic if swallowed.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS:

Ingredient	CAS #:	Percent (%)	EC-No
Sodium Chlorite	7758-19-2	<45%	231-836-6

Full text of H-phrases: see section 16

SECTION 4: FIRST AID MEASURES:

General: Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area. Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label if posible).

If inhaled: Using proper respiratory protection, immediately move the exposed person to fresh air. Keep at rest and in a position comfortable for breathing. Seek medical attention imeediately. If not breathing, give artificial respiration.

In case of skin contact: Take off contaminated clothing and shoes immediately. Flush skin with soap and plenty of water. Immediately call a POISON CENTER or doctor/physician.

In case of eye contact: Immediately rinse with water for at least 15 minutes while holding the eyelids wide open. Immediately call a POISON CENTER or doctor/physician. Continue rinsing eyes during transport to hospital.

If swallowed: Do NOT induce vomiting. Seek medical attention immediately.

Most Important Symptoms/ Effects (Acute and Delayed)

General: Causes severe skin burns and eye damage

Inhalation (Breathing): Fatal if inhaled.

Skin: Fatal in contact with skin. **Eye:** Causes serious eye damage.

Ingestion (Swallowing): Toxic if swallowed. Swallowing a small quantity of this material will result in serious health hazard.

Indication of any immediate medical attention and special treatment needed:

If you feel unwell, seek medical advice (show label where possible).

^{*}A range of concentration as prescribed by the Controlled Products Regulations has been used where necessary, due to varying composition. The specific chemical identity and/or exact percentage of composition has been withheld as a trade secret within the meaning of the OSHA Hazard Communication Standard [29 CFR 1910.1200].

Page 3 of 6

SECTION 5: FIREFIGHTING MEASURES:

Extinguishing media:

Suitable extinguishing media: Use extinguishing agents appropriate for surrounding fire.

Unsuitable extinguishing media: Do not use a heavy water stream. Use of heavy stream of water may spread fire.

Special Hazards Arising from the substance or mixture:

Fire Hazard: Not flammable, may intensify fire: oxidizer.

Explosion Hazard: Heat may build pressure, rupturing closed containers, spreading fire and increasing risk of burns and injuries.

Reactivity: Thermal decomposition generates: corrosive vapors.

Advice for Firefighters:

Precautionary Measures Fire: Exercise caution when fighting any chemical fire. Under fire conditions, hazardous fumes will be present.

Firefighting Instructions: Keep upwind. Use water spray or fog for cooling exposed containers.

Protection during firefighting: Do not enter fire area without proper protective equipment, including respiratory protection. Notify appropriate authorities if liquid enters sewers or waterways.

Hazardous combustion Products: Corrosive vapors. Acrid smoke and irritating fumes.

Other information: Do not allow run-off from fire fighting to enter drains or water sources.

Reference to Other Sections: Refer to section 9 for flammability properties.

SECTION 6: ACCIDENTAL RELEASE MEASURES:

Personal precautions, Protective equipment and Emergency procedures

General Measures: Avoid all unnecessary exposure. Avoid dust formation. Do not get in eyes, on skin, or on clothing. Do not breathe vapor, mist or spray. Ensure adequate ventilation. No smoking.

For Non-Emergency Personnel

Protective equipment: Use appropriate personal protection equipment (PPE), safety glasses, gloves, dust mask.

Emergency procedures: Evacuate unnecessary personnel. Keep upwind.

For Emergency Personnel

Protective equipment: Equip cleanup crew with proper protection.

Emergency procedures: Ventilate area. Eliminate ignition sources.

Environmental Precautions

If spill could potentially enter any waterway, including intermittent dry creeks, contact the U.S. COAST GUARD NATIONAL RESPONSE CENTER at 800-424-8802. In case of accident or road spill notify CHEMTREC at 800-424-9300 (in USA) or (international code) + 1-703-527-3887.

Methods and materials for containment and cleaning up

Methods for cleaning up: Sweep up and shovel. Contain spillage, and then collect with an electrically protected vacuum cleaner or by we-brushing and place in container for disposal according to local regulations. Clear up spills immediately and dispose of waste safely. Practice good housekeeping

Reference to other sections: See heading 8, Exposure Controls and Personal Protection.

SECTION 7: HANDLING AND STORAGE:

Precautions for safe handling

Additional Hazards when processed: Hazardous waste due to potential risk of explosion.

Hygiene Measures: Handle in accordance with good industrial hygiene and safety procedures. Always wash your hands immediately after handling this product, and once again before leaving the workplace. Provide good ventilation in process area to prevent formation of vapor. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Do not eat, drink or smoke in the areas where product is used.

Conditions for safe storage, including any incompatibilities

Technical measures: Observe all regulations and local requirements regarding storage of containers. Proper grounding procedures to avoid static electricity should be followed.

Storage conditions: Store in a dry, cool and well ventilated place. Keep containers closed when not in use. Store away from heat sources, ignition sources, direct sunlight, incompatible materials, combustible materials.. Storage

Product Name: Aqua-dry Kits (50G, 100G, 500G)- Component A

Page 4 of 6

areas should be periodically checked for corrosion and integrity. Useable materials for containers are PE, PP< PVC.

Incompatible Materials: Strong reducing agents, metals, ammonia, combustible materials, amines, sources of ignition, direct sunlight, heat sources.

Specific End Uses

For use with component B of the aquadry-kit as a deodorizing delivery system (pouch) for the generation of chlorine dioxide.

SECTION 8: EXPOSURE CONTROLS/ PERSONAL PROTECTION:

Control parameters

For substances listed in section 3 that are not listed here, there are no established Exposure limits from the manufacturer, supplier, importer or the appropriate advisory agency including: ACGIH (TLV), NIOSH (REL), OSHA (PEL), Canadian provincial governments, or the Mexican government.

Exposure controls

Appropriate Engineering controls: Product to be handled in a close system and under strictly controlled conditions. Emergency eye wash fountains should be available in the immediate vicinity of any potential exposure. Ensure adequate ventilation, especially in confined areas. Ensure all national/local regulations are observed.

Personal Protective Equipment: Avoid all unnecessary exposure. Wear respiratory protection. Avoid dust formation. Avoid breathing vapors, mist orgas. Ensure adequate ventilation. Avoid breathing dust. Protective googles. Gloves. Protective clothing.

Materials for protective clothing: Wear suitable protective clothing.

Hand protection: Impermeable protective gloves. Nitrile rubber.

Eye protection: A full face shield is recommended. Chemical goggles.

Skin and body protection: Wear suitable protective clothing. Chemical resistant suit.

Respiratory protection: Use a NIOSH approved respirator or self contained breathing apparatus whenever exposure may exceed established Occupations Exposure Limits. Where risk assessment shows air purifying respirators are appropriate use a full face particle respirator type N100.

Environmental Exposure Controls: Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.

Consumer Exposure controls: Do no eat, drink or smoke during use.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES:

Physical state: powder Appearance: White Odor: Odor Threshold(ppm): No data available Almost odorless pH: 10 approx. 100g/l water **Melting point:** Not available

Boiling point: Solubility: 250g/l water (@ 20degrees C) N/A

SECTION 10: STABILITY AND REACTIVITY:

Chemical Stability: Stable under recommended handling and storage conditions (see section 7).

Possibility of Hazardous reactions: Hazardous polymerization will not occur.

Conditions to avoid: Direct sunlight, moisture, extremely high or low temperatures, open flames, sources of ignition and incompatible materials.

Incompatible materials: Reducing agents, oxidizers, acids, combustible materials.

Hazardous decomposition products: Under fire conditions, Carbon oxides, Hydrogen chloride gas, Sodium oxides.

SECTION 11: TOXICOLOGICAL INFORMATION:

Information on Toxicological Effects- Product: Aqua-dry kit component A

Acute Toxicity: Toxic if swallowed. Fatal in contact with skin. Fatal if inhaled.

Acute (oral) LD50 200-2000 mg/kg (Rats) (OECD 401)

Skin corrosion/ irritation: Skin- rabbit- Corrosive (Sodium Chlorite) (OECD 404)

Serious eye damage: causes serious eye damage

Information on Toxicological Effects- Ingredient(s): Sodium chlorite (7758-19-2)

Product Name: Aqua-dry Kits (50G, 100G, 500G)- Component A

Page 5 of 6

LD50 and LC50 Data:

LD50 Oral Rat 200-500 mg/kg
LD50 dermal rabbit 50-400mg/kg
LC50 inhalation rat 0.23mg/l/4h **Reproductive toxicity:** Not classified

Specific target organ toxicity (single exposure): Not classified Specific target organ toxicity (repeated exposure): Not classified

Potential adverse human health effects and symptoms: Based on available data, the classification criteria

are not met. Toxic if swallowed. Fatal in contact with skin. Fatal if inhaled.

Symptoms/injuries after inhalation: Fatal if inhaled.
Symptoms/injuries after skin contact: Fatal in contact with skin.
Symptoms/injuries after eye contact: Causes serious eye damage.

Symptoms/injuries after ingestion: Toxic if swallowed. Swallowing a small quantity of this material will

result in serious health hazard.

SECTION 12: ECOLOGICAL INFORMATION:

Toxicity

Ecology-General: Very toxic to aquatic life.

Aqua-dry kits- Component A

Fish toxicity: LC50 Fish 1 100-2000mg/l (96h. Brachydanio rerio) OECD 203

Bacteria toxicity: EC50 100-800 mg/l (OECD209)

Sodium Chlorite (7758-19-2)

LC50 Fish 1 100-500mg/l (96h. Brachydanio rerio: Technical product)

EC50 Daphnia 1 1 mg/l (Exposure time: 48 h- Species: Daphnia magna: Technical product).

LC 50 Fish 2 50 mg/l (Exposure time: 48h- Species: Lepomis macrochirus)

EC50 Daphnia 2 0.29mg/l (48h: Daphnia magna)

Persistence and Degradability Not established

Bioaccumulative Potential

Sodium Chlorite (7758-19-2)

Log Pow -7.18 (estimated value)

Bioaccumulation potential Bioaccumulation: not applicable

Mobility in soil Not available

Other adverse effects Avoid release to the environment

SECTION 13: DISPOSAL INFORMATION:

Waste Treatment methods: Dispose of waste material in accordance with all local, regional, national, and international regulations. Hazardous waste due to toxicity.

Sewage Disposal Recommendations: Do not dispose of waste into sewer. Do not empty into drains; dispose of this material and its container in a safe way. Avoid release to the environment.

SECTION 14: TRANSPORT INFORMATION:

U.S. DOT 49 CFR 172.101: UN1496, Sodium Chlorite, 5.1, PGII

DOT Packaging Exceptions (49 CFR 173.xxx): None

SECTION 15: REGULATORY INFORMATION:

US Federal Regulations

OSHA REGULATORY STATUS: This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200)

TSCA:

Sodium Chlorite (7758-19-2) Listed on the US TSCA (Toxic Substances Control Act) inventory

Canadian Regulations

Page 6 of 6

Sodium Chlorite (7758-19-2)

WHMIS Classification:

Class C- Oxidizing material

Class D Division 1 Subdivision A- Very toxic material causing immediate and serious toxic effects.

Class E- Corrosive Material

SECTION 16: OTHER INFORMATION:

Revision date: 5/13/15 **GHS Full Text Phrases:**

Acute Tox. 2 (Dermal) Acute toxicity (dermal), Category 2

Acute Tox. 2 (Inhalation: dust, mist)

Acute toxicity (inhalation: dust, mist) category 2

Acute Tox. 3 (Dermal) Acute toxicity (dermal), Category 3
Acute Tox. 3 (oral) Acute toxicity (oral), Category 3
Acute Tox. 4 (oral) Acute toxicity (oral) Category 4

Aquatic Acute 1 Hazardous to the aquatic environment- Acute Hazard Category 1

Eye Dam. 1 Serious eye damage/eye irritation Category 1

Ox. Sol. 2 Oxidizing Solids, Category 2

Skin Corr. 1B Skin corrosion/irritation Category 1B

H272 May intensify fire: oxidizer

H301 Toxic if swallowed
H302 Harmful if swallowed
H310 Fatal in contact with skin
H311 Toxic in contact with skin

H314 Causes severe skin burns and eye damage

H318 Causes serious eye damage

H330 Fatal if inhaled

H400 Very toxic to aquatic life

HMIS rating:

Health- 3 Serious hazard- major injury likely unless prompt action is taken and medical treatment is given Flammability- 0 minimal hazard

Physical- 0 minimal hazard

Personal protection: F

This data is furnished gratuitously independent of any sales of the product and only for your investigation and independent verification. While the information is believed to be correct, Beckart Environmental shall in no event be responsible for any damages whatsoever, directly or indirectly, resulting from the publication of or reliance upon data contained herein. No warranty, either expressed or implied, or merchantability, of fitness, or of any nature with respect to the product, or data, is made herein. You are urged to obtain data sheets for all Beckart chemicals you buy, process, use, or distribute, and encouraged to advise anyone working or exposed to such products of the information contained herein.