## Top 20 Mental / Behavioral Treatment ICD-9 to ICD-10 Codes



## Presented by Pulse Systems, Inc.

300.4 Dysthymic disorder	9 309.0 Adjustment disorder with depressive mood
10 F34.1 Dysthymic disorder	<b>F43.21</b> Adjustment disorder with depressed mood
309.28 Adjustment disorder with mixed anxiety and depressed mood	<b>9 296.30</b> Major depressive affective disorder, recurrent episode, unspecified
<b>F43.23</b> Adjustment disorder with mixed anxiety and depressed mood	<b>F33.9</b> Major depressive disorder, recurrent, unspecified
300.02 Generalized anxiety disorder	<b>F33.40</b> Major depressive disorder, recurrent, in remission, unspec
10 F41.1 Generalized anxiety disorder	<b>9 290.0</b> Senile dementia, uncomplicated
<b>311</b> Depressive disorder, not elsewhere classified	<b>F03.90</b> Dementia without behavioral disturbance, unspecified
<b>F32.9</b> Major depressive disorder, single episode, unspecified	9 291.1 Alcohol induced persisting amnestic disorder
<b>296.32</b> Major depressive affective disorder, recurrent episode, moderate	<b>F10.26</b> Alcohol dependence with alcohol-induced persisting am
F33.1 Major depressive disorder, recurrent, moderate	<b>F10.96</b> Alcohol use, unspecified with alcohol-induced persisting
300.00 Anxiety state, unspecified	<b>F10.27</b> Alcohol use, unspecified with alcohol-induced persisting
10 F41.9 Anxiety disorder, unspecified	9 292.83 Drug induced persisting amnestic disorder
<b>314.01</b> Attention deficit disorder with hyperactivity	<b>F13.26</b> Sedative, hypnotic or anxiolytic use, unspecified with sed or anxiolytic-induced persisting amnestic disorder
<b>F90.1</b> Attention-deficit hyperactivity disorder, predominantly hyperactive type	<b>F13.96</b> Sedative, hypnotic or anxiolytic use, unspecified with sed or anxiolytic-induced persisting amnestic disorder
<b>F90.2</b> Attention-deficit hyperactivity disorder, combined type	
<b>F90.8</b> Attention-deficit hyperactivity disorder, other type	<b>F19.16</b> Other psychoactive substance abuse with psychoactive s persisting amnestic disorder
<b>F90.9</b> Attention-deficit hyperactivity disorder, unspecified type	<b>F19.26</b> Other psychoactive substance dependence with psychoa induced persisting amnestic disorder
<b>296.33</b> Major depressive affective disorder, recurrent episode, severe, without mention of psychotic behavior	F19.96 Other psychoactive substance use, unspecified with psychoactive substance use, unspecified with psychoactive substance use, unspecified with psychoactive substance.
10 F33.2 Major depressive disorder, recurrent severe without psychotic features	Substance-induced persisting anniestic disorder

9 294.10 Dementia in conditions classified elsewhere without behavioral disturbances code first underlying condition
<b>F02.80</b> Dementia in other diseases classified elsewhere without behavioral disturbance
9 295.9 Schizophrenia unspecified, unspecified condition
10 F20.3 Undifferentiated schizophrenia
10 F20.9 Schizophrenia, unspecified
9 296.80 Bipolar disorder, unspecified
F31.9 Bipolar disorder, unspecified
9 298.0 Depressive type psychosis
<b>F32.3</b> Major depressive disorder, single episode, severe with pyschotic features
<b>F33.3</b> Major depressive disorder, recurrent, severe with pyschotic symptoms
9 299.00 Autistic disorder, current or active state
10 F84.0 Autistic disorder
9 300.2 Phobia, unspecified
<b>F40.9</b> Phobic anxiety disorder, unspecified
9 300.3 Obsessive-compulsive disorder
10 F42 Obsessive-compulsive disorder