

The Magic is the Media

A ISO 9001:2008 - ANSI-ISO-ASQ Q9001-2008 Company

SECTION I

PRODUCT NAME OR NUMBER (as it appears on label)				
Polyplus® Plastic Blast Abrasive (Type II)				
MANUFACTURER'S NAME		EMERGENCY TELEPHONE NO.		
U.S. Technology Media Inc.		(330) 455-1181		
ADDRESS (Number, Street, City and Zip Code)		DATE PREPARED/REVISED -		
509 Water ST., Bolivar OH. 44612		NO. 06/06/2018		
MATERIAL DESCRIPTION, PROPER SHIPPING NAME				
Plastic Abrasive, Polyplus				
HAZARD CLASSES (as applicable): N.A.				
CHEMICAL FAMILY: Amino Thermoset Plastic	FORMULA: N.A.			

SECTION II – INGREDIENTS

(list all ingredients)

CAS REG ISTR Y NO.	Approx. %W	Chemical Name(s)	OSHA PEL	ACGIH TLV	Other Limits Recommended
9004-34-6 9011-05-6	98	Polymerized Urea/Melamine Formaldehyde Compound w/ Alpha			
		Cellulose Filler			
2764-13-8	>1%	Anti-Static Agent – Cal Stat 600			
5280-80-8	<2%	Pigments and Additives			
13463-67-7					
12769-96-9					

SECTION III - PHYSICAL DATA

BOILING POINT°F °C	SPECIFIC GRAVITY (H ₂ O=1):	BULK DENSITY
N.A.	1.47-1.52	58-60 lbs./ft ³
MELTING POINT°F°C	PERCENT VOLATILE BY	PERCENT SOLID BY WEIGHT
N.A.	VOLUME (%) N.A.	(%) 100
VAPOR DENSITY (AIR=1)	EVAPORATION RATE (=1)	
N.A.	N.A.	
SOLUBILITY IN WATER - Not	pH= 4-8	
APPEARANCE AND ODOR: Multi-colored granules with slight		MATERIAL FORM: Solid
plastic odor		

SECTION IV - FIRE AND EXPLOSION HAZARD DATA

FLASH POINT	°F	°C: N.A.	FLAMMABLE: N.A.	LEL: N.A.	UEL: N.A.
EXTINGUISHING MEDIA: Carbon dioxide, dry chemicals or water fog					
SPECIAL FIRE FIGHTING PROCEDURES: Do not use high-pressure water stream. Fog nozzles are					
preferable.					
UNUSUAL FIRE AND EXPLOSION HAZARDS: Maintain normal good housekeeping for control of dust.					

SECTION V - REALTH HAZARD DATA				
EFFECTS OF OVEREXPOSURE – Conditions to avoid:		THRESHOLD LIMIT VALUE:		
Mechanical injury to eyes and/or skin can occur. Excessive		PERMISSIBLE EXPOSURE LIMIT:		
dust inhalation ma		CSSIVE	T EKWISSIBLE EXI OSSIVE EIWIT.	
	S OF ENTRY: ☑ Inhalation	☑ Sk	in Contact □ Other (specify)	
			eye or skin irritation, flush with plenty of water for	
	es. Inhalation – remove to fresh ai			
	SECTION VI – RI	EACTI\	/ITY DATA	
STABILITY: 🗹	STABLE UNSTABLE	COND	ITIONS TO AVOID:	
	Y (Materials to avoid): No specific		e, carbon dioxide, carbon monoxide,	
	hyde, hydrogen cyanide at +500°F		e, carbon dioxide, carbon monoxide,	
HAZARDOUS PO			ITIONS TO AVOID:	
	DCCUR MAY OCCUR	COND	ITIONS TO AVOID.	
E MATROT	BOOK MATOCOK			
	OFOTION VIII OBILL O	D E A	K PROCEDURES	
	SECTION VII – SPILL C	K LEA	K PROCEDURES	
STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: Remove from open flame, sparks,				
hot surfaces and oxidizing agents. Sweep up and place waste in disposal container.				
WASTE DISPOSAL METHOD: Sanitary landfill in accordance with Federal, State and Local regulations.				
CERCLA (Superfund) REPORTABLE QUANTITY (in lbs.): N.A.				
RCRA HAZARDOUS WASTE NO. (40 CFR 261.33): N.A.				
VOLATILE ORGANIC COMPOUND (VOC) (as packaged, minus water): N.A.				
☐ Theoretical lbs. /gal. ☐ Analytical lbs. /gal.				
SECTION VIII – SPECIAL PROTECTION INFORMATION				
RESPIRATORY PROTECTION (Specify Type): Where required, use NIOSH/MSHA approved respiratory				
protection in compliance with OSHA regulations (i.e.1910.134 et. al.).				
VENTILATION			re necessary to maintain exposure levels to OSHA	
permissible levels.				
MECHANICAL (General - Specify Rate): Acceptable				
SPECIAL: Explosion proof may be necessary if aerated and airveyed.				
	OTHER:			

SECTION IX - SPECIAL PRECAUTIONS

EYE PROTECTION (Specify Type): Safety goggles

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING: Store in closed, properly labeled containers in cool ventilated area. Keep away from heat, sparks, open flame and oxidizing agents. Do not transfer unmarked containers.

OTHER PRECAUTIONS: None

PROTECTIVE GLOVES (Specify Type): Normal

OTHER PROTECTION EQUIPMENT: Respirator hood, if necessary.

Prepared by:

Name (print): Casey Williams Title: Quality Assurance Manager Date Reviewed: 06/06/2018