

West Virginia Department of Health & Human Resources

Berkeley County Health Department

FOOD ESTABLISHMENT INSPECTION REPORT

Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 72 hours of Priority items and 10 calendar days for Priority Foundation items or HACCP Plan deviations. (§ 64 C.S.R. 17-3.1.j.)

OBSERVATION TOTALS


PRIORITY: 13
CORE: 27

PRIORITY FOUNDATION: 0
TOTAL: 40

ESTABLISHMENT: Long John Silvers PERMIT NO.: _____ DATE: 7/6/21
 ADDRESS: 2035 Edwin Miller CITY: MAbg STATE: WV ZIP: 25404
 PERSON IN CHARGE/TITLE: Melody Probn TELEPHONE: _____
 RECEIVED BY (SIGNATURE): Melody Probn SANITARIAN (SIGNATURE): Michael Rabin
 INSPECTION TYPE: ROUTINE FOLLOW-UP COMPLAINT OTHER: _____ TIME: 10:30am

Corrected	Priority	Repeat	Code Reference	Violation Description/Remarks/Corrections
	✓		4.602.11	- drink spouts need cleaned (mold)
	✓		4.602.11	- ice shoot needs cleaned (mold)
			6.501.11	- sink in womens room needs recawked
			6.501.11	- sink in mens room needs recawked
			6.501.12	- bottom area of toilet needs cleaned in both bathrooms
			4.602.13	- clean under hand washing sink
			4.602.13	- clean cabinet where coffee is stored (sugar spilled)
			6.501.12	- fan near registers need cleaned (dust)
	✓		4.602.11	- front area where lids are needs cleaned
			6.501.12	- all shelves near front register need to be cleaned
	✓		4.602.13	- clean the gasket on cold slaw unit
	✓		4.602.11	- drive thru drink shoots need cleaned
	✓		4.602.11	- cup storage in drive thru needs to be cleaned

Unit/Location/Item	Temp/PPM	Unit/Location/Item	Temp/PPM	Unit/Location/Item	Temp/PPM	Unit/Location/Item	Temp/PPM
Sanitizer	300ppm						
Cold slaw unit	39°						
Cold slaw	36°						



West Virginia Department of Health & Human Resources
Berkeley County Health Department
FOOD ESTABLISHMENT INSPECTION REPORT

Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 72 hours of Priority items and 10 calendar days for Priority Foundation items or HACCP Plan deviations. (§ 64 C.S.R. 17-3.1.j.)

OBSERVATION TOTALS

PRIORITY: 13
 CORE: 27

PRIORITY FOUNDATION: 0
 TOTAL: 40

ESTABLISHMENT: Long John Silvers PERMIT NO.: _____ DATE: 7/16/21
 ADDRESS: 2035 Edwin Miller CITY: Mt Gay STATE: WV ZIP: 25404
 PERSON IN CHARGE/TITLE: X Melody Proctor TELEPHONE: _____
 RECEIVED BY (SIGNATURE): X Melody Proctor SANITARIAN (SIGNATURE): Nick Kays
 INSPECTION TYPE: ROUTINE FOLLOW-UP COMPLAINT OTHER: _____ TIME: 10:30am

Corrected	Priority	Repeat	Code Reference	Violation Description/Remarks/Corrections
			6.501.12	fan above microwave area needs cleaned.
			6.501.12	gasket on cabbage/shrimp/sauce unit need cleaned.
			6.501.12	inside of unit [^] above needs to be cleaned.
✓			4.602.11	inside of microwave needs to be cleaned.
			6.501.11	light fixture above dishing window covering needs replaced
			6.501.12	floors near fryer need to be cleaned (grease)
			4.602.13	fish freezer near fryer needs to be cleaned.
			4.602.13	shelf with fry baskets being held (bottom) unit needs to be cleaned.
			6.501.12	underneath of hand washing sink needs to be cleaned. (grease/food)
				shelf with butter needs to be cleaned.

Unit/Location/Item	Temp/PPM	Unit/Location/Item	Temp/PPM	Unit/Location/Item	Temp/PPM	Unit/Location/Item	Temp/PPM
Rice	129 ³						
Window	160 ⁰						
Fryer freezer	20						

Berkeley County

FOOD ESTABLISHMENT INSPECTION REPORT

Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 72 hours of Priority items and 10 calendar days for Priority Foundation items or HACCP Plan deviations. (§ 64 C.S.R. 17-3.1.j.)

OBSERVATION TOTALS

PRIORITY: 13
CORE: 27

PRIORITY FOUNDATION: 0
TOTAL: 40

ESTABLISHMENT: Long John Silvers PERMIT NO.: _____ DATE: 7/16/21
 ADDRESS: 2035 Edwin Miller CITY: Mtbg STATE: WV ZIP: 25004
 PERSON IN CHARGE/TITLE: X Melody Proctor TELEPHONE: _____
 RECEIVED BY (SIGNATURE): X Melody Proctor SANITARIAN (SIGNATURE): Michael Rabin
 INSPECTION TYPE: ROUTINE FOLLOW-UP COMPLAINT OTHER: _____ TIME: 10:30am

Corrected	Priority	Repeat	Code Reference	Violation Description/Remarks/Corrections
			4.602.13	front and side of fish freezer needs cleaned (batter everywhere) needed
	✓		4.602.11	ice machine in back near mop sink unclean (pink slime)
	✓		4.602.11	tables with dishes on them unclean needed
			6.501.11	light fixture near drain 3 bay sink needs bulb
			6.501.11	light fixture near turb chef needs repaired (cracked)
	✓	✓	4.602.11	flies observed in kitchen during inspection on food, contact surfaces
			6.501.12	mops in back hanging in correctly floor in dry storage area needs cleaned
			4.501.11	gasket on walk in needs replaced
			4.501.11	walk in freezer needs defrost
			6.501.111	mouse poop observed in kitchen and drive thru area at time of inspection (and multiple other areas)

Unit/Location/Item	Temp/PPM	Unit/Location/Item	Temp/PPM	Unit/Location/Item	Temp/PPM	Unit/Location/Item	Temp/PPM
<u>dish water</u>	<u>200ppm</u>						

Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 72 hours of Priority items and 10 calendar days for Priority Foundation items or HACCP Plan deviations. (§ 64 C.S.R. 17-3.1.j.)

OBSERVATION TOTALS

PRIORITY: 13
CORE: 27

PRIORITY FOUNDATION: 8
TOTAL: 40

ESTABLISHMENT: Long John Silver PERMIT NO.: _____ DATE: 7/6/21
 ADDRESS: 2035 Edwin Miller CITY: Mt Gay STATE: WV ZIP: 25101
 PERSON IN CHARGE/TITLE: X Melody Proctor TELEPHONE: _____
 RECEIVED BY (SIGNATURE): X Melody Proctor SANITARIAN (SIGNATURE): Nick Keph Sahn
 INSPECTION TYPE: ROUTINE FOLLOW-UP COMPLAINT OTHER: _____ TIME: 10:30 AM

Corrected	Priority	Repeat	Code Reference	Violation Description/Remarks/Corrections
	✓		4.602.11	utensil drawer unclean
	✓		4.602.11	cutting board unclean
	✓		4.602.11	can opener found in drawer rusted.
			6.501.12	general cleaning of all floors
			6.501.12	general cleaning of all walls
			4.602.13	shelf above turbo chef needs cleaned.
			6.501.12	dining room floor needs to be swept.
			6.501.12	ceiling tile through out kitchen needs to be cleaned.
				waterproof
				* Establishment must close immediately
				* Establishment may not reopen until reinspection and approval from Berkeley county Health Department.

Unit/Location/Item	Temp/PPM	Unit/Location/Item	Temp/PPM	Unit/Location/Item	Temp/PPM	Unit/Location/Item	Temp/PPM
walk in freezer	300		70				