# Geothermal Heat Trainer

Educational Training Equipment for the 21st Century

**Bulletin 229-6D** 

# H-RST-20 Geothermal Trainer

#### **Purpose**

Hampden's **Model H-RST-20** Geothermal Trainer provides hands-on training by allowing students to conduct tests and adjustments on a modern Geothermal Heat Pump System.

### **Specifications**

The **H-RST-20** Geothermal Trainer consists of the following:

- Geothermal Heat Pump Components (water-to-water)
- Microprocessor Control
- TXV Valve
- E-coated Air Coils
- Compressor
- Two-stage 24V Heating/Cooling Thermostat
- Mobile Frame
- Instruction Manual and Text Book

The following components shall be mounted on mobile frame:

- Compressor
- Electric Pressure Control (1 high and 1 low)
- Filter Drier
- Sight Glass
- Condensers (2)
- 24V Two-Stage Heating/Cooling Thermostat
- Power Cord
- Water Supply Tank with Pump
- Water Storage Tank with Pump
- Programmable Thermostat
- Main AC Breaker with Pilot Light
- Pump Switch with Pilot Light (2)
- Digital Temperature Meter with Selector Switch
- Flowmeter 0.5 5 GPM (2)







BACK

#### **MODEL H-RST-20**

(Shown with -DMP Digital Meter Package Option and -FP-6E Electrical Fault Package Option)

Dimensions: 66-5/8"H x 72"W x 30"D

Shipping Weight: 1,050 lbs

- High Pressure Refrigerant Gauge
- Low Compound Refrigerant Gauge
- · Reversing Valve with Coil
- Suction Accumulator
- Section of Radiant Flooring with 3 Flooring Inserts
- Thermostatic Expansion Valves (2)

Input Power: 208/230V AC-1Ø-60 Hz

#### **Options**

- H-RST-20-FP-6E Electrical Fault Package Option
- H-RST-20-DMP Digital Meter Package Option

## Description

The **H-RST-20** Geothermal Trainer is equipped with:

- Exclusive double isolation compressor mounting system
- 2. Insulated divider and seperate compressor/air handler compartments
- 3. Extended range operation (20° to 120°F)
- 4. Exceeds ASHRAE 90.1 efficiencies
- 5. Internally trapped condensate drain line
- 6. Unit Performance Sentinel performance monitoring system

All Hampden units are available for operation at any voltage or frequency



071118