


SOCKET SCREW PRODUCTS

ALLOY SOCKET HEAD CAP SCREWS

- Cold-forged alloy steel increases strength.
- Hex is clean, deep and sharp to allow greater tightening torques.
- 180,000 PSI tensile strength thru 1/2", 170,000 PSI tensile strength over 1/2".



4-40 DIAMETER		
J&B #	SIZE	QTY
30054	4-40 x 1/4	100
30055	4-40 x 3/8	100
30056	4-40 x 1/2	100
30057	4-40 x 5/8	100
30060	4-40 x 3/4	100
30062	4-40 x 1	100

5-40 DIAMETER		
J&B #	SIZE	QTY
30084	5-40 x 3/8	100

6-32 DIAMETER		
J&B #	SIZE	QTY
30108	6-32 x 1/4	100
30114	6-32 x 3/8	100
30120	6-32 x 1/2	100
30123	6-32 x 5/8	100
30126	6-32 x 3/4	100
30132	6-32 x 1	100
30133	6-32 x 1-1/4	100
30134	6-32 x 1-1/2	100

8-32 DIAMETER		
J&B #	SIZE	QTY
30156	8-32 x 1/4	100
30162	8-32 x 3/8	100
30168	8-32 x 1/2	100
30174	8-32 x 5/8	100
30177	8-32 x 3/4	100
30186	8-32 x 1	100
30192	8-32 x 1-1/4	100
30198	8-32 x 1-1/2	100
30199	8-32 x 1-3/4	100
30200	8-32 x 2	100


10-24 DIAMETER		
J&B #	SIZE	QTY
30216	10-24 x 3/8	100
30219	10-24 x 1/2	100
30225	10-24 x 5/8	100
30228	10-24 x 3/4	100
30234	10-24 x 1	100
30240	10-24 x 1-1/4	100
30246	10-24 x 1-1/2	100
30249	10-24 x 1-3/4	100
30255	10-24 x 2	100

1/4-20 DIAMETER		
J&B #	SIZE	QTY
30267	1/4-20 x 3/8	100
30270	1/4-20 x 1/2	100
30273	1/4-20 x 5/8	100
30276	1/4-20 x 3/4	100
30279	1/4-20 x 7/8	100
30282	1/4-20 x 1	100
30291	1/4-20 x 1-1/4	100
30294	1/4-20 x 1-1/2	100
30300	1/4-20 x 1-3/4	100
30306	1/4-20 x 2	100
30309	1/4-20 x 2-1/4	100
30312	1/4-20 x 2-1/2	100
30315	1/4-20 x 2-3/4	100
30318	1/4-20 x 3	100
30319	1/4-20 x 3-1/4	25
30320	1/4-20 x 3-1/2	50
30322	1/4-20 x 4	50

SOCKET SCREW PRODUCTS

ALLOY SOCKET HEAD CAP SCREWS

- Cold-forged alloy steel increases strength.
- Hex is clean, deep and sharp to allow greater tightening torques.
- 180,000 PSI tensile strength thru 1/2", 170,000 PSI tensile strength over 1/2".



5/16-18 DIAMETER		
J&B #	SIZE	QTY
30351	5/16-18 x 1/2	100
30354	5/16-18 x 5/8	100
30357	5/16-18 x 3/4	100
30360	5/16-18 x 7/8	100
30363	5/16-18 x 1	100
30369	5/16-18 x 1-1/4	100
30372	5/16-18 x 1-1/2	100
30375	5/16-18 x 1-3/4	100
30381	5/16-18 x 2	100
30387	5/16-18 x 2-1/4	100
30393	5/16-18 x 2-1/2	100
30396	5/16-18 x 2-3/4	100
30399	5/16-18 x 3	100
30401	5/16-18 x 3-1/2	50
30403	5/16-18 x 4	50
30405	5/16-18 x 5	25
30407	5/16-18 x 6	25

3/8-16 DIAMETER		
J&B #	SIZE	QTY
30435	3/8-16 x 1/2	100
30438	3/8-16 x 5/8	100
30441	3/8-16 x 3/4	100
30444	3/8-16 x 7/8	100
30447	3/8-16 x 1	100
30450	3/8-16 x 1-1/4	100
30456	3/8-16 x 1-1/2	100
30459	3/8-16 x 1-3/4	50
30462	3/8-16 x 2	50
30465	3/8-16 x 2-1/4	50
30468	3/8-16 x 2-1/2	50
30471	3/8-16 x 2-3/4	50
30474	3/8-16 x 3	50
30477	3/8-16 x 3-1/4	50
30483	3/8-16 x 3-1/2	50
30489	3/8-16 x 4	50
30495	3/8-16 x 4-1/2	50
30501	3/8-16 x 5	50
30503	3/8-16 x 5-1/2	25
30505	3/8-16 x 6	50


7/16-14 DIAMETER		
J&B #	SIZE	QTY
30519	7/16-14 x 3/4	100
30525	7/16-14 x 1	100
30528	7/16-14 x 1-1/4	50
30531	7/16-14 x 1-1/2	50
30537	7/16-14 x 1-3/4	50
30540	7/16-14 x 2	50
30546	7/16-14 x 2-1/2	50
30552	7/16-14 x 3	25
30553	7/16-14 x 3-1/2	25
30558	7/16-14 x 4	25

1/2-13 DIAMETER		
J&B #	SIZE	QTY
30573	1/2-13 x 3/4	50
30585	1/2-13 x 1	50
30588	1/2-13 x 1-1/4	50
30591	1/2-13 x 1-1/2	50
30594	1/2-13 x 1-3/4	50
30597	1/2-13 x 2	50
30600	1/2-13 x 2-1/4	25
30606	1/2-13 x 2-1/2	25
30609	1/2-13 x 2-3/4	25
30612	1/2-13 x 3	25
30618	1/2-13 x 3-1/4	25
30621	1/2-13 x 3-1/2	25
30627	1/2-13 x 4	25
30633	1/2-13 x 4-1/2	25
30639	1/2-13 x 5	25
30645	1/2-13 x 5-1/2	25
30654	1/2-13 x 6	25
30656	1/2-13 x 6-1/2	10
30658	1/2-13 x 7	10
30660	1/2-13 x 8	10

SOCKET SCREW PRODUCTS

ALLOY SOCKET HEAD CAP SCREWS

- Cold-forged alloy steel increases strength.
- Hex is clean, deep and sharp to allow greater tightening torques.
- 180,000 PSI tensile strength thru 1/2", 170,000 PSI tensile strength over 1/2".



5/8-11 DIAMETER		
J&B #	SIZE	QTY
30666	5/8-11 x 1	25
30672	5/8-11 x 1-1/4	25
30678	5/8-11 x 1-1/2	25
30681	5/8-11 x 1-3/4	25
30684	5/8-11 x 2	25
30687	5/8-11 x 2-1/4	25
30690	5/8-11 x 2-1/2	25
30693	5/8-11 x 2-3/4	25
30696	5/8-11 x 3	25
30699	5/8-11 x 3-1/4	25
30702	5/8-11 x 3-1/2	25
30705	5/8-11 x 4	25
30711	5/8-11 x 4-1/2	25
30714	5/8-11 x 5	25
30717	5/8-11 x 5-1/2	10
30729	5/8-11 x 6	10
30731	5/8-11 x 6-1/2	10
30733	5/8-11 x 7	10
30735	5/8-11 x 8	10

3/4-10 DIAMETER		
J&B #	SIZE	QTY
30744	3/4-10 x 1-1/4	25
30747	3/4-10 x 1-1/2	25
30750	3/4-10 x 1-3/4	25
30753	3/4-10 x 2	25
30756	3/4-10 x 2-1/4	25
30759	3/4-10 x 2-1/2	25
30762	3/4-10 x 2-3/4	25
30765	3/4-10 x 3	25
30768	3/4-10 x 3-1/4	25
30771	3/4-10 x 3-1/2	25
30774	3/4-10 x 4	25
30777	3/4-10 x 4-1/2	25
30783	3/4-10 x 5	25
30789	3/4-10 x 5-1/2	10
30804	3/4-10 x 6	10
30807	3/4-10 x 7	10
30813	3/4-10 x 8	10


7/8-9 DIAMETER		
J&B #	SIZE	QTY
30827	7/8-9 x 2	10
30833	7/8-9 x 3	10
30839	7/8-9 x 4	10

1"-8 DIAMETER		
J&B #	SIZE	QTY
30873	1-8 x 2	10
30879	1-8 x 2-1/2	10
30885	1-8 x 3	10
30891	1-8 x 3-1/2	10
30897	1-8 x 4	10
30903	1-8 x 4-1/2	10
30906	1-8 x 5	10
30909	1-8 x 5-1/2	10
30912	1-8 x 6	10

SOCKET SCREW PRODUCTS

ALLOY SOCKET HEAD CAP SCREWS

- Cold-forged alloy steel increases strength.
- Hex is clean, deep and sharp to allow greater tightening torques.
- 180,000 PSI tensile strength thru 1/2", 170,000 PSI tensile strength over 1/2".



10-32 DIAMETER		
J&B #	SIZE	QTY
31107	10-32 x 3/8	100
31113	10-32 x 1/2	100
31119	10-32 x 5/8	100
31122	10-32 x 3/4	100
31128	10-32 x 1	100
31134	10-32 x 1-1/4	100
31137	10-32 x 1-1/2	100
31140	10-32 x 1-3/4	100
31143	10-32 x 2	100

1/4-28 DIAMETER		
J&B #	SIZE	QTY
31164	1/4-28 x 1/2	100
31176	1/4-28 x 3/4	100
31179	1/4-28 x 7/8	100
31182	1/4-28 x 1	100
31188	1/4-28 x 1-1/4	100
31191	1/4-28 x 1-1/2	100
31193	1/4-28 x 2	100

5/16-24 DIAMETER		
J&B #	SIZE	QTY
31227	5/16-24 x 3/4	100
31233	5/16-24 x 1	100
31239	5/16-24 x 1-1/4	100
31242	5/16-24 x 1-1/2	100
31254	5/16-24 x 2	100

3/8-24 DIAMETER		
J&B #	SIZE	QTY
31281	3/8-24 x 3/4	100
31287	3/8-24 x 1	100
31290	3/8-24 x 1-1/4	100
31293	3/8-24 x 1-1/2	100
31299	3/8-24 x 2	50
31302	3/8-24 x 2-1/4	50
31303	3/8-24 x 2-1/2	25
31305	3/8-24 x 3	25

7/16-20 DIAMETER		
J&B #	SIZE	QTY
31330	7/16-20 x 1-1/2	50


1/2-20 DIAMETER		
J&B #	SIZE	QTY
31356	1/2-20 x 1	50
31359	1/2-20 x 1-1/4	50
31360	1/2-20 x 1-1/2	50
31362	1/2-20 x 2	25
31364	1/2-20 x 2-1/2	25
31366	1/2-20 x 3	25

SOCKET SCREW PRODUCTS

LOW HEAD SOCKET CAP SCREWS

Alloy Steel Heat Treated

- Threads are close fitting to resist loosening under vibration.
- Centered and trimmed socket and head for better seating and better balanced wrenching.
- 180,000 PSI tensile strength thru 1/2", 170,000 PSI tensile strength over 1/2".



8-32 DIAMETER		
J&B #	SIZE	QTY
4180	8-32 x 3/8	100
4181	8-32 x 1/2	100
4182	8-32 x 3/4	100

10-24 DIAMETER		
J&B #	SIZE	QTY
4186	10-24 x 3/8	100
4187	10-24 x 1/2	100
4188	10-24 x 3/4	100
4189	10-24 x 1	100

10-32 DIAMETER		
J&B #	SIZE	QTY
4194	10-32 x 3/8	100
4195	10-32 x 1/2	100
4196	10-32 x 3/4	100
4197	10-32 x 1	100


1/4-20 DIAMETER		
J&B #	SIZE	QTY
4204	1/4-20 x 1/2	100
4205	1/4-20 x 3/4	100
4206	1/4-20 x 1	100

SOCKET SCREW PRODUCTS

FLAT HEAD SOCKET CAP SCREWS

Alloy Steel Heat Treated

- Threads are close fitting to resist loosening under vibration.
- Centered and trimmed socket and head for better seating and better balanced wrenching.
- 180,000 PSI tensile strength thru 1/2", 170,000 PSI tensile strength over 1/2".



4-40 DIAMETER		
J&B #	SIZE	QTY
34828	4-40 x 1/4	100
34829	4-40 x 3/8	100
34830	4-40 x 1/2	100
34831	4-40 x 3/4	100

6-32 DIAMETER		
J&B #	SIZE	QTY
34434	6-32 x 1/4	100
34440	6-32 x 3/8	100
34443	6-32 x 1/2	100
34446	6-32 x 5/8	100
34449	6-32 x 3/4	100

8-32 DIAMETER		
J&B #	SIZE	QTY
34456	8-32 x 1/4	100
34458	8-32 x 3/8	100
34461	8-32 x 1/2	100
34464	8-32 x 5/8	100
34467	8-32 x 3/4	100
34473	8-32 x 1	100

10-24 DIAMETER		
J&B #	SIZE	QTY
34482	10-24 x 3/8	100
34485	10-24 x 1/2	100
34488	10-24 x 5/8	100
34491	10-24 x 3/4	100
34497	10-24 x 1	100
34500	10-24 x 1-1/4	100

10-32 DIAMETER		
J&B #	SIZE	QTY
34773	10-32 x 3/8	100
34779	10-32 x 1/2	100
34782	10-32 x 5/8	100
34785	10-32 x 3/4	100
34791	10-32 x 1	100
34794	10-32 x 1-1/4	100

1/4-20 DIAMETER		
J&B #	SIZE	QTY
34508	1/4-20 x 3/8	100
34509	1/4-20 x 1/2	100
34515	1/4-20 x 5/8	100
34518	1/4-20 x 3/4	100
46787	1/4-20 x 7/8	100
34524	1/4-20 x 1	100
34527	1/4-20 x 1-1/4	100
34530	1/4-20 x 1-1/2	100
34533	1/4-20 x 1-3/4	100
34536	1/4-20 x 2	100
46788	1/4-20 x 2-1/2	100


1/4-28 DIAMETER		
J&B #	SIZE	QTY
34819	1/4-28 x 1/2	100
34821	1/4-28 x 3/4	100
34824	1/4-28 x 1	100

SOCKET SCREW PRODUCTS

FLAT HEAD SOCKET CAP SCREWS

Alloy Steel Heat Treated

- Threads are close fitting to resist loosening under vibration.
- Centered and trimmed socket and head for better seating and better balanced wrenching.
- 180,000 PSI tensile strength thru 1/2", 170,000 PSI tensile strength over 1/2".



5/16-18 DIAMETER		
J&B #	SIZE	QTY
34548	5/16-18 x 1/2	100
34551	5/16-18 x 5/8	100
34557	5/16-18 x 3/4	100
34560	5/16-18 x 7/8	100
34563	5/16-18 x 1	100
34565	5/16-18 x 1-1/4	100
34567	5/16-18 x 1-1/2	100
34569	5/16-18 x 1-3/4	100
34571	5/16-18 x 2	100
34572	5/16-18 x 2-1/4	50
34573	5/16-18 x 2-1/2	50

5/16-24 DIAMETER		
J&B #	SIZE	QTY
34620	5/16-24 x 3/4	100
34621	5/16-24 x 1	100

7/16-14 DIAMETER		
J&B #	SIZE	QTY
34625	7/16-14 x 1-1/2	25

5/8-11 DIAMETER		
J&B #	SIZE	QTY
34698	5/8-11 x 1-1/4	25
34703	5/8-11 x 1-1/2	25
34707	5/8-11 x 2	25
34711	5/8-11 x 2-1/4	25
34713	5/8-11 x 2-1/2	25
34715	5/8-11 x 3	25

3/8-16 DIAMETER		
J&B #	SIZE	QTY
34590	3/8-16 x 1/2	100
34596	3/8-16 x 5/8	100
34599	3/8-16 x 3/4	100
34602	3/8-16 x 1	100
34605	3/8-16 x 1-1/4	100
34608	3/8-16 x 1-1/2	100
34611	3/8-16 x 1-3/4	50
34614	3/8-16 x 2	50
34616	3/8-16 x 2-1/2	50
34617	3/8-16 x 3	50

3/8-24 DIAMETER		
J&B #	SIZE	QTY
34623	3/8-24 x 3/4	50
34624	3/8-24 x 1	50

1/2-13 DIAMETER		
J&B #	SIZE	QTY
34653	1/2-13 x 3/4	50
34662	1/2-13 x 1	50
34665	1/2-13 x 1-1/4	50
34668	1/2-13 x 1-1/2	50
34671	1/2-13 x 1-3/4	50
34674	1/2-13 x 2	50
34680	1/2-13 x 2-1/2	25
34686	1/2-13 x 3	25

3/4-10 DIAMETER		
J&B #	SIZE	QTY
34720	3/4-10 x 2	25
34722	3/4-10 x 2-1/2	25
34724	3/4-10 x 3	25

SOCKET SCREW PRODUCTS

SOCKET HEAD SHOULDER SCREWS

Alloy Steel Heat Treated

- Hex is clean, deep & sharp to allow greater tightening torques.
- Precision rolled threads for greater holding power.
- Replace costly special parts; shafts, pivots, clevis pins, guides, trunnion mountings, linkages, etc.



1/4 DIAMETER		10-24 THREAD
J&B #	SIZE	QTY
33759	3/8	25
33762	1/2	25
33765	5/8	25
33768	3/4	25
33771	1	25
33774	1-1/4	25
33777	1-1/2	25

5/16 DIAMETER		1/4-20 THREAD
J&B #	SIZE	QTY
33795	3/8	25
33798	1/2	25
33801	5/8	25
33804	3/4	25
33810	1	25
33813	1-1/4	25
33816	1-1/2	25
33819	1-3/4	25
33822	2	25

3/8 DIAMETER		5/16-18 THREAD
J&B #	SIZE	QTY
33837	3/8	25
33840	1/2	25
33843	5/8	25
33846	3/4	25
33849	1	25
33852	1-1/4	25
33855	1-1/2	25
33858	1-3/4	25
33861	2	25
33864	2-1/4	25
33867	2-1/2	25
33870	2-3/4	25
33873	3	25
33879	3-1/2	25
33885	4	25

1/2 DIAMETER		3/8-16 THREAD
J&B #	SIZE	QTY
33891	1/2	25
33894	5/8	25
33897	3/4	25
33900	1	25
33903	1-1/4	25
33906	1-1/2	25
33909	1-3/4	25
33912	2	25
33915	2-1/4	25
33918	2-1/2	25
33921	2-3/4	25
33924	3	25
33927	3-1/4	25
33930	3-1/2	25
33936	4	25
33942	4-1/2	10
33948	5	10

5/8 DIAMETER		1/2-13 THREAD
J&B #	SIZE	QTY
33960	1-1/4	25
39850	2	25
33975	2-1/2	25
33978	2-3/4	25
39851	3	10
33984	3-1/4	25
39852	4	10
34005	5	10


3/4 DIAMETER		5/8-11 THREAD
J&B #	SIZE	QTY
34020	1-1/2	10
34023	1-3/4	10
34026	2	10
39853	2-1/2	10
39854	3	10
34050	4	10

SOCKET SCREW PRODUCTS

BUTTON HEAD SOCKET CAP SCREWS

Alloy Steel Heat Treated

- Precision rolled threads for better holding power.
- 17% more bearing surface than socket head screws.
- Minimum tensile strength is 75,000 PSI.
- Use in materials too thin to countersink.



6-32 DIAMETER		
J&B #	SIZE	QTY
41310	6-32 x 1/4	100
41312	6-32 x 3/8	100
41313	6-32 x 1/2	100
41314	6-32 x 5/8	100

8-32 DIAMETER		
J&B #	SIZE	QTY
41318	8-32 x 1/4	100
41320	8-32 x 3/8	100
41321	8-32 x 1/2	100
41322	8-32 x 5/8	100
41323	8-32 x 3/4	100

10-24 DIAMETER		
J&B #	SIZE	QTY
34152	10-24 x 3/8	100
34158	10-24 x 1/2	100
34164	10-24 x 3/4	100
34170	10-24 x 1	100

10-32 DIAMETER		
J&B #	SIZE	QTY
34305	10-32 x 3/8	100
34358	10-32 x 1/2	100
34347	10-32 x 3/4	100
34323	10-32 x 1	100

1/4-20 DIAMETER		
J&B #	SIZE	QTY
34174	1/4-20 x 3/8	100
34179	1/4-20 x 1/2	100
34185	1/4-20 x 3/4	100
34191	1/4-20 x 1	100
41341	1/4-20 x 1-1/4	100
41342	1/4-20 x 1-1/2	50

5/16-18 DIAMETER		
J&B #	SIZE	QTY
34204	5/16-18 x 3/8	100
34206	5/16-18 x 1/2	100
34212	5/16-18 x 3/4	100
34218	5/16-18 x 1	100
34220	5/16-18 x 1-1/4	100
46070	5/16-18 x 1-1/2	50

3/8-16 DIAMETER		
J&B #	SIZE	QTY
34230	3/8-16 x 1/2	50
34236	3/8-16 x 3/4	50
34242	3/8-16 x 1	50
41330	3/8-16 x 1-1/4	50
46074	3/8-16 x 1-1/2	50
46076	3/8-16 x 2	25

1/2-13 DIAMETER		
J&B #	SIZE	QTY
41336	1/2-13 x 1	25
41337	1/2-13 x 1-1/4	25
41338	1/2-13 x 1-1/2	25
41340	1/2-13 x 2	25

SOCKET SCREW PRODUCTS

ALLOY SOCKET SET SCREWS

Cup Point

- Precision rolled threads for greater holding power & accurate size.
- Greater resistance to snapping, stretching and shearing.
- Strong, full finished deep socket allows full wrenching leverage.



4-40 DIAMETER		
J&B #	SIZE	QTY
31476	4-40 x 3/16	100
31479	4-40 x 1/4	100
31482	4-40 x 5/16	100
31485	4-40 x 3/8	100
31491	4-40 x 1/2	100

5-40 DIAMETER		
J&B #	SIZE	QTY
31497	5-40 x 1/8	100
31500	5-40 x 3/16	100
31503	5-40 x 1/4	100
31506	5-40 x 5/16	100
31509	5-40 x 3/8	100
31515	5-40 x 1/2	100
31521	5-40 x 3/4	100

6-32 DIAMETER		
J&B #	SIZE	QTY
31527	6-32 x 3/16	100
31530	6-32 x 1/4	100
31533	6-32 x 5/16	100
31536	6-32 x 3/8	100
31542	6-32 x 1/2	100
31545	6-32 x 5/8	100
31548	6-32 x 3/4	100
31554	6-32 x 1	100

8-32 DIAMETER		
J&B #	SIZE	QTY
31557	8-32 x 1/8	100
31560	8-32 x 3/16	100
31563	8-32 x 1/4	100
31566	8-32 x 5/16	100
31569	8-32 x 3/8	100
31575	8-32 x 1/2	100
31578	8-32 x 5/8	100
31581	8-32 x 3/4	100
31587	8-32 x 1	100

10-24 DIAMETER		
J&B #	SIZE	QTY
31589	10-24 x 1/8	100
31590	10-24 x 3/16	100
31593	10-24 x 1/4	100
31596	10-24 x 5/16	100
31599	10-24 x 3/8	100
31602	10-24 x 1/2	100
31605	10-24 x 5/8	100
31608	10-24 x 3/4	100
31617	10-24 x 1	100
31620	10-24 x 1-1/4	100

1/4-20 DIAMETER		
J&B #	SIZE	QTY
31626	1/4-20 x 3/16	100
31629	1/4-20 x 1/4	100
31632	1/4-20 x 5/16	100
31635	1/4-20 x 3/8	100
31641	1/4-20 x 1/2	100
31644	1/4-20 x 5/8	100
31647	1/4-20 x 3/4	100
31650	1/4-20 x 7/8	100
31653	1/4-20 x 1	100
31656	1/4-20 x 1-1/4	100
31659	1/4-20 x 1-1/2	100

SOCKET SCREW PRODUCTS

ALLOY SOCKET SET SCREWS

Cup Point

- Precision rolled threads for greater holding power & accurate size.
- Greater resistance to snapping, stretching and shearing.
- Strong, full finished deep socket allows full wrenching leverage.



5/16-18 DIAMETER		
J&B #	SIZE	QTY
31671	5/16-18 x 1/4	100
31674	5/16-18 x 5/16	100
31677	5/16-18 x 3/8	100
31683	5/16-18 x 1/2	100
31686	5/16-18 x 5/8	100
31689	5/16-18 x 3/4	100
31695	5/16-18 x 1	100
31698	5/16-18 x 1-1/4	100
31701	5/16-18 x 1-1/2	100
31704	5/16-18 x 1-3/4	50
31707	5/16-18 x 2	50

3/8-16 DIAMETER		
J&B #	SIZE	QTY
31713	3/8-16 x 1/4	100
31716	3/8-16 x 5/16	100
31719	3/8-16 x 3/8	100
31725	3/8-16 x 1/2	100
31728	3/8-16 x 5/8	100
31731	3/8-16 x 3/4	100
31737	3/8-16 x 1	100
31740	3/8-16 x 1-1/4	100
31743	3/8-16 x 1-1/2	100
31749	3/8-16 x 2	50

7/16-14 DIAMETER		
J&B #	SIZE	QTY
31755	7/16-14 x 3/8	100
31761	7/16-14 x 1/2	100
31767	7/16-14 x 3/4	100
31773	7/16-14 x 1	50
31779	7/16-14 x 1-1/2	50

1/2-13 DIAMETER		
J&B #	SIZE	QTY
31800	1/2-13 x 1/2	100
31806	1/2-13 x 3/4	100
31812	1/2-13 x 1	50
31815	1/2-13 x 1-1/4	50
31818	1/2-13 x 1-1/2	50
31821	1/2-13 x 1-3/4	25
31824	1/2-13 x 2	25

5/8-11 DIAMETER		
J&B #	SIZE	QTY
31848	5/8-11 x 3/4	50
31854	5/8-11 x 1	50
31860	5/8-11 x 1-1/4	25
31863	5/8-11 x 1-1/2	25
31866	5/8-11 x 2	25

3/4-10 DIAMETER		
J&B #	SIZE	QTY
31875	3/4-10 x 5/8	50
31878	3/4-10 x 3/4	50
31881	3/4-10 x 1	50

1 - 8 DIAMETER		
J&B #	SIZE	QTY
31935	1-8 x 1	10




SOCKET SCREW PRODUCTS

ALLOY SOCKET SET SCREWS

Cup Point

- Precision rolled threads for greater holding power & accurate size.
- Greater resistance to snapping, stretching and shearing.
- Strong, full finished deep socket allows full wrenching leverage.



10-32 DIAMETER		
J&B #	SIZE	QTY
32021	10-32 x 1/8	100
32022	10-32 x 3/16	100
32025	10-32 x 1/4	100
32031	10-32 x 3/8	100
32037	10-32 x 1/2	100
32043	10-32 x 3/4	100

1/4-28 DIAMETER		
J&B #	SIZE	QTY
37064	1/4-28 x 1/4	100
37070	1/4-28 x 3/8	100
37076	1/4-28 x 1/2	100
37082	1/4-28 x 3/4	100

5/16-24 DIAMETER		
J&B #	SIZE	QTY
37094	5/16-24 X 1/4	100
37100	5/16-24 X 3/8	100
37106	5/16-24 X 1/2	100

3/8-24 DIAMETER		
J&B #	SIZE	QTY
37124	3/8-24 x 1/4	100
37130	3/8-24 x 3/8	100
37136	3/8-24 x 1/2	100
37142	3/8-24 x 3/4	100
37148	3/8-24 x 1	100

1/2-20 DIAMETER		
J&B #	SIZE	QTY
37187	1/2-20 x 1/2	100
37193	1/2-20 x 3/4	100
37199	1/2-20 x 1	50



SOCKET SCREW PRODUCTS

HEX SOCKET PIPE PLUGS


J&B #	SIZE	QTY
38126	1/16	25
38127	1/8	25
38130	1/4	25
38133	3/8	25
38136	1/2	25
38139	3/4	25
38140	1	10



- Tempered durable threads will not strip easily.
- Will not crack under pressure.

STEEL TAPER PINS

J&B#	SIZE	QTY
32071	1 x 2	10
32072	2 x 1-1/2	10
32073	3 x 2	10
32074	4 x 1-1/2	10
32075	4 x 3	10
32076	5 x 3	10
32077	6 x 2	10
32078	6 x 3	10
32079	7 x 4	10
32080	8 x 4	10
32081	9 x 5	10
32082	9 x 6	10
32083	10 x 5	10



- Ideal for applications where mating parts must be disassembled frequently.
- Helps provide precision alignment of gears and sprockets to shafts.


SIZE IDENTIFICATION CHART									
NUMBER	0	1	2	3	4	5	6	7	8
DIAM. LARGE END	.156	.172	.193	.219	.250	.289	.341	.409	.492
APPROXIMATE FRACTIONAL SIZE	5/32	11/64	3/16	7/32	1/4	19/64	11/32	13/32	1/2



SOCKET SCREW PRODUCTS

HEX KEYS

- Heated treated alloy steel - key is tough and ductile clear through.
- Accurately sized to ensure full wall contact.
- Square cut end engages the socket full depth for better tightening of screw.




SHORT ARM		
J&B #	SIZE	QTY
38000	.028	100
38003	.035	100
38006	.050	100
38009	1/16	100
38012	5/64	100
38015	3/32	100
38018	7/64	100
38021	1/8	100
38024	9/64	100
38027	5/32	100
38030	3/16	100
38033	7/32	50
38036	1/4	50
38039	5/16	50
38042	3/8	25
38043	7/16	10
38045	1/2	10
38048	9/16	10
38051	5/8	1
38054	3/4	1

LONG ARM		
J&B #	SIZE	QTY
38071	1/16	100
38072	5/64	100
38075	3/32	100
38078	7/64	100
38081	1/8	100
38084	9/64	100
38087	5/32	100
38090	3/16	100
38093	7/32	50
38096	1/4	50
38099	5/16	50
38102	3/8	25
38105	1/2	10
38108	9/16	1
38111	5/8	1
38117	7/8	1

FOLD-UP KEY SET

J&B #	# OF KEYS	SIZES	HANDLE LENGTH	QTY
42052	5	3/16 – 3/8	5-1/4	EA
41887	8	.050 – 5/32	3"	EA
R25108	9	5/64 – 1/4	4-1/4	EA



SOCKET SCREW PRODUCTS

BALL HEX KEY SET

- 13 piece, inch ball-hex key set.
- Includes .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16 & 3/8.
- Turns 360 degrees at up to 25 degree angle.
- 8650 chrome nickel alloy, heat treated for maximum strength.
- Black oxide finish to resist rust. Made in USA.



J&B #	QTY
V45585	EA

BALL HEX KEYS

Bondhus




J&B #	SIZE	QTY
10902	.050	10
10903	1/16	10
10904	5/64	10
10905	3/32	10
10906	7/64	10
10907	1/8	10
10908	9/64	10
10909	5/32	10
10910	3/16	10
10911	7/32	5
10912	1/4	5
10924	5/16	5
10914	3/8	5
10925	7/16	1
10926	1/2	1
10917	9/16	1
10918	5/8	1
10919	3/4	1

SQUARE HEAD SET SCREWS

Low Carbon Steel Cup Point

- Tough, case hardened.
- Deep cup point bites into shafts and resists vibration.
- Holds pulleys, collars, and other parts on machinery screws.



1/4-20 DIAMETER		
J&B #	SIZE	QTY
36300	1/4-20 x 1/2	100
36301	1/4-20 x 3/4	100
36302	1/4-20 x 1	100
36303	1/4-20 x 1-1/4	100
36304	1/4-20 x 1-1/2	100

5/16-18 DIAMETER		
J&B #	SIZE	QTY
36311	5/16-18 x 3/4	100
36312	5/16-18 x 1	100
36313	5/16-18 x 1-1/4	100
36314	5/16-18 x 1-1/2	100

3/8-16 DIAMETER		
J&B #	SIZE	QTY
36317	3/8-16 x 1/2	100
36318	3/8-16 x 3/4	100
36319	3/8-16 x 1	100
36321	3/8-16 x 1-1/2	100
36323	3/8-16 x 2	50

1/2-13 DIAMETER		
J&B #	SIZE	QTY
36328	1/2-13 x 1	50
36329	1/2-13 x 1-1/4	50
36330	1/2-13 x 1-1/2	50
36331	1/2-13 x 1-3/4	50
36332	1/2-13 x 2	50
36333	1/2-13 x 2-1/2	50
36334	1/2-13 x 3	50
36335	1/2-13 x 3-1/2	50
36336	1/2-13 x 4	25

5/8-11 DIAMETER		
J&B #	SIZE	QTY
36342	5/8-11 x 1	25
36344	5/8-11 x 1-1/2	25
36346	5/8-11 x 2	25
36348	5/8-11 x 3	25
36350	5/8-11 x 4	25
36360	5/8-11 x 6	25


3/4-10 DIAMETER		
J&B #	SIZE	QTY
36370	3/4-10 x 8	10

7/8-9 DIAMETER		
J&B #	SIZE	QTY
36383	7/8-9 x 5	10
36385	7/8-9 x 6	10

DOWEL PINS

STANDARD PRECISION GROUND

- Heat treated alloy steel.
- .0002 over basic size.



1/16 DIAMETER		
J&B #	SIZE	QTY
35769	1/16 x 1/4	20
35775	1/16 x 3/8	20

3/32 DIAMETER		
J&B #	SIZE	QTY
35739	3/32 x 1/4	20
35745	3/32 x 3/8	20
35751	3/32 x 1/2	20

1/8 DIAMETER		
J&B #	SIZE	QTY
35802	1/8 x 3/8	20
35808	1/8 x 1/2	20
35811	1/8 x 5/8	20
35814	1/8 x 3/4	20
35820	1/8 x 1	20
35822	1/8 x 1-1/4	20
35824	1/8 x 1-1/2	20


3/16 DIAMETER		
J&B #	SIZE	QTY
35841	3/16 x 1/2	20
35844	3/16 x 5/8	20
35847	3/16 x 3/4	20
35853	3/16 x 1	20
35865	3/16 x 1-1/2	20
35868	3/16 x 1-3/4	20
35871	3/16 x 2	20

1/4 DIAMETER		
J&B #	SIZE	QTY
35874	1/4 X 1/2	20
35877	1/4 X 5/8	20
35880	1/4 X 3/4	20
35886	1/4 X 1	20
35892	1/4 X 1-1/4	20
35898	1/4 X 1-1/2	20
35901	1/4 X 1-3/4	20
35904	1/4 X 2	20
35911	1/4 X 2-1/2	20

DOWEL PINS

STANDARD PRECISION GROUND

- Heat treated alloy steel.
- .0002 over basic size.



5/16 DIAMETER		
J&B #	SIZE	QTY
35919	5/16 x 1/2	20
35925	5/16 x 3/4	20
35931	5/16 x 1	20
35937	5/16 x 1-1/4	20
35943	5/16 x 1-1/2	20
35946	5/16 x 1-3/4	20
35952	5/16 x 2	20


3/8 DIAMETER		
J&B #	SIZE	QTY
35967	3/8 x 1/2	20
35973	3/8 x 3/4	20
35979	3/8 x 1	20
35985	3/8 x 1-1/4	20
35991	3/8 x 1-1/2	20
35994	3/8 x 1-3/4	20
35997	3/8 x 2	20
36000	3/8 x 2-1/4	20
36003	3/8 x 2-1/2	20
36009	3/8 x 3	20

7/16 DIAMETER		
J&B #	SIZE	QTY
36027	7/16 x 1-1/2	20
36033	7/16 x 2	20
36039	7/16 x 2-1/2	20

1/2 DIAMETER		
J&B #	SIZE	QTY
36051	1/2 x 3/4	20
36057	1/2 x 1	20
36060	1/2 x 1-1/4	20
36063	1/2 x 1-1/2	20
36066	1/2 x 1-3/4	20
36069	1/2 x 2	20
36081	1/2 x 3	20
36093	1/2 x 4	20

5/8 DIAMETER		
J&B #	SIZE	QTY
36105	5/8 x 1-1/2	20
36108	5/8 x 2	20

1" DIAMETER		
J&B #	SIZE	QTY
36216	1 x 4	10



























J&B Fleet - Industrial Supply

22428 Harrisburg-Westville Rd. Alliance, Ohio 44601 Phone: (330) 821-6342 Fax: (330) 821-0411


www.jbfleet.com

PART # 2034

SOCKET HEAD CAP SCREWS

<p>30168 ¹</p>  <p>8-32 X 1/2</p> <p>15</p>	<p>30177 ²</p>  <p>8-32 X 3/4</p> <p>15</p>	<p>30186 ³</p>  <p>8-32 X 1</p> <p>15</p>	<p>30219 ⁴</p>  <p>10-24 X 1/2</p> <p>15</p>	<p>30228 ⁵</p>  <p>10-24 X 3/4</p> <p>15</p>	<p>30234 ⁶</p>  <p>10-24 X 1</p> <p>15</p>
<p>30270 ⁷</p>  <p>1/4-20 X 1/2</p> <p>15</p>	<p>30273 ⁸</p>  <p>1/4-20 X 5/8</p> <p>15</p>	<p>30276 ⁹</p>  <p>1/4-20 X 3/4</p> <p>15</p>	<p>30282 ¹⁰</p>  <p>1/4-20 X 1</p> <p>10</p>	<p>30291 ¹¹</p>  <p>1/4-20 X 1-1/4</p> <p>10</p>	<p>30351 ¹²</p>  <p>5/16-18 X 1/2</p> <p>15</p>
<p>30357 ¹³</p>  <p>5/16-18 X 3/4</p> <p>15</p>	<p>30363 ¹⁴</p>  <p>5/16-18 X 1</p> <p>10</p>	<p>30369 ¹⁵</p>  <p>5/16-18 X 1-1/4</p> <p>10</p>	<p>30441 ¹⁶</p>  <p>3/8-16 X 3/4</p> <p>10</p>	<p>30447 ¹⁷</p>  <p>3/8-16 X 1</p> <p>10</p>	<p>30450 ¹⁸</p>  <p>3/8-16 X 1-1/4</p> <p>10</p>
<p>30456 ¹⁹</p>  <p>3/8-16 X 1-1/2</p> <p>5</p>	<p>30585 ²⁰</p>  <p>1/2-13 X 1</p> <p>10</p>	<p>30588 ²¹</p>  <p>1/2-13 X 1-1/4</p> <p>5</p>	<p>30591 ²²</p>  <p>1/2-13 X 1-1/2</p> <p>5</p>	<p>30594 ²³</p>  <p>1/2-13 X 1-3/4</p> <p>3</p>	<p>30597 ²⁴</p>  <p>1/2-13 X 2</p> <p>3</p>




PART # 2243**SOCKET HEAD CAP SCREWS**

556 PIECES



30276 1/4 x 3/4 50	30282 1/4 x 1 50	30291 1/4 x 1-1/4 25	30294 1/4 x 1-1/2 25	30306 1/4 x 2 25		30357 5/16 x 3/4 25	30360 5/16 x 1 25
30369 5/16x1-1/4 25	30372 5/16x1-1/2 25	30381 5/16 x 2 20			30441 3/8 x 3/4 25	30447 3/8 x 1 25	30450 3/8 x 1-1/4 20
30456 3/8x1-1/2 20	30462 3/8 x 2 15	30468 3/8 x 2-1/2 10	30474 3/8 x 3 10			30585 1/2 x 1 20	30588 1/2 x 1-1/4 20
30591 1/2x1-1/2 15	30597 1/2 x 2 15	30606 1/2 x 2-1/2 10	30612 1/2 x 3 10	30621 1/2 x 3-1/2 5	30627 1/2 x 4 5		
30678 5/8 x 1-1/2 10	30684 5/8 x 2 10	30690 5/8 x 2-1/2 5	30696 5/8 x 3 5	30702 5/8 x 3-1/2 3	30705 5/8 x 4 3		

PART # 2244**METRIC SOCKET HEAD CAP SCREWS**

525 PIECES



	25062 6 x 20 50	38391 6 x 25 50	25063 6 x 30 25	25064 6 x 35 25	45539 6 x 40 25		25072 8 x 20 25
38392 8 x 25 25	25073 8 x 30 25	25074 8 x 40 25	25075 8 x 50 25			25088 10 x 20 25	25077 10 x 30 25
25078 10 x 40 20	25079 10 x 50 20	25080 10 x 60 15	45542 10 x 80 10			25090 12 x 30 20	45544 12 x 40 20
25081 12 x 50 15	25096 12 x 60 10	45546 12 x 80 10			45560 16 x 30 10	45561 16 x 40 10	45562 16 x 50 5
45563 16 x 60 5	45565 16 x 80 5						
























J&B Fleet - Industrial Supply

22428 Harrisburg-Westville Rd. Alliance, Ohio 44601 Phone: (330) 821-6342 Fax: (330) 821-0411


www.jbfleet.com

PART # 2817

SOCKET HEAD CAP SCREWS FINE THREAD

 30168 ¹ 8-32 X 1/2 15	 30177 ² 8-32 X 3/4 15	 30186 ³ 8-32 X 1 15	 31113 ⁴ 10-32 X 1/2 15	 31122 ⁵ 10-32 X 3/4 15	 31128 ⁶ 10-32 X 1 15
 31164 ⁷ 1/4-28 X 1/2 15	 31176 ⁹ 1/4-28 X 3/4 15	 31182 ¹⁰ 1/4-28 X 1 10	 31188 ¹¹ 1/4-28 X 1-1/4 10		
 31227 ¹³ 5/16-24 X 3/4 15	 31233 ¹⁴ 5/16-24 X 1 10	 31239 ¹⁵ 5/16-24 X 1-1/4 10	 31281 ¹⁶ 3/8-24 X 3/4 10	 31287 ¹⁷ 3/8-24 X 1 10	 31290 ¹⁸ 3/8-24 X 1-1/4 10
 31293 ¹⁹ 3/8-24 X 1-1/2 5	 31356 ²⁰ 1/2-20 X 1 10	 31359 ²¹ 1/2-20 X 1-1/4 5	 31360 ²² 1/2-20 X 1-1/2 5	 31362 ²⁴ 1/2-20 X 2 3	



















J&B Fleet - Industrial Supply


22428 Harrisburg-Westville Rd. Alliance, Ohio 44601 Phone: (330) 821-6342 Fax: (330) 821-0411

www.jbfleet.com

PART# 2149

LOW HEAD SOCKET CAPS

<p>4180 ¹</p>  <p>8-32 X 3/8</p> <p>10</p>	<p>4181 ²</p>  <p>8-32 X 1/2</p> <p>10</p>	<p>4182 ³</p>  <p>8-32 X 3/4</p> <p>10</p>	<p>4 ⁴</p>	<p>5 ⁵</p>	<p>6 ⁶</p>
<p>4186 ⁷</p>  <p>10-24 X 3/8</p> <p>10</p>	<p>4187 ⁸</p>  <p>10-24 X 1/2</p> <p>10</p>	<p>4188 ⁹</p>  <p>10-24 X 3/4</p> <p>10</p>	<p>4189 ¹⁰</p>  <p>10-24 X 1</p> <p>10</p>	<p>11 ¹¹</p>	<p>12 ¹²</p>
<p>4194 ¹³</p>  <p>10-32 X 3/8</p> <p>10</p>	<p>4195 ¹⁴</p>  <p>10-32 X 1/2</p> <p>10</p>	<p>4196 ¹⁵</p>  <p>10-32 X 3/4</p> <p>10</p>	<p>4197 ¹⁶</p>  <p>10-32 X 1</p> <p>10</p>	<p>17 ¹⁷</p>	<p>18 ¹⁸</p>
<p>4204 ¹⁹</p>  <p>1/4-20 X 1/2</p> <p>10</p>	<p>4205 ²⁰</p>  <p>1/4-20 X 3/4</p> <p>10</p>	<p>4206 ²¹</p>  <p>1/4-20 X 1</p> <p>10</p>	<p>22 ²²</p>	<p>23 ²³</p>	<p>24 ²⁴</p>





J&B Fleet - Industrial Supply




















22428 Harrisburg-Westville Rd. Alliance, Ohio 44601 Phone: (330) 821-6342 Fax: (330) 821-0411

www.jbfleet.com




PART # 2144

FLAT HEAD SOCKET CAP SCREWS

<p>34440 ¹</p>  <p>6-32 X 3/8</p> <p>15</p>	<p>34443 ²</p>  <p>6-32 X 1/2</p> <p>15</p>	<p>34449 ³</p>  <p>6-32 X 3/4</p> <p>15</p>	<p>34461 ⁴</p>  <p>8-32 X 1/2</p> <p>15</p>	<p>34557 ⁶</p>  <p>5/16-18 X 3/4</p> <p>10</p>
<p>34467 ⁷</p>  <p>8-32 X 3/4</p> <p>15</p>	<p>34473 ⁸</p>  <p>8-32 X 1</p> <p>15</p>	<p>34485 ¹⁰</p>  <p>10-24 X 1/2</p> <p>15</p>	<p>34491 ¹¹</p>  <p>10-24 X 3/4</p> <p>15</p>	<p>34563 ¹²</p>  <p>5/15-18 X 1</p> <p>10</p>
<p>34497 ¹³</p>  <p>10-24 X 1</p> <p>15</p>	<p>34779 ¹⁵</p>  <p>10-32 X 1/2</p> <p>15</p>	<p>34785 ¹⁶</p>  <p>10-32 X 3/4</p> <p>15</p>	<p>34791 ¹⁷</p>  <p>10-32 X 1</p> <p>15</p>	<p>34509 ¹⁹</p>  <p>1/4-20 X 1/2</p> <p>10</p>
<p>34518 ²⁰</p>  <p>1/4-20 X 3/4</p> <p>10</p>	<p>34524 ²¹</p>  <p>1/4-20 X 1</p> <p>10</p>	<p>34527 ²²</p>  <p>1/4-20 X 1-1/4</p> <p>5</p>	<p>34602 ²⁴</p>  <p>3/8-16 X 1</p> <p>5</p>	





















J&B Fleet - Industrial Supply


22428 Harrisburg-Westville Rd. Alliance, Ohio 44601 Phone: (330) 821-6342 Fax: (330) 821-0411

www.jbfleet.com

PART # 2239

BUTTON HEAD SOCKET CAP

<p>41312 ¹</p>  <p>6-32 x 3/8</p> <p>15</p>	<p>41313 ²</p>  <p>6-32 x 1/2</p> <p>15</p>	<p>41320 ³</p>  <p>8-32 x 3/8</p> <p>15</p>	<p>41321 ⁴</p>  <p>8-32 x 1/2</p> <p>15</p>	<p>⁵</p>	<p>34242 ⁶</p>  <p>3/8-16 x 1</p> <p>5</p>
<p>34152 ⁷</p>  <p>10-24 x 3/8</p> <p>15</p>	<p>34158 ⁸</p>  <p>10-24 x 1/2</p> <p>15</p>	<p>34164 ⁹</p>  <p>10-24 x 3/4</p> <p>10</p>	<p>¹⁰</p>	<p>34305 ¹¹</p>  <p>10-32 x 3/8</p> <p>15</p>	<p>¹²</p>
<p>34358 ¹³</p>  <p>10-32 x 1/2</p> <p>15</p>	<p>34347 ¹⁴</p>  <p>10-32 x 3/4</p> <p>10</p>	<p>¹⁵</p>	<p>34179 ¹⁶</p>  <p>1/4-20 x 1/2</p> <p>10</p>	<p>34185 ¹⁷</p>  <p>1/4-20 x 3/4</p> <p>10</p>	<p>¹⁸</p>
<p>¹⁹</p>	<p>34212 ²⁰</p>  <p>5/16-18 x 3/4</p> <p>5</p>	<p>34218 ²¹</p>  <p>5/16-18 x 1</p> <p>5</p>	<p>²²</p>	<p>34236 ²³</p>  <p>3/8-16 x 3/4</p> <p>5</p>	<p>²⁴</p>





































J&B Fleet - Industrial Supply

22428 Harrisburg-Westville Rd. Alliance, Ohio 44601 Phone: (330) 821-6342 Fax: (330) 821-0411

www.jbfleet.com

PART # 2222

SET SCREWS

 31476 ¹ 4-40 X 3/16 25	 31479 ² 4-40 X 1/4 25	 31527 ³ 6-32 X 3/16 20	 31530 ⁴ 6-32 X 1/4 20	 31533 ⁵ 6-32 X 5/16 20	 31536 ⁶ 6-32 X 3/8 20	 31563 ⁷ 8-32 X 1/4 20	 31566 ⁸ 8-32 X 5/16 20
 31569 ⁹ 8-32 X 3/8 15	 31575 ¹⁰ 8-32 X 1/2 15	 31593 ¹¹ 10-24 X 1/4 15	 31596 ¹² 10-24 X 5/16 15	 31599 ¹³ 10-24 X 3/8 15	 31602 ¹⁴ 10-24 X 1/2 10	 32025 ¹⁵ 10-32 X 1/4 15	 32031 ¹⁶ 10-32 X 3/8 15
 32037 ¹⁷ 10-32 X 1/2 10	 31629 ¹⁸ 1/4-20 X 1/4 10	 31632 ¹⁹ 1/4-20 X 5/16 10	 31635 ²⁰ 1/4-20 X 3/8 10	 31641 ²¹ 1/4-20 X 1/2 10	 31644 ²² 1/4-20 X 5/8 5	 31671 ²³ 5/16-18 X 1/4 10	 31674 ²⁴ 5/16-18 X 5/16 10
 31677 ²⁵ 5/16-18 X 3/8 5	 31683 ²⁶ 5/16-18 X 1/2 5	 31686 ²⁷ 5/16-18 X 5/8 5	 31713 ²⁸ 3/8-16 X 1/4 5	 31716 ²⁹ 3/8-16 X 5/16 5	 31719 ³⁰ 3/8-16 X 3/8 5	 31725 ³¹ 3/8-16 X 1/2 5	 31728 ³² 3/8-16 X 5/8 5





J&B Fleet - Industrial Supply























22428 Harrisburg-Westville Rd. Alliance, Ohio 44601 Phone: (330) 821-6342 Fax: (330) 821-0411

www.jbfleet.com

PART # 2029

USS SET SCREWS – CUP POINT



<p>31593¹</p>  <p>10-24 X 1/4</p> <p>20</p>	<p>31599²</p>  <p>10-24 X 3/8</p> <p>15</p>	<p>31602³</p>  <p>10-24 X 1/2</p> <p>15</p>	<p>31629⁴</p>  <p>1/4-20 X 1/4</p> <p>15</p>	<p>31635⁵</p>  <p>1/4-20 X 3/8</p> <p>10</p>	<p>31641⁶</p>  <p>1/4-20 X 1/2</p> <p>10</p>
<p>31671⁷</p>  <p>5/16-18 X 1/4</p> <p>10</p>	<p>31677⁸</p>  <p>5/16-18 X 3/8</p> <p>10</p>	<p>31683⁹</p>  <p>5/16-18 X 1/2</p> <p>5</p>	<p>31689¹⁰</p>  <p>5/16-18 X 3/4</p> <p>5</p>	<p>31719¹²</p>  <p>3/8-16 X 3/8</p> <p>5</p>	
<p>31725¹³</p>  <p>3/8-16 X 1/2</p> <p>5</p>	<p>31731¹⁴</p>  <p>3/8-16 X 3/4</p> <p>5</p>	<p>31737¹⁵</p>  <p>3/8-16 X 1</p> <p>3</p>	<p>31761¹⁶</p>  <p>7/16-14 X 1/2</p> <p>5</p>	<p>31800¹⁷</p>  <p>1/2-13 X 1/2</p> <p>5</p>	<p>31806¹⁸</p>  <p>1/2-13 X 3/4</p> <p>3</p>
<p>31812¹⁹</p>  <p>1/2-13 X 1</p> <p>3</p>	<p>31848²¹</p>  <p>5/8-11 X 3/4</p> <p>3</p>	<p>31854²²</p>  <p>5/8-11 X 1</p> <p>3</p>	<p>31878²³</p>  <p>3/4-10 X 3/4</p> <p>3</p>	<p>31881²⁴</p>  <p>3/4-10 X 1</p> <p>3</p>	





























J&B Fleet - Industrial Supply

22428 Harrisburg-Westville Rd. Alliance, Ohio 44601 Phone: (330) 821-6342 Fax: (330) 821-0411

www.jbfleet.com

PART # 2027

SET SCREWS – CUP POINT

 31476 ¹ 4-40 X 3/16 USS 25	 31530 ² 6-32 X 1/4 USS 25	 31536 ³ 6-32 X 3/8 USS 20	 31563 ⁴ 8-32 X 1/4 USS 20	 31569 ⁵ 8-32 X 3/8 USS 20	 31575 ⁶ 8-32 X 1/2 USS 15
 31593 ⁷ 10-24 X 1/4 USS 20	 31599 ⁸ 10-24 X 3/8 USS 15	 31602 ⁹ 10-24 X 1/2 USS 15	 32025 ¹⁰ 10-32 X 1/4 SAE 15	 32031 ¹¹ 10-32 X 3/8 SAE 15	 32037 ¹² 10-32 X 1/2 SAE 10
 31629 ¹³ 1/4-20 X 1/4 USS 15	 31635 ¹⁴ 1/4-20 X 3/8 USS 10	 31641 ¹⁵ 1/4-20 X 1/2 USS 10	 31644 ¹⁶ 1/4-20 X 5/8 USS 10	 31671 ¹⁷ 5/16-18 X 1/4 USS 10	 31677 ¹⁸ 5/16-18 X 3/8 USS 10
 31683 ¹⁹ 5/16-18 X 1/2 USS 5	 31686 ²⁰ 5/16-18 X 5/8 USS 5	 31713 ²¹ 3/8-16 X 1/4 USS 10	 31719 ²² 3/8-16 X 3/8 USS 5	 31725 ²³ 3/8-16 X 1/2 USS 5	 31728 ²⁴ 3/8-16 X 5/8 USS 5



LET US HELP YOU MAKE THE CONNECTION

PART # 3025



SET SCREWS



J & B FLEET-INDUSTRIAL SUPPLY
PHONE: 330-821-6342

31530 6-32 X 1/4 25	31536 6-32 X 3/8 25	31563 8-32 X 1/4 25	31569 8-32 X 3/8 25	31593 10-24 X 1/4 10	31599 10-24 X 3/8 10
31602 10-24 X 1/2 10	32025 10-32 X 1/4 10	32031 10-32 X 3/8 10	32037 10-32 X 1/2 10	31629 1/4-20 X 1/4 10	
31635 1/4-20 X 3/8 10		31641 1/4-20 X 1/2 10		31677 5/16-18 X 3/8 10	

PART #3101

LET US HELP YOU MAKE THE CONNECTION





J&B FLEET-INDUSTRIAL SUPPLY
PHONE: 330-821-6342



FINE THREAD SET SCREW

37064 1/4-28 x 1/4 10	37070 1/4-28 x 3/8 10	37076 1/4-28 x 1/2 10	37094 5/16-24 x 1/4 10	37100 5/16-24 x 3/8 10	37106 5/16-24 x 1/2 10
37124 3/8-24 x 1/4 10	37130 3/8-24 x 3/8 10	37136 3/8-24 x 1/2 10	37187 1/2-20 x 1/2 5	37193 1/2-20 x 3/4 5	

























J&B Fleet - Industrial Supply


22428 Harrisburg-Westville Rd. Alliance, Ohio 44601 Phone: (330) 821-6342 Fax: (330) 821-0411

www.jbfleet.com

PART #2256

SQUARE HEAD SET SCREWS

 36300 ¹ 1/4-20 x 1/2 10	 36311 ² 5/16-18 x 3/4 10	 36317 ³ 3/8-16 x 1/2 10	 36323 ⁴ 3/8-16 x 2 10	 36331 ⁵ 1/2-13 x 1-3/4 5	 36342 ⁶ 5/8-11 x 1 4
 36301 ⁷ 1/4-20 x 3/4 10	 36312 ⁸ 5/16-18 x 1 10	 36318 ⁹ 3/8-16 x 3/4 10	 36328 ¹⁰ 1/2-13 x 1 5	 36332 ¹¹ 1/2-13 x 2 5	 36344 ¹² 5/8-11 x 1-1/2 4
 36302 ¹³ 1/4-20 x 1 10	 36313 ¹⁴ 5/16-18 x 1-1/4 10	 36319 ¹⁵ 3/8-16 x 1 10	 36329 ¹⁶ 1/2-13 x 1-1/4 5	 17	 36346 ¹⁸ 5/8-11 x 2 4
 36304 ¹⁹ 1/4-20 x 1-1/2 10	 36314 ²⁰ 5/16-18 x 1-1/2 10	 36321 ²¹ 3/8-16 x 1-1/2 10	 36330 ²² 1/2-13 x 1-1/2 5	 23	 36348 ²⁴ 5/8-11 x 3 4





J&B Fleet - Industrial Supply





















22428 Harrisburg-Westville Rd. Alliance, Ohio 44601 Phone: (330) 821-6342 Fax: (330) 821-0411

www.jbfleet.com

PART # 2146

DOWEL PINS



<p>35808 ¹</p>  <p>1/8 X 1/2</p> <p>20</p>	<p>35814 ²</p>  <p>1/8 X 3/4</p> <p>10</p>	<p>35841 ³</p>  <p>3/16 X 1/2</p> <p>20</p>	<p>35847 ⁴</p>  <p>3/16 X 3/4</p> <p>10</p>	<p>35853 ⁵</p>  <p>3/16 X 1</p> <p>10</p>	<p>35874 ⁷</p>  <p>1/4 X 1/2</p> <p>15</p>	<p>35880 ⁸</p>  <p>1/4 X 3/4</p> <p>10</p>	<p>35886 ⁹</p>  <p>1/4 X 1</p> <p>10</p>	<p>35898 ¹⁰</p>  <p>1/4 X 1-1/2</p> <p>5</p>	<p>35919 ¹²</p>  <p>5/16 X 1/2</p> <p>15</p>	<p>35925 ¹³</p>  <p>5/16 X 3/4</p> <p>10</p>	<p>35931 ¹⁴</p>  <p>5/16 X 1</p> <p>10</p>	<p>35943 ¹⁵</p>  <p>5/16 X 1-1/2</p> <p>5</p>	<p>35967 ¹⁷</p>  <p>3/8 X 1/2</p> <p>10</p>	<p>35973 ¹⁸</p>  <p>3/8 X 3/4</p> <p>10</p>	<p>35979 ¹⁹</p>  <p>3/8 X 1</p> <p>5</p>	<p>35991 ²⁰</p>  <p>3/8 X 1-1/2</p> <p>5</p>	<p>36051 ²²</p>  <p>1/2 X 3/4</p> <p>10</p>	<p>36057 ²³</p>  <p>1/2 X 1</p> <p>5</p>	<p>36063 ²⁴</p>  <p>1/2 X 1-1/2</p> <p>5</p>
---	---	--	--	--	---	---	---	---	---	---	---	--	--	--	---	---	--	---	---

