Pro:Gentric[®] SMART

UV770H

Edge-lit Smart IPTV with Ultra HD and Integrated b-LANTM

The UV770H is a cost-effective Smart IPTV model series, offering Ultra HD display and an edge-lit LED display with a slim bezel design. This series supports the Pro:Centric® SMART application platform, as well as Media Share features and integrated Pro:Idiom[®] technology. The UV770H models also have an embedded *b*-LAN[™] module.



UV770H

- Pro:Centric[®] SMART
- Integrated Pro:Idiom[®] DRM Technology
- Ultra HD
- webOS & Media Share Features
- Commercial Grade Stand (Except 65UV770H)
- NEW Dolby Vision[™] High Dynamic Range (HDR) with HDR10 Compatibility

screen size

- 43" (42.8" diagonal), 49" (48.8" diagonal), 55" (54.95" diagonal), 65" (64.8" diagonal)
- 75" (74.65" diagonal)

Key Features

Pro: Centric SMART

The UV770H is the latest in the line of Pro:Centric TVs that provide a unique and dedicated hotel applications hosting platform for LG's system integrators' interactive applications, enabling delivery for a wide range of custom applications tailored to both hotel management and guests' needs.

LG Pro:Centric SMART offers extended customizable tools: HTML5, Java and Flash. Using these tools, partners can optimize the TVs by editing and developing their own enhanced service design to increase the visual impact on guests.

Pro:Idiom[®]

GLOBAL LEADING DIGITAL RIGHTS MANAGEMENT (DRM) SOLUTION

Pro:Idiom unlocks access to premium content to help ensure rapid and broad deployment of HDTV and other digital content. Pro:Idiom has been designed specifically for users of premium HDTV content from cable, satellite, or video on demand (VOD) services, and help reduce costs and reduce maintenance. This leading DRM system is embraced for its security solution, which helps prevent illegal downloading of copyrighted content.

Media Share Features

Smart Share

LG Smart Share® allows guests to use the TV to access video, image, and music shared by DLNA Certified® devices connected to the same Access Point as the TV



SoftAP

SoftAP enables the TV to function as a 2.4 GHz wireless access point for up to five devices.



Screen Share

DIAL

Screen Share enables screen sharing with a Miracast® or Wireless Display (WiDi) capable device (e.g., a laptop with Intel[®] hardware).



DIAL (Discovery and Launch) allows guests to play selected

The device may be used to cast any application for which a

TV-compatible application has been created/selected.

application media on the TV from a device with DIAL capability.

Bluetooth Sound Sync (Bluetooth 3.0)

Bluetooth Sound Sync allows guests to listen to audio from a Bluetooth-enabled mobile device through the TV's speakers.

* Support devices for Bluetooth Sound Sync : Android (above v4.4 KitKat) / iOS based Mobile Device



Pre-loaded Apps

Guests can be served with bandwidth-worry-free pre-loaded applications, including Accuweather, Crackle, HULU, Web Browser, and YouTube (other applications may be added in the future, subject to licensing terms.)






Business Solutions

Edge-lit Smart IPTV with Ultra HD and Integrated b-LANTM

Pro:Centric Application

Personalize the guest room television experience with the Pro:Centric Application (PCA), which provides guests' access to a variety of additional features, such as an interactive Electronic Program Guide (EPG), weather forecast and radar map, and customized electronic billboards for information on hotel amenities, all conveniently presented through the on-screen menus.



Free Interactive EPG Service for

Pro:Centric TVs

If your property has purchased or plans to purchase LG's Pro:Centric TVs, you may qualify for a free EPG that allows guests to easily navigate TV channels and programs, just like they do at home. Participating properties must purchase and install a Pro:Centric server and supply an internet connection for daily program updates. Properties must also contract with an LG authorized partner to install and program the server to match your free-to-guest (FTG) Channel Map.

Free program guide service runs until December 2017, replacing the previous programming fee of \$1.50 per room per month.

Contact your LG sales representative or visit : www.LG.com/us/commercial/display-discover/epg

LG's FTG COST EFFECTIVE SOLUTION

When using LG televisions in FTG hotel installations, the Pro:Centric server (PCS200S) supports remote management of TV settings. With remote management, individual room visits are no longer required for TV configuration updates, including FTG Channel Map and FTG Installer Menu settings updates.

Hotel Costs For FTG Channel Management

	Estimated Labor Costs	MSRP	Total	Potential savings over room visit
LG Pro:Centric TV with Pro:Centric Server		\$2,499 (PCS-200S)	\$2,499	\$17,501
Manual Room Updates	\$20(est.) x 2 times per year (to update channels) x 100 rooms x 5 years		\$20,000	
LG Pro:Idiom TV with embedded <i>b</i> -LAN plus FMA		\$2,900 '(FMA-LG102)	\$2,900	\$17,100

MSRP subject to change. Installation not included.

HEAD END SYSTEM


Remote management functions are supported via the Pro:Centric server.



The Pro:Centric Application software can be remotely added at a later date to deliver the benefits of LG's Pro:Centric Application features (Weather, EPG, Billboards, etc.).

Pro:Centric Direct Ready

Simply create your own templates and remotely manage TVs on the IP network with Pro:Centric Direct, LG's content management software. Pro:Centric Direct offers a Project Editor, along with customizable widgets and three types of theme templates (Cinematic-type, Grid-type, Bar-type) in order to promote branding and provide useful information for guests. Its interactive features will impress guests by elevating their in-room experience. Plus, for hoteliers, not only does it offer efficient content production and management, it also maximizes advertisement effectiveness, which contributes to improving the hotel brand.



ULTRA HD TV

4K Upscaler

Enjoy Full HD content in ULTRA HD quality. The 4K Upscaler automatically upgrades Full HD content to ULTRA HD through the six steps of the upscaling processes.



Others Hospitality Features



Welcome Screen

Instant On

Have a warm greeting message with a hotel name and its logo on the TV when it is turned on. The welcome screen leaves a favorable impression of the hotel on guests.

The Instant On feature removes application boot time, so guests are immediately presented with the

user interface screen when they turn on the TV.







USB Cloning Clone all commercial TVs with astonishing speed and ease. The USB Cloning feature allows you to simply copy and transfer TV settings from a designated Master TV to all Target TVs using a USB memory device.

Edge-lit Smart IPTV with Ultra HD and Integrated b-LANTM

Dimensions









Reinforced Metal Stand

• Full metal reinforced stand to improve sturdiness, durability and safety.

 \cdot Provides (\pm 20°) swivel out of the box. • Provides (\pm 20/45/90°) swivel when used with Lock Down plate.



Lock Down Plate with Credenza Hole

• Lock the TV firmly to the credenza for added security and help deter theft. (Mounting plate, security bolts, nuts and screws are included.)

Specifications

UV770H

		43	49	55	65	75		
	Diagonal Size	42.8"	48.8"	54.95"	64.8"	74.65"		
	Туре			Edge LED				
	Resolution	3,840 x 2,160 (4K UHD)						
	Dynamic Contrast Ratio	1,000,000:1						
DISPLAY	Static Contrast Ratio	1,000,000.1						
	Viewing Angle Degree	178° / 178°						
	Response Time (G to G)	8m/s						
	Frame Rate	8m/s T120						
BROADCASTING SYSTEM	Analog	NTSC						
	Digital MPEG-2 / MPEG-4 H.264 DE-	ATSC / VSB / Clear QAM						
	CODING	Yes						
	Triple XD Engine	Yes						
	Real Cinema 24p (3:3 Pull down)	Yes						
VIDEO	Picture Mode	9 modes (Vivid, Standard, APS (Eco), Cinema, Sports, Game, HDR Effect, Expert (Bright Room), Expert (Dark Room))						
	Aspect Ratio	6 modes (16:9, Original, 4:3, Vertical Zoom, All-Direction Zoom, Just Scan)						
	HDR	Dolby Vision [™] HDR, HDR10						
	Audio Output / Speaker System	10W + 10W / 2.0ch						
AUDIO	Sound Mode	6 modes (Standard, Cinema, Clear Voice III, Sports, Music, Game)						
	Optical Sound Sync							
	Wireless Sound Sync	Yes						
	Type	Yes DrouContrie® Diract						
		Pro:Centric® SMART / Pro:Centric® Direct						
	Data Streaming (IP&RF)	Yes						
	Pro:Centric Application	Yes						
OLUTION	RF	2 Tuner						
	HCAP (SDK)	GEM / Flash / HTML						
	IP Return Path	Yes						
	Server	PCS400R, PCS200S						
	Digital Rights Management	Pro:Idiom						
MART	Smart UX	webOS 3.5, Commercial Smart Home, Web Browser, Pre-loaded Apps, SDP (Service Delivery Platform), Magic Remote (Optional)						
EATURES	Connectivity	SoftAP, WiFi (802.11a/b/g/n/ac), ScreenShare (Miracast), SmartShare, DIAL, Bleutooth Sound Sync, LG Sound Sync						
	Installation	EzManager, USB Cloning						
	Management	Wake on RF, WOL (Wake on LAN) SNMP, Remote Diagnostics, MPI Protocol, IR Out, Multi IR Code, HTNG/HDMI-CEC						
GENERAL FEATURES	USB	Moving Picture Playback (.asf, .wmv, .avi, .mp4, .m4v, .mov, .3gp, .3g2, .mkv, .mpg, .mpeg, .dat, .etc),						
	038	Picture (jpeg, jpg, jpe, BMP, PNG), Audio Codec (.mp3, .wav, .OGG, .WMA, .fl ac)						
	Setting Option	Auto Off/Sleep Timer, Smart Energy Saving, Motion Eye care						
	Anti-theft System		redenza/Security Screw Ho					
HOSPITALITY FEATURES		PDM (Installer menu), Welcome Screen (Splash Image), Insert Image (webOS default),						
		Logical Channel Map, External Speaker Out, Instant ON, RJP Compatibility, b-LAN™ embedded						
INTERFACE	Side			HDMI In, USB 2.0				
	Rear			l Optical Audio Out, HDMI Inp				
00000000000		External Speaker Out, TV Link Configuration (<i>b</i> -LAN Service), MPI Port, Debug						
CCESSORIES	Bezel Width (L / R, U, B) : on bezel		,	5.9 ft.), Owner's Manual / Ea	sy Setup Guide			
	based	8.9, 8.9,17.2 (mm)			9.1, 9.1, 17.2 (mm)	14.7, 14.7, 14.7 (mm		
	Bezel Width (L / R, U, B) : off bezel	5.9, 5.9,14.7 (mm)			6.6, 6.6, 15.2 (mm)	12.7, 12.7, 12.7 (mn		
	based	200 x 200	,,, ()	300 - 200	,,)			
DIMENSIONS	Vesa (mm)	200 x 200 38.1" x 22.3" x 1.6" /	12 2" , 25 2" 1 6" /	300 x 300 48.7" x 28.3" x 1.6" /	E7 0" v 00 1" v 1 7"	600 x 400 66.8" x 38.6" x 1.5'		
	WxHxD / weight (w/o stand)	38.1" x 22.3" x 1.6" / 22.5 lbs	43.3" x 25.2" x 1.6" / 28.0 lbs	48.7" x 28.3" x 1.6" / 33.7 lbs	57.3" x 33.1" x 1.7" /52.9 lbs	91.1 lbs		
		38.1" x 24.3" x 11.9" /	43.3" x 27.4" x 11.9" /	48.7" x 30.3" x 11.9" /	57.3" x 35.4" x 12.3" /	66.8" x 40.9" x 14.5		
	WxHxD / weight (with stand)	29.5 lbs	35.1 lbs	40.8 lbs	56.2 lbs	92.6 lbs		
	MalleD (mainte (Contra)	46.5" x 26.0" x 7.5" /	47.0" x 29.2" x 7.5" /	53.5" x 33.9" x 7.5" /	63.0" x 40.7" x 7.5" /	72.4" x 45.9 x 9.1"		
	WxHxD / weight (Carton)	34.0 lbs	41.7 lbs	51.8 lbs	73.0 lbs	116.8 lbs		
	Stand		(±20/45/90°) Swivel		-			
POWER	Voltage, Hz			V, 50/60Hz				
	Typical (Watts)	51.4	48.5	55.4	71	77.1		
	Stand-by (Watts)			< 0.5				
STANDARD	Safety	UL						
	Environment	FCC						
APPROVAL	Etc.		RoHS LIL F	NERGY STAR® Qualified, Do	alby Vision™			
JPC		719192611573	719192611566	719192611559	719192919877	719192617339		
		/191920113/3	/19192011300	/19192011339	//5/529/90//	/1919201/339		





To help select the right LG Hospitality TV for your property, and for pricing and availability visit us at ProTVSolutions.com,or call 888 866 9981.



Business

Solutions