



DEF-SRC-00068

89-8



DEF-SRC-00069

8.69



DEF-SRC-00071



DEF-SRC-00072



DEF-SRC-00073



DEF-SRC-00074

8.74



DEF-SRC-00078

8.78




DEF-SRC-00079






DEF-SRC-00060

8.50



DEF-SRG-00081


8.81




DEF-SRC-00082

8.82

DEF-SRC-00083




8.83



DEF-SRC-00085


8.85



DEF-SRC-00102

8.102

DEF-SRC-00103




8.103



DEF-SRC-00104


8.104





DEF-SRC-00105

8.105



DEF-SRC-00106

8.106



DEF-SRC-00107

8.107

**▲ DANGER ▲**  
DO NOT BE STRUCK BY  
COPPER VEHICLE BUMP  
OR TRAILER W/ BRAKING  
MULTIPLYER RATED 3500 LBS  
MAX GROSS TRAILER WT  
USE ONLY A 2" BALL  
USE SAFETY CHAINS  
KEEP TIGHT  
TOP MOUNT




08/11/2014

DEF-SRC-00126

08/11/2014

DEF-SRC-00127



08/11/2014

DEF-SRC-00128


821.8



08/11/2014

DEF-SRC-00138

2.138



08/11/2014

DEF-SRC-00139



8.139



08/11/2014


DEF-SRC-00140

8.140



08/11/2014

DEF-SRC-00141



8.141