


# RF EXPERIMENTERs board2 (50 Ohm terminated)



Marker	Freq. (Hz)	RL (dB)	RP (°)	Z  (Ω)	Rs (Ω)	Xs (Ω)	Theta	SWR
1	145.646.200	-35,18	-104,88	49,6	49,5	-1,7	-1,9	1,04:1
2	436.867.216	-27,70	-139,14	47,0	46,9	-2,5	-3,1	1,09:1
1-2	291.221.016	7,48	34,26	2,6	2,6	0,9	0,0	---
3	1.275.815.176	-33,09	31,90	51,9	51,9	1,2	1,3	1,05:1
4	2.405.984.152	-15,66	-138,37	39,1	38,2	-8,6	-12,7	1,39:1

## Comment:

Date: 28/2/2017 9:31  
 Mode: Reflection  
 Analyser: miniVNA Tiny / mini radio solutions - miniVNA Tiny  
 Scan  
   Start: 1000000 / 1.000.000  
   Stop: 2999998612 / 2.999.998.612  
   Samples: 1556  
   Overscan: 1  
 Calibration  
   Samples: 10000  
   Overscan: 0  
   File: REFL\_rednew.cal  
 User: makis

Headline: RF EXPERIMENTER's board2 (50 Ohm terminated)

Port extension len: <not set>m

Port extension vf: <not set>