

SEMAGLUTIDE DOSING SCHEDULE

Dosing Schedule for Ozempic®:

Ozempic® offers once-weekly dosing


See how to adjust your patients' doses and add Ozempic® to your EHR system.



Pen that delivers doses of 0.25 mg and 0.5 mg



Injection: 2 mg/3 mL (0.68 mg/mL) available in:
• Single-patient-use pen that delivers 0.25 mg or 0.5 mg per injection



Pen that delivers doses of 1 mg



Injection: 4 mg/3 mL (1.34 mg/mL) available in:
• Single-patient-use pen that delivers 1 mg per injection

Pen that delivers doses of 2 mg




Injection: 8 mg/3 mL (2.68 mg/mL) available in:
• Single-patient-use pen that delivers 2 mg per injection

Dosing Schedule for Wegovy®:

	STARTING dose			3-month prescription can be written for 1.7 mg dose or 2.4 mg dose*			
Strength	0.25 mg/0.5 mL	0.5 mg/0.5 mL	1 mg/0.5 mL	1.7 mg/0.75 mL	2.4 mg/0.75 mL		
NDC	0169-4525-14	0169-4505-14	0169-4501-14	0169-4517-14	0169-4524-14		
Days supply	28 days	28 days	28 days	28 days	84 days*	28 days	84 days*
Dispense quantity	2 mL (mL only)	2 mL (mL only)	2 mL (mL only)	3 mL (mL only)	9 mL* (mL only)	3 mL (mL only)	9 mL* (mL only)
Recommended Sig	Inject 0.25 mg SUBQ once weekly for 4 weeks (28 days)	Inject 0.5 mg SUBQ once weekly for 4 weeks (28 days)	Inject 1 mg SUBQ once weekly for 4 weeks (28 days)	Inject 1.7 mg SUBQ once weekly for 4 weeks (28 days)	Inject 1.7 mg SUBQ once weekly for 12 weeks (84 days*)	Inject 2.4 mg SUBQ once weekly for 4 weeks (28 days)	Inject 2.4 mg SUBQ once weekly for 12 weeks (84 days*)

SEMAGLUTIDE INJECTION SITES



- Your healthcare provider can help you choose the injection site that is best for you.
- You or another person can inject the medicine into your stomach or thigh.
- Another person should give you the injection in the back of the upper arm.

OZEMPIC DOSING GUIDE 1.33 mg/ml | (100 Units = 1ml = 1cc)

MG	CC	UNITS	MG	CC	UNITS
0.133	0.1	10			
0.26	0.2	20			
0.40	0.3	30			
0.53	0.4	40			
0.66	0.5	50			
0.80	0.6	60			
0.93	0.7	70			
1.00	0.75	75			
1.06	0.8	80			
1.20	0.9	90			
1.33	1.0	100			
1.46	1.1	110			
1.60	1.2	120			
1.73	1.3	130			
1.86	1.4	140			
2.00	1.5	150			
2.13	1.6	160			
2.26	1.7	170			
2.40	1.8	180			
2.53	1.9	190			
2.66	2.0	200			

SEMAGLUTIDE DOSING GUIDE 5 mg/ml | (100 Units = 1ml = 1cc)

MG	CC	UNITS	MG	CC	UNITS
0.05	0.01	1.0	1.90	0.38	38
0.10	0.02	2.0	1.95	0.39	39
0.15	0.03	3.0	2.00	0.40	40
0.20	0.04	4.0	2.05	0.41	41
0.25	0.05	5.0	2.10	0.42	42
0.30	0.06	6.0	2.15	0.43	43
0.35	0.07	7.0	2.20	0.44	44
0.40	0.08	8.0	2.25	0.45	45
0.45	0.09	9.0	2.30	0.46	46
0.50	0.10	10	2.35	0.47	47
0.55	0.11	11	2.40	0.48	48
0.60	0.12	12	2.45	0.49	49
0.65	0.13	13	2.50	0.50	50
0.70	0.14	14			
0.75	0.15	15			
0.80	0.16	16			
0.85	0.17	17			
0.90	0.18	18			
0.95	0.19	19			
1.00	0.20	20			
1.05	0.21	21			
1.10	0.22	22			
1.15	0.23	23			
1.20	0.24	24			
1.25	0.25	25			
1.30	0.26	26			
1.35	0.27	27			
1.40	0.28	28			
1.45	0.29	29			
1.50	0.30	30			
1.55	0.31	31			
1.60	0.32	32			
1.65	0.33	33			
1.70	0.34	34			
1.75	0.35	35			
1.80	0.36	36			
1.85	0.37	37			