Product I	3T-4100
-----------	---------

**Revision Date** 05/20/2016

Revision

# Р

# 00000 0 0

# Safety Data Sheet

# SECTION I: IDENTIFICATION

3

Product Name **Identifier Uses** 

Supplier

BT-4100P

Boiler Treatment.

Clear Water Technologies, LLC 13560 Colombard Court Fontana, California 92337 Tel: 844-429-8324

**Contact Person Emergency** Telephone

### info@clearwatertech.com

24-HOUR EMERGENCY TELEPHONE: INFOTRAC: 1-800-535-5053 INTERNATIONAL#: 1-352-323-3500

### **SECTION 2: HAZARDS IDENTIFICATION**

Appearance Color Odor	Liquid. Clear, amber liquid. <b>Light</b> Bland odor
Pictogram(s)	
Signal Word	Danger
Hazard Statements	H314 Causes severe skin burns and eye damage
Precautionary Statements	<ul> <li>P280 Wear protective gloves/ protective clothing/eye protection/face protection.</li> <li>P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.</li> <li>P303 + P361 + P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower</li> <li>P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</li> <li>P310 Immediately call a POISON CENTER or doctor/physician</li> </ul>
Contains	sodium hydroxide phosphonic acid
GHS Classification	
Physical and Chemical Hazards	Not classified
Human Health	Skin Corr. IA - H314
Environment	Not classified
OSHA Regulatory Status	This product is Hazardous under the OSHA Hazard communication Standard.
Inhalation	There may be shortness of breath with a burning sensation in the throat.
Ingestion	Do not ingest. Exposure to liquid product may cause moderate to severe irritation to inner linings of mouth, esophagus and gastrointestinal tract, and possible burns.
Skincontact	Corrosive! Can cause redness, pain, and severe skin burns.
Eye contact	Extreme irritation of eyes and mucous membranes, including burning and tearing. Causes serious eye damage.
Routes of Exposure	Unknown

# SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS

Composition Comments	Confidential business information has been removed without affecting the overall safety information on the safety data sheet.
SECTION 4: FIRST AID ME	EASURES
Description of first aid measures	

General Information	General first aid, rest, warmth and fresh air.
Inhalation	Remove victim immediately from source of exposure. Keep the affected person warm and at rest. Get prompt medical attention.
Ingestion	NEVER MAKE AN UNCONSCIOUS PERSON VOMIT OR DRINK FLUIDS! Rinse mouth thoroughly. Get medical attention immediately!
Skincontact	Remove affected person from source of contamination. Remove contaminated clothing. Wash the skin immediately with soap and water. Get medical attention promptly if symptoms occur after washing.
Eye contact	Do not rub eye. Make sure to remove any contact lenses from the eyes before rinsing. Promptly wash eyes with plenty of water while lifting the eye lids. Get medical attention immediately. Continue to rinse. Continue to rinse for at least 15 minutes.

Most important symptoms and effects, both acute and delayed

General Information	The severity of the symptoms described will vary dependent of the concentration and the
	length of exposure.
Inhalation	There may be shortness of breath with a burning sensation in the throat.
Ingestion	Do not ingest. Exposure to liquid product may cause moderate to severe irritation to
	inner linings of mouth, esophagus and gastrointestinal tract, and possible burns.
<b>S</b> kin contact	Corrosive! Can cause redness, pain, and severe skin burns.
Eye contact	Extreme irritation of eyes and mucous membranes, including burning and tearing. Causes
	serious eye damage.
Routes of Exposure	Unknown

 Most important symptoms and effects, both acute and delayed

 Notes to the Physician
 Treat Symptomatically.

# **SECTION 5: FIREFIGHTING MEASURES**

Auto Ignition Temperature (°C) Flammability Limit-Lower (%) Flammability Limit–Upper (%) Flashpoint	No Information available. No Information available. No Information available. No Information available.
Extinguishing Media	Use fire-extinguishing media appropriate for surrounding materials. Water spray, foam, dry powder or carbon dioxide.
Hazardous combustion products	No hazardous decomposition products.
Unusual Fire & Explosion Hazards	Dried residue can thermally decompose, giving off irritating and possibly toxic fumes.
Special Fire Fighting Procedures	Avoid breathing fire vapors. Ventilate closed spaces before entering them. Water spray should be used to cool containers.
Protective equipment for fire- fighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

### SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal Precautions	For personal protection, see section 8. In case of inadequate ventilation, use respiratory protection. Do not smoke, use open fire or other sources of ignition. In case of spills, beware of slippery floors and surfaces.
Environmental Precautions Spill Clean Up Methods	Do not discharge into drains, water courses or onto the ground. Stop leak if possible without risk. Absorb in vermiculite, dry sand or earth and place into containers. Flush with plenty of water to clean spillage area. Do not contaminate water sources or sewer. Place into chemical waste container for disposal according to local, state or federal regulations. Neutralize residue with lime or soda ash and flush spill area. DO NOT TOUCH SPILLED MATERIAL! Wash thoroughly after dealing with a spillage. Restrict non- essential personnel from the area.

# SECTION 7: HANDLING AND STORAGE

Handling	Use proper personal protection when handling. Product for external use - do not swallow.
	Avoid all contact with skin, eyes and clothes. Handle in accordance with user instructions on label. Do not use contact lenses. Avoid inhalation of vapors and mists. Avoid prolonged or repeated <b>contact</b> . Do NOT ingest. Wash thoroughly after handling. Rinse container before disposal.
Usage Description	Use only according to directions.
Storage Precautions	The recommended shelf life is two (2) years. It is recommended that products be retested if stored for more than two (2) years. Under ideal storage conditions, the shelf life is almost indefinite. The recommended storage temperature is above 32°F, preferably at room
	temperature (70°F).Keep away from oxidizing agents and strong acids.
Specific End Use(s)	The identified uses are in section 1 of this Safety Data Sheet.

### SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

**Protective Equipment** 



Component	STD	STD TWA (8 Hrs.)		STEL (	l 5mins)	Notes
sodium hydroxide	OSHA		2mg/m3			
Ingredient Comments	0	SHA				
Process Conditions	Pr	rovide eyewash, quick dre	ench.			
Engineering Measures	Provide adequate ventilation, including appropriate local extraction, to ensure that the defined occupational exposure limit is not exceeded.					
Respiratory Equipment	Use of respirator protection is not generally required. However, if exposure is above the stated limits or ventilation is inadequate, use a NIOSH approved acid gas/organic vapor respirator to reduce potential for inhalation exposure. When using respirator cartridges, they must be changed frequently to assure breakthrough exposure does not occur.					
Hand Protection	When handling this product, it is recommended to wear chemical resistant gloves. The choice of suitable protective gloves depends on work conditions and what chemicals are handled, but we have positive experience with gloves made of Rubber or PVA.					
Eye Protection	Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).					
Hygiene Measures	D	O NOT SMOKE IN WOR	K AREA! Wash h	ands at the end	l of each work	shift and before
	Pr	ating, smoking and using th comptly remove any cloth noke.				

# SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### Information on Basic Physical and Chemical Properties

Appearance Color Odor	Liquid. Clear, amber liquid. <b>Light</b> Bland odor
Odor Threshold -Lower	No Information available.
Odor Threshold - Upper	No Information available.
pH-Value, Conc. Solution	13.5
Melting point	32.0 °F
Initial boiling point and boiling range	212.0 °F

Flashpoint	No Information available.
Evaporation rate	No Information available.
Flammability State	No Information available.
Flammability Limit - Lower (%)	No Information available.
Flammability Limit - Upper (%)	No Information available.
Vapor pressure	Not determined.
Vapor Density (air=1)	Not determined.
<b>Relative density</b>	1.19 @ 68.0°F
Bulk Density	No Information available.
Solubility	Completely soluble in water.
Decomposition temperature	No Information available.
Partition coefficient; n-octanol/wate	e <b>r</b> No Information available.
Auto Ignition Temperature (°C)	No Information available.
Viscosity	No Information available.
Explosive Properties	No information available.
Oxidizing properties	No Information available.
Molecular Weight	No Information available.
Volatile Organic Compound	Not known.

# SECTION 10: STABILITY AND REACTIVITY

Reactivity	Reactions may occur with strong oxidizing materials and strong acids.
Stability	This product is stable at ambient temperatures and atmospheric pressures.
Hazardous Polymerization	Hazardous polymerization is not expected to occur under normal temperatures and pressures.
Hazardous Decomposition Products	None under normal conditions.
Conditions to Avoid	Avoid exposing to heat and contact with strong oxidizing substances.
Materials to Avoid	Keep away from strong oxidizing materials and strong acids. Do not mix with other chemicals unless listed on directions.

# SECTION II: TOXICOLOGICAL INFORMATION

Toxicological Information	No toxicological information for the overall finished product.
Acute Toxicity (Oral LD50)	>950.00mg/kg Rat
Acute Toxicity (Dermal LD50)	>1307.00mg/kg Rabbit
Acute Toxicity (Inhalation LC50)	Not determined.
Skin Corrosion/Irritation	No Information available.
Respiratory Sensitization	No Information available.
Skin Sensitization	No Information available.
Reproductive Toxicity:	No Information available.
Germ Cell Mutagenicity:	
Genotoxicity - In Vitro	

Genotoxicity - In Vivo

Carcinogenicity:	
Carcinogenicity	No Information available.
NTP - Carcinogenicity	The product and its components are not listed.
OSHA - Carcinogenicity	The product and its components are not listed.
IARC Carcinogenicity	The product and its components are not listed.
Specific Target Organ Toxicity - Si	ngle Exposure:
STOT - Single Exposure	No Information available.

Specific Target Organ Toxicity - Repeated Exposure: STOT - Repeated Exposure No Information available.

Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
sodium hydroxide		I 350mg/kg Rabbit	

### SECTION 12: ECOLOGICAL INFORMATION

Ecotoxicity	No Information available.
Acute Toxicity - Fish Acute Toxicity - Aquatic Invertebrates	LC50 96 Hours >4820.00ppm Onchorhynchus mykiss (Rainbow Trout) LC50 48 Hours >6340.00ppm Daphnia magna
Acute Toxicity - Aquatic Plants	No Information available.
Degradability	No information available.
<b>Bioaccumulative Potential</b>	No Information available.
Mobility	No Information available.
<b>Results of PBT and vPvB Assessment</b> The product does not contain any PBT or vPvB substances.	
Other Adverse Effects	None known.

Name	Acute Toxicity (Fish)	Acute Toxicity (Aquatic	Acute Toxicity (Aquatic Plants)
sodium hydroxide		EC50 100.00ppm Daphnia magna	

### SECTION 13: DISPOSAL CONSIDERATIONS

Waste Management	When handling waste, consideration should be made to the safety precautions applying to handling of the product. Observe all local, national and international regulations.
Disposal Methods	Dispose of waste and residues in accordance with local authority requirements. Do NOT dump into any sewers, on the ground or into any body of water. Rinse containers before disposal. Since emptied containers contain product residue, follow label warnings even after
	container is emptied.

### SECTION 14: TRANSPORT INFORMATION

UN No. (DOT/TDG)	3266 - CORROSIVE LIQUID, BASIC, INORGANIC, (Sodium Hydroxide)
UN No. (IMDG)	3266 - CORROSIVE LIQUID, BASIC, INORGANIC, (Sodium Hydroxide)
UN No. (ICAO)	3266 - Corrosive liquid, basic, inorganic (Sodium Hydroxide)
DOT Proper Shipping Name	3266 - CORROSIVE LIQUID, BASIC, INORGANIC, (Sodium Hydroxide)
TDG Proper Shipping Name	3266 - CORROSIVE LIQUID, BASIC, INORGANIC, (Sodium Hydroxide)
DOT Hazard Class	8

DOT Hazard Label	Class 8 - Corrosive
TDG Class	8
TDG Label(s)	8
IMDG Class	8
ICAO Class	8
Transport Labels	
DOT PackGroup	II
IMDG Pack Group	Ш
Air Pack Group	Ш
EMS	F-A, S-B
Environmentally Hazardous Substance/Marine Pollutant	No

# SECTION 15: REGULATORY INFORMATION

#### US Federal Regulations

SARA Section 302 Extremely Hazardous Substances Tier II Threshold Planning Quantities The Following ingredients are listed

#### CERCLA/Superfund, Hazardous Substances/Reportable Quantities (EPA)

The Following ingredients are listed sodium hydroxide

#### SARA Extremely Hazardous Substances EPCRA Reportable Quantities

The Following ingredients are listed

#### SARA 313 Emission Reporting

The Following ingredients are listed

#### CAA Accidental Release Prevention

The Following ingredients are listed

#### **OSHA** Highly Hazardous Chemicals

The Following ingredients are listed

#### US State Regulations

**California Proposition 65 Carcinogens and Reproductive Toxins** The Following ingredients are listed

#### California Air Toxics "Hot Spots" (A-I)

The Following ingredients are listed sodium hydroxide

# California Air Toxics "Hot Spots" (A-li)

The Following ingredients are listed

### Massachusetts "Right To Know" List The Following ingredients are listed sodium hydroxide

Rhode Island "Right To Know" List The Following ingredients are listed sodium hydroxide

# Minnesota "Right To Know" List The Following ingredients are listed sodium hydroxide

BT-4100P

New Jersey "Right To Know" List The Following ingredients are listed


sodium hydroxide phosphonic acid

Pennsylvania "Right To Know" List The Following ingredients are listed so

sodium hydroxide phosphonic acid

# SECTION 16: OTHER INFORMATION

# NATIONAL FIRE PROTECTION ASSOCIATION (NFPA)



## HAZARDOUS MATERIAL INFORMATION SYSTEM (HMIS)

Health	3
Flammability	0
Physical Hazard	0
Personal Protection	С

#### Disclaimer

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.