

CERTIFICATES & REFERENCES

REV. 08



تأكيد العضوية في برنامج صنع في السعودية

السادة/ شركة حسين عبدالرحمن السماعيل للصناعة
السلام عليكم ورحمة الله وبركاته. وبعد،

نرحب بكم أعضاء في برنامج "صنع في السعودية" ويسعدنا انضمامكم للبرنامج ومساهمتم في تحقيق أهدافه الرامية إلى تعزيز الثقة بالمنتج الوطني وتفعيل دوره في تنمية الناتج المحلي السعودي غير النفطي، مما يساهم في جعل المملكة قوة صناعية رائدة وفقاً لأهداف رؤية السعودية 2030.

يعد هذا الخطاب بمثابة تأكيد على أن شركتكم الموقرة والمنتجات المسجلة والمُوافق عليها تستوفي المعايير المطلوبة للانضمام لبرنامج صنع في السعودية، على أن يمثل جميع الأعضاء امتثالاً كاملاً لقواعد البرنامج طوال فترة صلاحية العضوية، واعتباراً من تاريخ هذا الخطاب، يحق لشركتكم استخدام علامة "صناعة سعودية" على المنتجات المسجلة والمعتمدة، والاستفادة من مزايا العضوية.

وبناءً عليه، نأمل منكم تعريف جميع الموظفين المعنيين بتطبيق العلامة الصناعية بقواعد البرنامج وإرشادات استخدامها على المنتجات والمواد الترويجية الخاصة بالشركة.

وفي حال وجود أي استفسارات أو متطلبات، يسعدنا خدمتكم بتواصلكم مع الأستاذ/ نواف بن عبد الله المضيان عبر بيانات التواصل التالية:

0555445605 - رقم جوال: nalmadhyam@saudiexports.gov.sa

مدير عام إدارة صنع في السعودية

أ. فيصل بن أحمد المغلوث



هيئة المحتوى المحلي
والمشتريات الحكومية
Local Content & Government
Procurement Authority



Local Content Program

Local Content is defined as the total spending on Saudi components within Labor, Goods, Services, Assets, Technology and other items of the sort within the Kingdom of Saudi Arabia.

Alismail Local Content certificate

Alismail Industrial Co. is proud to announce that we have acquired our Local Content Certificate in Saudi Arabia, which is issued by Local Content & Government Procurement Authority **Certificate # M101875**

Certificate of Registration



This is to certify that the Management System of the

Hussain Abdulrahman Alismail Industrial Co.

PO Box 919, Dammam 31421, Saudi Arabia

Has been assessed and found to be in Compliance with the requirements of Standard detailed below

ISO 9001:2015
Quality Management System

This certificate is applicable for the following Services

Design, Manufacturing & Fabrication of Steel & Wooden Furniture,
Laboratories, Partitions, Racking and Storage Items, Steel Structures,
Fire-Rated Doors & Prefabricated Buildings

This Certificate is issued having Certificate No.: SISTEMA-KSA/HAA-Q2338

First Surveillance Date: 12.04.2026

Initial Issue: 21.03.2022

Second Surveillance Date: 12.04.2027

Issue Date: 12.05.2025

Re-Certification due on: 12.04.2028

Expiry Date: 11.05.2026

Verify the certificate:- www.sistemacerts.com



Sul Kishan
Managing Director

Certificate of Registration



This is to certify that the Management System of the

Hussain Abdulrahman Alismail Industrial Co.

PO Box 919, Dammam 31421, Saudi Arabia

Has been assessed and found to be in Compliance with the requirements of Standard detailed below

ISO 14001:2015
Environment Management System

This certificate is applicable for the following Services

Design, Manufacturing & Fabrication of Steel & Wooden Furniture,
Laboratories, Partitions, Racking and Storage Items, Steel Structures,
Fire-Rated Doors & Prefabricated Buildings

This Certificate is issued having Certificate No.: SISTEMA-KSA/HAA-E2339

First Surveillance Date: 12.04.2026

Initial Issue: 21.03.2022

Second Surveillance Date: 12.04.2027

Issue Date: 12.05.2025

Re-Certification due on: 12.04.2028

Expiry Date: 11.05.2026

Verify the certificate:- www.sistemacerts.com



Satish Kumar
Managing Director

Certificate of Registration



This is to certify that the Management System of the

Hussain Abdulrahman Alismail Industrial Co.

PO Box 919, Dammam 31421, Saudi Arabia

Has been assessed and found to be in Compliance with the requirements of Standard detailed below

ISO 45001:2018

Occupational Health & Safety Management System

This certificate is applicable for the following Services

Design, Manufacturing & Fabrication of Steel & Wooden Furniture,
Laboratories, Partitions, Racking and Storage Items, Steel Structures,
Fire-Rated Doors & Prefabricated Buildings

This Certificate is issued having Certificate No.: SISTEMA-KSA/HAA-O2340

First Surveillance Date: 12.04.2026

Initial Issue: 21.03.2022

Second Surveillance Date: 12.04.2027

Issue Date: 12.05.2025

Re-Certification due on: 12.04.2028

Expiry Date: 11.05.2026

Verify the certificate:- www.sistemacerts.com



Sud Kishan
Managing Director



This is to certify that

Alismail Industrial Co

1st industrial city, Ibn Zaher St, Dammam, Saudi Arabia, 31421, Saudi Arabia

Has been assessed to be SIRI certified

OSAKSA1717326279861

For the following scope of products Steel and wood Furniture

Date of Assessment: 06 Jun 2024

Date of Award: 04 Jun 2024

Certificate No: SIRI-CEKSA1717326279861

To verify this certificate, please visit at: verify.incit.org



The validity of this Certificate is 2 years from the date of award.

This certificate remains the property of International Centre for Industrial Transformation and shall be returned immediately upon request.

Third Party Cybersecurity Standard (TPCS) sets forth the minimum Cybersecurity requirements for Saudi Aramco Third Parties to protect Saudi Aramco from possible cyber threats and strengthen Third Parties' security posture

Issuance Date: 12.15.2022

CCC Reference Number: 06-306-121522-N



Cybersecurity Compliance Certificate

This is to confirm that

Hussain Abdulrahman Alismail Industrial company

2050002796

1st industrial city - Dammam - street No7

was subject to an assessment by Aldar Audit Bureau, Abdullah Al Basri & Co - Member of Grant Thornton International to evaluate its compliance with Saudi Aramco Third Party Cybersecurity Standard (SACS-002).

Based on the assessment carried out between 11/10/2022 and 12/15/2022, Hussain Abdulrahman Alismail Industrial company was found to be compliant with the Standard.

For the classification of: **General Requirements**, Type: CCC

This certificate is valid for a period of two years from the date of issuance.

Disclaimer:

This certificate is provided based on the information provided by Hussain Abdulrahman Alismail Industrial company that indicates their cybersecurity posture at the time of the assessment. Aldar Audit Bureau, Abdullah Al Basri & Co - Member of Grant Thornton International has not evaluated the adequacy or appropriateness of the Standard compiled by Saudi Aramco. Aldar Audit Bureau, Abdullah Al Basri & Co - Member of Grant Thornton International evaluation was limited to assessment against Saudi Aramco Third Party Cybersecurity Standard (SACS-002) and should not be relied upon as an assurance beyond the areas covered by this Standard. Aldar Audit Bureau, Abdullah Al Basri & Co - Member of Grant Thornton International shall not be liable for any loss, damages, costs, or expenses directly or indirectly incurred by any third party, who may rely upon this certificate for whatsoever reason. This certificate is only for the purpose of meeting the requirements of Saudi Aramco and should not be published on any website or relied upon by anyone other than Saudi Aramco.

Abdullah M. Al Basri (CEO)

Authorized Signatory

By Audit Firm

EN 13501-1:2018 (MDF Fire Retardant) MDF (Medium-Density Fiberboard)

Products Certificates

full report available when it is requested



中国认可
国际互认
检测
TESTING
CNAS L4743

Test Report

Report No.: AJFS2404003591FF

Date: APR.08, 2024 Page 1 of 7

Hussain Abdulrahman Alismail Indu Co.

Alismail Industrial Complex Block # 4 Ibn Zahr Street in 1st Industrial City Dammam, Saudi Arabia

THIS TEST RESULT IS COPIED FROM THE TEST REPORT No.: AJFS2403002541FF, DATE: MAR.29, 2024. ONLY THE ORIGINAL IS A LEGALLY BINDING DOCUMENT AND MAY BE USED FOR ANY LEGAL PURPOSE.

Sample Description: FIRE RETARDANT MDF

SGS Ref No.: AJHL2404001382HI

Style/Item No.: 18MM FR MDF

Country of Origin: CHINA

The above sample(s) was / were submitted and identified on behalf of the client. SGS is not responsible for the authenticity, integrity and results of the data and information and / or the validity of the conclusion arising therefrom. Results apply to the sample as received.

Test Requested:

EN 13501-1:2018 Fire classification of construction products and building elements—Part 1: Classification using data from reaction to fire tests.

Test Results: -- See attached sheet --

Test Period:

Sample Receiving Date : MAR.18, 2024

Test Performing Date : MAR.18, 2024 TO MAR.25, 2024

Signed for and on behalf of
SGS-CSTC Standards Technical Services Co., Ltd. Anji Branch

Echo Li

Echo Li
Approved Signatory

Scan to see the report



AJFS2404003591FF
Verification:
check.sgs.com.cn



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Docscheck@sgs.com
No.301, Sunlight Road, 2 Block, Sunlight Industry Zone, Anji County, Zhejiang Province, China 313300 t: (86-572) 5019825 f: (86-572) 5019829 www.sgs.com.cn
中国·浙江·安吉县阳光工业园二区阳光大道301号 邮编: 313300 t: (86-572) 5019825 f: (86-572) 5019829 sgs.china@sgs.com

Member of the SGS Group (SGS SA)

GB 8624 – 2012 (Fire Retardant) HPL (High Pressure Laminate)

Products Certificates

full report available when it is requested



TEST REPORT

No. : GZIN2012068619CM

Date : Dec 16, 2020

Page: 1 of 6

scan to see the report



CUSTOMER NAME: HUSSAIN ABDULRAHMAN ALISMAIL EST. FOR OFFICE SYSTEM
FACTORY
ADDRESS: BLOCK #4 LBN ZAHR STREET IN 1ST INDUSTRIAL CITY DAMMAM,
SAUDI ARABIA

Sample Name : HPL

Above information and sample(s) was/were submitted and confirmed by the client. SGS, however, assumes no responsibility to verify the accuracy, adequacy and completeness of the sample information provided by client.

Date of Receipt : Dec 03, 2020

Testing Start Date : Dec 03, 2020

Testing End Date : Dec 16, 2020

Test result(s) : For further details, please refer to the following page(s)
(Unless otherwise stated the results shown in this test report refer only to the sample(s) tested)

Signed for
SGS-CSTC Standards Technical
Services Co., Ltd. GZ Branch Testing
Center

Toby Yang

Authorized signatory



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/terms-and-conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/terms-and-conditions/terms-e-document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8397 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Guangzhou Branch Testing Center

198 Kachiu Road, Science & Technology Park, Economic & Technical Development District, Guangzhou, China. 510663 1(86-20) 82155555 1(86-20) 82075080 www.sgs.com.cn
中国·广州·经济技术开发区科学城科珠路198号 邮编: 510663 1(86-20) 82155555 1(86-20) 82075080 e sgs.china@sgs.com

Member of the SGS Group (SGS SA)

BS 7177 : 2008 (Fire Retardant) Foam Mattress

Products Certificates

full report available when it is requested



Test Report

No. SDFS2305002388FFD

Date: Oct 31, 2023

Page 1 of 12

Alismail Industrial Co
PO Box 919 Dammam 31421 Saudi Arabia

Sample Description : MATTRESS (COMFORTABLE AND RESILIENT, GOOD SUPPORT)
Color : WHITE
Style/Item No. : YKL-88
Manufacturer : Alismail Industrial Co

The above data and information was / were submitted and identified on behalf of the client. SGS is not responsible for the authenticity, integrity and results of the data and information and / or the validity of the conclusion.

Sample Receiving Date : May 05, 2023
Test Performing Date : May 05, 2023 to May 12, 2023

Test Result Summary

No.	Test(s) Requested	Result(s)	Comments
1	Medium hazard in BS 7177:2008+A1:2011 Specification for resistance to ignition of mattresses, mattress pads, divans and bed bases	PASS	Clause 5 and 6 weren't checked.

For further details, please refer to the following page(s)

Signed for and on behalf of
Shunde Branch
SGS-CSTC Co., Ltd.

scan to see the report



SDFS2305002388FF

Nicole Ou
Approved signatory



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

1/F, Building European Industrial Park, No.1 Shunde South Road, Wusha Section, Daliang Town, Shunde District, Guangdong, China 528333 t (86-757)22805888 f (86-757)22805858 www.sgs.com.cn
中国·广东·佛山市顺德区大良街道办事处五沙顺和南路1号欧洲工业园一号楼首层 邮编: 528333 t (86-757)22805888 f (86-757)22805858 sgs.china@sgs.com

Member of the SGS Group (SGS SA)

TEST REPORT

Report No.: 66.441.24.10383.01

Dated: 2024-07-25



Applicant: HUSSAIN ABDULRAHMAN ALISMAIL INDUSTRIAL CO.
Address: 3751, INDUSTRIAL AREA No. 1 UNIT NO.4, AD DAMMAM EASTERN
PROVINCE KINGDOM OF SAUDI ARABIA
Contact Person: Hisham Alismail

Sample Description: foam
Style No.: NFOAM01

Sample Received Date: 2024-07-22
Date of Testing: 2024-07-22 to 2024-07-25

Sample submitted: The sample(s) was (were) submitted by applicant and identified.

Test result(s): Refer to the Section 3

Note: (1) The TÜV SÜD Certification and Testing (China) Co., Ltd. "General Terms & Conditions" applied.

For full version, please visit: <https://www.tuvsud.cn/zh-cn/resource/terms-and-conditions-en>

(2) The results relate only to the items tested.

(3) The test report shall not be reproduced except in full without the written approval of the laboratory.

(4) Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

(5) This report is for customer's internal use and reference only, such as internal scientific research, education, quality control, product improvement.

Laboratory:
TÜV SÜD Certification and Testing
(China) Co., Ltd. Xiamen Branch
Testing Location: Xiamen
Form No.: TC_XMN_F_24.04 E
Rev: 02
Effective Date: 2023-09-19

Phone: +86 592 7706188
Fax: +86 592 7706288
E-mail: Report.Softlines@tuvsud.com
Web: www.tuvsud.cn

Regd. Office:
TÜV SÜD Certification and Testing (China) Co., Ltd.
Xiamen Branch
Unit 401 No.93 Huli Industrial Park, Meixi Road, Tong'an
District, Xiamen 361100 P. R. China

TÜV®



TEST REPORT

No. : SZIN2405001122PL01_EN

Date : 2024-07-08

Page: 1 of 5



CUSTOMER NAME: HUSSAIN ABDULRAHMAN ALISMAIL INDUSTRIALCOMPANY
ADDRESS: BLOCK #4 LBN ZAHR STREET IN 1ST INDUSTRIAL CITY DAMMAM,
SAUDI ARABIA

Sample Name : Fabric

Above information and sample(s) was/were submitted and confirmed by the client. SGS, however, assumes no responsibility to verify the accuracy, adequacy and completeness of the sample information provided by client.

SGS Ref. No. : SDFS2405003581FF
Date of Receipt : 2024-05-21
Testing Period : 2024-05-21 ~ 2024-07-08
Test result(s) : For further details, please refer to the following page(s)
(Unless otherwise stated the results shown in this test report refer only to the sample(s) tested)

Signed for
SGS-CSTC Standards Technical
Services Co., Ltd. ShenZhen Branch.

Jessie

Jessie Ho
Authorized signatory



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Testing Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8337 1443, or email: CN.Doccheck@sgs.com

Room 101, Part 11 Room 11, Part 12 Room 12, Part 13 Room 13, Part 14 Room 14, Part 15 Room 15, Part 16 Room 16, Part 17 Room 17, Part 18 Room 18, Part 19 Room 19, Part 20 Room 20, Part 21 Room 21, Part 22 Room 22, Part 23 Room 23, Part 24 Room 24, Part 25 Room 25, Part 26 Room 26, Part 27 Room 27, Part 28 Room 28, Part 29 Room 29, Part 30 Room 30, Part 31 Room 31, Part 32 Room 32, Part 33 Room 33, Part 34 Room 34, Part 35 Room 35, Part 36 Room 36, Part 37 Room 37, Part 38 Room 38, Part 39 Room 39, Part 40 Room 40, Part 41 Room 41, Part 42 Room 42, Part 43 Room 43, Part 44 Room 44, Part 45 Room 45, Part 46 Room 46, Part 47 Room 47, Part 48 Room 48, Part 49 Room 49, Part 50 Room 50, Part 51 Room 51, Part 52 Room 52, Part 53 Room 53, Part 54 Room 54, Part 55 Room 55, Part 56 Room 56, Part 57 Room 57, Part 58 Room 58, Part 59 Room 59, Part 60 Room 60, Part 61 Room 61, Part 62 Room 62, Part 63 Room 63, Part 64 Room 64, Part 65 Room 65, Part 66 Room 66, Part 67 Room 67, Part 68 Room 68, Part 69 Room 69, Part 70 Room 70, Part 71 Room 71, Part 72 Room 72, Part 73 Room 73, Part 74 Room 74, Part 75 Room 75, Part 76 Room 76, Part 77 Room 77, Part 78 Room 78, Part 79 Room 79, Part 80 Room 80, Part 81 Room 81, Part 82 Room 82, Part 83 Room 83, Part 84 Room 84, Part 85 Room 85, Part 86 Room 86, Part 87 Room 87, Part 88 Room 88, Part 89 Room 89, Part 90 Room 90, Part 91 Room 91, Part 92 Room 92, Part 93 Room 93, Part 94 Room 94, Part 95 Room 95, Part 96 Room 96, Part 97 Room 97, Part 98 Room 98, Part 99 Room 99, Part 100 Room 100, Part 101 Room 101, Part 102 Room 102, Part 103 Room 103, Part 104 Room 104, Part 105 Room 105, Part 106 Room 106, Part 107 Room 107, Part 108 Room 108, Part 109 Room 109, Part 110 Room 110, Part 111 Room 111, Part 112 Room 112, Part 113 Room 113, Part 114 Room 114, Part 115 Room 115, Part 116 Room 116, Part 117 Room 117, Part 118 Room 118, Part 119 Room 119, Part 120 Room 120, Part 121 Room 121, Part 122 Room 122, Part 123 Room 123, Part 124 Room 124, Part 125 Room 125, Part 126 Room 126, Part 127 Room 127, Part 128 Room 128, Part 129 Room 129, Part 130 Room 130, Part 131 Room 131, Part 132 Room 132, Part 133 Room 133, Part 134 Room 134, Part 135 Room 135, Part 136 Room 136, Part 137 Room 137, Part 138 Room 138, Part 139 Room 139, Part 140 Room 140, Part 141 Room 141, Part 142 Room 142, Part 143 Room 143, Part 144 Room 144, Part 145 Room 145, Part 146 Room 146, Part 147 Room 147, Part 148 Room 148, Part 149 Room 149, Part 150 Room 150, Part 151 Room 151, Part 152 Room 152, Part 153 Room 153, Part 154 Room 154, Part 155 Room 155, Part 156 Room 156, Part 157 Room 157, Part 158 Room 158, Part 159 Room 159, Part 160 Room 160, Part 161 Room 161, Part 162 Room 162, Part 163 Room 163, Part 164 Room 164, Part 165 Room 165, Part 166 Room 166, Part 167 Room 167, Part 168 Room 168, Part 169 Room 169, Part 170 Room 170, Part 171 Room 171, Part 172 Room 172, Part 173 Room 173, Part 174 Room 174, Part 175 Room 175, Part 176 Room 176, Part 177 Room 177, Part 178 Room 178, Part 179 Room 179, Part 180 Room 180, Part 181 Room 181, Part 182 Room 182, Part 183 Room 183, Part 184 Room 184, Part 185 Room 185, Part 186 Room 186, Part 187 Room 187, Part 188 Room 188, Part 189 Room 189, Part 190 Room 190, Part 191 Room 191, Part 192 Room 192, Part 193 Room 193, Part 194 Room 194, Part 195 Room 195, Part 196 Room 196, Part 197 Room 197, Part 198 Room 198, Part 199 Room 199, Part 200 Room 200, Part 201 Room 201, Part 202 Room 202, Part 203 Room 203, Part 204 Room 204, Part 205 Room 205, Part 206 Room 206, Part 207 Room 207, Part 208 Room 208, Part 209 Room 209, Part 210 Room 210, Part 211 Room 211, Part 212 Room 212, Part 213 Room 213, Part 214 Room 214, Part 215 Room 215, Part 216 Room 216, Part 217 Room 217, Part 218 Room 218, Part 219 Room 219, Part 220 Room 220, Part 221 Room 221, Part 222 Room 222, Part 223 Room 223, Part 224 Room 224, Part 225 Room 225, Part 226 Room 226, Part 227 Room 227, Part 228 Room 228, Part 229 Room 229, Part 230 Room 230, Part 231 Room 231, Part 232 Room 232, Part 233 Room 233, Part 234 Room 234, Part 235 Room 235, Part 236 Room 236, Part 237 Room 237, Part 238 Room 238, Part 239 Room 239, Part 240 Room 240, Part 241 Room 241, Part 242 Room 242, Part 243 Room 243, Part 244 Room 244, Part 245 Room 245, Part 246 Room 246, Part 247 Room 247, Part 248 Room 248, Part 249 Room 249, Part 250 Room 250, Part 251 Room 251, Part 252 Room 252, Part 253 Room 253, Part 254 Room 254, Part 255 Room 255, Part 256 Room 256, Part 257 Room 257, Part 258 Room 258, Part 259 Room 259, Part 260 Room 260, Part 261 Room 261, Part 262 Room 262, Part 263 Room 263, Part 264 Room 264, Part 265 Room 265, Part 266 Room 266, Part 267 Room 267, Part 268 Room 268, Part 269 Room 269, Part 270 Room 270, Part 271 Room 271, Part 272 Room 272, Part 273 Room 273, Part 274 Room 274, Part 275 Room 275, Part 276 Room 276, Part 277 Room 277, Part 278 Room 278, Part 279 Room 279, Part 280 Room 280, Part 281 Room 281, Part 282 Room 282, Part 283 Room 283, Part 284 Room 284, Part 285 Room 285, Part 286 Room 286, Part 287 Room 287, Part 288 Room 288, Part 289 Room 289, Part 290 Room 290, Part 291 Room 291, Part 292 Room 292, Part 293 Room 293, Part 294 Room 294, Part 295 Room 295, Part 296 Room 296, Part 297 Room 297, Part 298 Room 298, Part 299 Room 299, Part 300 Room 300, Part 301 Room 301, Part 302 Room 302, Part 303 Room 303, Part 304 Room 304, Part 305 Room 305, Part 306 Room 306, Part 307 Room 307, Part 308 Room 308, Part 309 Room 309, Part 310 Room 310, Part 311 Room 311, Part 312 Room 312, Part 313 Room 313, Part 314 Room 314, Part 315 Room 315, Part 316 Room 316, Part 317 Room 317, Part 318 Room 318, Part 319 Room 319, Part 320 Room 320, Part 321 Room 321, Part 322 Room 322, Part 323 Room 323, Part 324 Room 324, Part 325 Room 325, Part 326 Room 326, Part 327 Room 327, Part 328 Room 328, Part 329 Room 329, Part 330 Room 330, Part 331 Room 331, Part 332 Room 332, Part 333 Room 333, Part 334 Room 334, Part 335 Room 335, Part 336 Room 336, Part 337 Room 337, Part 338 Room 338, Part 339 Room 339, Part 340 Room 340, Part 341 Room 341, Part 342 Room 342, Part 343 Room 343, Part 344 Room 344, Part 345 Room 345, Part 346 Room 346, Part 347 Room 347, Part 348 Room 348, Part 349 Room 349, Part 350 Room 350, Part 351 Room 351, Part 352 Room 352, Part 353 Room 353, Part 354 Room 354, Part 355 Room 355, Part 356 Room 356, Part 357 Room 357, Part 358 Room 358, Part 359 Room 359, Part 360 Room 360, Part 361 Room 361, Part 362 Room 362, Part 363 Room 363, Part 364 Room 364, Part 365 Room 365, Part 366 Room 366, Part 367 Room 367, Part 368 Room 368, Part 369 Room 369, Part 370 Room 370, Part 371 Room 371, Part 372 Room 372, Part 373 Room 373, Part 374 Room 374, Part 375 Room 375, Part 376 Room 376, Part 377 Room 377, Part 378 Room 378, Part 379 Room 379, Part 380 Room 380, Part 381 Room 381, Part 382 Room 382, Part 383 Room 383, Part 384 Room 384, Part 385 Room 385, Part 386 Room 386, Part 387 Room 387, Part 388 Room 388, Part 389 Room 389, Part 390 Room 390, Part 391 Room 391, Part 392 Room 392, Part 393 Room 393, Part 394 Room 394, Part 395 Room 395, Part 396 Room 396, Part 397 Room 397, Part 398 Room 398, Part 399 Room 399, Part 400 Room 400, Part 401 Room 401, Part 402 Room 402, Part 403 Room 403, Part 404 Room 404, Part 405 Room 405, Part 406 Room 406, Part 407 Room 407, Part 408 Room 408, Part 409 Room 409, Part 410 Room 410, Part 411 Room 411, Part 412 Room 412, Part 413 Room 413, Part 414 Room 414, Part 415 Room 415, Part 416 Room 416, Part 417 Room 417, Part 418 Room 418, Part 419 Room 419, Part 420 Room 420, Part 421 Room 421, Part 422 Room 422, Part 423 Room 423, Part 424 Room 424, Part 425 Room 425, Part 426 Room 426, Part 427 Room 427, Part 428 Room 428, Part 429 Room 429, Part 430 Room 430, Part 431 Room 431, Part 432 Room 432, Part 433 Room 433, Part 434 Room 434, Part 435 Room 435, Part 436 Room 436, Part 437 Room 437, Part 438 Room 438, Part 439 Room 439, Part 440 Room 440, Part 441 Room 441, Part 442 Room 442, Part 443 Room 443, Part 444 Room 444, Part 445 Room 445, Part 446 Room 446, Part 447 Room 447, Part 448 Room 448, Part 449 Room 449, Part 450 Room 450, Part 451 Room 451, Part 452 Room 452, Part 453 Room 453, Part 454 Room 454, Part 455 Room 455, Part 456 Room 456, Part 457 Room 457, Part 458 Room 458, Part 459 Room 459, Part 460 Room 460, Part 461 Room 461, Part 462 Room 462, Part 463 Room 463, Part 464 Room 464, Part 465 Room 465, Part 466 Room 466, Part 467 Room 467, Part 468 Room 468, Part 469 Room 469, Part 470 Room 470, Part 471 Room 471, Part 472 Room 472, Part 473 Room 473, Part 474 Room 474, Part 475 Room 475, Part 476 Room 476, Part 477 Room 477, Part 478 Room 478, Part 479 Room 479, Part 480 Room 480, Part 481 Room 481, Part 482 Room 482, Part 483 Room 483, Part 484 Room 484, Part 485 Room 485, Part 486 Room 486, Part 487 Room 487, Part 488 Room 488, Part 489 Room 489, Part 490 Room 490, Part 491 Room 491, Part 492 Room 492, Part 493 Room 493, Part 494 Room 494, Part 495 Room 495, Part 496 Room 496, Part 497 Room 497, Part 498 Room 498, Part 499 Room 499, Part 500 Room 500, Part 501 Room 501, Part 502 Room 502, Part 503 Room 503, Part 504 Room 504, Part 505 Room 505, Part 506 Room 506, Part 507 Room 507, Part 508 Room 508, Part 509 Room 509, Part 510 Room 510, Part 511 Room 511, Part 512 Room 512, Part 513 Room 513, Part 514 Room 514, Part 515 Room 515, Part 516 Room 516, Part 517 Room 517, Part 518 Room 518, Part 519 Room 519, Part 520 Room 520, Part 521 Room 521, Part 522 Room 522, Part 523 Room 523, Part 524 Room 524, Part 525 Room 525, Part 526 Room 526, Part 527 Room 527, Part 528 Room 528, Part 529 Room 529, Part 530 Room 530, Part 531 Room 531, Part 532 Room 532, Part 533 Room 533, Part 534 Room 534, Part 535 Room 535, Part 536 Room 536, Part 537 Room 537, Part 538 Room 538, Part 539 Room 539, Part 540 Room 540, Part 541 Room 541, Part 542 Room 542, Part 543 Room 543, Part 544 Room 544, Part 545 Room 545, Part 546 Room 546, Part 547 Room 547, Part 548 Room 548, Part 549 Room 549, Part 550 Room 550, Part 551 Room 551, Part 552 Room 552, Part 553 Room 553, Part 554 Room 554, Part 555 Room 555, Part 556 Room 556, Part 557 Room 557, Part 558 Room 558, Part 559 Room 559, Part 560 Room 560, Part 561 Room 561, Part 562 Room 562, Part 563 Room 563, Part 564 Room 564, Part 565 Room 565, Part 566 Room 566, Part 567 Room 567, Part 568 Room 568, Part 569 Room 569, Part 570 Room 570, Part 571 Room 571, Part 572 Room 572, Part 573 Room 573, Part 574 Room 574, Part 575 Room 575, Part 576 Room 576, Part 577 Room 577, Part 578 Room 578, Part 579 Room 579, Part 580 Room 580, Part 581 Room 581, Part 582 Room 582, Part 583 Room 583, Part 584 Room 584, Part 585 Room 585, Part 586 Room 586, Part 587 Room 587, Part 588 Room 588, Part 589 Room 589, Part 590 Room 590, Part 591 Room 591, Part 592 Room 592, Part 593 Room 593, Part 594 Room 594, Part 595 Room 595, Part 596 Room 596, Part 597 Room 597, Part 598 Room 598, Part 599 Room 599, Part 600 Room 600, Part 601 Room 601, Part 602 Room 602, Part 603 Room 603, Part 604 Room 604, Part 605 Room 605, Part 606 Room 606, Part 607 Room 607, Part 608 Room 608, Part 609 Room 609, Part 610 Room 610, Part 611 Room 611, Part 612 Room 612, Part 613 Room 613, Part 614 Room 614, Part 615 Room 615, Part 616 Room 616, Part 617 Room 617, Part 618 Room 618, Part 619 Room 619, Part 620 Room 620, Part 621 Room 621, Part 622 Room 622, Part 623 Room 623, Part 624 Room 624, Part 625 Room 625, Part 626 Room 626, Part 627 Room 627, Part 628 Room 628, Part 629 Room 629, Part 630 Room 630, Part 631 Room 631, Part 632 Room 632, Part 633 Room 633, Part 634 Room 634, Part 635 Room 635, Part 636 Room 636, Part 637 Room 637, Part 638 Room 638, Part 639 Room 639, Part 640 Room 640, Part 641 Room 641, Part 642 Room 642, Part 643 Room 643, Part 644 Room 644, Part 645 Room 645, Part 646 Room 646, Part 647 Room 647, Part 648 Room 648, Part 649 Room 649, Part 650 Room 650, Part 651 Room 651, Part 652 Room 652, Part 653 Room 653, Part 654 Room 654, Part 655 Room 655, Part 656 Room 656, Part 657 Room 657, Part 658 Room 658, Part 659 Room 659, Part 660 Room 660, Part 661 Room 661, Part 662 Room 662, Part 663 Room 663, Part 664 Room 664, Part 665 Room 665, Part 666 Room 666, Part 667 Room 667, Part 668 Room 668, Part 669 Room 669, Part 670 Room 670, Part 671 Room 671, Part 672 Room 672, Part 673 Room 673, Part 674 Room 674, Part 675 Room 675, Part 676 Room 676, Part 677 Room 677, Part 678 Room 678, Part 679 Room 679, Part 680 Room 680, Part 681 Room 681, Part 682 Room 682, Part 683 Room 683, Part 684 Room 684, Part 685 Room 685, Part 686 Room 686, Part 687 Room 687, Part 688 Room 688, Part 689 Room 689, Part 690 Room 690, Part 691 Room 691, Part 692 Room 692, Part 693 Room 693, Part 694 Room 694, Part 695 Room 695, Part 696 Room 696, Part 697 Room 697, Part 698 Room 698, Part 699 Room 699, Part 700 Room 700, Part 701 Room 701, Part 702 Room 702, Part 703 Room 703, Part 704 Room 704, Part 705 Room 705, Part 706 Room 706, Part 707 Room 707, Part 708 Room 708, Part 709 Room 709, Part 710 Room 710, Part 711 Room 711, Part 712 Room 712, Part 713 Room 713, Part 714 Room 714, Part 715 Room 715, Part 716 Room 716, Part 717 Room 717, Part 718 Room 718, Part 719 Room 719, Part 720 Room 720, Part 721 Room 721, Part 722 Room 722, Part 723 Room 723, Part 724 Room 724, Part 725 Room 725, Part 726 Room 726, Part 727 Room 727, Part 728 Room 728, Part 729 Room 729, Part 730 Room 730, Part 731 Room 731, Part 732 Room 732, Part 733 Room 733, Part 734 Room 734, Part 735 Room 735, Part 736 Room 736, Part 737 Room 737, Part 738 Room 738, Part 739 Room 739, Part 740 Room 740, Part 741 Room 741, Part 742 Room 742, Part 743 Room 743, Part 744 Room 744, Part 745 Room 745, Part 746 Room 746, Part 747 Room 747, Part 748 Room 748, Part 749 Room 749, Part 750 Room 750, Part 751 Room 751, Part 752 Room 752, Part 753 Room 753, Part 754 Room 754, Part 755 Room 755, Part 756 Room 756, Part 757 Room 757, Part 758 Room 758, Part 759 Room 759, Part 760 Room 760, Part 761 Room 761, Part 762 Room 762, Part 763 Room 763, Part 764 Room 764, Part 765 Room 765, Part 766 Room 766, Part 767 Room 767, Part 768 Room 768, Part 769 Room 769, Part 770 Room 770, Part 771 Room 771, Part 772 Room 772, Part 773 Room 773, Part 774 Room 774, Part 775 Room 775, Part 776 Room 776, Part 777 Room 777, Part 778 Room 778, Part 779 Room 779, Part 780 Room 780, Part 781 Room 781, Part 782 Room 782, Part 783 Room 783, Part 784 Room 784, Part 785 Room 785, Part 786 Room 786, Part 787 Room 787, Part 788 Room 788, Part 789 Room 789, Part 790 Room 790, Part 791 Room 791, Part 792 Room 792, Part 793 Room 793, Part 794 Room 794, Part 795 Room 795, Part 796 Room 796, Part 797 Room 797, Part 798 Room 798, Part 799 Room 799, Part 800 Room 800, Part 801 Room 801, Part 802 Room 802, Part 803 Room 803, Part 804 Room 804, Part 805 Room 805, Part 806 Room 806, Part 807 Room 807, Part 808 Room 808, Part 809 Room 809, Part 810 Room 810, Part 811 Room 811, Part 812 Room 812, Part 813 Room 813, Part 814 Room 814, Part 815 Room 815, Part 816 Room 816, Part 817 Room 817, Part 818 Room 818, Part 819 Room 819, Part 820 Room 820, Part 821 Room 821, Part 822 Room 822, Part 823 Room 823, Part 824 Room 824, Part 825 Room 825, Part 826 Room 826, Part 827 Room 827, Part 828 Room 828, Part 829 Room 829, Part 830 Room 830, Part 831 Room 831, Part 832 Room 832, Part 833 Room 833, Part 834 Room 834, Part 835 Room 835, Part 836 Room 836, Part 837 Room 837, Part 838 Room 838, Part 839 Room 839, Part 840 Room 840, Part 841 Room 841, Part 842 Room 842, Part 843 Room 843, Part 844 Room 844, Part 845 Room 845, Part 846 Room 846, Part 847 Room 847, Part 848 Room 848, Part 849 Room 849, Part 850 Room 850, Part 851 Room 851, Part 852 Room 852, Part 853 Room 853, Part 854 Room 854, Part 855 Room 855, Part 856 Room 856, Part 857 Room 857, Part 858 Room 858, Part 859 Room 859, Part 860 Room 860, Part 861 Room 861, Part 862 Room 862, Part 863 Room 863, Part 864 Room 864, Part 865 Room 865, Part 866 Room 866, Part 867 Room 867, Part 868 Room 868, Part 869 Room 869, Part 870 Room 870, Part 871 Room 871, Part 872 Room 872, Part 873 Room 873, Part 874 Room 874, Part 875 Room 875, Part 876 Room 876, Part 877 Room 877, Part 878 Room 878, Part 879 Room 879, Part 880 Room 880, Part 881 Room 881, Part 882 Room 882, Part 883 Room 883, Part 884 Room 884, Part 885 Room 885, Part 886 Room 886, Part 887 Room 887, Part 888 Room 888, Part 889 Room 889, Part 890 Room 890, Part 891 Room 891, Part 892 Room 892, Part 893 Room 893, Part 894 Room 894, Part 895 Room 895, Part 896 Room 896, Part 897 Room 897, Part 898 Room 898, Part 899 Room 899, Part 900 Room 900, Part 901 Room 901, Part 902 Room 902, Part 903 Room 903, Part 904 Room 904, Part 905 Room 905, Part 906 Room 906, Part 907 Room 907, Part 908 Room 908, Part 909 Room 909, Part 910 Room 910, Part 911 Room 911, Part 912 Room 912, Part 913 Room 913, Part 914 Room 914, Part 915 Room 915, Part 916 Room 916, Part 917 Room 917, Part 918 Room 918, Part 919 Room 919, Part 920 Room 920, Part 921 Room 921, Part 922 Room 922, Part 923 Room 923, Part 924 Room 924, Part 925 Room 925, Part 926 Room 926, Part 927 Room 927, Part 928 Room 928, Part 929 Room 929, Part 930 Room 930, Part 931 Room 931, Part 932 Room 932, Part 933 Room 933, Part 934 Room 934, Part 935 Room 935, Part 936 Room 936, Part 937 Room 937, Part 938 Room 938, Part 939 Room 939, Part 940 Room 940, Part 941 Room 941, Part 942 Room 942, Part 943 Room 943, Part 944 Room 944, Part 945 Room 945, Part 946 Room 946, Part 947 Room 947, Part 948 Room 948, Part 949 Room 949, Part 950 Room 950, Part 951 Room 951, Part 952 Room 952, Part 953 Room 953, Part 954 Room 954, Part 955 Room 955, Part 956 Room 956, Part 957 Room 957, Part 958 Room 958, Part 959 Room 959, Part 960 Room 960, Part 961 Room 961, Part 962 Room 962, Part 963 Room 963, Part 964 Room 964, Part 965 Room 965, Part 966 Room 966, Part 967 Room 967, Part 968 Room 968, Part 969 Room 969, Part 970 Room 970, Part 971 Room 971, Part 972 Room 972, Part 973 Room 973, Part 974 Room 974, Part 975 Room 975, Part 976 Room 976, Part 977 Room 977, Part 978 Room 978, Part 979 Room 979, Part 980 Room 980, Part 981 Room 981, Part 982 Room 982, Part 983 Room 983, Part 984 Room 984, Part 985 Room 985, Part 986 Room 986, Part 987 Room 987, Part 988 Room 988, Part 989 Room 989, Part 990 Room 990, Part 991 Room 991, Part 992 Room 992, Part 993 Room 993, Part 994 Room 994, Part 995 Room 995, Part 996 Room 996, Part 997 Room 997, Part 998 Room 998, Part 999 Room 999, Part 1000 Room 1000, Part 1001 Room 1001, Part 1002 Room 1002, Part 1003 Room 1003, Part 1004 Room 1004, Part 1005 Room 1005, Part 1006 Room 1006, Part 1007 Room 1007, Part 1008 Room 1008, Part 1009 Room 1009, Part 1010 Room 1010, Part 1011 Room 1011, Part 1012 Room 1012, Part 1013 Room 1013, Part 1014 Room 1014, Part 1015 Room 1015, Part 1016 Room 1016, Part 1017 Room 1017, Part 1018 Room 1018, Part 1019 Room 1019, Part 1020 Room 1020, Part 1021 Room 1021, Part 1022 Room 1022, Part 1023 Room 1

BS EN 597-1 (Fire Retardant) Fabric (Fabric Mattress)

Products Certificates

full report available when it is requested

	BS EN 597-1/2 TEST REPORT	Doküman No : FR-8245-06 Yayın Tarihi : 01.01.2013 Rev.Tar./No : 06.12.19/01 Sayfa : 1 / 2
---	----------------------------------	--

Indicative BS EN 597-1:Assessment of the ignitability of mattresses and upholstered bed bases:
İgniton source:smouldering cigarette

Sample Identification

The mattress was described by the client as: **PO: AB20.1409-280356-20N4187-10 (STRIPE-104408/01)**

Customer

Hussain Abdulrahman Alismail Industrial Co.

Mattress ticking clipped around a piece of Non FR foam (supplied by BOYTEKS)

Conditioning

The specimen was conditioned in an atmosphere of 23 ± 2 C and 50 ± 5 %rh.

Procedure

The test was carried out as described in BS EN 597-1 using cigarette ignition sources.All cigarette applications were made on the same test assembly.

Results and observations

The following test results relate only to the ignitability of the combination of materials under the particular conditions of test. They are not intended as a means of assessing the full potential fire hazard of the mattress,mattress pad or upholstered bed base in use.


Criteria of ignition	Cigarette			Comments (including position of the failing cigarette)
	1	2	3	
Smouldering criteria	*	*	*	
Unsafe escalating combustion (3.1 a)	NO	NO	NO	PASS
Test assembly consumed (3.1 b)	NO	NO	NO	PASS
Smoulders through thickness (3.1 c)	NO	NO	NO	PASS
Smoulders more than 1 h (3.1 d)	NO	NO	NO	PASS
In final examination, presence of progressive smouldering (3.1 e)	NO	NO	NO	PASS
Flaming criteria				
Occurrence of flames (3.2)	NO	NO	NO	PASS

*Enter 'YES' if criteria exceeded or 'NO' if criteria not exceeded

Test Date: 28.12.2020

Indicative Test Result: PASSED

**Signed:
Administrator:**


Hakan BAĞDAŞ
Quality Assurance Manager

ANONİM

BS 5852 – 1 : 1979 (Fire Retardant) PU, Polyurethane Leather

Products Certificates

full report available when it is requested

Test Report

No.: 70.404.21.20176.01-01

Dated: 2021-04-13



Applicant: Hussain Alismail Industrial Co.
Address: Block # 4 Ibn Zahr Street in 1st Industrial City Dammam, Saudi Arabia
Sample Submission: The samples were submitted by applicant and identified.
Product Name: PU
Identification/Style No.: TS-07
Receipt Date of Sample: 2021-01-22
Date of Testing: From 2021-01-26 to 2021-02-02
Test Result: Refer to the data listed in following pages.

Test Specification(s) or Test Item(s):

1. Ignitability test according to the furniture and furnishings (fire) (safety) regulations 1988 (amended 1989, 1993 and 2010)

Schedule 4 part I & Schedule 5 part I


Conclusions:

Pass

Hardline Laboratory

TÜV SÜD Certification and Testing (China) Co., Ltd.
Shanghai Branch Test Center

Prepared By:


Yang, Chaohe
Project Handler



Reviewed By:


Gu, Xiaodong
Designated Reviewer

Notes: (1) "General Terms & Conditions" applied. For full version, please visit: <http://www.tuv-sud.cn/cn-scn/terms-and-conditions>
2) Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4. 3) The conclusion of test result was drawn according to corresponding regulation or standard method and/or client's requirement

Laboratory:

Metal and Glass Furniture Industry Park, Xiehe Road, Shengfang Economic and Technology Development Area, Bazhou City, Hebei Province, P.R. CHINA

Telephone : +86-21- 6141 0123
Telefax : +86-21- 6140 8600
<http://www.tuv-sud.cn>

Regd. Office:

TÜV SÜD Certification and Testing (China) Co., Ltd. Shanghai Branch TÜV SÜD Group
No.151 Heng Tong Road Shanghai, 200 070 P.R. China

Page 1 of 4




Test Report

NUMBER : TSNH00371787

Applicant : Hussain Alismail Industrial Co.
Photo

Date : Apr 01,2021



To be continued

Authorized By :
For Intertek Testing Services
(Tianjin) Ltd.

David Zhang
Senior Manager





Test Report

No. SL520453000730TX

Date: 2020-11-10

Page 1 of 2

The following sample(s) was/were submitted and identified on behalf of the client as:

Client Information	Consignor:	HUSSAIN ABDULRAHMAN ALISMAIL EST. FOR OFFICE SYSTEM FACTORY.		
	Consignor address:	PO BOX 919DAMMAM 31421 KSA		
Sample information	Sample Description:	A: Blankets: flannel+fleece in blue. B: bed sheet: 100%cotton in white. C: pillow insert: 100%cotton in white. D: privacy curtains: 100%polyester in grey.		
	Sample Quantity:	A/B/C/D: One piece		
Test Information	Test Type	Submitted (sample sent by client)		
	Sample Receiving Date:	2020-10-13 2020-10-27	Test Period:	2020-10-13~2020-11-10
	Test Performed:	See the result page		
Test Conclusion	The report only give the test result, detail please see follow page.			

Signed for and on behalf of
SGS-CSTC Standards Technical Services (Shang hai) Co.,Ltd
Approved by:

Cheryn Xu(Authorized Signatory)

This test report refer only to the samples tested



除非另有书面协议，本报告由本公司依据《服务通用条款》出具。

《服务通用条款》印刷在正本报告纸背面，或通过 <http://www.sgs.com/en/Terms-and-Conditions.aspx> 查询，电子格式文件可通过 <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx> 获取。请特别关注其中涉及责任限定，赔偿以及司法管辖的相关条款。任何报告的持有方需知悉，此报告内容仅反映SGS受限于客户指示下，且在当时所得结论。SGS仅对其客户负责，并且此报告不能免除交易各方根据交易文件所享有的权利和应履行的义务。未获得本公司书面批准，本文件不得进行复制，全文除外。任何未经授权对报告内容及形式进行的修改、伪造或扭曲都是违法行为，违法者将会被追究法律责任。除非另有声明，本测试报告所示结果仅涉及受测试样品，此样品只保留30天。

SHSL 7653886

通标标准技术服务(上海)有限公司
纺织品实验室

3rd Building, No.889, Yehon Road, Xuhui District Shanghai, China 200233
中国·上海·徐汇区宜山路889号3号楼 邮编: 200233

t (86-21) 61402666 f (86-21) 64958763
t (86-21) 61402666 f (86-21) 64958763

www.sgsgroup.com.cn
sgs.china@sgs.com



Test Report

No.: GZHL2110042508OT

Date: Oct 15, 2021

Page 1 of 4

HUSSAIN ABDUL RAHMAN ALISMAIL INDUSTRIAL CO.
BLOCK # 4 IBN ZAHR STREET IN 1ST INDUSTRIAL CITY DAMMAM, SAUDI ARABIA
PO BOX 919 DAMMAM, 31421 SAUDI ARABIA

Sample Description	: BED SHEET
Country of Origin	: CHINA
Country of Destination	: SAUDI ARABIA

As above test item and its relevant information regarding to the submission are provided and confirmed by the applicant. SGS is not liable to either the test item or its relevant information, in terms of the accuracy, suitability, reliability or/and integrity accordingly.

Sample Receiving Date : Sep 10, 2021
Test Performing Date : Sep 10, 2021 to Sep 17, 2021

Test Result Summary

No.	Test(s) Requested	Result(s)	Comments
1	ISO 12952-1:2010 Textiles — Assessment of the ignitability of bedding items —Part 1: ignition source: smouldering cigarette.	Non-Ignition	/
For further details, please refer to the following page(s)			

Signed for and on behalf of
SGS-CSTC Standards Technical Services Co., Ltd. Guangzhou Branch



Arthur Mak
Authorized Signatory



805-571-1111, www.TexasSocietyCo.com
 Queen's Ranch, Houston, Texas

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed on the back, available on request or accessible at <http://www.agm.com/terms-and-conditions> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.agm.com/terms-and-conditions/terms-and-conditions/terms-and-conditions>. Attention is drawn to the limitation of liability, indemnification and arbitration issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its transmission only and within the limits of the transaction from which all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is strictly prohibited and may result in severe civil and criminal penalties. The Company hereby certifies that the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Results shown in this test report refer only to the samples tested and such samples are retained for 30 days only.
Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443; or email: CN.Doccheck@sags.com
Kings Test Pad Science Park Guangzhou Economic & Technology Development District Guangzhou, China 510663 | (86-20) 82155555 | (86-20) 82075191 | www.sagsgroup.com.cn
中国·广州·科学城技术开发区科学城科技路198号 邮编: 510663 | (86-20) 82155555 | (86-20) 82075191 | sqs.china@sags.com

Member of the SGS Group (SGS SA)

ISO 12952-1:2010 (Fire Retardant) Fabric (Pillows)

Products Certificates

full report available when it is requested



Test Report

No.: GZHL21100425000T

Date: Oct 15, 2021

Page 1 of 4

HUSSAIN ABDUL RAHMAN ALISMAIL INDUSTRIAL CO.
BLOCK # 4 IBN ZAHR STREET IN 1ST INDUSTRIAL CITY DAMMAM, SAUDI ARABIA
PO BOX 919 DAMMAM, 31421 SAUDI ARABIA

Sample Description : PILLOW
Country of Origin : CHINA
Country of Destination : SAUDI ARABIA

As above test item and its relevant information regarding to the submission are provided and confirmed by the applicant. SGS is not liable to either the test item or its relevant information, in terms of the accuracy, suitability, reliability or/and integrity accordingly.

Sample Receiving Date : Sep 10, 2021
Test Performing Date : Sep 10, 2021 to Sep 17, 2021

Test Result Summary

No.	Test(s) Requested	Result(s)	Comments
1	ISO 12952-1:2010 Textiles — Assessment of the ignitability of bedding items —Part 1: ignition source: smouldering cigarette.	Non-Ignition	/

For further details, please refer to the following page(s)

Signed for and on behalf of
SGS-CSTC Standards Technical Services Co., Ltd. Guangzhou Branch

Arthur Mak
Authorized Signatory



SGS-CSTC Standards Technical Services Co., Ltd.
Guangzhou Branch

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 5443, or email: CN.Doccheck@sgs.com

19th Floor, 19th Street, Puzhou Economic & Technology Development District, Guangzhou, China 510683 t: (86-20) 82155555 f: (86-20) 82075191 www.sgs.com.cn
中国·广州·经济技术开发区科学城科珠路198号 邮编: 510683 t: (86-20) 82155555 f: (86-20) 82075191 e: sgs.china@sgs.com

ISO 12952-1:2010 (Fire Retardant) Fabric (Blanket)

Products Certificates

full report available when it is requested



Test Report

No.: GZHL2110042502OT

Date: Oct 15, 2021

Page 1 of 4

HUSSAIN ABDUL RAHMAN ALISMAIL INDUSTRIAL CO.
BLOCK # 4 IBN ZAHR STREET IN 1ST INDUSTRIAL CITY DAMMAM, SAUDI ARABIA
PO BOX 919 DAMMAM, 31421 SAUDI ARABIA

Sample Description : BLANKET
Country of Origin : CHINA
Country of Destination : SAUDI ARABIA

As above test item and its relevant information regarding to the submission are provided and confirmed by the applicant. SGS is not liable to either the test item or its relevant information, in terms of the accuracy, suitability, reliability or/and integrity accordingly.

Sample Receiving Date : Sep 10, 2021
Test Performing Date : Sep 10, 2021 to Sep 17, 2021

Test Result Summary

No.	Test(s) Requested	Result(s)	Comments
1	ISO 12952-1:2010 Textiles — Assessment of the ignitability of bedding items —Part 1: ignition source: smouldering cigarette.	Non-Ignition	/
For further details, please refer to the following page(s)			

Signed for and on behalf of
SGS-CSTC Standards Technical Services Co., Ltd. Guangzhou Branch

Arthur Mak
Authorized Signatory



SGS 71104250201



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 5443, or email: CN.Doccheck@sgs.com

19th Floor, Pearl River East Port Guangzhou Economic & Technology Development District, Guangzhou, China 510663 t (86-20) 82155005 f (86-20) 82075191 www.sgsgroup.com.cn
中国·广州·经济技术开发区科学城科珠路198号 邮编: 510663 t (86-20) 82155555 f (86-20) 82075191 e sgs.china@sgs.com

Member of the SGS Group (SGS SA)



TEST REPORT

No. : GZIN2101005963CM

Date : Mar 19, 2021

Page: 1 of 5

scan to see the report



GZIN2101005963CM

CUSTOMER NAME: HUSSAIN ABDLURAHMAN ALISMAIL INDUSTRIAL COMPANY
ADDRESS: BLOCK #4 LBN ZAHR STREET IN 1ST INDUSTRIAL CITY DAMMAM,
SAUDI ARABIA

Sample Name : fabric

Above information and sample(s) was/were submitted and confirmed by the client. SGS, however, assumes no responsibility to verify the accuracy, adequacy and completeness of the sample information provided by client.

Date of Receipt : Jan 28, 2021
Testing Start Date : Jan 28, 2021
Testing End Date : Mar 19, 2021
Test result(s) : For further details, please refer to the following page(s)
(Unless otherwise stated the results shown in this test report refer only to the sample(s) tested)

Signed for
SGS-CSTC Standards Technical
Services Co., Ltd. GZ Branch Testing
Center

Toby Yang
Authorized signatory



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and each sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing, inspection report & certificate, please contact us at sew@sgs.com (86-755) 8387 1443, or search QR Code check@sgs.com
SGS-CSTC Standards Technical Services Co., Ltd. GZ Branch Testing Center
Singapore Road, Singapore Park, Singapore Technical Development District, Singapore City, 5100603 1 (86-20) 82155555 1 (86-20) 82075980 www.sgs.com
中国·广州·经济技术开发区科学城科海路100号 邮编: 510663 1 (86-20) 82155555 1 (86-20) 82075980 sgs.china@sgs.com



Report No. : EFCZ25010238-CG-01
Date : 16-Jan-2025
Page : 1 of 4

TEST REPORT

APPLICANT : Hussain Abulrahman Alismail Industrial company
ADDRESS : Street -7th PO Box 919 DAMMAM 31421 KSA.
SAMPLE DESCRIPTION : Brown fabric
Grey fabric

*****The above information is provided by the customer*****

SAMPLE RECEIVED DATE : 14-Jan-2025
TURN AROUND TIME : 14-Jan-2025 to 16-Jan-2025

The following test item(s) was/were performed on submitted sample(s) and/or component(s) confirmed by applicant

TEST REQUESTED	TEST METHOD/REGULATION	RESULT
Flammability Test	16 CFR Part 1640 & CAL TB 117:2013 Section 1: Cover fabric test	PASS


Contact information customer service :Rita.Yue@cpt.eurofinscn.com

***** FOR FURTHER DETAILS, PLEASE REFER TO THE FOLLOWING PAGE(S) *****

Signed for and on behalf of
Eurofins Product Testing Service (ChangZhou) Co., Ltd

Jack Ma
Hardline lab manager

SAMPLE PHOTO(S)



EFCZ25010238-CG-01



Test Report issued under the responsibility of:



TEST REPORT
IEC 60598-2-4
Luminares
Luminares, Part 2: Particular requirements
Section 4: Portable general purpose luminares

Report Number..... : CN248DGD 001

Date of issue..... : 2024-07-24

Total number of pages..... : 41

Name of Testing Laboratory TÜV Rheinland /CCIC(Ningbo) Co., Ltd.
 preparing the Report 3F, Building C13, R&D Park, No.32 Lane 299 Guanghua Road,
 National Hi-Tech Zone, Ningbo 315048, P.R. China

Applicant's name..... : Hussain Abdulrahman Alismail Industrial company

Address..... : PO BOX 919 DAMMAM 31421 KSA

Test specification:

Standard..... : IEC 60598-2-4:2017 for use in conjunction with IEC 60598-1:2020

Test procedure..... : CB Scheme

Non-standard test method : N/A

TRF template used : IECEE OD-2020-F1:2020, Ed.1.3

Test Report Form No. : IEC60598_2_4I

Test Report Form(s) Originator.... : UL (US)

Master TRF : Dated 2021-06-10

**Copyright © 2021 IEC System of Conformity Assessment Schemes for Electrotechnical
 Equipment and Components (IECEE System). All rights reserved.**

This publication may be reproduced in whole or in part for non-commercial purposes as long as the IECEE is acknowledged as
 copyright owner and source of the material. IECEE takes no responsibility for and will not assume liability for damages resulting
 from the reader's interpretation of the reproduced material due to its placement and context.

If this Test Report Form is used by non-IECEE members, the IECEE/IEC logo and the reference to the
 CB Scheme procedure shall be removed.

**This report is not valid as a CB Test Report unless signed by an approved IECEE Testing
 Laboratory and appended to a CB Test Certificate issued by an NCB in accordance with IECEE 02.**

General disclaimer:

The test results presented in this report relate only to the object tested.

This report shall not be reproduced, except in full, without the written approval of the Issuing NCB. The
 authenticity of this Test Report and its contents can be verified by contacting the NCB, responsible for this
 Test Report.