



W.H. BRESHEARS, INC.
 PETROLEUM MARKETING & DISTRIBUTION
 MOTOR FUELS • LUBRICANTS • ALTERNATIVE FUELS

720 B Street, Modesto, CA 95354
 1-800-637-4427 • (209) 522-7291



W.H. Breshears, Inc. Anti-Wear Hydraulic Oils

Description:

- W.H. Breshears, Inc. Anti-Wear Hydraulic Oils with Re-refined Content

Typical Applications:

- W.H. Breshears, Inc. AWHO is formulated anti-wear hydraulic oil using re-refined base stocks designed for service in mobile and stationary high-pressure systems. Formulated with stabilized zinc additive, which provides excellent anti-wear properties and good thermal and oxidative stability
- W.H. Breshears, Inc. AWHO is suitable for applications calling for Denison HF-0, HF-2, Vickers I-268-S as well as many other general industrial specifications, such as: DIN 51524, Part 2, US Steel 136, 127, AFNOR E 49-603, Denison HF-1, and Cincinnati Milacron P-68, P-69, and P-70. For use in high speed and high temperature paper machines, recommended use is W.H. Breshears, Inc. ISO 46. Should not be used in silver containing pumps.

Typical Physical Properties:

<u>ISO Grade</u>	<u>32</u>	<u>46</u>	<u>68</u>
Pour Point, °F	-10	-10	-5
Specific Gravity @ 60°F (15.6°C)	0.853	0.858	0.865
Kinematic Viscosity @ 40 °C, cSt	32.5	45	68
Kinematic Viscosity @ 100°C, cSt	5.6	6.8	8.8
Viscosity Index	111	106	102
Flash Point (PMCC), °C	>200	>200	>200
Density, Lb/gal @ 60°F (15.6°C)	7.0	7.1	7.2

Quality in Every Gallon Sold