



AMF
Voit

1979 Wing Archery Equipment

ZINDA ENTERPRISES
RT #5 BOX 29
ALEXANDRIA, MN. 56308

PRESENTATION COMPOUNDS

We've given it our best shot

AMF Voit. A well-seasoned, highly respected name in athletic equipment.

Wing. Source of superbly designed, championship-caliber archery products for more than a quarter century.

Together, we bring you innovative, top quality products. Extensive r&d capabilities. Comprehensive advertising, sales promotion and dealer support packages. Plus a strong distribution system that assures convenient one-source service on all equipment needs.

The Presentation heritage

Since 1964 and the introduction of the world's first three-piece takedown recurve bow, the names Wing, Presentation, and innovation have been synonymous.

Today, our Presentation compounds offer the ultimate in performance for the truly serious hunter or competition archer. And they're well worth the price for those who live and breathe



The 2-Step Eccentric Wheel

archery.

Our state-of-the-art compounds

Presentation compounds are the first compound bows with adjustable 2-step eccentric wheels. They're a direct result of combining the championship-caliber archery products experience of Wing with the extensive r&d facilities of AMF Voit.

The innovative 2-step eccentric wheel (patent pending) creates a mind-boggling array of advantages for users of Wing Presentation compounds.

The uniquely designed 2-step eccentric wheel is actually two "sides" sandwiched together—a bow weight side and a draw

length side.

The bow weight side remains constant, while the draw length side is available in varying sizes to accommodate different draw lengths.

A major, exclusive advantage of the Wing 2-step eccentric wheel is adjustable dropoff.

The benefits of adjustable dropoff

The archer using our Presentation compound has the unique advantage of adjusting the dropoff of his bow by approximately 10-50%! This means that the archer can adjust holding weight with minimal effect on peakweight or draw length.

The 2-step eccentric wheel also allows for major draw length changes without changing bow weight.


Quick, no-tools-required, drop-in cable attachment is yet another major feature of the remarkable Presentation compound series. Other key features of these unique new bows are detailed on the following pages.

IMPORTANT NOTES

Wing Presentation compounds are shipped with the 2-step eccentrics set at approximately mid-range, or 30% dropoff. They are set at the draw length, as ordered.

Even draw lengths (26", 28", 30", 32") will be set at the first tuning line. Odd draw lengths (25", 27", 29", 31") will be set at the center tuning line. (See photo of wheels.)

Maximum draw length on a 2-step eccentric wheel is measured at a point where the line on the eccentric that intersects



the center of the wheel is at right angles to the string, if it were at brace height. (See diagram.)

Full draw on presentation compounds occurs at a point where the weight is increasing, after having passed over the minimum weight. Those who prefer to hold full draw at the minimum weight should order draw lengths 1" longer than rated here (slightly more at lesser dropoffs).

Shortening draw length on a given wheel will drop limb weight approximately 10 lbs. per inch. Lengthening draw lengths on a given wheel will increase limb weight about 10 lbs. per inch. When odd draw length eccentrics are set to an additional inch of draw, 50-70 lb. limbs that are set at maximum will go to 80 lbs. This is not recommended for these limbs, as they are designed for best performance at a 70 lb. peak.


When adjusting dropoff on a 2-step eccentric, the draw length

will not change more than 1% from minimum to maximum dropoff, provided the draw length is not adjusted with the tuning arms.

Available draw length on a given eccentric wheel will increase from minimum to maximum dropoff.

Adjusting a 2-step eccentric wheel from minimum to maximum dropoff, while maintaining a given draw length, will not affect peak weight more than 10%.

When adjusting dropoff of 2-step eccentrics, be sure to relax the weight adjustment to remove the tension from the wheels. This method also facilitates access to lock screws.



PRESENTATION TARGET

Presentation Compounds

Deluxe Presentation features include...

- Unique 2-step eccentric wheel permits dropoff adjustment of approximately 10-50%
- Innovative diecast magnesium handle with $\frac{3}{16}$ " offset for proper bowstring alignment.
- Replaceable grip. Available in Standard, HiWrist or LoWrist for right-handers. Standard only for left-handers.
- Weight adjustment range of approximately 15-20 lbs.
- Easy-to-adjust tuning arms.
- Clear marking on eccentric wheels for easy tuning.
- Self-aligning cable attachment on tuning arm.
- Quick-attach cables—no tools required!

#101 Presentation 48" Target

Model—The ultimate compound for the competition archer! Standard equipment includes Wing cushion plunger, Delrin bushings, 2-step eccentric wheels and tapped holes for stabilizer, bow-sight and bow quiver.

Axle-to-axle length: 48"

Bowstring length: 42"

(stretched at 100 lbs.)

Brace height: $8\frac{3}{4}$ "- $9\frac{3}{4}$ "

Draw length: 25-32"

Weights: 25-40 lbs., 35-50 lbs.

Color: White with white limbs; chrome fixtures

(Licensed under Allen Pat. #3486495)



101

PRESENTATION HUNTER



#102 Presentation 48" Hunting Model—The first choice of the serious hunter. Standard equipment includes Delrin bushings, windage adjuster, 2-step eccentric wheels and tapped holes for stabilizer, bow quiver, bowsight and cushion plunger.

Axle-to-axle length: 48"

Bowstring length: 42"

(stretched at 100 lbs.)

Brace height: 8 $\frac{3}{4}$ "-9 $\frac{3}{4}$ "

Draw length: 25-32"

Weights: 45-60 lbs., 55-70 lbs.

Color: Black riser and limbs

(Licensed under Allen

Pat. #3486495)

Popular Presentation accessories include...

#661 2-step eccentric wheel.

#663 draw length "side" of 2-step wheel. (Available sizes: 26", 28", 30" and 32")

#673 replaceable grip. Specify Standard, HiWrist or LoWrist for right-handers; Standard only for left-handers.

#686 new longer limbs give 52" axle-to-axle length. Increases draw lengths approximately 2" per wheel. (Example: 28" wheel increases to 30", etc.) Specify target or hunting bow. Uses bowstring of 46" (stretched at 100 lbs.).

#695 compound bowstring changer for both hunting and target models.



695

102

THUNDERBIRD HUNTER

Thunderbird Compounds

Thunderbird features

With its clean lines, easy adjustment, and smooth-shooting performance, the Thunderbird is a joy to use and to own.

Lightweight, limb-mounted 3-step eccentric wheels provide greater relaxation at full draw, yet deliver the extra power the compound bow user demands. The 3-step eccentrics also can be changed to alter draw length without affecting limb weight.

Other highlights include...

- Presentation series diecast magnesium handle with $\frac{3}{16}$ " offset for proper bowstring alignment.
- Replaceable grip. Available in Standard, HiWrist or LoWrist for right-handers. Standard only for left-handers.
- Two-wheel, self-tuning design for easy operation.
- Dropoff adjustment of approximately 50%.
- Easy, one-tool adjustment of draw weight, bowstring and harness changing.
- Fast take-down for simple transportation.

#115 Thunderbird 48" Hunting Model—A fast, smooth, extremely accurate performer—and an instant success! Standard equipment includes diecast magnesium handle, 3-step eccentric wheels, new wing rest and tapped holes for stabilizer, cushion plunger, bowsight and bow quiver.

Axle-to-axle length: 48"

Bowstring length: 42"

(stretched at 100 lbs.)

Brace height: $9\frac{1}{2}$ "- $10\frac{1}{2}$ "

Draw lengths: 24-26", 26-28",

28-30", 30-32"

Weights: 45-60 lbs., 55-70 lbs.

Color: Black riser and limbs

(Licensed under Allen

Pat. #3486495)



115

THUNDERBIRD TARGET



New #116 Thunderbird 48" Target Model—The tremendous popularity of the Thunderbird Hunter and customer demands for a comparable target model have resulted in the introduction of this fine new bow. Standard equipment includes a diecast magnesium handle, 3-step eccentric wheels, new Wing rest and tapped holes for stabilizer, cushion plunger, bowsight and bow quiver.

Axle-to-axle length: 48"

Bowstring length: 42"

(stretched at 100 lbs.)

Brace height: 9½-10½"

Draw lengths: 24-26", 26-28",

28-30", 30-32"

Weights: 25-40 lbs., 35-50 lbs.

Color: White riser and limbs

(Licensed under Allen

Pat. #3486495)

Thunderbird accessories

#629 harness (24-26", 26-28", 28-30", 30-32").

#673 replaceable grip. Specify Standard, HiWrist or LoWrist for right-handers; Standard only for left-handers.

#695 compound bowstring changer for both hunting and target models.

New 116

CHAPARRAL COMPOUND

#105 Chaparral 46" Hunting & Target Bow—This versatile, popular compound takes on even greater appeal with the addition of several new refinements. The bracket mounting system for the wheels has been improved, and we've picked up a styling plus from the Thunderbird with a new glossy black finish. Composite limbs grace a Presentation series diecast magnesium handle, which features a $\frac{3}{16}$ " offset for proper bowstring alignment.

Smooth-drawing accuracy comes from the lightweight 3-step eccentric wheels that store more energy to deliver harder-hitting force to the arrow. Archers can change draw lengths without sacrificing peakweights.

Standard equipment includes diecast magnesium handle, with replaceable grip, 3-step eccentric wheels, hunting rest, and tapped holes for stabilizer, cushion plunger, bow quiver and bowsight.

Axle-to-axle length: 46"

Bowstring length: 39"

(stretched at 100 lbs.)

Brace height: $9\frac{1}{2}$ "- $10\frac{1}{2}$ "

Draw lengths: 25-27," 27-29,"

29-31"

Weights: 25-40 lbs. 45-60 lbs.

Color: Black riser and limbs


(Licensed under Allen

Pat. #3486495)

Chaparral accessories


#628 harness (25-27," 27-29," 29-31").

#673 replaceable grip. Specify Standard, HiWrist or LoWrist for right-handers; Standard only for left-handers.



New 105

RED WING COMPOUND



New #106 Red Wing 45" Compound Bow—An unsurpassed value! Wing's newest compound offers all the performance features of the Chaparral, but at a more modest cost. Equipped with 3-step eccentric wheels that allow draw-length changes without affecting limb weight. Presentation series diecast magnesium handle has $\frac{3}{16}$ " offset for proper bowstring alignment. New Wing fiberglass limbs deliver peak performance.

Standard equipment includes diecast magnesium handle, with replaceable grip, 3-step eccentric wheels, hunting rest, windage adjuster and tapped holes for stabilizer, cushion plunger, bow quiver and bowsight.

Axle-to-axle length: 45"

Bowstring length: 39"

(stretched at 100 lbs.)

Brace height: $9\frac{1}{2}$ "- $10\frac{1}{2}$ "

Draw length: 27-29" 29-31"

Weights: 35-50 lbs., 45-60 lbs.

Color: Black riser and limbs

(Licensed under Allen

Pat. #3486495)

Red Wing accessories

#630 harness (27-29" 29-31").

#673 replaceable grip. Specify Standard, HiWrist or LoWrist for right-handers; Standard only for left-handers.

New 106

COMPETITION II

New #160 Competition II Target Bow—Top tournament shooters acclaim the advanced features of this new bow. An earlier version of this bow won medals at Montreal and many world tournaments. And this one is even better! Because now for the first time, the archer can set up his recurve for a precision match with his style of shooting! This advance is made possible by a new diecast magnesium handle that features limb couplings that allow for weight adjustment through a 10-lb. range and also permit the archer to tiller his own bow. As a further aid to custom performance, the handle features a replaceable grip. It's available in Standard, HiWrist or LoWrist for right-handers; Standard only for left-handers.

Standard equipment includes accommodations for 3-5 stabilizers, counter balance positions, Wing cushion plunger, new Wing rest plus monofilament-served bowstring.

Optional equipment includes stabilizers, counter weights, sight extension and flex couplers.

AMO length: 66" and 70"

Brace height: 7 $\frac{1}{4}$ "-8 $\frac{3}{4}$ "

Weights: 30-40 lbs., 40-50 lbs.


Color: White risers and limbs

Competition II accessories

#161 riser only

#162 limbs only

#673 replaceable grip. Specify Standard, HiWrist or LoWrist for right-handers. Standard only for left-handers.



New 160

BOW QUIVERS

#501 Wing Bow Quiver—Rugged, yet lightweight—one of the most popular quivers ever made.

Unique aluminum and nylon construction makes arrows rattle-proof. Clamp secures six arrows of any size, keeping them ready for instant takeout. Loads easily and doesn't interfere with shooting. Won't scratch or mar the bow. Comes with adjustable sliding brackets that attach to any Wing hunting bow in seconds. Also has tape-on pads for use with other bows. Insert adapter #550 available for all bows.

Accessories

#502 arrow clamp

#503 rod clamps and screws

#504 tape-on pads

#505 cup insert

#506 brackets (complete)

#507 Allen wrench

#550 insert adapter for all bows

#575 Six-Arrow Quiver—

Extremely lightweight, economical and versatile quiver utilizes the new sight mounting holes instead of the regular bow quiver inserts. Quiver can be installed either right- or left-handed and needs no special adapters to mount. Can be used with Wing's #882 Hunting Sight.



501

575

ARROWS

Wing's comprehensive line has an arrow for every archer, every style, and every purpose. Choices begin with three great kinds of arrows—aluminum, fiberglass and wood—measured in accordance with AMO standards.

Aluminum

Our traditionally popular Game Getter® arrows and new Autumn Orange® arrows feature Easton shafting for professional-grade aluminum arrows.

NOTE: May be ordered with plastic vanes or feathers. Please specify.

New Autumn Orange® Aluminum Target and Hunting Arrows

For those who want a superior grade arrow for hunting and target. Dull anodizing eliminates glare.

#276 Full-length, target points loose.

#277 Cut-to-length, target points installed.

#280 Full-length, crested, Switch-A-Point inserts loose.

#281 Full-length, uncrested, Switch-A-Point inserts loose.

#284 Cut-to-length crested, Switch-A-Point inserts installed.

#285 Cut-to-length uncrested, Switch-A-Point inserts installed.

Sizes: (#276, #277 only): 1416, 1516, 1616, 1713, 1716, 1813, 1816, 1913, 1916, 2013, 2016.

Sizes: (all other Autumn Orange arrows): 1816, 1916, 1918, 2016, 2018, 2020, 2117, 2216, 2219.

Specify bow weight and draw length.

(Available in 1 doz/, and ½ gross/pkggs.)

Game Getter® Aluminum Hunting Arrows

Dull green anodizing eliminates glare.

#207 Full-length, crested, #312 inserts included.

#208 Full-length, uncrested, #312 inserts included.

#262 Switch-A-Point cut-to-length, crested, #312 inserts installed.

#263 Switch-A-Point cut-to-length, uncrested, #312 inserts installed. Sizes: 1816, 1916, 1918, 2016, 2018, 2020, 2117, 2216, 2219.

Specify bow weight and draw length.

(Available in ½ doz/, 1 doz/, and ½ gross/pkggs.)

Fiberglass

Wing Custom Glass Arrows give the archer a range of prices for a tough, straight shaft that is unaffected by normal temperature and moisture. Made of fine fiberglass shafting, featuring attractive dip and multicolored cresting.

NOTE: May be ordered with plastic vanes or feathers. Please specify.

Wing Custom Glass Target Arrows

#225 Cut-to-length, uncrested, points installed.

Sizes: A to E, equivalent to sizes 1 to 5.

Specify bow weight and draw length.

(Available in 1 doz/ or ½ gross/pkggs.)

Wing Custom Glass Hunting Arrows

#282 Switch-A-Point cut-to-length, crested, #313 inserts installed.

#283 Switch-A-Point cut-to-length, uncrested, #313 inserts installed.

Sizes: F to K, equivalent to sizes 6 to 11.

Specify bow weight and draw length.

(Available in 1 doz/, or ½ gross/pkggs.)

Wood

Wing Port Orford Cedar Arrows are manufactured from the finest stock available. They offer economy in carefully spine- and weight-matched wood arrows.

Top-quality wood arrows with two-color cresting. Fletched with 4" and 5" feathers.

Wing Hawk Wood Target Arrows

#240 Full-length, no points (Available in 35 to 70 lb. weights, in 5-lb. increments.)

#241 Cut-to-length, target points installed. (Available in 26" through 31" lengths; 20 to 50 lb. weights, in 5-lb. increments.)

Specify bow weight and draw length.

(Available in 1 doz/ and ½ gross/ display cartons.)

Wing Hawk Wood Hunting Arrows

#242 Cut-to-length, field points installed.

#243 Cut-to-length, single blade razorheads installed.

Available in 28" to 31" lengths; 35-70 lb. weights, in 5-lb. increments.

#255 Wing Raven. In 26" and 28" lengths only. Target points installed. Suitable for bows under 40 lbs.

Packaged in ½ gross boxes, unless otherwise indicated above.

Specify draw lengths (Examples: all 26", all 28" Or half 26" and half 28")

Points, Adapters

#306 Two-piece insert target points to fit all shaft sizes.

Wing Switch-A-Points

Fit Switch-A-Point arrows and shafts. Available for both aluminum and glass.

#312 insert for aluminum.

#314 125-grain field points for aluminum.

#318 Broadhead adapters. Fit all sizes of aluminum and glass shafts. Aluminum shaft sizes: 1816, 1916, 1918, 2016, 2018, 2020, 2117, 2216, 2219.

Glass shaft sizes: F through K, correspond to sizes 6 through 11.

#570 Satellite hunting head. Four-blade, super-sharp hunting point. Razorblades easily replaceable. Fits standard arrow inserts. Hardened point insures penetration. 1 doz/pkg.



255



284

277

285

262

263

282

240

255

ARROW MAKING ACCESSORIES

Raw Aluminum Shafts, Points & Adapters

Points excluded.

#301 Easton X7—Sizes: 1516, 1614, 1616, 1714, 1716, 1814, 1816, 1914, 1916, 2115.

#357 Easton XX75—Autumn Orange® Sizes: 1416, 1516, 1616, 1713, 1716, 1813, 1816, 1913, 1916, 1918, 2013, 2016, 2018, 2020, 2117, 2216, 2219.

#358 Easton Game Getters®—Sizes: 1816, 1916, 1918, 2016, 2018, 2020, 2117, 2119, 2216.

GLASS SHAFTS

#304 Wing Glass Shafts—The finest glass shafts available. Extremely strong, unharmed by heat or moisture. Full-length only. Sizes: A through K (corresponds to sizes 1 through 11).

POINTS, ADAPTERS

#306 Two-piece insert target points to fit all shaft sizes.

WING SWITCH-A-POINTS

Fit Switch-A-Point arrows and shafts. Available for both aluminum and glass.

#312 insert for aluminum.

#314 125-grain field points for aluminum.

#318 Broadhead adapters. Fit all sizes of aluminum and glass shafts.

#570 Satellite hunting head. Four-blade, super-sharp hunting point. Razorblades easily replaceable. Fits standard arrow inserts. Hardened point insures penetration. 1 doz/pkg.

FLETCHING TOOLS, VANES & ARROW STRAIGHTENERS

New #320 Quadra Vane®

Fletching Tool—Fast, easy-to-use fletcher; produces 75-105° fletching.

New #321 Quadra Vanes®—for use with #320. Suitable for both hunting and target arrows. Fits the following shaft sizes: Glass F through K; all aluminum diameters 19-20-21-22.

New #327 E-Z Arrow Straightener—At last, an economical, simple method for straightening aluminum arrows!

CEMENTS

#332 Bohning Fletch-Tite—Superior fletching cement for aluminum and wood. Waterproof bond air-dries rapidly. Will not grow brittle with age.

#336 Bohning Ferr-L-Tite—The perfect cement to attach points to arrows. In stick form.

SNAP-ON NOCKS

The most precise nocks made. Snap action on string. Smooth design permits more comfort.

#338 Fluorescent green or orange, Sizes: ¼", ⅜", ⅝". Specify size and color.

FEATHERS

Diecut, left-wing, parabolic shape. Top-quality ground base. Specify color: Black, red, orange, yellow, blue, green, white. 100/pkg.

#351 4" feathers.

#352 5" feathers.

PLASTIC FLETCHING

Amazingly flexible, yet highly durable—usually outlives the arrow! Springs back to life even if arrow completely penetrates target. Revolutionary vanes can be pushed or pulled through the butt when the arrow hits a soft spot. Completely waterproof and unaffected by temperature. Easy to apply with jig or cement. Specify color: White, yellow, fluorescent orange, green, fluorescent green, black, red. 1 doz/pkg., one color per package.

#362 Hunting and field 4"

#363 Hunting 5"



New 327



New 320



New 321



336



348



332

DISCONTINUED



362

DISCONTINUED



351





363



352

338

DISCONTINUED



QUIVERS, CASES AND

#402 Wing Holster Quiver— Quality vinyl and comfortable styling make this a favorite. Divider loop, scorecard and pencil pockets, plus large accessory pocket with Velcro closing. Beautifully stitched and trimmed. Black only. Specify right or left.

#403 Wing Tournament Quiver— Handy belt quiver snaps on or off without removing belt. Lightweight vinyl; economically priced.
#404 Wing Pro Quiver— Designed to pro specifications. Excellent side quiver of top quality vinyl. Complete with belt clip, scorecard pocket, divider strap, large zippered pocket for accessories. Black only. Specify right or left.

#405 Student Belt Quiver— Tough, leather-like material. Belt loop. Holds 6-8 arrows.

#410 Tan Double-Seam Glove— Closed end, soft leather tip. Specify size: S, M, L, XL.



402

405

404

403

422

436

437

DISCONTINUED

ACCESSORIES

#411 Brown Single Seam Glove— Open end with heavy-duty elastic. Specify size: S, M, L, XL.

#414 Wilson Tab— Improved tab fits more comfortably than ever. Felt finger fenders give excellent protection. Right or left hand.

Specify size: S, M, L.

#416 Cowhide Tab— Soft leather-backed tab. Right or left hand.

Specify size: S, M, L.

#417 Junior Armguard— Split leather. Two elastic loops; hook fastens instantly.

#418 Target Armguard— Top quality leather and stitching. Velcro fasteners. One steel reinforcing rod.

#419 Hunting Armguard— Larger guard for hunting. Velcro fasteners. Three steel reinforcing rods.

#421 Range Armguard— For maximum protection. 11½" long, ventilated, Velcro fasteners. Four steel reinforcing rods.


New #422 Plastic Armguard— Superior performance at a modest price.

#423 Standard Bow Sling— Keeps bow securely in hand—a must for tournament shooters. Self-adhesive; installs in seconds.

#424 Bow Saddle— Eliminates bow slipping in hand; ideal for target or hunting. Self-adhesive; installs in seconds.

#425 Chest Protector— The only truly cool protector available. Completely adjustable, elastic lacing for perfect fit. Specify: Right- or left-handed, black or white, small or large.

New #436 and #437 Hot Shot Releases— Among the finest available. Features adjustable travel, exceptionally smooth action, unsurpassed comfort. Right or left. **#436** Model C; third finger release. **#437** Model A-R; thumb release.




421



419



420



418




417



410



411



425



424



423



416




414

COMPOUND CASES & TACKLE BOX

#429 Wing Tackle Case— Perfect for hunting or tournament travel. Roomy, vinyl-covered case provides years of dependable service. Holds three dozen hunting or target arrows, plus quiver, bow and accessories. One opening reveals two compartments— $\frac{1}{2}$ " foam protects bow in upper half; lower half is for accessories.

#433 Padded Compound Case— Provides complete protection for compound bows. Padded case accommodates bow, quiver, arrows, and hunting sight; has plenty of room for light accessories.

#434 Camo Bow Case— Great protection for carrying bow in and out of woods in compliance with local hunting regulations. Folds to fit pocket while hunting. Heavy camo cloth, zipper opening. Holds bow, sight, quiver, arrows.



429



434

433

BOW HUNTING ACCESSORIES

#509 Razorhead Kit—Includes auxiliary blades.

#511 Razorhead Auxiliary Blades Only—1 doz/pkg.

Soft rubber to brush-proof bows. Quiets string noise. Easy to attach, won't interfere with shooting. (#514 Regular, #515 Super)

#516 Saunders Kwik-Lok Arrow Holder—Keeps arrow action-ready in bow while hunting. Releases instantly on draw.

#521 Buck Lure—Attracts deer and camouflages human scent.

#529 Camouflage Bow Cover for Compound Bows—Camouflage cloth protection. New fold-around-the-limb Velcro fastener.

#530 Camouflage Bow Cover for Recurve Bows—Genuine camouflaging in five-color cotton cloth.

#531 Head Net—Fits over cap and face; has drawstring adjustment. Keeps out insects, yet easy to see through.

#570 Satellite Hunting Head—Four-blade, super-sharp hunting point. Hardened point insures penetration. Razorblades easily replaceable. Fits standard arrow inserts. 1 doz/pkg.

#571 Satellite Replacement Blades—2 doz/pkg.



#560 Stag Tree Seat—Instant deer stand installs in minutes. Collapsible, compact, portable. Light, yet steady and safe. Swivels 360° and has circular footrest.



STRINGS & ACCESSORIES

New #518 Puff Silencer—
Silences string noise without affecting arrow speed.

New #519 Wing Cable Silencer—
—Fits on cables to quiet cable vibration.

#700 Kelvar® Bowstrings—
Improve bow performance. Long-lasting. Available in lengths of 52," 58," 60," 62," 68" and 70". Specify bow weight.

#701 Custom Bowstrings—
Continuous-fiber Dacron® polyester thread insures longer string life. Specify bow weight: 15 through 80 lbs. Specify length: 52," 58," 60," 62," 64," 66," 68," or 70" Compound strings of 39," 42," 46" and 47" (measured stretched at 100 lbs. tension). These styles fit bows of 45" and 46," 48," 52," and 53" axle-to-axle lengths respectively.

#702 Professional Bowstrings—
Extra-strong double-loop Dacron® polyester string with full monofilament serving. Specify length:

66," 68," 70" or 72" Also compound strings of 39," 42," 46" and 47" (measured stretched at 100 lbs. tension). These styles fit bows of 45" and 46," 48," 52," 53" respectively.

#706 Nok-Set—Positive nocking point; guaranteed not to slip. Adjusts to any bowstring diameter. Specify size: T(target) or H(hunting). 5/pkg.

#707 Dealer package of 100 Nok-Sets.

#709 Nok-Set tool only.

#710 Potawatomi Bow Square—
—Helps measure brace height and locate nocking point, kissers button and string peep.

#712 Wing Flip Rest—Ideal for target shooting and hunting. Specify right or left hand.

#716 Wing Bow Stringer for Recurve Bows—The only way to assure safe bow handling—a must for any archer! Prevents limb twisting, protects archer.

#717 Type "B" Dacron® Polyester String—Prewaxed Dacron® polyester means you'll make the

the longest-lasting, finest string possible.

#718 "Speed-Spin" String Server—
—Provides fast, perfect servings. Complete with nylon thread.

#721 Bowstring Wax—Makes bowstrings last longer.


#724 Adjustable "Clacker" Draw Check—Improves aim and gives the same draw every shot. Precision-made stainless-steel base and tempered steel clacker spring. Adjusts to arrow length, has fine adjustment so archer can vary draw without removing clacker from bow. 5" long.

#725 Evans Rest—Fits entirely under arrow. Improved delicate spring action allows lighter spring action on rest. Easy application with pressure-sensitive adhesive. Right or left hand.

#727 Cushion Plunger—The precision shooter's most popular tuning aid. Adjustable plunger spring tension.

#740 Hunting Flip Rest—Heavy-duty hunting rest is ideal for plastic fletching and strong enough for use with fishing arrows.

#745 New Wing Rest—Simple, yet extremely dependable and accurate. Excellent for shooting vanes.



BOWFISHING

New #601 Wing Bowfishing Kit

—Complete with everything needed to enjoy the excitement of bowfishing. Smooth-feeding aluminum reel with bracket tapes easily to bow. Kit also includes a 50' strong nylon-braid line, plus the toughest fiberglass arrow made, complete with easy-off, case-hardened harpoon head. Features #604 reel.

New #602 Wing Bowfishing Kit

—Same as above, except for #603 quick-attach reel that screws onto any Wing hunting bow.

New #603 Quick-Attach Reel and Line—Aluminum reel; screws quickly to the stabilizer insert

on any Wing hunting bow. Complete with 50' of nylon line.

New #604 Tape-On Reel and Line—Aluminum reel; fits all hunting bows. Complete with 50' of nylon line.

#605 Layfletched Arrow—With #607 Easy-Off Tip.

#606 Layfletched Arrow—Without point.

#607 Easy-Off Harpoon Head—Double barbed, with case-hardened Easy-Off Tip.

#608 Easy-Off Tip—Extra; double-barbed.

New #609 Tape-On Shoot Thru Reel and Line—For those who

prefer a larger reel and the greater accuracy of shoot-through system. Aluminum reel tapes on any hunting bow. Complete with 50' of nylon line.

#610 Nylon Line—Braided line in 50' length.

#611 Extra Layfletch

#614 Stingaree Fish Point—Double-barbed point closes completely for removal from fish. Automatically opens to 2" on drawback when retrieving game.



DEALER AIDS

Wing's dealer support program includes national advertising, sales promotion materials, and in-store merchandising aids. Ask your Wing representative how you can use our sales-starting dealer aids to build your business.

#825 Wing Patch—Be sure your customers show their colors! A very popular item.



BOWSIGHTS & STABILIZERS

#801 Cavalier Bowsight—All-metal construction, positive wind-age and elevation locks. Unique, wide locking nut works easily, efficiently. Hooded pin aperture. Accommodates any two-wire aperture.

#802 Reynolds Bowsight—Removable, double-adjustable bowsight. Takes prism, pins, or double-wire apertures. Elevation adjustment 10-100 yards. Vertical adjustment further compensates on "heavy" days.

#805 Rainbow Hunting Sight—Instant, accurate sighting in the field. Color-coded pins can be preset for five distances. Blue, red, yellow, white, and black dots are easy to see on the plastic range-finder. Easy installation on any size bow. (Shown with #827 mount.)

#806 Wing Sight Extension—A must for tournament archers who seek perfection. Mounts easily on side of bow. Extends forward or backward, adjusts vertically to align sight with bow-string. Made to fit all standard sight mountings.

#808 Wing Sight Extension Base Only.

#810 String Peep—Serves as a rear sight. Unbreakable hard vinyl; inserts easily in string. Round hole.

#816 Stabilizer Set—One rod and weight. Specify length: 22", 15", or 10".

#817 Stabilizer rod only. Specify length: 22", 15", or 10".

#818 Weight; 3¾ oz.

#819 Weight; 6 oz.

#821 Compound Stabilizer—Specify 36" or 24" length.

New #822 Wing Hunting Sight—Quick-attach bowsight, fully adjustable, fits any bow. Four completely adjustable sighting bars. Set all four for pre-determined distances. Color-coded sighting pins for immediate distance recognition.

All four pins adjust vertically and horizontally. Double sight pin slot for close adjustment on compounds. Specify right or left hand.

#823 Wing Hunting Stabilizer—Improves accuracy, quiets bow. Fits Wing stabilizer inserts.

#824 Flexi-Coupler—For a consistently accurate shooting average. Allows bow to move during the shooting sequence, while the lightweight tubular rod and weighted head remain relatively stable. Gives truer sight, adds stability to arrow. Fast damping action decreases the shock and vibration of bow limbs after arrow is released. Black.

New #826 Accra Hunting Sight—Fits all bows. Double sight pin slot for compounds.


#827 Rainbow Hunting Sight Adapter Plate—For side mounting.

#848 Extra Sighting Pins.


#849 Accra Sight—Dependable sight has the most up-to-date distance marking features. Archer selects preferred distance notations right on the sight.



810



801



802



849



805



806



New 826



824



New 822



816

821



819



823

TARGETS

Target

Printed in full color and available in two types of stock: Tear-resistant Tag Stock and Toughenized Stock. Both last much longer than regular faces.

Color Targets

#836 Toughenized Stock; 24" square.

#839 Toughenized Stock; 48" square, official NAA.

#840 Tear-resistant Tag Stock; 16" square.

#843 Tear-resistant Tag Stock; 48" square, official NAA.

Color Faces

#845 Printed on extra-heavy paper. 24" deer. 2/pack.



845

WARRANTIES

Registration

Each Wing Bow has its own serial number and each bow is accompanied by a warranty registration card. To have an effective warranty, the purchaser must fill out and mail the card within ten days of purchase, retaining his or her portion of the card as a record of warranty status.

Wing Recurve Bow Limited Warranty

If a registered Wing Bow has a limb or riser failure within six months of purchase date, AMF Voit will repair or replace the defective limb or riser free of charge. Repair or replacement of a defective limb or riser will be made for one-half of the purchase price after six months and up to thirty-six months after purchase date. Repair or replacement of Competition II and Swift Wing risers will be made free of charge for up to thirty-six months after purchase date. Purchaser may secure performance of Warranty obligations hereunder by, in writing:

1. Specifying where, when and from whom the bow was purchased.

2. Describing the nature of the defect.

3. Mailing this written notification, together with the bow, prepaid and insured to AMF Voit, 2801 S. Harbor Blvd., Santa Ana, CA 92704.

THIS WARRANTY DOES NOT COVER STRINGS, LIMBS OR RISERS THAT FAIL BECAUSE OF MISUSE, IMPROPER HANDLING OR LIMB

DAMAGE CAUSED BY IMPROPER STRINGING. (NOTE: USE A BOW STRINGER.)

Wing Compound Bow Limited Warranty

If your registered Wing Compound Bow has an eccentric or cable failure within 90 days, AMF Voit will repair or replace it free of charge. Limbs and handles are warranted free of charge for repair or replacement for one year. After one year and up to two years from the date of purchase of a Wing Compound Bow, AMF Voit will repair or replace limbs and handles for one-half of the purchase price of the limbs or of the handle. Purchaser may secure performance of Warranty obligations hereunder by, in writing:

1. Specifying where, when and from whom the bow was purchased.

2. Describing the nature of the defect.

3. Mailing this written notification together with the bow, prepaid and insured to AMF Voit, 3801 S. Harbor Blvd., Santa Ana, CA 92604. Or you may contact the Wing Authorized Service Center nearest you with the above information and take the bow to the Center in person.

THIS WARRANTY DOES NOT COVER STRINGS, CABLES, OR COMPOUND BOWS THAT FAIL BECAUSE OF MISUSE, IMPROPER HANDLING, OR DAMAGE CAUSED BY IMPROPER STRING OR HARNESS CHANGING.

General

If repair is not feasible, replacement will be made with a bow of the same model or the closest model available. Repair or replacement will be made within 30 days after receipt of the bow at the AMF Voit factory. AMF Voit will date and record the items replaced, so the purchaser will have a personal service record of his/her Wing Bow.

THIS WARRANTY IS INTENDED TO EXCLUDE ANY LIABILITY ON THE PART OF AMF VOIT, UNDER THIS WARRANTY OR ANY WARRANTY IMPLIED BY LAW, FOR ANY INDIRECT OR CONSEQUENTIAL DAMAGES TO THE EXTENT PERMITTED BY LAW FOR BREACH HEREOF OR THEREOF. THE DURATION OF ANY WARRANTY IMPLIED BY LAW IS LIMITED TO THE DURATION OF THIS EXPRESS WARRANTY. (NOTE: SOME STATES DO NOT ALLOW THE EXCLUSION OF INDIRECT OR CONSEQUENTIAL DAMAGES OR A LIMITATION ON THE DURATION OF IMPLIED WARRANTIES, SO THE ABOVE EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.) REMEDIES FOR BREACH OF THIS WARRANTY ARE SET FORTH HEREIN. THIS WARRANTY GIVES YOU SPECIFIC LEGAL RIGHTS, AND YOU MAY ALSO HAVE OTHER RIGHTS WHICH VARY FROM STATE TO STATE.

Wing Authorized Service Centers

- Als Archery & Pro Shop
214 Second Ave. S.W.
Watertown, S. Dak. 57201
- Archers Alley
1906 Oriskany Street, West
Utica, New York 13502
- Archery Center & Pro Shop
805 East St. Patrick
Rapid City, S. Dak. 57706
- Archery Center of Madison
323 Bethline
Madison, Wis. 53713
- Archery Shack Plus
704 W. Grand
Canyon City, Colo. 81212
- Archery Sports
224 Pasadena Freeway W.
Pasadena, Texas 77506
- Arrow Manufacturing
1365 Logan Avenue
Costa Mesa, Calif. 92626
- Austin Archery
2004 13th St. S.W.
Austin, Minn. 55912
- Bill Wise Pro Shop
146 E. Main Street
Bloomsburg, Pa. 17815
- Bison Archery Shop
2459 Seneca Street
Buffalo, New York
- BJ's Archery
Route 1, Box 273
Ontonagon, Michigan 49953
- Electro's Archery Den
1701 W. 39th Street
Sioux Falls, S. Dak. 57105
- Bob's Archery
3235 George Street
LaCrosse, Wisconsin 54601
- Bowhunting Suppliers
2227 Lincoln Street
Cedar Falls, Iowa 50613
- Bow N' Arrow Lanes
16016-62nd Drive
Clackamas, Oregon 97015

- Bucks and Bows
803 Main
Pittsburgh, Pa. 15215
- Bulls Eye
5820 Stage Road
Bartlett, Tenn. 38134
- Butts N Bows
468 Washington Avenue
Belleville, N. J. 07109
- Caum Archery
Route 3, Box 98
New Iberia, La.
- Camerite Sport Shop
1677 New York Avenue
Huntington Station
New York 11746
- Chippewa Bowhunter Supply
Route 3, Box 254
Montevideo, Minn. 56265
- Consolidated Field Sports
3005 South Main
Salt Lake City, Utah 84115
- Croton Archery
424 Croton Avenue
New Castle, Pa. 16101
- D & B Archery
1230 Hanover St.
Manchester, N. H. 1
- D & J Archery Shop
44 East Park Avenue
Hubbard, Ohio 44425
- Deer Creek Archery
R. D. 1
Hadley, Pa. 16130
- Dubs Archery Shop
1711 Lowell Street
Texarkana, Ark. 75501
- Field & Sea
Route 26
Hyannis, Mass.
- Forest Orchard Archery
19 Blake Street
Northboro, Mass. 01552
- Francis White
Meadow Lane
Lanesboro, Mass.

- Frontier Archery
3434 LaGrande Blvd.
P.O. Box 9834
Sacramento, Calif. 95823
- Gale Diehl's Sptg. Goods
54 Lincolnway West
Chambersburg, Pa.
- Geibel's Archery Shop
R. D. 3, Carbon Center
Butler, Pa. 16001
- Georgia Archery & Sport
244 Rhodes Drive
Athens, Georgia 30601
- Great Outdoors, Inc.
200 West Bowen Avenue
Bismarck, N. Dak. 58501
- Halls Arrows
Route 6
Columbia, Conn.
- Hadley Store
Box 77, Main Street
Hadley, Pa. 16130
- Henderson's Archery Co.
1534 West Van Buren
Phoenix, Arizona 85007
- Hilltop Archery Shop
Hagslrom Road, R. D. #2
Woodstock, Conn. 06280
- Johns Archery Shop
1291 Broad Street
Central Falls, R. I.
- Johns Archery Shop
360 Mineral Spring Ave. #19
Pawtucket, R. I. 02860
- K & D Archery
Route 98 & Franklin Center
RD 3, Edinboro, Pa. 16412
- Kilgore's Archery
1127 Maple Street
Bethlehem, Pa. 18018
- Kissinger's Archery
Pine Road, RD 5
Carlisle, Pa. 17013
- L.C. Whiffen Company
923 South 16th Street
Milwaukee, Wisc. 53204

- Larry's Archery Shop
642 86th Avenue S.W.
Cedar Rapids, Iowa 52404
- Marz Bow Co.
Terry Road
Simsburyville, N. Y.
- Menand's Archery Den
236 Van Rensselaer Blvd.
Albany, New York
- Midway Archery Lines
1619 Midway Road
Menasha, Wisc. 54952
- Northern New York Longbow Lanes
615 State Street
Watertown, N. Y. 13610
- Outdoorsman Store, Inc.
4322 N. 60 East
Huntington, W. Va. 25705
- Paul's Archery Center
3911 East Jackson Street
Muncie, Indiana 47305
- PDQ Archery
6109-D.W. 34th Street
Houston, Texas 77018
- Plymouth Metal Detectors
578 Starkweather
Plymouth, Michigan 48170
- Pony Express Sports Shop
17460 Ventura Boulevard
Encino, California 91316
- Richard Miller Archery
1895 La Brea Avenue
Las Vegas, Nevada 89100
- Rothenberger Archery
22 Shirley Street
New Berlinville, Pa.
- Roy's Archery Den
4046 West Alexis Road
Toledo, Ohio 43623
- Ski's Archery Pro Shop
517 West Southern Avenue
South Williamsport, Pa. 17701
- Sportsman's Center
P.O. Box 725
U.S. Highway 130
Bordentown, N. J. 08505

- Starlight Archery
21570 Groesbeck
Warren, Michigan 48089
- Steve Loisilles Archery
918 North Bridge Street
Chippewa Falls, Wisc. 54729
- Straight-Arrow
R. 4, Box 195A
Old Fannin Road
Brandon, Miss. 39042
- Ted Brooks Pro Archery
1127 California Road
Kalamazoo, Michigan 49007
- The Bow Rack
13824 San Pablo Avenue
San Pablo, Calif. 94806
- Trochy Archery
1212 E. Berry
Fort Worth, Texas 76119
- Universal Archery
4148 E. Grant Road
Tucson, Ariz. 85712
- Varsity Shop
1248 Scalp Avenue
Johnstown, Pa.
- Viking Archery
9701 Honeywell
Houston, Texas 77036
- Waterfowl Archery
448 South Pleasant
Waterfowl, Mich. 49093
- West Town Archery Inc.
7212 West North Avenue
Milwaukee, Wisc. 53213
- Wilderness Archery
11 East Blackwell Street
Dover, New Jersey 07801
- Wildwood Archery Club
5740 Fires Road
Memphis, N. Y. 13112
- Xenia Archery Center
979 Jasper Road
Xenia, Ohio 45385



Voit

PRINTED IN U.S.A.

3801 South Harbor Boulevard, Santa Ana, California 92704 • 714/546-4220 • Subsidiary of AMF INCORPORATED

EXPORT SALES OFFICE: AMF INCORPORATED SPORTS PRODUCTS GROUP—International Division
777 Westchester Avenue, White Plains, New York 10604 • Phone (914) 694-9000 • Cable AMMAFOCO, White Plains



ARCHERY MANUFACTURERS ORGANIZATION

PN-0175

© 1978 AMF VOIT, INC.