



Field & Plot Performance Report

2321 North Loop Drive Suite 230 Ames, Iowa 50010

1-800-942-6748

Page 1 of 2

Cooperator: Schulte Farms Phone: _____

City: Riverdale DSM: _____

State: Ne Zip: _____

County: Buffalo

Planting Date: 4/26/14

Harvest Date: 10/23/14

Row Width: 30

Previous Yr. Crop: Soybeans

Yield Calculations: Corn: (100-Moisture) x (Lbs. of Grain) x (110.465) / (Strip length in feet) / (Strip width in inches) = Yield

Soybeans: (100-Moisture) x (Lbs. of Grain) x (100.138) / (Strip length in feet) / (Strip width in inches) = Yield

RANK	Company	Hybrid/ Soybean	1 = Corn 2 = Soybeans (So correct equations are calculated)	LODGING %		Test Weight	No. of Rows Harvested	% Moisture	Harvested Grain in Lbs.	Harvested Area		Yield in Bu/A corn at 15.5% soybeans at 13%
				STALK	ROOT					Row Length (ft)	Row Width (in)	
	Nutech	5F709	1			58.9	4	17.9	3140.0	934	30	254.08
3	Nutech	5Z510	1			61.2	4	17.2	3320.0	934	30	270.93
	Nutech	5F811	1			61	4	18.2	3012.0	934	30	242.83
5	Nutech	5D411	1			60.4	4	18.7	3360.0	934	30	269.23
	Nutech	5Z111	1			58.9	4	17.4	3144.0	934	30	255.95
	Nutech	5F515	1	poor	stand	59.5	4	18.7	3080.0	934	30	246.80
2	Nutech	5F612	1			59.6	4	18.9	3390.0	934	30	270.97
	Nutech	5F512	1			60.4	4	19.1	3150.0	934	30	251.16
	Nutech	X5R1209	1			60.1	4	17.7	3048.0	934	30	247.24
1	Nutech	5Z713	1			58.3	4	18.1	3440.0	934	30	277.68
	Nutech	5F113	1			60.6	4	18.3	2926.0	934	30	235.61
	Nutech	5F515	1	poor	stand	58.9	4	18.9	2970.0	934	30	237.40
	Nutech	3F814	1			58	4	18.3	3140.0	934	30	252.84
9	Nutech	5H615	1			58	4	18.8	3260.0	934	30	260.90
	Nutech	X5N1404	1			56.7	4	20	3202.0	934	30	252.47
	Nutech	5R513	1			58.9	4	18.5	3150.0	934	30	253.03
	Nutech	5H216	1			59.5	4	19.8	3114.0	934	30	246.14
	Nutech	5F515	1	poor	stand	59.1	4	18.9	3000.0	934	30	239.79
10	Golden Harv	14R38	1			57.7	4	19.3	3234.0	934	30	257.22

8	Pioneer	1266	1			58.8	4	18.1	3270.0	934	30	263.95
	Pioneer	33D42	1			60.1	4	19.1	2858.0	934	30	227.88
9	Pioneer	1690	1			58.6	4	19.8	3310.0	934	30	261.64
	Pioneer	32B16	1			55.6	4	20.3	3194.0	934	30	250.89
7	Dekalb	61-79	1			57	4	16.8	3225.0	934	30	264.45
	Dekalb	61-54	1			58.8	4	17.7	3064.0	934	30	248.53
4	Dekalb	62-97	1			56.7	4	16.3	3265.0	934	30	269.34
	Dekalb	63-07	1			57.5	4	18.1	3100.0	934	30	250.23
	Nutech	5F515	1	poor	stand	57.9	4	19	3000.0	934	30	239.50
	Renk	941	1			57.3	4	19.3	3114.0	934	30	247.68
	Renk	930	1			58.4	4	17.7	3020.0	934	30	244.96
	Renk	922	1			58.5	4	19.5	2914.0	934	30	231.20
6	Nutech	5F515	1	good	stand	56.9	4	17.4	3285.0	934	30	267.43
	Renk	935	1			55.9	4	19.6	3084.0	934	30	244.38
	Renk	924	1			58.7	4	19	3035.0	934	30	242.29

