




CLICK ON BOOKMARKS FOR INDEX OF THIS SECTION

STAINLESS STEEL

18-8 CARRIAGE BOLTS

- Good resistance to heat, cold and corrosion.
- Square, sharp neck prevents bolt from turning when nut is tightened.
- Precision rolled threads.



1/4" DIAMETER		
J&B #	LENGTH	QTY
4100	1	100
4101	1-1/4	100
4102	1-1/2	100
4104	2	100


5/16" DIAMETER		
J&B #	LENGTH	QTY
4120	1	100
4121	1-1/4	100
4122	1-1/2	100
4124	2	50
4126	2-1/2	50
4128	3	50

3/8" DIAMETER		
J&B #	LENGTH	QTY
4140	1	50
4141	1-1/4	50
4142	1-1/2	50
4144	2	50
4146	2-1/2	50
4148	3	50

STAINLESS STEEL

18-8 SOCKET HEAD CAP SCREWS

- 75,000 PSI minimum and non-magnetic.
- Good resistance to heat, cold and corrosion.
- Cold rolled precision threads provide high strength.



4-40 DIAMETER		
J&B #	SIZE	QTY
38530	4-40 x 1/4	100
38531	4-40 x 3/8	100
38532	4-40 x 1/2	100

6-32 DIAMETER		
J&B #	SIZE	QTY
38536	6-32 x 1/4	100
38537	6-32 x 3/8	100
38538	6-32 x 1/2	100
38539	6-32 x 3/4	100
38540	6-32 x 1	100

8-32 DIAMETER		
J&B #	SIZE	QTY
38542	8-32 x 1/4	100
38543	8-32 x 3/8	100
38544	8-32 x 1/2	100
38545	8-32 x 5/8	100
38546	8-32 x 3/4	100
38547	8-32 x 1	100
38548	8-32 x 1-1/4	100


10-24 DIAMETER		
J&B #	SIZE	QTY
38550	10-24 x 3/8	100
38551	10-24 x 1/2	100
38552	10-24 x 5/8	100
38553	10-24 x 3/4	100
38554	10-24 x 1	100
38555	10-24 x 1-1/4	100
38556	10-24 x 1-1/2	100
38558	10-24 x 2	100

10-32 DIAMETER		
J&B #	SIZE	QTY
38560	10-32 x 3/8	100
38561	10-32 x 1/2	100
38562	10-32 x 5/8	100
38563	10-32 x 3/4	100
38564	10-32 x 1	100
38565	10-32 x 1-1/4	100
38566	10-32 x 1-1/2	100
38568	10-32 x 2	100

STAINLESS STEEL

18-8 SOCKET HEAD CAP SCREWS

- 75,000 PSI minimum and non-magnetic.
- Good resistance to heat, cold and corrosion.
- Cold rolled precision threads provide high strength.



1/4-20 DIAMETER		
J&B #	SIZE	QTY
38570	1/4-20 x 1/2	100
38571	1/4-20 x 5/8	100
38572	1/4-20 x 3/4	100
38573	1/4-20 x 1	100
38574	1/4-20 x 1-1/4	100
38575	1/4-20 x 1-1/2	100
38577	1/4-20 x 2	100

5/16-18 DIAMETER		
J&B #	SIZE	QTY
38582	5/16-18 x 1/2	100
38584	5/16-18 x 3/4	100
38585	5/16-18 x 1	100
38586	5/16-18 x 1-1/4	100
38587	5/16-18 x 1-1/2	100
38589	5/16-18 x 2	100


3/8-16 DIAMETER		
J&B #	SIZE	QTY
38592	3/8-16 x 1/2	100
38594	3/8-16 x 3/4	100
38595	3/8-16 x 1	100
38596	3/8-16 x 1-1/4	100
38597	3/8-16 x 1-1/2	100
38599	3/8-16 x 2	50

STAINLESS STEEL

18-8 SOCKET HEAD CAP SCREWS

Metric

- 75,000 PSI minimum and non-magnetic.
- Good resistance to heat, cold and corrosion.
- Cold rolled precision threads provide high strength.



6 MM DIAMETER			
J&B #	SIZE	PITCH	QTY
4150	6 x 10	1.00	50
4151	6 x 16	1.00	50
4152	6 x 20	1.00	50
4153	6 x 25	1.00	50
4154	6 x 30	1.00	50
4156	6 x 40	1.00	50
4157	6 x 50	1.00	50

8 MM DIAMETER			
J&B #	SIZE	PITCH	QTY
4160	8 x 20	1.25	50
4161	8 x 25	1.25	50
4162	8 x 30	1.25	50
4164	8 x 40	1.25	50
4166	8 x 50	1.25	50

10 MM DIAMETER			
J&B #	SIZE	PITCH	QTY
4170	10 x 20	1.50	25
4171	10 x 25	1.50	25
4172	10 x 30	1.50	25
4174	10 x 40	1.50	25
4176	10 x 50	1.50	25

STAINLESS STEEL

18-8 SOCKET SET SCREWS

Cup Point

- 75,000 PSI minimum and non-magnetic.
- Good resistance to heat, cold and corrosion.
- Cold rolled precision threads provide high strength.



6-32 DIAMETER		
J&B #	SIZE	QTY
55840	6-32 x 1/4	100
55841	6-32 x 3/8	100

8-32 DIAMETER		
J&B #	SIZE	QTY
55843	8-32 x 1/4	100
55844	8-32 x 3/8	100
55845	8-32 x 1/2	100

10-24 DIAMETER		
J&B #	SIZE	QTY
55847	10-24 x 1/4	100
55848	10-24 x 3/8	100
55849	10-24 x 1/2	100

10-32 DIAMETER		
J&B #	SIZE	QTY
55865	10-32 x 1/4	100
55866	10-32 x 3/8	100
55867	10-32 x 1/2	100

1/4-20 DIAMETER		
J&B #	SIZE	QTY
55852	1/4-20 x 1/4	100
55853	1/4-20 x 3/8	100
55854	1/4-20 x 1/2	100

5/16-18 DIAMETER		
J&B #	SIZE	QTY
55857	5/16-18 x 3/8	100
55858	5/16-18 x 1/2	100


3/8-16 DIAMETER		
J&B #	SIZE	QTY
55862	3/8-16 x 3/8	100
55863	3/8-16 x 1/2	100

STAINLESS STEEL

18-8 MACHINE SCREWS

Phillips Pan Head

- Deep twist-resistant slots eliminate screw driver slippage.
- Resists: salt, water and corrosion.
- Higher tensile and shear strengths.



6-32 DIAMETER		
J&B #	SIZE	QTY
24720	6-32 x 3/8	100
24636	6-32 x 1/2	100
24637	6-32 x 3/4	100
24638	6-32 x 1	100
24639	6-32 x 1-1/2	100
24640	6-32 x 2	100


8-32 DIAMETER		
J&B #	SIZE	QTY
24721	8-32 x 3/8	100
24641	8-32 x 1/2	100
24642	8-32 x 3/4	100
24643	8-32 x 1	100
24644	8-32 x 1-1/2	100
24645	8-32 x 2	100

10-24 DIAMETER		
J&B #	SIZE	QTY
24722	10-24 x 3/8	100
24646	10-24 x 1/2	100
24647	10-24 x 3/4	100
24648	10-24 x 1	100
24649	10-24 x 1-1/2	100
24650	10-24 x 2	100

10-32 DIAMETER		
J&B #	SIZE	QTY
24723	10-32 x 3/8	100
24651	10-32 x 1/2	100
24652	10-32 x 3/4	100
24653	10-32 x 1	100
24654	10-32 x 1-1/2	100
24655	10-32 x 2	100

TRUSS HEAD

1/4-20 DIAMETER		
J&B #	SIZE	QTY
24724	1/4-20 x 3/8	100
24656	1/4-20 x 1/2	100
24657	1/4-20 x 3/4	100
24658	1/4-20 x 1	100
24659	1/4-20 x 1-1/2	100
24660	1/4-20 x 2	100




8-32 DIAMETER		
J&B #	SIZE	QTY
41968	8-32 x 1/2	100

STAINLESS STEEL

18-8 SHEET METAL SCREWS

Slotted Hex Washer Head

- Sharp hardened threads with sharp lead points.
- Resists: salt, water, corrosion.
- Non-magnetic with high abrasion resistance.



# 6 DIAMETER		
J&B #	SIZE	QTY
38772	6 x 1/2	100
38773	6 x 3/4	100
38774	6 x 1	100

# 8 DIAMETER		
J&B #	SIZE	QTY
38776	8 x 1/2	100
38777	8 x 3/4	100
38778	8 x 1	100
38779	8 x 1-1/4	100
38780	8 x 1-1/2	50

# 10 DIAMETER		
J&B #	SIZE	QTY
38782	10 x 1/2	100
38783	10 x 3/4	100
38784	10 x 1	100
38785	10 x 1-1/4	50
38786	10 x 1-1/2	50

# 12 DIAMETER		
J&B #	SIZE	QTY
38789	12 x 3/4	100
38790	12 x 1	100
38791	12 x 1-1/4	50
38792	12 x 1-1/2	50


# 14 DIAMETER		
J&B #	SIZE	QTY
38794	14 x 1/2	100
38795	14 x 3/4	100
38796	14 x 1	50
38797	14 x 1-1/4	50
38798	14 x 1-1/2	50

STAINLESS STEEL

18-8 SHEET METAL SCREWS

Phillips Pan Head

- Sharp hardened threads with sharp lead point.
- Resists: salt, water, corrosion.
- Non-magnetic with high abrasion resistance.



# 6 DIAMETER		
J&B #	SIZE	QTY
24661	6 x 1/2	100
24662	6 x 3/4	100
24663	6 x 1	100

#8 DIAMETER		
J&B #	SIZE	QTY
24664	8 x 1/2	100
24665	8 x 3/4	100
24666	8 x 1	100
32264	8 x 1-1/4	100
32265	8 x 1-1/2	100

#10 DIAMETER		
J&B #	SIZE	QTY
24667	10 x 1/2	100
24668	10 x 3/4	100
24669	10 x 1	100
32256	10 x 1-1/4	100
32257	10 x 1-1/2	100
32258	10 x 2	100

#12 DIAMETER		
J&B #	SIZE	QTY
24670	12 x 1/2	100
24671	12 x 3/4	100
24672	12 x 1	100
32259	12 x 1-1/2	100
32260	12 x 2	100

#14 DIAMETER		
J&B #	SIZE	QTY
24673	14 x 1/2	100
24674	14 x 3/4	100
24675	14 x 1	100
32261	14 x 1-1/2	100

STAINLESS STEEL

PHILLIPS OVAL HEAD

- Deep burr-free, recessed heads for easier and faster driving.
- Top protrudes slightly above material surface.




# 8 THREADS		
J&B #	SIZE	QTY
55755	8 x 3/4	100
55756	8 x 1	100
55757	8 x 1-1/4	100
55758	8 x 1-1/2	50
55759	8 x 1-3/4	50
55760	8 x 2	50

# 10 THREADS		
J&B #	SIZE	QTY
55761	10 x 3/4	100
55762	10 x 1	100
55763	10 x 1-1/4	100
55764	10 x 1-1/2	50
55765	10 x 1-3/4	50
55766	10 x 2	50

TEKS HEX WASHER HEAD

Grade 410

- Drills, taps and fastens in one quick, easy motion eliminating alignment problems.
- Tekes fasten metal to metal and a wide range of other materials including wood, synthetics and mechanical components to metal.



8-18 DIAMETER			
J&B #	SIZE	SOCKET SIZE	QTY
4030	8-18 x 1/2	1/4	100
4032	8-18 x 3/4	1/4	100
4033	8-18 x 1	1/4	100
4034	8-18 x 1-1/4	1/4	50
4035	8-18 x 1-1/2	1/4	50

10-16 DIAMETER			
J&B #	SIZE	SOCKET SIZE	QTY
4040	10-16 x 1/2	5/16	100
4042	10-16 x 3/4	5/16	100
4043	10-16 x 1	5/16	100
4044	10-16 x 1-1/4	5/16	50
4045	10-16 x 1-1/2	5/16	50

1/4-14 DIAMETER			
J&B #	SIZE	SOCKET	QTY
4050	1/4-14 x 3/4	3/8	50
4051	1/4-14 x 1	3/8	50
4052	1/4-14 x 1-1/4	3/8	50
45575	1/4-14 x 1-1/2	3/8	50
4054	1/4-14 x 2	3/8	50

STAINLESS STEEL

TOP LOCKNUTS

- Resists: salt, water, corrosion and is non-magnetic.
- Similar to a stover locknut except only 3 small sections of a thread are distorted, not the entire thread.
- Never works loose; absorbs vibration and shock loads.
- Re-usable.



J&B #	SIZE	QTY
46780	1/4-20	100
46781	5/16-18	50
46782	3/8-16	50
46784	1/2-13	25

STAINLESS STEEL

18-8 SAE FLAT WASHERS

- Resists: salt, water, corrosion and is non-magnetic.
- Perfectly round; burr-free.



J&B #	SIZE	QTY
24613	# 6	200
24614	# 8	200
24615	#10	200
24616	1/4	100
24617	5/16	100
24618	3/8	100
24619	7/16	100
24620	1/2	100
24621	5/8	50
24622	3/4	25

HELICAL SPRING LOCK WASHERS

- Resists: salt, water, corrosion and is non-magnetic.
- Add strength and insure against equipment breakdown; non-linking, positive locking.




J&B #	SIZE	QTY
24625	# 6	200
24626	# 8	200
24627	#10	200
24628	1/4	100
24629	5/16	100
24630	3/8	100
24631	7/16	100
24632	1/2	100
24633	5/8	50
24634	3/4	50

STAINLESS STEEL

RIVETS DOMED HEAD

- Stainless rivets are produced from the finest grade stainless.
- 18-8 stainless. Mandrels are blunt diamond pointed.




STAINLESS DOME / STAINLESS MANDREL				
RIVET DIA.	DESCRIPTION #	J&B #	GRIP RANGE	QTY
3/16	6-8	41845	3/8 to 1/2	250

BRASS

HEX HEAD CAP SCREWS

- Non-magnetic material has good corrosion resistance, especially in salt water and salt atmospheres.
- Brass is normally softer than carbon steel and stainless steel.



1/4-20 DIAMETER		
J&B #	SIZE	QTY
32310	1/4-20 x 1	50

5/16-18 DIAMETER		
J&B #	SIZE	QTY
32311	5/16-18 x 1	50
32312	5/16-18 x 1-1/2	50


3/8-16 DIAMETER		
J&B #	SIZE	QTY
32313	3/8-16 x 1	50
32314	3/8-16 x 1-1/2	50
32315	3/8-16 x 1-3/4	50
32316	3/8-16 x 2	50

1/2-13 DIAMETER		
J&B #	SIZE	QTY
32317	1/2-13 x 1	25
32318	1/2-13 x 1-1/2	25
32319	1/2-13 x 2	25
32320	1/2-13 x 3-1/2	25
32321	1/2-13 x 4-1/2	25
32322	1/2-13 x 5	25

BRASS

SLOTTED ROUND HEAD MACHINE SCREWS

- Non-magnetic material has good corrosion resistance, especially in salt water and salt atmospheres.
- Deep twist-resistant slots; threads are feather-free.



6-32 DIAMETER		
J&B #	SIZE	QTY
32266	6-32 x 1/4	100
32267	6-32 x 3/8	100
32268	6-32 x 1/2	100
32269	6-32 x 3/4	100
32270	6-32 x 1	100

8-32 DIAMETER		
J&B #	SIZE	QTY
32271	8-32 x 1/2	100
32272	8-32 x 3/4	100
32273	8-32 x 1	100


1/4-20 DIAMETER		
J&B #	SIZE	QTY
32278	1/4-20 x 3/8	100
32279	1/4-20 x 1/2	100
32280	1/4-20 x 3/4	100
32281	1/4-20 x 1	100

10-24 DIAMETER		
J&B #	SIZE	QTY
25150	10-24 x 1/2	100
25151	10-24 x 3/4	100
25152	10-24 x 1	100

10-32 DIAMETER		
J&B #	SIZE	QTY
32323	10-32 x 1/4	100
32274	10-32 x 1/2	100
32275	10-32 x 3/4	100
32276	10-32 x 1	100
32277	10-32 x 1-1/4	100

SLOTTED FLAT HEAD MACHINE SCREWS


J&B #	SIZE	QTY
38456	10-24 x 3/4	100
38457	1/4-20 x 1	100
32282	5/16-18 x 3/4	100
32283	3/8-16 x 1-1/4	100
32284	3/8-16 x 1-1/2	100



BRASS

HEX NUTS

- Non-magnetic material has good corrosion resistance, especially in salt water and salt atmospheres.



J&B #	SIZE	QTY
32285	6-32	100
32286	8-32	100
32287	10-24	100
32288	10-32	100
32289	1/4-20	100
32296	1/4-28	100
32290	5/16-18	100
32297	5/16-24	100
32291	3/8-16	50
32298	3/8-24	50
10801	7/16-14	25
10793	7/16-20	25
32292	1/2-13	50
10795	1/2-20	25
32293	5/8-11	25

HEAVY HEX NUTS

- Non-magnetic material has good corrosion resistance, especially in salt water and salt atmospheres.



J&B #	SIZE	QTY
32294	3/8-16	50
32295	1/2-13	50



BRASS

FLAT WASHERS

- Non-magnetic material has good corrosion resistance, especially in salt water and salt atmospheres.



J&B #	SIZE	QTY
32299	# 6	100
32300	# 8	100
32301	#10	100
32302	1/4	100
32303	5/16	100
32304	3/8	100
32305	1/2	50

HELICAL SPRING LOCK WASHERS

Silicone Bronze

- Non-magnetic; will not corrode and is harder than brass.
- Contains 96% to 98% copper and has high resistance to extreme temperature, atmospheric conditions, water, gas, and sewage. Non-magnetic.



J&B #	SIZE	QTY
32306	1/4	100
32307	5/16	100
32308	3/8	100
32309	1/2	100