



Allied Home Watch, LLC

20301 Grande Oak Shoppes Blvd., Suite 118-43
Esteros, FL 33928
alliedhomewatch@gmail.com
239-319-8525

Home Visit Report

McGarvey - Home Watch Visit

Conducted on

5/17/18, 3:38 PM

Prepared by

Jason & Melissa McGarvey

Location of this Home Visit

(Address Will Appear Here)

Esteros, FL 33928

United States

(26.4470718470569, -81.7244342061703)

Home Exterior

Question	Response	Details
Examine exterior of property for obvious issues	OK	
Check screens or porch/lanai enclosures for signs of damage	OK	
Remove newspapers, flyers, and packages from front walkway and/or patio	OK	
This property has a pool	On	
Check pool for algae growth or debris	OK	
Check pool equipment for leakage	OK	
At the time of our visit, the pool pump was running	Yes	
This property has a garage	On	
Garage checked	OK	
This property has a storage shed we've been requested to check	On	
Storage shed checked	OK	

Home Interior

Question	Response	Details
Check breaker panel	OK	
Check thermostat for proper settings and operation	Issue	The thermostat shows a low battery message. We replaced the batteries.
At the time of our visit, the inside temperature was:	78	
Your thermostat(s) are set to:	78	
Examine all doors, windows and sliders to ensure they are locked and secure	OK	
Check refrigerators and freezers are functioning properly	OK	
Check garbage disposal	OK	
Operate faucets and flush toilets	OK	
Visual check of the washer and dryer	OK	
Visual check of furniture, obvious signs of mold or unusual odors	OK	
Visual check for leaks or stains around windows, ceilings, walls, water heaters, under sinks, around toilets	OK	
Check for visual pest infestations	OK	
Filters checked	OK	
Confirm the water shut off is in the off position upon leaving	Yes	

Additional Services

Question	Response	Details
Water specified indoor/outdoor plants	Yes	
Collect mail from street mailbox and process as directed	OK	
Additional comments		



Appendix 1



Appendix 2



Appendix 3



Appendix 4

Media



Appendix 1



Appendix 2



Appendix 3



Appendix 4