

Porter Preston
61 Mattatuck Heights Road
Waterbury, CT 06705
ph 866-753-1113 email: customerservice@porterpreston.com
www.porterpreston.com

**PORTER
PRESTON**

Quality Wholesale Window Coverings
Contract • Hospitality • Healthcare • Residential



ALTA
WINDOW FASHIONS

design simplified

**PORTER
PRESTON**

Quality Wholesale Window Coverings
Contract • Hospitality • Healthcare • Residential

// Retail Price List & Product Info Guide



ALTA
WINDOW FASHIONS

design simplified

HONEYCOMB

SHADES

Pricing effective August 21, 2023 and supersedes all previous pricing.
Subject to change by Alta Window Fashions.

SUMMARY OF REVISIONS

TABLE OF CONTENTS

Product Overview

• Pattern Information	2
• Fabric and Rail Color Charts	3-7
• Stack Chart	8

Pricing for Standard Rectangular, Options, Automation Surcharges

• Price Groups 1-14 Honeycomb Fabrics	9-22
• Price Group 15 – 2" Hybrid Pleat – Semi-Opaque	23
• Price Group 16 – 2" Hybrid Pleat – Blackout	24
• Price Group 17 – Peaceful Allure-Dimensions	25
• Price Group 18 – Peaceful Allure Hybrid Pleat	26
• TriLight Shades	27
• Vertical Application	28-31
• Skylight	32-33
• Arches	34

Product Configuration Specifications

• Standard Cordlock	35
• Cut-Outs	35
• Two-on-one Headrail	36
• Two-Fabric Combination	36
• Top-Down or Top-Down/Bottom-Up	37
• Cordless Lift	38-39
• Cordless Lift & Lock	40
• Continuous Cord Loop	41-42

TriLight Shades®

• Features & Benefits	43
• Selecting a TriLight Shade	43
• Sheer Pleated Color Chart	44
• Configuration Specifications	45-48

Product Configuration Specifications

• Automation and PowerWand™	49-56
• Vertical Application	57-58
• Classic Skylight & Skylight with Automation	59-60
• Arches	61
• Specialty Shapes	62-63
• Size Standards Summary	64-66

Automation Price Guide – Automation pricing is now featured in a separate guide for quick reference. [Click here to view.](#)

Product Components Guide – product components pages are now featured in a separate guide for quick reference. [Click here to view.](#)

Oversize Common Carrier Delivery

All orders with any quantity of shades or blinds or any continuous valance 90" or more in width (or Vertical Applications over 90" in height) are considered oversize. Therefore, a net shipping charge per oversized unit will be assessed.

Oversized orders that require expedited shipping will be quoted and charged accordingly.

Please see General Information for additional freight and shipping charge information.

PATTERN INFORMATION

MOST PATTERNS ARE MADE FROM UNIQUE, DURABLE, POLYESTER FABRICS THAT REPEL DIRT, RESIST STAINS AND CLEAN EASILY.

Pattern Name	# of Cells	Price Group (Standard)	Care Code	GREENGUARD Certification	Light Control	Hardware Restrictions	Hardware Options	
3/8" Bella Vista	H52	Single	2	1, 2 & 3	Yes	C	Cordless Lift & Lock, Two-Fabric Combo, Vertical App, TriLight	<ul style="list-style-type: none"> • Standard Cordlock • Continuous Cord Loop System
3/8" Bella Vista Blackout	H55	Single	10	1, 2 & 3	Yes	E	Cordless, Cordless Lift & Lock, Two-Fabric Combo, Vertical App, TriLight	
3/8" Marcella	H44	Single	2	1, 2 & 3	Yes	C	Cordless Lift & Lock, Two-Fabric Combo, Vertical App, TriLight	<ul style="list-style-type: none"> • Continuous Cord Loop Top-Down/Bottom-Up • Cordless Lift System
3/8" Opulence	H40	Single	2	1, 2 & 3	Yes	C	Cordless Lift & Lock, Two-Fabric Combo, Vertical App, TriLight	
3/8" Opulence Blackout	H41	Single	10	1, 2 & 3	Yes	E	Cordless, Cordless Lift & Lock, Two-Fabric Combo, Vertical App, TriLight	<ul style="list-style-type: none"> • Cordless Lift & Lock • Two-Fabric Combination
3/4" Bella Vista	H72	Single	6	1, 2 & 3	Yes	C	–	
3/4" Bella Vista Blackout	H75	Single	11	1, 2 & 3	Yes	E	–	<ul style="list-style-type: none"> • Top-Down
3/4" Cardiff	H91	Single	6	1, 2 & 3	Yes	C	–	
3/4" Fiesta	H80	Single	6	1, 2 & 3	Yes	C	–	<ul style="list-style-type: none"> • Top-Down/Bottom-Up
3/4" Fiesta Blackout	H81	Single	11	1, 2 & 3	Yes	E	–	
3/4" Glimmer	HS3	Single	6	1, 2 & 3	Yes	C	Arches	<ul style="list-style-type: none"> • Two-On-One Headrail
3/4" Glimmer Blackout	HS4	Single	11	1, 2 & 3	Yes	E	Cordless TD/BU, Two-Fabric Combo, Cordless Trilight	
3/4" Linen	H27	Single	6	1, 2 & 3	Yes	C	–	<ul style="list-style-type: none"> • TriLight
3/4" Marcella	H45	Single	3	1, 2 & 3	Yes	C	–	
3/4" Marcella Blackout	H46	Single	9	1, 2 & 3	Yes	E	–	<ul style="list-style-type: none"> • Vertical Application
3/4" Melodic	HX6	Single	6	1, 2 & 3	–	C	–	
3/4" Mirada	H92	Single	6	1, 2 & 3	Yes	C	–	<ul style="list-style-type: none"> • Classic Skylight
3/4" Opulence	H28	Single	6	1, 2 & 3	Yes	C	–	
3/4" Opulence Blackout	H29	Single	11	1, 2 & 3	Yes	E	–	<ul style="list-style-type: none"> • Arches
3/4" Peaceful	H96	Single	12	1, 2 & 3	Yes	C	Arches	
3/4" Radiance	HF6	Single	1	1, 2 & 3	Yes	C	–	<ul style="list-style-type: none"> • Angles
3/4" Radiance Blackout	HF7	Single	7	1, 2 & 3	Yes	E	–	
3/4" Serene FR*	H62	Single	6	1, 2 & 3	Yes	C	–	<ul style="list-style-type: none"> • Specialty Shapes
3/4" Serene FR Blackout*	H60	Single	11	1, 2 & 3	Yes	E	–	
3/4" Tiffany Sheer	H25	Single	12	1, 2 & 3	Yes	A	–	<ul style="list-style-type: none"> • Powerwand
3/4" Tranquility Semi-Sheer	H24	Single	12	1, 2 & 3	Yes	B	TriLight, Vertical App, Arches, Angles, Specialty Shapes	
1/2" Marcella Double Cell	H47	Double	5	1, 2 & 3	Yes	C	Cordless Two-Fabric Combo, Vertical App	<ul style="list-style-type: none"> • Bliss Automation - Bottom Up - TDBU - Trilight
1/2" Opulence Double Cell	H39	Double	8	1, 2 & 3	Yes	C	Cordless Two-Fabric Combo, Vertical App	
1/2" Radiance Double Cell	HF5	Double	4	1, 2 & 3	Yes	C	Cordless Two-Fabric Combo, Vertical App	<ul style="list-style-type: none"> • Somfy Automation - Bottom Up
1-1/4" Bella Vista	H77	Single	13	1, 2 & 3	Yes	C	Standard Cordlock, Continuous Cord Loop, Cordless Lift & Lock, Two-Fabric Combo, TriLight, Skylight, Arches, Angles, Specialty Shapes, Bliss Automation TD/BU, Somfy, Powerwand	
1-1/4" Bella Vista Blackout	H78	Single	14	1, 2 & 3	Yes	E	Standard Cordlock, Continuous Cord Loop, Cordless Lift & Lock, Two-Fabric Combo, TriLight, Skylight, Arches, Angles, Specialty Shapes, Bliss Automation TD/BU, Somfy, Powerwand	
Peaceful Allure - Dimensions - Semi-Opaque	DM96	n/a	17	1, 2 & 3	–	C	Standard Cordlock, Continuous Cordloop, Trilight, PowerWand, Two-Fabric Combo, Skylight, Arches, Angles, Specialty Shapes, Vertical App, Cordless Lift & Lock TD/BU, Cordless TD/BU, Bliss Automation TD/BU, Somfy	
Peaceful Allure - 2" Hybrid Pleat - Semi-Opaque	HP96	Single	18	1, 2 & 3	Yes	C	Standard Cordlock, Two-Fabric Combo, Skylight, Arches, Angles, Specialty Shapes, PowerWand	
2" Hybrid Pleat – Semi-Opaque	HPF	Single	15	1, 2 & 3	Yes	C	Standard Cordlock, Two-Fabric Combo, Skylight, Arches, Angles, Specialty Shapes, PowerWand	
2" Hybrid Pleat – Blackout	HPR	Single	16	1, 2 & 3	Yes	E	Standard Cordlock, Two-Fabric Combo, Skylight, Arches, Angles, Specialty Shapes, PowerWand	

* Flame Resistant – Passes Flame Test NFPA 701 (Horizontal Configuration Only)

Care Method 1

Dusting with a feather, or synthetic, non-abrasive, material duster is recommended for all Honeycomb Shade surfaces which are lightly soiled.

Care Method 2

Wiping with a soft, damp sponge or cloth, of non-abrasive material, with lukewarm water is recommended for all Honeycomb Shade surfaces which need spot cleaning.

Care Method 3

Vacuuming with a soft bristle vacuum cleaner brush attachment is recommended for all Honeycomb Shade surfaces which are heavily soiled.



A. Glare Reducing

Softly filters light and reduces glare. Images, shapes and people can be seen clearly. Provides the least amount of light and shape screening.



B. Filtering

Filters strong light. Images, shapes and people can be seen with some clarity. Provides a modest degree of light and shape screening.



C. Shading

Significantly reduces light. Images, shapes and people cannot be seen clearly. Provides a moderate to strong degree of light and shape screening. Darker colored materials tend to provide stronger screening than lighter colored materials in this category.



D. Blocking

Dramatically reduces light. Images, shapes and people are not distinguishable. Provides privacy against most all direct light and shape screening (except minimal light that may seep through closed or overlapping opaque/blackout slats and vanes).



E. Blackout

Blocks out virtually all light (except light that may enter on the sides of the shade) for maximum privacy and darkness.

FABRIC AND RAIL COLOR CHART

3/8" Single Cell Fabrics (Semi-Opaque & Blackout)

FABRIC			HARDWARE	
Code	Color #	Color Name	STD	VA
BELLA VISTA Semi-Opaque (Price Group 2)				
H52	3504	Blue Breeze	450	N/A
H52	3502	Farina	862	
H52	3507	Country Cork	205	
H52	3508	Wasabi	135	
H52	3501	Brisk White	661	
H52	3503	Cashew Nut	862	
H52	3505	Parmesan	862	
H52	3506	Hummus	882	

FABRIC			HARDWARE	
Code	Color #	Color Name	STD	VA
MARCELLA Semi-Opaque (Price Group 2)				
H44	807	Almond Glaze	630	N/A
H44	808	Brown Sugar	083	
H44	803*	Jasmine Wisp	674	
H44	802*	Mountain Mist	862	
H44	801*	Sugar Cane	661	

FABRIC			HARDWARE	
Code	Color #	Color Name	STD	VA
OPULENCE Semi-Opaque (Price Group 2)				
H40	606	Biscuit	882	N/A
H40	636	Chocolate Bliss	083	
H40	608	Cocoa	810	
H40	603	Doe	862	
H40	604	Fallen Snow	882	
H40	612	Gentle White	661	
H40	629	Soft Linen	862	
H40	601	Soft White	661	
H40	617	Sunbeam	862	
H40	632	Tranquil Tea	954	
H40	637	Warm Cocoa	810	
H40	618	White Azalea	661	

FABRIC			HARDWARE	
Code	Color #	Color Name	STD	VA
BELLA VISTA Blackout (Price Group 10)				
H55	3504	Blue Breeze	450	N/A
H55	3502	Farina	862	
H55	3507	Country Cork	205	
H55	3508	Wasabi	135	
H55	3501	Brisk White	661	
H55	3503	Cashew Nut	862	
H55	3505	Parmesan	862	
H55	3506	Hummus	882	

FABRIC			HARDWARE	
Code	Color #	Color Name	STD	VA
OPULENCE Blackout (Price Group 10)				
H41	703	Doe	674	N/A
H41	702	Soft White	785	
H41	632	Tranquil Tea	954	
H41	701	White Azalea	661	

*If this patterned fabric is ordered with Fabric-Wrapped Rail option the fabric used to wrap the rails will be solid, it does not have a pattern

CODE KEY: HEADRAIL
STD = Standard Cordlock (Cordless Lift, Continuous Cord Loop, and Motorized shades with coordinated rail.)
VA = Vertical Application shades

Hardware Colors

		STD	1-1/4"	VA
018	Satin Silver	X	X	N/A
048	Black	X	X	X
082	Camel	X	X	X
083	Cocoa	X	X	X
127	Cameo	X	X	N/A
135	Whisper Heather	X	X	N/A
205	Fawn	X	X	N/A
276	Silverado	X	X	X
320	Rich Cream	X	N/A	N/A
361	Tender Taupe	X	X	N/A
405	Gray Flannel	X	X	N/A
450	Skyline	X	X	N/A
621	Putty	X	X	N/A
630	Gold Leaf	X	N/A	N/A
661	White Tiara	X	X	X

		STD	1-1/4"	VA
674	Bamboo Stalk	X	N/A	N/A
685	Blue Sky	X	N/A	N/A
765	Silver Maple	X	X	N/A
785	Aspen White	X	X	X
810	Mushroom	X	X	X
841	Dark Blonde	X	X	X
849	Mocha	X	N/A	N/A
862	Gardenia White	X	X	X
882	Honey Bisque	X	X	X
885	Flex White	X	X	N/A
952	Pristine Beach	X	N/A	N/A
954	Tranquil Tea	X	N/A	N/A
956	Renaissance Clay	X	N/A	N/A
958	Velvet Fern	X	N/A	N/A
960	Terra Cotta Urn	X	N/A	N/A

NOTE: Fabric Color Names are NOT intended to be a literal representation of the fabric. Please review fabrics, especially lighter colors, in different lights and compared to other fabrics of similar color to ensure you make the selection that best meets your expectations. Any subtleties in the color will be more obvious when the material is stacked.

FABRIC AND RAIL COLOR CHART

3/4" Single Cell Fabrics (Semi-Opaque, Semi-Sheer & Sheer)

FABRIC			HARDWARE	
Code	Color #	Color Name	STD	VA
BELLA VISTA Semi-Opaque (Price Group 6)				
H72	3504	Blue Breeze	450	276
H72	3501	Brisk White	661	661
H72	3503	Cashew Nut	862	862
H72	3507	Country Cork	205	862
H72	3502	Farina	862	862
H72	3506	Hummus	882	882
H72	3505	Parmesan	862	862
H72	3508	Wasabi	135	661
CARDIFF Semi-Opaque (Price Group 6)				
H91	3002	Distant Range	320	862
H91	3003	Haystack	954	661
H91	3006	Riverfront	810	810
H91	3005	Skipping Stones	765	276
H91	3001	Star Gazing	785	785
H91	3004	Winter Forest	083	083
FIESTA Semi-Opaque (Price Group 6)				
H80	3706	Agua Dulce	685	661
H80	3702*	Aioli	661	661
H80	3701*	Arrowroot	661	661
H80	3705	Café Cubano	361	810
H80	3703	Linen Breeze	862	862
H80	3704	Sparkling Cider	882	882
GLIMMER Semi-Opaque (Price Group 6)				
HS3	668	Copper Radiance	954	082
HS3	955	Gold Shimmer	862	862
HS3	682	Silver Birch	862	862
HS3	829	Silver River	765	661
HS3	686	Silver Truffle	810	810
LINEN Semi-Opaque (Price Group 6)				
H27	454*	Dried Sage	621	862
H27	451*	French Vanilla	882	882
H27	452*	Harvest	841	841
H27	453*	Khaki	841	841
MARCELLA Semi-Opaque (Price Group 3)				
H45	807	Almond Glaze	630	862
H45	808	Brown Sugar	083	083
H45	822	Grey Linen	765	276
H45	803*	Jasmine Wisp	674	862
H45	802*	Mountain Mist	862	862
H45	821	Pearly Beige	862	862
H45	8703	Serious Gray	405	276
H45	801*	Sugar Cane	661	661
MELODIC Semi-Opaque (Price Group 6)				
HX6	1053	Ballet	862	862
HX6	1051	Bravado	661	661
HX6	1018	Ginger	320	862
HX6	1016	Padoanna	450	661
HX6	1055	Timbre	810	810
MIRADA Semi-Opaque (Price Group 6)				
H92	3021	Bungalow Brown	361	810
H92	3022	Lazy Day	785	785
H92	3025	Marina Gray	765	276
H92	3024	North Star	661	661
H92	3023	Relaxing Rain	405	276
H92	3026	Sonora Dunes	862	862

FABRIC			HARDWARE	
Code	Color #	Color Name	STD	VA
OPULENCE Semi-Opaque (Price Group 6)				
H28	651	Accent Grey	765	276
H28	5043	Basalt Basin	405	276
H28	606	Biscuit	882	882
H28	636	Chocolate Bliss	083	083
H28	5042	Clay Mask	621	276
H28	608	Cocoa	810	810
H28	5041	Comfy Cozy	849	810
H28	603	Doe	862	862
H28	604	Fallen Snow	882	882
H28	621	Gentle White	661	661
H28	653	Golden Sage	630	841
H28	652	Grey Stone	765	276
H28	5021	Nantucket Gray	405	276
H28	5020	Regal Taupe	810	810
H28	629	Soft Linen	862	862
H28	601	Soft White	661	661
H28	617	Sunbeam	862	862
H28	632	Tranquil Tea	954	082
H28	637	Warm Cocoa	810	810
H28	618	White Azalea	661	661
PEACEFUL Semi-Opaque (Price Group 12)				
H96	2243	Banana Bread	810	810
H96	2222	Barely Beige	862	862
H96	2228	Blue Skies	450	661
H96	2221	Drop of Sun	785	785
H96	2226	Fair Oaks	810	810
H96	2227	Fallen Leaves	862	862
H96	2242	Holiday Wreath	135	661
H96	2244	Mountain Cabin	361	810
H96	2241	Roasted Corn	882	882
H96	2245	Still Lake	450	276
H96	2240	Warm Sun	862	862
H96	2220	Zephyr	661	661
RADIANCE Semi-Opaque (Price Group 1)				
HF6	445	Aged Brass	621	785
HF6	444	Aged Leather	083	083
HF6	439	Golden	630	862
HF6	458	Pewter	765	661
HF6	416	Primrose	630	862
HF6	448	Rosemary	958	785
HF6	454	Twilight	450	661
HF6	400	Vintage Lace	785	785
SERENE FR Semi-Opaque (Price Group 6)				
H62	263	Blanched Almond	862	862
H62	262	Pearl Shell	882	882
H62	260	Snow White	661	661

FABRIC			HARDWARE	
Code	Color #	Color Name	STD	VA
TIFFANY Sheer (Price Group 12)				
H25	102	Almond Veil	882	882
H25	103	Soft Sand	862	862
H25	100	White Veil	661	661
TRANQUILITY Semi-Sheer (Price Group 12)				
H24	273	Desert Sand	320	N/A
H24	272	Pale Rose	320	
H24	271	White Linen	661	

CODE KEY: HEADRAIL

STD = Standard Cordlock (Cordless Lift, Cordless Lift & Lock, Continuous Cord Loop, TriLight, and Motorized shades with coordinated rail.)

VA = Vertical Application shades

****IMPORTANT NOTE:****

3/4" Serene FR Semi-opaque (H62) and 3/4" Serene FR Blackout (H60) fabrics do not meet the NFPA 701 flammability requirements when used in a Vertical Application.

*If this patterned fabric is ordered with Fabric-Wrapped Rail option the fabric used to wrap the rails will be solid, it does not have a pattern

FABRIC AND RAIL COLOR CHART

3/4" Single Cell Fabrics (Blackout)

FABRIC			HARDWARE	
Code	Color #	Color Name	STD	VA
BELLA VISTA Blackout (Price Group 11)				
H75	3504	Blue Breeze	450	276
H75	3502	Farina	862	862
H75	3507	Country Cork	205	862
H75	3508	Wasabi	135	661
H75	3501	Brisk White	661	661
H75	3503	Cashew Nut	862	862
H75	3505	Parmesan	862	862
H75	3506	Hummus	882	882
FIESTA Blackout (Price Group 11)				
H81	3701*	Arrowroot	661	661
H81	3702*	Aioli	661	661
H81	3703	Linen Breeze	862	862
H81	3706	Agua Dulce	685	661
H81	3704	Sparkling Cider	882	882
H81	3705	Café Cubano	361	810
GLIMMER Semi-Opaque (Price Group 11)				
HS4	668	Copper Radiance	954	082
HS4	955	Gold Shimmer	862	862
HS4	682	Silver Birch	862	862
HS4	829	Silver River	765	661
HS4	686	Silver Truffle	810	810
OPULENCE Blackout (Price Group 11)				
H29	5043	Basalt Basin	405	276
H29	606	Biscuit	882	882
H29	5042	Clay Mask	621	276
H29	603	Doe	862	862
H29	690	Grey Stone	765	276
H29	5021	Nantucket Gray	405	276
H29	601	Soft White	785	785
H29	617	Sunbeam	862	862
H29	632	Tranquil Tea	954	082
H29	637	Warm Cocoa	810	810
H29	618	White Azalea	661	661

FABRIC			HARDWARE	
Code	Color #	Color Name	STD	VA
MARCELLA Blackout (Price Group 9)				
H46	807	Almond Glaze	630	862
H46	808	Brown Sugar	083	083
H46	822	Grey Linen	765	276
H46	803*	Jasmine Wisp	674	862
H46	802*	Mountain Mist	862	862
H46	821	Pearly Beige	862	862
H46	8703	Serious Gray	405	276
H46	801*	Sugar Cane	661	661
RADIANCE Blackout (Price Group 7)				
HF7	445	Aged Brass	621	785
HF7	444	Aged Leather	083	083
HF7	439	Golden	630	862
HF7	458	Pewter	765	661
HF7	416	Primrose	630	862
HF7	448	Rosemary	958	785
HF7	454	Twilight	450	661
HF7	400	Vintage Lace	785	785
SERENE FR Blackout (Price Group 11)				
H60	163	Blanched Almond	862	785
H60	160	Snow White	661	661
H60	162	Pearl Shell	882	882

****IMPORTANT NOTE:****

3/4" Serene FR Semi-opaque (H62) and 3/4" Serene FR Blackout (H60) fabrics do not meet the NFPA 701 flammability requirements when used in a Vertical Application.

*If this patterned fabric is ordered with Fabric-Wrapped Rail option the fabric used to wrap the rails will be solid, it does not have a pattern

CODE KEY: HEADRAIL	
STD	= Standard Cordlock (Cordless Lift, Cordless Lift & Lock, Continuous Cord Loop, TriLight, and Motorized shades with coordinated rail.)
VA	= Vertical Application shades

FABRIC AND RAIL COLOR CHART

1/2" Double Cell

FABRIC			HARDWARE	
Code	Color #	Color Name	STD	VA
MARCELLA Double Cell (Price Group 5)				
H47	807	Almond Glaze	630	N/A
H47	808	Brown Sugar	083	
H47	822	Grey Linen	765	
H47	803*	Jasmine Wisp	674	
H47	802*	Mountain Mist	862	
H47	821	Pearly Beige	862	
H47	8703	Serious Gray	405	
H47	801*	Sugar Cane	661	
RADIANCE Double Cell (Price Group 4)				
HF5	445	Aged Brass	621	N/A
HF5	444	Aged Leather	083	
HF5	439	Golden	630	
HF5	458	Pewter	765	
HF5	416	Primrose	630	
HF5	448	Rosemary	958	
HF5	454	Twilight	450	
HF5	400	Vintage Lace	785	

FABRIC			HARDWARE	
Code	Color #	Color Name	STD	VA
OPULENCE Double Cell (Price Group 8)				
H39	651	Accent Grey	765	N/A
H39	606	Biscuit	882	
H39	636	Chocolate Bliss	083	
H39	608	Cocoa	810	
H39	603	Doe	862	
H39	604	Fallen Snow	882	
H39	621	Gentle White	661	
H39	652	Grey Stone	765	
H39	629	Soft Linen	862	
H39	601	Soft White	661	
H39	617	Sunbeam	862	
H39	632	Tranquil Tea	954	
H39	637	Warm Cocoa	810	
H39	618	White Azalea	661	

*If this patterned fabric is ordered with Fabric-Wrapped Rail option the fabric used to wrap the rails will be solid, it does not have a pattern

CODE KEY: HEADRAIL	
STD	= Standard Cordlock (Cordless Lift, Cordless Lift & Lock, Continuous Cord Loop, TriLight, and Motorized shades with coordinated rail.)
VA	= Vertical Application shades

FABRIC AND RAIL COLOR CHART

2" Hybrid Pleat (Semi-Opaque & Blackout), Peaceful Allure (Hybrid & Dimensions), 1-1/4" Pleat (Semi-Opaque & Blackout)

FABRIC			HARDWARE	
Code	Color #	Color Name	OPTION	VA
2" HYBRID PLEAT - Semi-Opaque (Price Group 15)				
<i>Coordinates with Opulence colors of the same name</i>				
HPF	851	Accent Gray	765	276
HPF	808	Cocoa	810	810
HPF	803	Doe	862	862
HPF	852	Grey Stone	765	276
HPF	801	Soft White	661	661
HPF	817	Sunbeam	862	862

FABRIC			HARDWARE	
Code	Color #	Color Name	OPTION	VA
2" HYBRID PLEAT - Blackout (Price Group 16)				
<i>Coordinates with Opulence colors of the same name</i>				
HPR	851	Accent Gray	765	276
HPR	808	Cocoa	810	810
HPR	5803	Doe	862	862
HPR	852	Grey Stone	765	276
HPR	801	Soft White	661	661
HPR	817	Sunbeam	862	862

FABRIC			HARDWARE	
Code	Color #	Color Name	OPTION	VA
2" PEACEFUL ALLURE HYBRID PLEAT - Semi-Opaque (Price Group 18)				
HP96	2243	Banana Bread	810	810
HP96	2222	Barely Beige	862	862
HP96	2228	Blue Skies	450	661
HP96	2221	Drop of Sun	785	785
HP96	2226	Fair Oaks	810	810
HP96	2227	Fallen Leaves	862	862
HP96	2242	Holiday Wreath	135	661
HP96	2244	Mountain Cabin	810	810
HP96	2241	Roasted Corn	882	882
HP96	2245	Still Lake	450	276
HP96	2240	Warm Sun	862	862
HP96	2220	Zephyr	661	661

FABRIC			HARDWARE	
Code	Color #	Color Name	OPTION	VA
PEACEFUL ALLURE DIMENSIONS - Semi-Opaque (Price Group 17)				
DM96	2243	Banana Bread	810	N/A
DM96	2222	Barely Beige	862	
DM96	2228	Blue Skies	450	
DM96	2221	Drop of Sun	785	
DM96	2226	Fair Oaks	810	
DM96	2227	Fallen Leaves	862	
DM96	2242	Holiday Wreath	135	
DM96	2244	Mountain Cabin	810	
DM96	2241	Roasted Corn	882	
DM96	2245	Still Lake	450	
DM96	2240	Warm Sun	862	
DM96	2220	Zephyr	661	

FABRIC			HARDWARE	
Code	Color #	Color Name	OPTION	VA
1-1/4" BELLA VISTA Semi-Opaque (Price Group 13)				
H77	3504	Blue Breeze	450	276
H77	3502	Farina	862	862
H77	3507	Country Cork	205	862
H77	3508	Wasabi	135	661
H77	3501	Brisk White	661	661
H77	3503	Cashew Nut	862	862
H77	3505	Parmesan	862	862
H77	3506	Hummus	882	882

FABRIC			HARDWARE	
Code	Color #	Color Name	OPTION	VA
1-1/4" BELLA VISTA Blackout (Price Group 14)				
H78	3504	Blue Breeze	450	276
H78	3502	Farina	862	862
H78	3507	Country Cork	205	862
H78	3508	Wasabi	135	661
H78	3501	Brisk White	661	661
H78	3503	Cashew Nut	862	862
H78	3505	Parmesan	862	862
H78	3506	Hummus	882	882

CODE KEY: HEADRAIL	
OPTION	= Standard Cordlock (Cordless Lift, Cordless Lift & Lock, Continuous Cord Loop, TriLight, and Motorized shades with coordinated rail.)
VA	= Vertical Application shades

STACKING CHART

Pattern Name		48" Shade Drop	72" Shade Drop	84" Shade Drop	120" Shade Drop	144" Shade Drop
3/8" Bella Vista	H52	1-1/2"	2"	2-1/4"	2-5/8"	N/A
3/8" Bella Vista Blackout	H55	3/4"	1-1/4"	1-3/8"	1-5/8"	N/A
3/8" Marcella	H44	1-1/2"	2"	2-1/4"	2-5/8"	N/A
3/8" Opulence	H40	1-1/2"	2"	2-1/4"	2-5/8"	N/A
3/8" Opulence Blackout	H41	3/4"	1-1/4"	1-1/2"	1-3/4"	N/A
1/2" Marcella Double Cell	H47	1-1/4"	1-1/2"	1-3/4"	2-1/4"	2-3/4"
1/2" Opulence Double Cell	H39	1-1/4"	1-1/2"	1-3/4"	2-1/4"	2-3/4"
1/2" Radiance Double Cell	HF5	1-1/4"	1-1/2"	1-3/4"	2-1/4"	2-3/4"
3/4" Bella Vista	H72	1/2"	1"	1-1/8"	1-1/2"	1-3/4"
3/4" Bella Vista Blackout	H75	7/8"	7/8"	1"	1-1/4"	1-1/2"
3/4" Cardiff	H91	1/2"	7/8"	1"	1-1/2"	1-3/4"
3/4" Fiesta	H80	1/2"	1"	1-1/8"	1-1/2"	1-3/4"
3/4" Fiesta Blackout	H81	7/8"	1"	1-1/4"	1-5/8"	1-7/8"
3/4" Glimmer	HS3	1/2"	7/8"	1"	1-1/2"	1-3/4"
3/4" Glimmer Blackout	HS4	7/8"	1"	1-1/4"	1-5/8"	1-7/8"
3/4" Linen	H27	1/2"	1"	1-1/8"	1-1/2"	1-3/4"
3/4" Marcella	H45	1/2"	7/8"	1"	1-1/2"	1-3/4"
3/4" Marcella Blackout	H46	7/8"	1"	1-1/4"	1-5/8"	1-7/8"
3/4" Melodic	HX6	1/2"	7/8"	1"	1-1/2"	1-3/4"
3/4" Mirada	H92	1/2"	7/8"	1"	1-1/2"	1-3/4"
3/4" Opulence	H28	1/2"	1"	1-1/8"	1-1/2"	1-3/4"
3/4" Opulence Blackout	H29	7/8"	7/8"	1"	1-1/4"	1-1/2"
3/4" Peaceful	H96	1/2"	7/8"	1"	1-1/2"	1-3/4"
3/4" Radiance	HF6	1/2"	7/8"	1"	1-1/2"	1-3/4"
3/4" Radiance Blackout	HF7	7/8"	1"	1-1/4"	1-5/8"	1-7/8"
3/4" Serene FR*	H62	5/8"	1-1/8"	1-1/4"	1-5/8"	1-7/8"
3/4" Serene FR Blackout*	H60	5/8"	1-1/8"	1-1/4"	1-5/8"	1-7/8"
3/4" Tiffany Sheer	H25	1-1/4"	1-1/4"	1-1/2"	1-3/4"	2-7/8"
3/4" Tranquility Semi-Sheer	H24	1-1/4"	1-3/4"	2-1/8"	2-5/8"	3-1/4"
1-1/4" Bella Vista (max drop 108")	H77	5/8"	1"	1-1/8"	1-1/4"	N/A
1-1/4" Bella Vista Blackout (max drop 108")	H78	3/4"	1-1/8"	1-1/4"	1-1/2"	N/A
2" Hybrid Pleat – Semi-Opaque	HPF	3/4"	1-1/8"	1-1/2"	2"	N/A
2" Hybrid Pleat – Blackout	HPR	1"	1-1/4"	1-3/4"	2-1/8"	N/A
Peaceful Allure - 2" Hybrid Pleat - Semi-Opaque	HP96	3/4"	1"	1-1/4"	1-1/2"	N/A
Peaceful Allure - Dimensions - Semi-Opaque (max drop 108")	DM96	3/4"	1"	1-1/4"	1-1/2"	N/A

NOTE: Measurements listed are provided for reference, actual stack height may vary.

Hardware System	Rail heights to be added to the above
Standard Cordlock	1"
Lift & Lock - Deluxe Headrail	1-1/2"
Lift & Lock - Premium Headrail	2-1/2"
Cordless, Motorized	2"
1-1/4" and Dimensions Cordless, Motorized	2"

GROUP 1 (Standard Rectangular)

• 3/4" Radiance (HF6)

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"
HEIGHT TO:													
36"	\$193	217	242	274	302	328	355	378	409	467	526	583	647
42"	203	231	268	302	328	355	391	421	448	512	578	647	715
48"	220	254	287	321	355	391	421	455	491	560	635	704	781
54"	231	268	305	344	378	418	455	494	530	606	687	768	846
60"	247	281	328	366	405	448	482	530	575	658	741	832	916
66"	262	302	347	391	433	479	522	569	609	704	801	889	985
72"	274	316	366	415	464	509	556	606	653	753	851	951	1056
78"	287	331	381	433	491	537	592	640	696	798	905	1012	1120
84"	297	350	405	455	512	560	613	673	726	838	954	1063	1183
90"	309	363	421	479	537	595	650	711	768	889	1009	1123	1247
96"	321	378	441	498	560	618	684	741	801	928	1056	1183	1311
108"	350	409	475	541	613	678	741	815	886	1016	1156	1292	1436
120"	370	445	522	592	664	735	811	886	959	1102	1261	1412	1549

NOTE: SEE "PRODUCT CONFIGURATION SPECIFICATION" CHARTS ON PAGES 37-44 FOR ANY FABRIC AND SIZE RESTRICTIONS.

OPTIONS: NO EXTRA CHARGE	
<ul style="list-style-type: none"> • Color-Coordinated Rails • Control Positions – left or right side of the shade (Exception: for Two-on-One Headrail, cords must be on opposite ends of the headrail) • 3" Extension Bracket and 1/2" Spacer Blocks – maximum of 3 spacer blocks per bracket 	<ul style="list-style-type: none"> • Hold Down Brackets • Cut-Outs – up to 3" wide (see page 36 for details) • Special Cord Lengths – standard cord is 40% of the height of the shade unless otherwise specified • Hardware Color Override

OPTIONS: EXTRA CHARGE	
See "SIZE STANDARDS" for complete option details.	
<ul style="list-style-type: none"> • Fabric-Wrapped Rail Optionadd \$24 • Top-Down & Top-Down/Bottom-Upadd \$96 • Continuous Cord Loop*add \$60 <ul style="list-style-type: none"> – Top-Down/Bottom-Up*add \$156 • Cordless Lift System*add \$96 <ul style="list-style-type: none"> – Two-On-One Headrail* price as 2 separate shades and add \$192 (not available in Top-Down/Bottom-Up or Two-Fabric Combination) – Three-On-One Headrail* price as 3 separate shades and add \$288 (not available in Top-Down/Bottom-Up or Two-Fabric Combination) – Top-Down/Bottom-Up*add \$192 	<ul style="list-style-type: none"> • Cordless Lift & Lockadd \$48 <ul style="list-style-type: none"> – Cordless Lift & Lock Two-On-One Headrailadd \$96 – Cordless Lift & Lock Three-On-One Headrailadd \$144 – Top-Down/Bottom-Up*add \$144 – Premium Headrail Upgrade*add \$18 (Premium Headrail not available with Top-Down/Bottom-Up or TriLight) • 18" to 36" Cordless Extension Pole #24-213_TEP-2L13091\$24 • 5' to 10' Cordless Extension Pole #400036-81511\$42 • Rectangular Shade and Arch – price as 2 separate shades; One Arch and One Rectangular • TriLight Shades – see pages 29 and 45-49 • Angle Cutadd \$135

*NOTE: FABRIC-WRAPPED RAILS ARE OPTIONAL FOR A SURCHARGE ON CONTINUOUS CORD LOOP, CORDLESS LIFT, CORDLESS LIFT & LOCK, AND MOTORIZED SHADES. COLOR-COORDINATED RAILS ARE AVAILABLE AT NO ADDITIONAL CHARGE.

BLISS Automation pricing. [Click here to view.](#)
 Somfy Automation pricing. [Click here to view.](#)
 PowerWand pricing. [Click here to view.](#)

GROUP 2 (Standard Rectangular)

• 3/8" Marcella (H44) • 3/8" Bella Vista (H52) • 3/8" Opulence (H40)

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"	132"	144"
HEIGHT TO:															
36"	\$203	227	257	290	321	344	374	405	433	494	556	623	684	746	804
42"	217	247	281	316	344	378	415	445	475	545	613	684	756	824	892
48"	231	268	302	335	374	415	445	482	522	595	673	749	828	909	982
54"	242	281	325	366	405	441	482	522	564	647	729	815	901	985	1071
60"	257	297	344	381	429	475	518	560	606	699	784	880	969	1067	1151
66"	278	321	366	415	459	509	553	598	647	746	851	940	1047	1144	1244
72"	290	331	381	436	491	537	592	640	691	801	909	1009	1120	1225	1329
78"	302	350	409	459	518	569	626	681	738	846	962	1079	1187	1302	1416
84"	313	370	424	482	541	595	653	715	768	886	1012	1129	1257	1372	1496
90"	328	381	448	509	569	629	691	753	815	940	1067	1194	1325	1453	1581
96"	335	402	467	534	595	658	722	784	855	985	1120	1251	1388	1517	
108"	370	433	505	575	650	719	792	861	934						
120"	391	467	549	626	708	781	858	940							

NOTE: SEE "PRODUCT CONFIGURATION SPECIFICATION" CHARTS ON PAGES 37-44 FOR ANY FABRIC AND SIZE RESTRICTIONS. CONTINUOUS CORD LOOP SYSTEM "REQUIRED" FOR SIZES WITHIN THE THICK BLACK LINE.

OPTIONS: NO EXTRA CHARGE	
<ul style="list-style-type: none"> • Color-Coordinated Rails • Control Positions – left or right side of the shade (Exception: for Two-on-One Headrail, cords must be on opposite ends of the headrail) • 3" Extension Bracket and 1/2" Spacer Blocks – maximum of 3 spacer blocks per bracket 	<ul style="list-style-type: none"> • Hold Down Brackets • Cut-Outs – up to 3" wide (see page 36 for details) • Special Cord Lengths – standard cord is 40% of the height of the shade unless otherwise specified • Hardware Color Override

OPTIONS: EXTRA CHARGE	
See "SIZE STANDARDS" for complete option details.	
<ul style="list-style-type: none"> • Fabric-Wrapped Rail Optionadd \$24 • Top-Down & Top-Down/Bottom-Upadd \$96 • Continuous Cord Loop*add \$60 <ul style="list-style-type: none"> – Top-Down/Bottom-Up*add \$156 • Cordless Lift System*add \$96 <ul style="list-style-type: none"> – Two-On-One Headrail* price as 2 separate shades and add \$192 (not available in Top-Down/Bottom-Up or Two-Fabric Combination) – Three-On-One Headrail* price as 3 separate shades and add \$288 (not available in Top-Down/Bottom-Up or Two-Fabric Combination) – Top-Down/Bottom-Up*add \$192 	<ul style="list-style-type: none"> • 18" to 36" Cordless Extension Pole #24-213_TEP-2L13091.....\$24 • 5' to 10' Cordless Extension Pole #400036-81511\$42 • Rectangular Shade and Arch – price as 2 separate shades; One Arch and One Rectangular • Angle Cutadd \$135

*NOTE: FABRIC-WRAPPED RAILS ARE OPTIONAL FOR A SURCHARGE ON CONTINUOUS CORD LOOP, CORDLESS LIFT, CORDLESS LIFT & LOCK, AND MOTORIZED SHADES. COLOR-COORDINATED RAILS ARE AVAILABLE AT NO ADDITIONAL CHARGE.

BLISS Automation pricing. [Click here to view.](#)
 Somfy Automation pricing. [Click here to view.](#)
 PowerWand pricing. [Click here to view.](#)

GROUP 3 (Standard Rectangular)

• 3/4" Marcella (H45)

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"	132"	144"	174"
HEIGHT TO:																
36"	\$203	223	257	287	313	335	366	399	421	482	545	603	661	719	777	928
42"	217	247	278	313	344	378	409	445	475	541	606	673	741	811	880	1040
48"	227	262	302	335	370	405	441	475	512	583	661	729	808	886	954	1139
54"	239	274	316	355	399	433	475	509	553	626	711	792	876	951	1033	1233
60"	257	297	344	381	424	467	509	553	598	684	774	858	954	1040	1129	1341
66"	274	316	363	409	459	505	553	598	647	741	838	934	1033	1129	1225	1466
72"	290	328	381	433	482	530	583	632	684	784	889	997	1093	1197	1296	1559
78"	305	355	415	467	522	575	626	684	741	851	965	1079	1194	1306	1416	1693
84"	321	374	433	491	553	606	664	722	784	901	1019	1139	1267	1380	1504	1802
90"	331	394	455	522	583	647	704	768	835	959	1086	1213	1341	1470	1597	1916
96"	347	409	475	541	609	673	738	808	876	1009	1144	1278	1416	1549	1682	1940
108"	374	445	522	592	664	735	808	886	959	1102	1247	1398	1549	1693	1845	2215
120"	409	482	569	650	735	815	892	974	1056	1216	1384	1549	1717	1879	2044	2455
132"	441	530	613	711	801	889	974	1067	1156	1337	1517	1701	1889	2060	2250	
144"	464	560	661	756	851	947	1040	1139	1241	1436	1627	1822	2017	2212	2400	

NOTE: SEE "PRODUCT CONFIGURATION SPECIFICATION" CHARTS ON PAGES 37-44 FOR ANY FABRIC AND SIZE RESTRICTIONS. CONTINUOUS CORD LOOP SYSTEM "REQUIRED" FOR SIZES WITHIN THE THICK BLACK LINE.

OPTIONS: NO EXTRA CHARGE	
<ul style="list-style-type: none"> • Color-Coordinated Rails • Control Positions – left or right side of the shade (Exception: for Two-on-One Headrail, cords must be on opposite ends of the headrail) • 3" Extension Bracket and 1/2" Spacer Blocks – maximum of 3 spacer blocks per bracket 	<ul style="list-style-type: none"> • Hold Down Brackets • Cut-Outs – up to 3" wide (see page 36 for details) • Special Cord Lengths – standard cord is 40% of the height of the shade unless otherwise specified • Hardware Color Override

OPTIONS: EXTRA CHARGE	
See "SIZE STANDARDS" for complete option details.	
• Fabric-Wrapped Rail Optionadd \$24	• Cordless Lift & Lockadd \$48
• Top-Down & Top-Down/Bottom-Upadd \$96	– Cordless Lift & Lock Two-On-One Headrailadd \$96
• Continuous Cord Loop*add \$60	– Cordless Lift & Lock Three-On-One Headrailadd \$144
– Top-Down/Bottom-Up*add \$156	– Top-Down/Bottom-Up*add \$144
• Cordless Lift System*add \$96	– Premium Headrail Upgrade*add \$18
– Two-On-One Headrail* price as 2 separate shades and add \$192	(Premium Headrail not available with Top-Down/Bottom-Up or TriLight)
(not available in Top-Down/Bottom-Up or Two-Fabric Combination)	• 18" to 36" Cordless Extension Pole #24-213_TEP-2L13091\$24
– Three-On-One Headrail* price as 3 separate shades and add \$288	• 5' to 10' Cordless Extension Pole #400036-81511\$42
(not available in Top-Down/Bottom-Up or Two-Fabric Combination)	• Rectangular Shade and Arch – price as 2 separate shades; One Arch and One Rectangular
– Top-Down/Bottom-Up*add \$192	• Angle Cutadd \$135

*NOTE: FABRIC-WRAPPED RAILS ARE OPTIONAL FOR A SURCHARGE ON CONTINUOUS CORD LOOP, CORDLESS LIFT, CORDLESS LIFT & LOCK, AND MOTORIZED SHADES. COLOR-COORDINATED RAILS ARE AVAILABLE AT NO ADDITIONAL CHARGE.

BLISS Automation pricing. [Click here to view.](#)
 Somfy Automation pricing. [Click here to view.](#)
 PowerWand pricing. [Click here to view.](#)

GROUP 4 (Standard Rectangular)

• Double Cell Radiance (HF5)

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"
HEIGHT TO:													
36"	\$201	223	257	288	316	343	371	401	426	486	547	606	668
42"	218	245	279	316	345	379	408	445	477	543	613	681	751
48"	227	270	302	340	375	404	445	477	518	588	664	739	811
54"	242	275	318	360	401	438	474	515	555	632	716	799	882
60"	261	297	345	387	430	471	511	559	603	686	779	868	959
66"	275	318	364	414	459	508	555	606	651	747	843	941	1040
72"	291	333	387	438	486	536	585	634	686	789	897	1003	1107
78"	309	360	416	471	526	576	632	686	747	857	971	1084	1201
84"	323	379	438	497	555	613	673	729	789	907	1033	1154	1274
90"	333	393	459	526	588	648	709	776	840	965	1091	1221	1357
96"	348	414	477	547	618	681	747	811	877	1015	1154	1289	1425
108"	379	445	526	592	673	742	811	890	962	1110	1262	1409	1562
120"	414	486	573	655	739	815	899	985	1070	1227	1392	1562	1730

NOTE: SEE "PRODUCT CONFIGURATION SPECIFICATION" CHARTS ON PAGES 37-44 FOR ANY FABRIC AND SIZE RESTRICTIONS.

OPTIONS: NO EXTRA CHARGE	
<ul style="list-style-type: none"> • Color-Coordinated Rails • Control Positions – left or right side of the shade (Exception: for Two-on-One Headrail, cords must be on opposite ends of the headrail) • 3" Extension Bracket and 1/2" Spacer Blocks – maximum of 3 spacer blocks per bracket 	<ul style="list-style-type: none"> • Hold Down Brackets • Cut-Outs – up to 3" wide (see page 36 for details) • Special Cord Lengths – standard cord is 40% of the height of the shade unless otherwise specified • Hardware Color Override

OPTIONS: EXTRA CHARGE	
See "SIZE STANDARDS" for complete option details.	
<ul style="list-style-type: none"> • Fabric-Wrapped Rail Optionadd \$24 • Top-Down & Top-Down/Bottom-Upadd \$96 • Continuous Cord Loop*add \$60 <ul style="list-style-type: none"> – Top-Down/Bottom-Up*add \$156 • Cordless Lift System*add \$96 <ul style="list-style-type: none"> – Two-On-One Headrail* price as 2 separate shades and add \$192 (not available in Top-Down/Bottom-Up or Two-Fabric Combination) – Three-On-One Headrail* price as 3 separate shades and add \$288 (not available in Top-Down/Bottom-Up or Two-Fabric Combination) – Top-Down/Bottom-Up*add \$192 	<ul style="list-style-type: none"> • Cordless Lift & Lockadd \$48 <ul style="list-style-type: none"> – Cordless Lift & Lock Two-On-One Headrailadd \$96 – Cordless Lift & Lock Three-On-One Headrailadd \$144 – Top-Down/Bottom-Up*add \$144 – Premium Headrail Upgrade*add \$18 (Premium Headrail not available with Top-Down/Bottom-Up or TriLight) • 18" to 36" Cordless Extension Pole #24-213_TEP-2L13091\$24 • 5' to 10' Cordless Extension Pole #400036-81511\$42 • Rectangular Shade and Arch – price as 2 separate shades; One Arch and One Rectangular • TriLight Shades – see pages 29 and 45-49 • Angle Cutadd \$135

*NOTE: FABRIC-WRAPPED RAILS ARE OPTIONAL FOR A SURCHARGE ON CONTINUOUS CORD LOOP, CORDLESS LIFT, CORDLESS LIFT & LOCK, AND MOTORIZED SHADES. COLOR-COORDINATED RAILS ARE AVAILABLE AT NO ADDITIONAL CHARGE.

BLISS Automation pricing. [Click here to view.](#)
 Somfy Automation pricing. [Click here to view.](#)
 PowerWand pricing. [Click here to view.](#)

GROUP 5 (Standard Rectangular)

• DOUBLE CELL MARCELLA (H47)

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"	132"	144"
HEIGHT TO:															
36"	\$212	235	271	302	331	359	391	421	448	512	575	635	704	759	824
42"	227	257	293	331	363	399	429	467	502	572	647	715	787	858	931
48"	239	281	316	355	394	424	467	502	545	618	699	777	855	934	1009
54"	254	290	335	378	421	459	498	541	583	664	753	838	928	1004	1093
60"	274	313	363	405	452	494	537	588	632	722	818	912	1009	1098	1194
66"	290	335	381	433	482	534	583	635	684	784	889	988	1093	1194	1302
72"	305	350	405	459	512	564	613	668	722	832	943	1056	1164	1267	1372
78"	325	378	436	494	553	606	664	722	784	901	1022	1139	1264	1384	1500
84"	341	399	459	522	583	647	708	768	832	954	1086	1213	1341	1466	1597
90"	350	415	482	553	618	681	746	815	886	1016	1147	1284	1426	1559	
96"	366	433	502	575	650	715	784	855	925	1067	1213	1357	1500		
108"	399	467	553	623	708	781	855	934	1012	1168	1325	1479			
120"	433	512	603	687	777	858	947	1037	1123	1292	1466				
132"	467	560	653	753	846	940	1037	1133	1225	1419					
144"	491	595	699	801	901	1004	1102	1210	1315	1517					

NOTE: SEE "PRODUCT CONFIGURATION SPECIFICATION" CHARTS ON PAGES 37-44 FOR ANY FABRIC AND SIZE RESTRICTIONS. CONTINUOUS CORD LOOP SYSTEM "REQUIRED" FOR SIZES WITHIN THE THICK BLACK LINE.

OPTIONS: NO EXTRA CHARGE

- Color-Coordinated Rails
- Control Positions – left or right side of the shade (Exception: for Two-On-One Headrail, cords must be on opposite ends of the headrail)
- 3" Extension Bracket and 1/2" Spacer Blocks – maximum of 3 spacer blocks per bracket
- Hold Down Brackets
- Cut-Outs – up to 3" wide (see page 36 for details)
- Special Cord Lengths – standard cord is 40% of the height of the shade unless otherwise specified
- Hardware Color Override

OPTIONS: EXTRA CHARGE

- See "SIZE STANDARDS" for complete option details.
- Fabric-Wrapped Rail Optionadd \$24
 - Top-Down & Top-Down/Bottom-Upadd \$96
 - Continuous Cord Loop*add \$60
 - Top-Down/Bottom-Up*add \$156
 - Cordless Lift System*add \$96
 - Two-On-One Headrail* price as 2 separate shades and add \$192 (not available in Top-Down/Bottom-Up or Two-Fabric Combination)
 - Three-On-One Headrail* price as 3 separate shades and add \$288 (not available in Top-Down/Bottom-Up or Two-Fabric Combination)
 - Top-Down/Bottom-Up*add \$192
 - Cordless Lift & Lockadd \$48
 - Cordless Lift & Lock Two-On-One Headrailadd \$96
 - Cordless Lift & Lock Three-On-One Headrailadd \$144
 - Top-Down/Bottom-Up*add \$144
 - Premium Headrail Upgrade*add \$18 (Premium Headrail not available with Top-Down/Bottom-Up or TriLight)
 - 18" to 36" Cordless Extension Pole #24-213_TEP-2L13091\$24
 - 5' to 10' Cordless Extension Pole #400036-81511\$42
 - Rectangular Shade and Arch – price as 2 separate shades; One Arch and One Rectangular
 - TriLight Shades – see pages 29 and 45-49
 - Angle Cutadd \$135

*NOTE: FABRIC-WRAPPED RAILS ARE OPTIONAL FOR A SURCHARGE ON CONTINUOUS CORD LOOP, CORDLESS LIFT, CORDLESS LIFT & LOCK, AND MOTORIZED SHADES. COLOR-COORDINATED RAILS ARE AVAILABLE AT NO ADDITIONAL CHARGE.

BLISS Automation pricing. [Click here to view.](#)
 Somfy Automation pricing. [Click here to view.](#)
 PowerWand pricing. [Click here to view.](#)

- 3/4" SERENE FR (H62)
- 3/4" LINEN (H27)
- 3/4" MIRADA (H92)
- 3/4" BELLA VISTA (H72)
- 3/4" OPULENCE (H28)
- 3/4" GLIMMER (HS3)
- 3/4" FIESTA (H80)
- 3/4" CARDIFF (H91)
- 3/4" MELODIC (HX6)

GROUP 6 (Standard Rectangular)

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"	132"	144"	174"
HEIGHT TO:																
36"	\$231	262	297	331	366	399	429	464	494	564	640	708	777	846	912	1090
42"	254	287	325	366	405	441	475	518	556	632	715	792	876	954	1033	1222
48"	268	309	350	394	433	472	518	556	603	687	774	858	951	1040	1120	1337
54"	281	321	366	418	464	509	553	598	647	735	835	928	1029	1117	1213	1450
60"	302	347	402	448	498	545	598	650	699	801	909	1009	1120	1216	1322	1577
66"	321	370	424	479	537	595	647	704	756	869	985	1093	1213	1325	1442	1720
72"	341	385	448	509	569	623	684	741	801	921	1044	1168	1288	1407	1524	1825
78"	359	418	482	545	613	673	738	801	869	1001	1136	1264	1398	1533	1660	1991
84"	370	436	509	575	647	715	784	851	921	1059	1203	1341	1488	1623	1762	2118
90"	391	459	534	606	684	753	828	901	974	1129	1270	1426	1577	1728	1876	2255
96"	405	479	556	635	715	792	869	947	1022	1183	1345	1504	1660	1818	1975	2279
108"	436	518	606	691	784	861	947	1040	1123	1296	1466	1642	1818	1991	2171	2606
120"	479	569	664	759	858	954	1047	1144	1241	1429	1623	1818	2017	2207	2400	2883
132"	518	618	722	835	943	1040	1144	1251	1357	1569	1786	1999	2218	2423	2640	
144"	545	658	774	889	1001	1113	1222	1341	1456	1682	1908	2139	2374	2601	2822	

NOTE: SEE "PRODUCT CONFIGURATION SPECIFICATION" CHARTS ON PAGES 37-44 FOR ANY FABRIC AND SIZE RESTRICTIONS. CONTINUOUS CORD LOOP SYSTEM "REQUIRED" FOR SIZES WITHIN THE THICK BLACK LINE.

OPTIONS: NO EXTRA CHARGE

- Color-Coordinated Rails
- Control Positions – left or right side of the shade (Exception: for Two-on-One Headrail, cords must be on opposite ends of the headrail)
- 3" Extension Bracket and 1/2" Spacer Blocks – maximum of 3 spacer blocks per bracket
- Hold Down Brackets
- Cut-Outs – up to 3" wide (see page 36 for details)
- Special Cord Lengths – standard cord is 40% of the height of the shade unless otherwise specified
- Hardware Color Override

OPTIONS: EXTRA CHARGE

- See "SIZE STANDARDS" for complete option details.
- Fabric-Wrapped Rail Optionadd \$24
 - Top-Down & Top-Down/Bottom-Upadd \$96
 - Continuous Cord Loop*add \$60
 - Top-Down/Bottom-Up*add \$156
 - Cordless Lift System*add \$96
 - Two-On-One Headrail* price as 2 separate shades and add \$192 (not available in Top-Down/Bottom-Up or Two-Fabric Combination)
 - Three-On-One Headrail* price as 3 separate shades and add \$288 (not available in Top-Down/Bottom-Up or Two-Fabric Combination)
 - Top-Down/Bottom-Up*add \$192
 - Cordless Lift & Lockadd \$48
 - Cordless Lift & Lock Two-On-One Headrailadd \$96
 - Cordless Lift & Lock Three-On-One Headrailadd \$144
 - Top-Down/Bottom-Up*add \$144
 - Premium Headrail Upgrade*add \$18 (Premium Headrail not available with Top-Down/Bottom-Up or TriLight)
 - 18" to 36" Cordless Extension Pole #24-213_TEP-2L13091\$24
 - 5' to 10' Cordless Extension Pole #400036-81511\$42
 - Rectangular Shade and Arch – price as 2 separate shades; One Arch and One Rectangular
 - TriLight Shades – see pages 29 and 45-49
 - Angle Cutadd \$135

*NOTE: FABRIC-WRAPPED RAILS ARE OPTIONAL FOR A SURCHARGE ON CONTINUOUS CORD LOOP, CORDLESS LIFT, CORDLESS LIFT & LOCK, AND MOTORIZED SHADES. COLOR-COORDINATED RAILS ARE AVAILABLE AT NO ADDITIONAL CHARGE.

BLISS Automation pricing. [Click here to view.](#)

Somfy Automation pricing. [Click here to view.](#)

PowerWand pricing. [Click here to view.](#)

GROUP 7 (Standard Rectangular)

• 3/4" RADIANCE BLACKOUT (HF7)

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"
HEIGHT TO:													
36"	\$251	278	316	355	391	421	455	491	526	598	678	746	828
42"	268	305	344	391	424	467	505	545	592	668	756	838	925
48"	281	328	370	418	464	498	545	595	640	729	818	912	1009
54"	297	341	394	445	491	537	592	635	684	781	886	982	1090
60"	321	366	424	475	530	578	632	691	741	851	962	1074	1183
66"	341	399	452	509	569	626	684	741	801	925	1044	1164	1284
72"	359	409	475	537	603	661	722	784	851	974	1105	1236	1367
78"	378	445	512	578	650	715	784	851	925	1059	1207	1341	1484
84"	399	467	537	609	684	756	832	901	974	1123	1270	1426	1577
90"	415	491	569	647	726	801	876	959	1037	1194	1349	1511	1675
96"	429	509	595	673	759	838	921	1004	1086	1257	1426	1597	1762
108"	467	545	647	735	832	916	1004	1098	1191	1372	1559	1744	1929
120"	509	603	708	808	912	1009	1113	1213	1319	1517	1720	1929	2139

NOTE: SEE "PRODUCT CONFIGURATION SPECIFICATION" CHARTS ON PAGES 37-44 FOR ANY FABRIC AND SIZE RESTRICTIONS.

OPTIONS: NO EXTRA CHARGE	
<ul style="list-style-type: none"> • Color-Coordinated Rails • Control Positions – left or right side of the shade (Exception: for Two-on-One Headrail, cords must be on opposite ends of the headrail) • 3" Extension Bracket and 1/2" Spacer Blocks – maximum of 3 spacer blocks per bracket 	<ul style="list-style-type: none"> • Hold Down Brackets • Cut-Outs – up to 3" wide (see page 36 for details) • Special Cord Lengths – standard cord is 40% of the height of the shade unless otherwise specified • Hardware Color Override

OPTIONS: EXTRA CHARGE	
<p>See "SIZE STANDARDS" for complete option details.</p> <ul style="list-style-type: none"> • Fabric-Wrapped Rail Optionadd \$24 • Top-Down & Top-Down/Bottom-Upadd \$96 • Continuous Cord Loop*add \$60 <ul style="list-style-type: none"> – Top-Down/Bottom-Up*add \$156 • Cordless Lift System*add \$96 <ul style="list-style-type: none"> – Two-On-One Headrail* price as 2 separate shades and add \$192 (not available in Top-Down/Bottom-Up or Two-Fabric Combination) – Three-On-One Headrail* price as 3 separate shades and add \$288 (not available in Top-Down/Bottom-Up or Two-Fabric Combination) – Top-Down/Bottom-Up*add \$192 	<ul style="list-style-type: none"> • Cordless Lift & Lockadd \$48 <ul style="list-style-type: none"> – Cordless Lift & Lock Two-On-One Headrailadd \$96 – Cordless Lift & Lock Three-On-One Headrailadd \$144 – Top-Down/Bottom-Up*add \$144 – Premium Headrail Upgrade*add \$18 (Premium Headrail not available with Top-Down/Bottom-Up or TriLight) • 18" to 36" Cordless Extension Pole #24-213_TEP-2L13091\$24 • 5' to 10' Cordless Extension Pole #400036-81511\$42 • Rectangular Shade and Arch – price as 2 separate shades; One Arch and One Rectangular • TriLight Shades – see pages 29 and 45-49 • Angle Cutadd \$135

*NOTE: FABRIC-WRAPPED RAILS ARE OPTIONAL FOR A SURCHARGE ON CONTINUOUS CORD LOOP, CORDLESS LIFT, CORDLESS LIFT & LOCK, AND MOTORIZED SHADES. COLOR-COORDINATED RAILS ARE AVAILABLE AT NO ADDITIONAL CHARGE.

BLISS Automation pricing. [Click here to view.](#)
 Somfy Automation pricing. [Click here to view.](#)
 PowerWand pricing. [Click here to view.](#)

GROUP 8 (Standard Rectangular)

• 1/2" OPULENCE (H39)

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"	132"	144"
HEIGHT TO:															
36"	\$251	278	316	355	391	421	455	491	526	598	678	746	828	895	965
42"	268	305	344	391	424	467	505	545	592	668	756	838	925	1009	1093
48"	281	328	370	418	464	498	545	595	640	729	818	912	1009	1098	1187
54"	297	341	394	445	491	537	592	635	684	781	886	982	1090	1183	1284
60"	321	366	424	475	530	578	632	691	741	851	962	1074	1183	1292	1402
66"	341	399	452	509	569	626	684	741	801	925	1044	1164	1284	1402	1527
72"	359	409	475	537	603	661	722	784	851	974	1105	1236	1367	1493	1617
78"	378	445	512	578	650	715	784	851	925	1059	1207	1341	1484	1623	1762
84"	399	467	537	609	684	756	832	901	974	1123	1270	1426	1577	1720	1870
90"	415	491	569	647	726	801	876	959	1037	1194	1349	1511	1675	1829	
96"	429	509	595	673	759	838	921	1004	1086	1257	1426	1597	1762		
108"	467	545	647	735	832	916	1004	1098	1191	1372	1559	1744			
120"	509	603	708	808	912	1009	1113	1213	1319	1517	1720				
132"	545	658	768	886	1001	1102	1216	1325	1442	1666					
144"	575	699	818	943	1063	1179	1299	1422	1546	1786					

NOTE: SEE "PRODUCT CONFIGURATION SPECIFICATION" CHARTS ON PAGES 37-44 FOR ANY FABRIC AND SIZE RESTRICTIONS. CONTINUOUS CORD LOOP SYSTEM "REQUIRED" FOR SIZES WITHIN THE THICK BLACK LINE.

OPTIONS: NO EXTRA CHARGE	
<ul style="list-style-type: none"> • Color-Coordinated Rails • Control Positions – left or right side of the shade (Exception: for Two-on-One Headrail, cords must be on opposite ends of the headrail) • 3" Extension Bracket and 1/2" Spacer Blocks – maximum of 3 spacer blocks per bracket 	<ul style="list-style-type: none"> • Hold Down Brackets • Cut-Outs – up to 3" wide (see page 36 for details) • Special Cord Lengths – standard cord is 40% of the height of the shade unless otherwise specified • Hardware Color Override

OPTIONS: EXTRA CHARGE	
See "SIZE STANDARDS" for complete option details.	
<ul style="list-style-type: none"> • Fabric-Wrapped Rail Optionadd \$24 • Top-Down & Top-Down/Bottom-Upadd \$96 • Continuous Cord Loop*add \$60 <ul style="list-style-type: none"> – Top-Down/Bottom-Up*add \$156 • Cordless Lift System*add \$96 <ul style="list-style-type: none"> – Two-On-One Headrail* price as 2 separate shades and add \$192 (not available in Top-Down/Bottom-Up or Two-Fabric Combination) – Three-On-One Headrail* price as 3 separate shades and add \$288 (not available in Top-Down/Bottom-Up or Two-Fabric Combination) – Top-Down/Bottom-Up*add \$192 	<ul style="list-style-type: none"> • Cordless Lift & Lockadd \$48 <ul style="list-style-type: none"> – Cordless Lift & Lock Two-On-One Headrailadd \$96 – Cordless Lift & Lock Three-On-One Headrailadd \$144 – Top-Down/Bottom-Up*add \$144 – Premium Headrail Upgrade*add \$18 (Premium Headrail not available with Top-Down/Bottom-Up or TriLight) • 18" to 36" Cordless Extension Pole #24-213_TEP-2L13091\$24 • 5' to 10' Cordless Extension Pole #400036-81511\$42 • Rectangular Shade and Arch – price as 2 separate shades; One Arch and One Rectangular • TriLight Shades – see pages 29 and 45-49 • Angle Cutadd \$135

*NOTE: FABRIC-WRAPPED RAILS ARE OPTIONAL FOR A SURCHARGE ON CONTINUOUS CORD LOOP, CORDLESS LIFT, CORDLESS LIFT & LOCK, AND MOTORIZED SHADES. COLOR-COORDINATED RAILS ARE AVAILABLE AT NO ADDITIONAL CHARGE.

BLISS Automation pricing. [Click here to view.](#)
 Somfy Automation pricing. [Click here to view.](#)
 PowerWand pricing. [Click here to view.](#)

GROUP 9 (Standard Rectangular)

• 3/4" MARCELLA BLACKOUT (H46)

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"	132"	144"	174"
HEIGHT TO:																
36"	\$254	287	321	355	394	429	464	498	537	609	691	768	846	925	1001	1194
42"	274	309	350	391	429	475	509	553	595	684	768	855	947	1033	1120	1337
48"	297	335	385	433	475	526	569	618	664	765	865	965	1074	1168	1267	1517
54"	316	359	415	467	518	569	613	673	722	835	943	1056	1168	1274	1384	1657
60"	344	381	441	498	553	606	661	722	784	901	1019	1139	1264	1384	1500	1806
66"	359	405	467	530	595	653	711	777	838	965	1098	1230	1364	1488	1620	1945
72"	381	433	502	572	640	704	768	841	909	1047	1194	1334	1479	1623	1762	2126
78"	402	455	530	603	678	746	815	892	965	1120	1270	1422	1577	1728	1882	2265
84"	418	479	556	640	715	787	858	947	1019	1187	1341	1507	1675	1835	1999	
90"	441	509	595	673	756	841	921	1009	1093	1267	1439	1617	1794	1964	2142	
96"	455	530	618	708	798	886	965	1059	1147	1329	1517	1701	1889	2081	2261	
108"	491	575	678	774	876	969	1063	1168	1264	1466	1671	1876	2088	2292	2498	
120"	530	623	729	838	974	1056	1164	1270	1380	1600	1822	2054	2279	2508		
132"	572	678	798	916	1063	1147	1267	1388	1511	1751	2002	2250				
144"	606	722	851	979	1147	1241	1367	1496	1627	1889	2152	2423				

NOTE: SEE "PRODUCT CONFIGURATION SPECIFICATION" CHARTS ON PAGES 37-44 FOR ANY FABRIC AND SIZE RESTRICTIONS. CONTINUOUS CORD LOOP SYSTEM "REQUIRED" FOR SIZES WITHIN THE THICK BLACK LINE.

OPTIONS: NO EXTRA CHARGE	
<ul style="list-style-type: none"> • Color-Coordinated Rails • Control Positions – left or right side of the shade (Exception: for Two-on-One Headrail, cords must be on opposite ends of the headrail) • 3" Extension Bracket and 1/2" Spacer Blocks – maximum of 3 spacer blocks per bracket 	<ul style="list-style-type: none"> • Hold Down Brackets • Cut-Outs – up to 3" wide (see page 36 for details) • Special Cord Lengths – standard cord is 40% of the height of the shade unless otherwise specified • Hardware Color Override

OPTIONS: EXTRA CHARGE	
See "SIZE STANDARDS" for complete option details.	
<ul style="list-style-type: none"> • Fabric-Wrapped Rail Optionadd \$24 • Top-Down & Top-Down/Bottom-Upadd \$96 • Continuous Cord Loop*add \$60 <ul style="list-style-type: none"> – Top-Down/Bottom-Up*add \$156 • Cordless Lift System*add \$96 <ul style="list-style-type: none"> – Two-On-One Headrail* price as 2 separate shades and add \$192 (not available in Top-Down/Bottom-Up or Two-Fabric Combination) – Three-On-One Headrail* price as 3 separate shades and add \$288 (not available in Top-Down/Bottom-Up or Two-Fabric Combination) – Top-Down/Bottom-Up*add \$192 	<ul style="list-style-type: none"> • Cordless Lift & Lockadd \$48 <ul style="list-style-type: none"> – Cordless Lift & Lock Two-On-One Headrailadd \$96 – Cordless Lift & Lock Three-On-One Headrailadd \$144 – Top-Down/Bottom-Up*add \$144 – Premium Headrail Upgrade*add \$18 (Premium Headrail not available with Top-Down/Bottom-Up or TriLight) • 18" to 36" Cordless Extension Pole #24-213_TEP-2L13091\$24 • 5' to 10' Cordless Extension Pole #400036-81511\$42 • Rectangular Shade and Arch – price as 2 separate shades; One Arch and One Rectangular • TriLight Shades – see pages 29 and 45-49 • Angle Cutadd \$135

*NOTE: FABRIC-WRAPPED RAILS ARE OPTIONAL FOR A SURCHARGE ON CONTINUOUS CORD LOOP, CORDLESS LIFT, CORDLESS LIFT & LOCK, AND MOTORIZED SHADES. COLOR-COORDINATED RAILS ARE AVAILABLE AT NO ADDITIONAL CHARGE.

BLISS Automation pricing. [Click here to view.](#)
 Somfy Automation pricing. [Click here to view.](#)
 PowerWand pricing. [Click here to view.](#)

GROUP 10 (Standard Rectangular)

• 3/8" BELLA VISTA BLACKOUT (H55) • 3/8" OPULENCE BLACKOUT (H41)

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"	132"	144"
HEIGHT TO:															
36"	\$287	321	359	402	445	482	522	564	603	687	784	869	962	1044	1129
42"	309	344	394	441	485	534	575	623	673	768	869	965	1063	1168	1264
48"	335	381	436	491	537	592	640	699	753	861	979	1093	1210	1319	1429
54"	355	405	464	526	583	635	696	759	815	940	1063	1194	1319	1442	1566
60"	391	429	498	564	623	687	746	815	886	1016	1156	1288	1426	1566	1693
66"	405	455	526	595	668	735	804	876	947	1093	1241	1388	1540	1682	1829
72"	429	491	569	640	719	798	869	951	1022	1187	1349	1507	1675	1832	1995
78"	452	512	595	681	759	846	925	1009	1093	1261	1439	1606	1786	1953	2126
84"	472	541	629	719	804	889	969	1063	1156	1337	1517	1701	1889	2073	2258
90"	498	575	673	759	855	947	1040	1139	1233	1429	1627	1825	2026	2223	2423
96"	512	595	699	801	901	997	1093	1197	1299	1504	1712	1922	2133	2347	2554
108"	556	647	759	873	985	1093	1203	1319	1426	1654	1889	2123	2355	2588	2822
120"	595	704	824	947	1098	1191	1311	1442	1559	1809	2060	2320	2578	2834	3126

NOTE: SEE "PRODUCT CONFIGURATION SPECIFICATION" CHARTS ON PAGES 37-44 FOR ANY FABRIC AND SIZE RESTRICTIONS. CONTINUOUS CORD LOOP SYSTEM "REQUIRED" FOR SIZES WITHIN THE THICK BLACK LINE.

OPTIONS: NO EXTRA CHARGE

- Color-Coordinated Rails
- Control Positions – left or right side of the shade (Exception: for Two-on-One Headrail, cords must be on opposite ends of the headrail)
- 3" Extension Bracket and 1/2" Spacer Blocks – maximum of 3 spacer blocks per bracket
- Hold Down Brackets
- Cut-Outs – up to 3" wide (see page 36 for details)
- Special Cord Lengths – standard cord is 40% of the height of the shade unless otherwise specified
- Hardware Color Override

OPTIONS: EXTRA CHARGE

- See "SIZE STANDARDS" for complete option details.
- Fabric-Wrapped Rail Optionadd \$24
 - Top-Down & Top-Down/Bottom-Upadd \$96
 - Continuous Cord Loop*add \$60
 - Top-Down/Bottom-Up*add \$156
 - Rectangular Shade and Arch – price as 2 separate shades; One Arch and One Rectangular
 - TriLight Shades – see pages 29 and 45-49
 - Angle Cutadd \$135

*NOTE: FABRIC-WRAPPED RAILS ARE OPTIONAL FOR A SURCHARGE ON CONTINUOUS CORD LOOP, CORDLESS LIFT, CORDLESS LIFT & LOCK, AND MOTORIZED SHADES. COLOR-COORDINATED RAILS ARE AVAILABLE AT NO ADDITIONAL CHARGE.

BLISS Automation pricing. [Click here to view.](#)

Somfy Automation pricing. [Click here to view.](#)

PowerWand pricing. [Click here to view.](#)

GROUP 11

- 3/4" OPULENCE BLACKOUT (H29)
- 3/4" GLIMMER BLACKOUT (HS4)
- 3/4" BELLA VISTA BLACKOUT (H75)
- 3/4" SERENE FR BLACKOUT (H60)
- 3/4" FIESTA BLACKOUT (H81)

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"	132"	144"	174"
HEIGHT TO:																
36"	\$297	331	374	418	459	502	541	588	626	715	815	901	1001	1086	1172	1402
42"	321	359	409	459	505	556	598	647	699	801	901	1004	1105	1213	1315	1572
48"	347	399	452	509	560	613	664	726	784	895	1016	1136	1257	1372	1488	1786
54"	366	421	482	545	606	664	722	792	846	979	1105	1241	1372	1500	1627	1953
60"	405	448	518	588	650	715	777	851	921	1059	1203	1341	1479	1627	1762	2123
66"	421	475	545	618	696	765	835	912	985	1136	1292	1446	1600	1747	1902	2289
72"	448	509	592	668	746	828	901	988	1063	1233	1402	1569	1744	1905	2073	2498
78"	472	534	618	708	792	876	959	1047	1136	1311	1496	1671	1854	2029	2212	2664
84"	491	560	653	746	838	925	1009	1105	1203	1391	1581	1771	1967	2152	2347	
90"	518	598	699	792	889	985	1082	1187	1284	1488	1690	1898	2108	2308	2520	
96"	534	618	726	832	934	1037	1136	1247	1349	1563	1781	1999	2218	2441	2655	
108"	575	673	792	909	1022	1139	1247	1372	1484	1720	1964	2207	2447	2692	2934	
120"	618	729	858	985	1139	1236	1364	1496	1620	1882	2142	2412	2682	2946		
132"	668	792	934	1079	1247	1353	1493	1630	1774	2060	2351	2640				
144"	711	846	1001	1147	1353	1456	1606	1758	1908	2218	2533	2850				

NOTE: SEE "PRODUCT CONFIGURATION SPECIFICATION" CHARTS ON PAGES 37-44 FOR ANY FABRIC AND SIZE RESTRICTIONS. CONTINUOUS CORD LOOP SYSTEM "REQUIRED" FOR 3/4" SHEER, AND SEMI-SHEER FABRIC SIZES WITHIN THE THICK BLACK LINE.

OPTIONS: NO EXTRA CHARGE	
<ul style="list-style-type: none"> • Color-Coordinated Rails • Control Positions – left or right side of the shade (Exception: for Two-on-One Headrail, cords must be on opposite ends of the headrail) • 3" Extension Bracket and 1/2" Spacer Blocks – maximum of 3 spacer blocks per bracket 	<ul style="list-style-type: none"> • Hold Down Brackets • Cut-Outs – up to 3" wide (see page 36 for details) • Special Cord Lengths – standard cord is 40% of the height of the shade unless otherwise specified • Hardware Color Override

OPTIONS: EXTRA CHARGE	
See "SIZE STANDARDS" for complete option details.	
<ul style="list-style-type: none"> • Fabric-Wrapped Rail Optionadd \$24 • Top-Down & Top-Down/Bottom-Upadd \$96 • Continuous Cord Loop*add \$60 <ul style="list-style-type: none"> – Top-Down/Bottom-Up*add \$156 • Cordless Lift System*add \$96 <ul style="list-style-type: none"> – Two-On-One Headrail* price as 2 separate shades and add \$192 (not available in Top-Down/Bottom-Up or Two-Fabric Combination) – Three-On-One Headrail* price as 3 separate shades and add \$288 (not available in Top-Down/Bottom-Up or Two-Fabric Combination) – Top-Down/Bottom-Up*add \$192 	<ul style="list-style-type: none"> • Cordless Lift & Lockadd \$48 <ul style="list-style-type: none"> – Cordless Lift & Lock Two-On-One Headrailadd \$96 – Cordless Lift & Lock Three-On-One Headrailadd \$144 • Top-Down/Bottom-Up*add \$144 <ul style="list-style-type: none"> – Premium Headrail Upgrade*add \$18 (Premium Headrail not available with Top-Down/Bottom-Up or TriLight) • 18" to 36" Cordless Extension Pole #24-213_TEP-2L13091\$24 • 5' to 10' Cordless Extension Pole #400036-81511\$42 • Rectangular Shade and Arch – price as 2 separate shades; One Arch and One Rectangular • TriLight Shades – see pages 29 and 45-49 • Angle Cutadd \$135

*NOTE: FABRIC-WRAPPED RAILS ARE OPTIONAL FOR A SURCHARGE ON CONTINUOUS CORD LOOP, CORDLESS LIFT, CORDLESS LIFT & LOCK, AND MOTORIZED SHADES. COLOR-COORDINATED RAILS ARE AVAILABLE AT NO ADDITIONAL CHARGE.

BLISS Automation pricing. [Click here to view.](#)
 Somfy Automation pricing. [Click here to view.](#)
 PowerWand pricing. [Click here to view.](#)

GROUP 12 (Standard Rectangular)

• 3/4" TRANQUILITY (H24) • 3/4" TIFFANY (H25) • 3/4" PEACEFUL (H96)

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"	132"	144"	174"
HEIGHT TO:																
36"	\$355	399	445	498	549	598	647	699	749	855	969	1079	1194	1299	1402	1682
42"	381	429	491	545	606	661	715	774	835	954	1079	1203	1325	1450	1569	1879
48"	415	472	541	606	668	735	798	865	934	1074	1213	1357	1504	1639	1777	2133
54"	441	502	575	650	722	798	865	943	1012	1168	1322	1479	1639	1789	1945	2335
60"	482	534	618	699	774	855	928	1016	1098	1264	1436	1603	1771	1945	2108	2539
66"	502	564	653	738	835	916	997	1086	1175	1357	1543	1728	1913	2091	2272	2732
72"	534	606	708	801	892	992	1079	1183	1270	1476	1682	1876	2084	2276	2478	2985
78"	560	635	738	841	947	1047	1144	1251	1357	1566	1786	1999	2218	2426	2644	3184
84"	583	673	784	892	1001	1102	1210	1325	1436	1660	1889	2114	2351	2575	2809	3386
90"	618	715	835	943	1063	1179	1296	1419	1533	1777	2022	2269	2517	2764	3012	3638
96"	635	738	865	992	1117	1236	1357	1493	1613	1867	2130	2389	2655	2918	3177	3841
108"	687	804	947	1086	1225	1360	1496	1639	1774	2057	2347	2637	2927	3221	3511	4234
120"	738	876	1022	1175	1364	1479	1627	1789	1937	2250	2564	2883	3209	3521	3890	4696
132"	801	947	1120	1288	1496	1620	1786	1953	2123	2463	2809	3158	3518	3867	4273	
144"	851	1012	1194	1372	1620	1744	1925	2100	2285	2652	3027	3406	3765	4153	4574	

NOTE: SEE "PRODUCT CONFIGURATION SPECIFICATION" CHARTS ON PAGES 37-44 FOR ANY FABRIC AND SIZE RESTRICTIONS. CONTINUOUS CORD LOOP SYSTEM "REQUIRED" FOR FABRIC SIZES WITHIN THE THICK BLACK LINE.

OPTIONS: NO EXTRA CHARGE	
<ul style="list-style-type: none"> Color-Coordinated Rails Control Positions – left or right side of the shade (Exception: for Two-on-One Headrail, cords must be on opposite ends of the headrail) 3" Extension Bracket and 1/2" Spacer Blocks – maximum of 3 spacer blocks per bracket 	<ul style="list-style-type: none"> Hold Down Brackets Cut-Outs – up to 3" wide (see page 36 for details) Special Cord Lengths – standard cord is 40% of the height of the shade unless otherwise specified Hardware Color Override

OPTIONS: EXTRA CHARGE	
See "SIZE STANDARDS" for complete option details.	
<ul style="list-style-type: none"> Fabric-Wrapped Rail Optionadd \$24 Top-Down & Top-Down/Bottom-Upadd \$96 Continuous Cord Loop*add \$60 <ul style="list-style-type: none"> – Top-Down/Bottom-Up*add \$156 Cordless Lift System*add \$96 <ul style="list-style-type: none"> – Two-On-One Headrail* price as 2 separate shades and add \$192 (not available in Top-Down/Bottom-Up or Two-Fabric Combination) – Three-On-One Headrail* price as 3 separate shades and add \$288 (not available in Top-Down/Bottom-Up or Two-Fabric Combination) – Top-Down/Bottom-Up*add \$192 	<ul style="list-style-type: none"> Cordless Lift & Lockadd \$48 <ul style="list-style-type: none"> – Cordless Lift & Lock Two-On-One Headrailadd \$96 – Cordless Lift & Lock Three-On-One Headrailadd \$144 – Top-Down/Bottom-Up*add \$144 – Premium Headrail Upgrade*add \$18 (Premium Headrail not available with Top-Down/Bottom-Up or TriLight) 18" to 36" Cordless Extension Pole #24-213_TEP-2L13091\$24 5' to 10' Cordless Extension Pole #400036-81511\$42 TriLight Shades – see pages 29 and 45-49 Angle Cutadd \$135

*NOTE: FABRIC-WRAPPED RAILS ARE OPTIONAL FOR A SURCHARGE ON CONTINUOUS CORD LOOP, CORDLESS LIFT, CORDLESS LIFT & LOCK, AND MOTORIZED SHADES. COLOR-COORDINATED RAILS ARE AVAILABLE AT NO ADDITIONAL CHARGE.

BLISS Automation pricing. [Click here to view.](#)
 Somfy Automation pricing. [Click here to view.](#)
 PowerWand pricing. [Click here to view.](#)

GROUP 13 (Standard Rectangular)

• 1-1/4" BELLA VISTA SEMI-OPAQUE (H77)

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"
HEIGHT TO:													
36"	\$291	331	375	419	462	503	541	585	624	711	807	891	981
42"	321	362	408	462	511	556	598	653	702	799	901	998	1105
48"	338	390	444	498	545	595	653	702	758	867	977	1081	1198
54"	355	404	462	527	585	643	697	755	814	926	1052	1170	1297
60"	380	438	506	567	628	687	755	818	882	1010	1146	1270	1412
66"	404	467	536	604	678	751	814	888	954	1094	1242	1378	1530
72"	429	484	567	643	717	783	863	933	1010	1159	1316	1472	1623
78"	452	527	607	687	774	848	929	1010	1094	1263	1431	1594	1762
84"	467	551	643	726	814	901	988	1072	1159	1335	1514	1691	
90"	493	578	673	765	863	950	1042	1136	1227	1422	1601		
96"	511	604	702	803	901	998	1094	1193	1289	1493	1694		
108"	523	623	727	830	942	1034	1136	1247	1349	1554	1758		

NOTE: SEE "PRODUCT CONFIGURATION SPECIFICATION" CHARTS ON PAGES 37-44 FOR ANY FABRIC AND SIZE RESTRICTIONS.

OPTIONS: NO EXTRA CHARGE	
<ul style="list-style-type: none"> • Color-Coordinated Rails • 3" Extension Bracket 	<ul style="list-style-type: none"> • Hardware Color Override - see Hardware Color Chart on page 3 for available colors • Light Block Strip (Inside Mount Only)

OPTIONS: EXTRA CHARGE	
See "SIZE STANDARDS" for complete option details.	<ul style="list-style-type: none"> • 18" to 36" Cordless Extension Pole #24-213_TEP-2L13091.....\$24 • 5' to 10' Cordless Extension Pole #400036-81511.....\$42
<ul style="list-style-type: none"> • Fabric-Wrapped Rail Optionadd \$24 • Cordless Lift System*add \$96 <ul style="list-style-type: none"> - Two-On-One Headrail* price as 2 separate shades and add \$192 (not available in Top-Down/Bottom-Up or Two-Fabric Combination) - Top-Down/Bottom-Up*add \$192 	

*NOTE: FABRIC-WRAPPED RAILS ARE OPTIONAL FOR A SURCHARGE ON CORDLESS LIFT AND MOTORIZED SHADES.
COLOR-COORDINATED RAILS ARE AVAILABLE AT NO ADDITIONAL CHARGE.

BLISS Automation pricing. [Click here to view.](#)
Somfy Automation pricing. [Click here to view.](#)
PowerWand pricing. [Click here to view.](#)

GROUP 14 (Standard Rectangular)

• 1-1/4" BELLA VISTA BLACKOUT (H78)

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"
HEIGHT TO:													
36"	\$360	401	452	505	555	606	655	710	755	863	985	1089	1210
42"	388	433	496	555	611	673	723	781	846	967	1089	1213	1336
48"	420	481	546	614	678	741	803	877	949	1082	1227	1372	1516
54"	444	509	583	660	734	803	873	958	1022	1182	1336	1498	1657
60"	491	542	627	710	784	863	940	1028	1111	1281	1452	1621	1788
66"	509	574	660	748	840	925	1009	1103	1191	1372	1562	1747	1934
72"	542	614	715	809	901	1000	1089	1194	1284	1489	1693	1897	2107
78"	570	646	748	855	958	1059	1159	1265	1372	1584	1807	2017	
84"	594	678	789	901	1014	1117	1219	1336	1452	1681	1908	2140	
90"	627	723	846	958	1073	1191	1307	1436	1551	1798	2041		
96"	646	748	877	1004	1132	1251	1372	1507	1629	1887	2151		
108"	691	808	950	1091	1227	1367	1497	1647	1781	2064	2356		

NOTE: SEE "PRODUCT CONFIGURATION SPECIFICATION" CHARTS ON PAGES 37-44 FOR ANY FABRIC AND SIZE RESTRICTIONS.

OPTIONS: NO EXTRA CHARGE	
<ul style="list-style-type: none"> Color-Coordinated Rails 3" Extension Bracket 	<ul style="list-style-type: none"> Hardware Color Override - see Hardware Color Chart on page 3 for available colors Light Block Strip (Inside Mount Only)

OPTIONS: EXTRA CHARGE	
See "SIZE STANDARDS" for complete option details.	
<ul style="list-style-type: none"> Fabric-Wrapped Rail Optionadd \$24 Cordless Lift System*add \$96 <ul style="list-style-type: none"> - Two-On-One Headrail* price as 2 separate shades and add \$192 (not available in Top-Down/Bottom-Up or Two-Fabric Combination) - Top-Down/Bottom-Up*add \$192 	<ul style="list-style-type: none"> 18" to 36" Cordless Extension Pole #24-213_TEP-2L13091.....\$24 5' to 10' Cordless Extension Pole #400036-81511.....\$42

*NOTE: FABRIC-WRAPPED RAILS ARE OPTIONAL FOR A SURCHARGE ON CORDLESS LIFT AND MOTORIZED SHADES. COLOR-COORDINATED RAILS ARE AVAILABLE AT NO ADDITIONAL CHARGE.

BLISS Automation pricing. [Click here to view.](#)
 Somfy Automation pricing. [Click here to view.](#)
 PowerWand pricing. [Click here to view.](#)

GROUP 15 – 2" HYBRID (Standard Rectangular)

NOTE: A control option must be selected.

• 2" Hybrid Pleat – Semi-Opaque (HPF)

WIDTH TO:	18"	24"	28"	32"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	108"	120"
HEIGHT TO:																	
30"	\$252	261	288	298	311	346	365	392	415	500	522	555	583	606	632	755	882
36"	261	269	298	311	327	362	388	418	445	533	559	594	618	649	679	808	942
42"	269	291	311	323	343	378	405	441	468	564	594	629	659	688	720	863	1003
48"	275	298	318	340	359	399	453	464	492	591	626	665	697	728	758	920	1059
54"	279	311	330	349	369	415	464	480	515	623	659	700	737	775	808	961	1119
61"	288	318	346	365	388	434	492	511	539	659	693	744	782	824	859	1016	1182
66"	311	343	369	392	415	453	496	529	564	688	723	775	811	859	897	1068	1241
73"	311	353	381	405	424	468	508	555	594	720	758	818	863	909	946	1122	1278
78"	362	409	441	473	503	547	594	649	697	744	792	842	890	942	984	1173	1321
84"	369	421	453	483	515	568	618	679	723	775	828	882	929	981	1032	1222	
90"	381	434	468	503	533	588	636	700	752	808	863	923	973	1028	1075		
96"	388	445	480	515	555	606	662	723	779	839	893	953	1009	1064	1107		
108"	421	487	533	574	618	685	752	828	893	958	1028	1100	1154				
120"	453	533	588	632	685	758	839	926	1003	1084	1158	1222					

NOTE: SEE "PRODUCT CONFIGURATION SPECIFICATION" CHARTS ON PAGES 37-44 FOR ANY FABRIC AND SIZE RESTRICTIONS.

OPTIONS: NO EXTRA CHARGE	
<ul style="list-style-type: none"> • Color-Coordinated Rails • Control Positions – left or right side of the shade (Exception: for Two-on-One Headrail, cords must be on opposite ends of the headrail) 	<ul style="list-style-type: none"> • 3" Extension Bracket and 1/2" Spacer Blocks – maximum of 3 spacer blocks per bracket • Hold Down Brackets • Hardware Color Override

OPTIONS: EXTRA CHARGE	
See "SIZE STANDARDS" for complete option details.	
<ul style="list-style-type: none"> • Fabric-Wrapped Rail Optionadd \$24 • Continuous Cord Loop*add \$60 – Top-Down/Bottom-Up*add \$156 • Cordless Lift System*add \$96 – Two-On-One Headrail* price as 2 separate shades and add \$192 (not available in Top-Down/Bottom-Up or Two-Fabric Combination) – Three-On-One Headrail* price as 3 separate shades and add \$288 (not available in Top-Down/Bottom-Up or Two-Fabric Combination) – Top-Down/Bottom-Up*add \$192 	<ul style="list-style-type: none"> • Cordless Lift & Lockadd \$48 – Cordless Lift & Lock Two-On-One Headrailadd \$96 – Cordless Lift & Lock Three-On-One Headrailadd \$144 – Top-Down/Bottom-Up*add \$144 – Premium Headrail Upgrade*add \$18 (Premium Headrail not available with Top-Down/Bottom-Up or TriLight) • 18" to 36" Cordless Extension Pole #24-213_TEP-2L13091\$24 • 5' to 10' Cordless Extension Pole #400036-81511\$42 • TriLight Shades – see pages 29 and 45-49

*NOTE: FABRIC-WRAPPED RAILS ARE OPTIONAL FOR A SURCHARGE ON CONTINUOUS CORD LOOP, CORDLESS LIFT, CORDLESS LIFT & LOCK, AND MOTORIZED SHADES. COLOR-COORDINATED RAILS ARE AVAILABLE AT NO ADDITIONAL CHARGE.

Note: 2" Hybrid Pleat is Not Available with PowerWand Automation

BLISS Automation pricing. [Click here to view.](#)
 Somfy Automation pricing. [Click here to view.](#)
 PowerWand pricing. [Click here to view.](#)

GROUP 16 – 2" HYBRID (Standard Rectangular)

NOTE: A control option must be selected.

• 2" Hybrid Pleat – Blackout (HPR)

WIDTH TO:	18"	24"	28"	32"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	108"	120"
HEIGHT TO:																	
30"	\$318	340	359	373	388	434	456	500	522	623	659	697	734	764	792	949	1107
36"	327	349	369	388	415	453	483	522	555	665	700	740	775	815	846	1016	1186
42"	333	365	385	409	429	476	508	555	588	705	740	792	824	867	901	1084	1257
48"	343	373	405	421	445	500	533	583	618	740	782	835	873	923	958	1146	1335
54"	349	388	418	437	468	515	559	606	649	779	824	882	926	973	1016	1209	1407
61"	359	405	429	456	480	543	588	636	675	824	870	933	981	1035	1075	1280	1484
66"	388	429	468	496	515	564	606	665	710	859	920	973	1022	1075	1126	1344	1557
73"	399	441	476	508	533	588	632	693	740	901	958	1028	1084	1142	1186	1413	
78"	453	511	555	591	632	688	748	818	873	933	992	1064	1122	1182	1241	1474	
84"	483	555	598	649	693	764	832	920	981	1052	1122	1203	1264	1338	1407		
90"	533	609	662	710	764	835	920	1003	1079	1153	1236	1316	1393	1474	1547		
96"	571	665	734	797	859	958	1056	1165	1257	1359	1457	1563	1658	1760			
108"	662	792	873	958	1052	1173	1307	1446	1571	1699	1835	1970					
120"	728	887	988	1094	1203	1359	1515	1685	1840	1994	2159						

NOTE: SEE "PRODUCT CONFIGURATION SPECIFICATION" CHARTS ON PAGES 37-44 FOR ANY FABRIC AND SIZE RESTRICTIONS.

OPTIONS: NO EXTRA CHARGE	
<ul style="list-style-type: none"> Color-Coordinated Rails Control Positions – left or right side of the shade (Exception: for Two-on-One Headrail, cords must be on opposite ends of the headrail) 	<ul style="list-style-type: none"> 3" Extension Bracket and 1/2" Spacer Blocks – maximum of 3 spacer blocks per bracket Hold Down Brackets Hardware Color Override

OPTIONS: EXTRA CHARGE	
See "SIZE STANDARDS" for complete option details.	
<ul style="list-style-type: none"> Fabric-Wrapped Rail Optionadd \$24 Continuous Cord Loop*add \$60 <ul style="list-style-type: none"> – Top-Down/Bottom-Up*add \$156 Cordless Lift System*add \$96 <ul style="list-style-type: none"> – Two-On-One Headrail* price as 2 separate shades and add \$192 (not available in Top-Down/Bottom-Up or Two-Fabric Combination) – Three-On-One Headrail* price as 3 separate shades and add \$288 (not available in Top-Down/Bottom-Up or Two-Fabric Combination) – Top-Down/Bottom-Up*add \$192 	<ul style="list-style-type: none"> Cordless Lift & Lockadd \$48 <ul style="list-style-type: none"> – Cordless Lift & Lock Two-On-One Headrailadd \$96 – Cordless Lift & Lock Three-On-One Headrailadd \$144 – Top-Down/Bottom-Up*add \$144 – Premium Headrail Upgrade*add \$18 (Premium Headrail not available with Top-Down/Bottom-Up or TriLight) 18" to 36" Cordless Extension Pole #24-213_TEP-2L13091\$24 5' to 10' Cordless Extension Pole #400036-81511\$42 TriLight Shades – see pages 29 and 45-49

*NOTE: FABRIC-WRAPPED RAILS ARE OPTIONAL FOR A SURCHARGE ON CONTINUOUS CORD LOOP, CORDLESS LIFT, CORDLESS LIFT & LOCK, AND MOTORIZED SHADES. COLOR-COORDINATED RAILS ARE AVAILABLE AT NO ADDITIONAL CHARGE.

Note: 2" Hybrid Pleat is Not Available with PowerWand Automation

- BLISS Automation pricing. [Click here to view.](#)
- Somfy Automation pricing. [Click here to view.](#)
- PowerWand pricing. [Click here to view.](#)

GROUP 17 – PEACEFUL ALLURE – DIMENSIONS

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"
HEIGHT TO:													
36"	\$287	321	359	402	445	482	522	564	603	687	784	869	962
42"	309	344	394	441	485	534	575	623	673	768	869		
48"	335	381	436	491	537	592	640	699	753	861	979		
54"	355	405	464	526	583	635	696	759	815	940	1063		
60"	391	429	498	564	623	687	746	815	886	1016	1156		
66"	405	455	526	595	668	735	804	876	947	1093	1241		
72"	429	491	569	640	719	798	869	951	1022	1187	1349		
78"	452	512	595	681	759	846	925	1009	1093	1261	1439		
84"	472	541	629	719	804	889	969	1063	1156	1337	1517		
90"	498	575	673	759	855	947	1040	1139	1233	1429	1627		
96"	512	595	699	801	901	997	1093	1197	1299	1504			
108"	556	647	759	873									

NOTE: SEE "PRODUCT CONFIGURATION SPECIFICATION" CHARTS ON PAGES 37-44 FOR ANY FABRIC AND SIZE RESTRICTIONS.

OPTIONS: NO EXTRA CHARGE	
<ul style="list-style-type: none"> • Color-Coordinated Rails • Control Positions – left or right side of the shade (Exception: for Two-on-One Headrail, cords must be on opposite ends of the headrail) 	<ul style="list-style-type: none"> • 3" Extension Bracket and 1/2" Spacer Blocks – maximum of 3 spacer blocks per bracket • Hardware Color Override

OPTIONS: EXTRA CHARGE	
See "SIZE STANDARDS" for complete option details.	<ul style="list-style-type: none"> • 18" to 36" Cordless Extension Pole #24-213_TEP-2L13091.....\$24 • 5' to 10' Cordless Extension Pole #400036-81511.....\$42
<ul style="list-style-type: none"> • Fabric-Wrapped Rail Optionadd \$24 • Cordless Lift System*.....add \$96 • Cordless Lift & Lock.....add \$48 <ul style="list-style-type: none"> – Cordless Lift & Lock Two-On-One Headrailadd \$96 – Cordless Lift & Lock Three-On-One Headrailadd \$144 – Premium Headrail Upgrade*add \$18 (Premium Headrail not available with Top-Down/Bottom-Up or TriLight)	

*NOTE: FABRIC-WRAPPED RAILS ARE OPTIONAL FOR A SURCHARGE ON CONTINUOUS CORD LOOP, CORDLESS LIFT, CORDLESS LIFT & LOCK, AND MOTORIZED SHADES. COLOR-COORDINATED RAILS ARE AVAILABLE AT NO ADDITIONAL CHARGE.

Note: 2" Hybrid Pleat is Not Available with PowerWand Automation

BLISS Automation pricing. [Click here to view.](#)
 Somfy Automation pricing. [Click here to view.](#)
 PowerWand pricing. [Click here to view.](#)

GROUP 18 – PEACEFUL ALLURE – HYBRID PLEAT

WIDTH TO:	18"	24"	28"	32"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	108"	120"
HEIGHT TO:																	
30"	\$359	374	409	424	445	494	526	564	592	711	749	798	832	865	909	1082	1264
36"	374	381	424	445	467	518	556	598	632	756	801	851	886	928	969	1156	1345
42"	381	415	445	459	491	541	583	629	664	804	851	901	940	985	1033	1233	1436
48"	394	424	452	482	509	569	650	661	704	846	901	954	997	1044	1090	1311	1517
54"	402	445	472	498	530	592	661	687	738	892	943	1004	1052	1109	1156	1376	1600
61"	409	459	494	526	553	623	704	729	768	940	992	1067	1123	1183	1230	1456	1698
66"	445	491	530	564	592	647	708	753	808	985	1037	1109	1164	1230	1288	1530	1774
73"	448	505	545	578	606	668	722	792	851	1033	1090	1172	1233	1302	1353	1606	1774
78"	518	583	629	673	722	784	851	931	997	1067	1133	1210	1274	1349	1416	1678	
84"	530	598	650	691	738	808	886	969	1037	1109	1183	1264	1334	1407	1479		
90"	545	623	664	722	759	841	916	1001	1079	1156	1233	1319	1391	1470	1540		
96"	556	635	684	738	792	865	947	1040	1117	1203	1278	1367	1442	1527			
108"	606	704	759	824	886	982	1079	1183	1278	1372	1473	1572					
120"	653	759	838	909	985	1090	1207	1325	1439	1549	1660						

NOTE: SEE "PRODUCT CONFIGURATION SPECIFICATION" CHARTS ON PAGES 37-44 FOR ANY FABRIC AND SIZE RESTRICTIONS.

OPTIONS: NO EXTRA CHARGE	
<ul style="list-style-type: none"> • Color-Coordinated Rails • Control Positions – left or right side of the shade (Exception: for Two-on-One Headrail, cords must be on opposite ends of the headrail) 	<ul style="list-style-type: none"> • 3" Extension Bracket and 1/2" Spacer Blocks – maximum of 3 spacer blocks per bracket • Hold Down Brackets • Hardware Color Override

OPTIONS: EXTRA CHARGE	
See "SIZE STANDARDS" for complete option details.	
<ul style="list-style-type: none"> • Fabric-Wrapped Rail Optionadd \$24 • Continuous Cord Loop*add \$60 <ul style="list-style-type: none"> – Top-Down/Bottom-Up*add \$156 • Cordless Lift System*add \$96 <ul style="list-style-type: none"> – Two-On-One Headrail* price as 2 separate shades and add \$192 (not available in Top-Down/Bottom-Up or Two-Fabric Combination) – Three-On-One Headrail* price as 3 separate shades and add \$288 (not available in Top-Down/Bottom-Up or Two-Fabric Combination) – Top-Down/Bottom-Up*add \$192 	<ul style="list-style-type: none"> • Cordless Lift & Lockadd \$48 <ul style="list-style-type: none"> – Cordless Lift & Lock Two-On-One Headrailadd \$96 – Cordless Lift & Lock Three-On-One Headrailadd \$144 – Top-Down/Bottom-Up*add \$144 – Premium Headrail Upgrade*add \$18 (Premium Headrail not available with Top-Down/Bottom-Up or TriLight) • 18" to 36" Cordless Extension Pole #24-213_TEP-2L13091\$24 • 5' to 10' Cordless Extension Pole #400036-81511\$42 • TriLight Shades – see pages 29 and 45-49

*NOTE: FABRIC-WRAPPED RAILS ARE OPTIONAL FOR A SURCHARGE ON CONTINUOUS CORD LOOP, CORDLESS LIFT, CORDLESS LIFT & LOCK, AND MOTORIZED SHADES. COLOR-COORDINATED RAILS ARE AVAILABLE AT NO ADDITIONAL CHARGE.

Note: 2" Hybrid Pleat is Not Available with PowerWand Automation

BLISS Automation pricing. [Click here to view.](#)
 Somfy Automation pricing. [Click here to view.](#)
 PowerWand pricing. [Click here to view.](#)

Determine the top shade price by using the charts below. Add the sheer pleated, bottom shade, and control option prices together to determine your final price.

- Carousel Sheer (96")
- Lyssa Sheer (96")
- Nova Sheer (96")
- Willa Sheer (83")

GROUP A (Sheer Pleated)

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"
HEIGHT TO:											
36"	\$86	96	112	120	136	146	158	168	183	204	231
42"	91	105	120	136	146	158	172	187	198	227	257
48"	99	112	129	143	158	172	187	201	217	251	284
54"	105	120	136	154	168	187	201	220	231	269	305
60"	112	129	146	165	180	198	217	231	254	290	327
66"	116	136	158	172	194	212	231	251	269	309	351
72"	120	143	165	183	204	223	245	269	290	333	379
78"	129	146	168	191	217	238	260	284	305	351	401
84"	133	158	180	201	223	251	272	297	318	366	419
90"	139	165	187	212	238	264	287	312	338	390	441
96"	143	168	194	223	251	272	302	327	351	408	463

OPTIONS: NO EXTRA CHARGE	
<ul style="list-style-type: none"> • Cordless Lift – Single handle on shades over 42" wide • Extension Brackets • End Mount Brackets • Hold Down Brackets 	<ul style="list-style-type: none"> • Spacer Blocks • Special Cord Loop Length • Color-Coordinated Rails

CONTROL OPTIONS	
A CONTROL OPTION MUST BE SELECTED.	
<ul style="list-style-type: none"> • Cordless Lift & Lock System.....add \$48 • Cordless Lift System.....add \$96 	<ul style="list-style-type: none"> • Continuous Cord Loopadd \$60 • Bliss Automation - see Automation price grid for surcharge and additional options

OPTIONS: EXTRA CHARGE
<ul style="list-style-type: none"> • Fabric wrapped rail option.....add \$24

BLISS Automation pricing. [Click here to view.](#)
 Somfy Automation pricing. [Click here to view.](#)
 PowerWand pricing. [Click here to view.](#)

HONEYCOMB VERTICAL APPLICATION A

• 3/4" Marcella (H45) • 3/4" Radiance (HF6)

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	96"	108"	120"	132"	144"	156"	168"	
HEIGHT TO:																			
36"	\$553	595	647	691	738	784	835	880	928	979	1016	1105	1187	1267	1341	1419	1500	1589	
42"	583	640	696	753	801	855	916	962	1012	1067	1117	1203	1288	1380	1456	1559	1647	1754	
48"	623	684	746	808	861	921	979	1047	1093	1147	1207	1299	1388	1511	1581	1685	1762	1882	
54"	653	729	798	861	925	979	1040	1098	1156	1210	1267	1367	1476	1585	1690	1786	1898	2013	
60"	691	768	846	921	979	1040	1102	1168	1230	1292	1349	1466	1581	1701	1806	1925	2044	2178	
66"	735	811	889	974	1044	1102	1172	1244	1302	1376	1439	1566	1690	1818	1929	2067	2192	2351	
72"	774	858	943	1033	1102	1164	1230	1322	1384	1453	1527	1666	1794	1934	2060	2207	2347	2508	
78"	815	901	997	1079	1151	1213	1292	1380	1446	1527	1597	1751	1882	2029	2168	2317	2470	2644	
84"	855	947	1047	1133	1213	1288	1364	1456	1527	1613	1690	1848	1999	2145	2289	2455	2613	2802	
90"	889	992	1090	1179	1267	1349	1429	1530	1606	1698	1777	1953	2108	2269	2423	2591	2764	2958	
96"	928	1037	1133	1225	1315	1398	1488	1597	1675	1771	1851	2033	2192	2370	2536	2702	2888	3079	
102"	965	1079	1179	1274	1364	1466	1566	1660	1758	1851	1937	2130	2308	2482	2655	2839	3037	3252	
108"	1004	1120	1225	1329	1426	1524	1634	1747	1840	1940	2029	2232	2415	2606	2787	2976	3189	3414	
114"	1047	1164	1270	1384	1479	1585	1701	1818	1922	2022	2114	2338	2533	2726	2927	3108	3344	3556	
120"	1079	1207	1364	1476	1581	1690	1812	1937	2040	2152	2235	2470	2671	2876	3076	3275	3507	3732	

- 3/4" Bella Vista (H72)
- 3/4" Linen (H27)
- 3/4" Opulence (H28)
- 3/4" Cardiff (H91)
- 3/4" Marcella Blackout (H46)
- 3/4" Radiance Blackout (HF7)
- 3/4" Fiesta (H80)
- 3/4" Melodic (HX6)
- 3/4" Serene FR (H62)
- 3/4" Glimmer (HS3)
- 3/4" Mirada (H92)
- 1-1/4" Bella Vista (H77)

HONEYCOMB VERTICAL APPLICATION B

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	96"	108"	120"	132"	144"	156"	168"	
HEIGHT TO:																			
36"	\$647	696	759	815	865	925	979	1037	1093	1147	1194	1299	1398	1488	1572	1666	1758	1867	
42"	687	749	815	880	940	1001	1067	1133	1191	1257	1311	1412	1511	1620	1712	1829	1934	2060	
48"	729	801	876	947	1009	1082	1147	1230	1284	1349	1416	1527	1627	1774	1854	1980	2073	2207	
54"	768	855	931	1012	1086	1147	1216	1292	1357	1419	1488	1603	1736	1867	1983	2100	2232	2365	
60"	815	901	992	1079	1147	1216	1299	1367	1442	1517	1585	1720	1860	1999	2123	2261	2400	2554	
66"	861	954	1047	1144	1225	1299	1376	1466	1533	1617	1690	1845	1987	2139	2269	2426	2578	2764	
72"	912	1004	1105	1213	1296	1364	1446	1549	1623	1709	1794	1960	2108	2269	2419	2591	2756	2955	
78"	954	1056	1168	1264	1353	1426	1517	1620	1701	1798	1876	2054	2215	2385	2542	2723	2903	3105	
84"	1001	1109	1225	1329	1422	1511	1603	1709	1789	1895	1983	2171	2351	2528	2692	2888	3076	3298	
90"	1047	1164	1278	1388	1488	1581	1685	1802	1889	1995	2091	2292	2478	2667	2846	3044	3252	3476	
96"	1090	1213	1329	1439	1543	1647	1751	1870	1967	2084	2178	2389	2583	2787	2976	3177	3395	3619	
102"	1133	1264	1388	1496	1603	1717	1835	1953	2067	2178	2272	2505	2714	2918	3123	3337	3568	3815	
108"	1179	1315	1442	1563	1675	1789	1925	2054	2165	2279	2385	2625	2842	3061	3275	3504	3751	4009	
114"	1225	1364	1493	1623	1744	1863	1999	2133	2258	2382	2486	2745	2973	3206	3440	3662	3931	4183	
120"	1264	1416	1603	1736	1854	1983	2130	2269	2400	2533	2628	2903	3139	3380	3614	3850	4123	4389	

IMPORTANT NOTE:

3/4" Serene FR Semi-opaque (H62) fabric does not meet the NFPA 701 flammability requirements when used in a Vertical Application.

STACKING DESIGN OPTIONS	
<ul style="list-style-type: none"> • Left Stack • Right Stack • Split stack (center opening)Price as two separate shades 	<ul style="list-style-type: none"> • Center Stack.....add \$63 each • Two Fabric Combo.....Price as two separate shades

OPTIONS: NO EXTRA CHARGE	
<ul style="list-style-type: none"> • Spacer blocks • Extension brackets 	<ul style="list-style-type: none"> • Shims (OB)

BLISS Automation pricing. [Click here to view.](#)
 Somfy Automation pricing. [Click here to view.](#)
 PowerWand pricing. [Click here to view.](#)

// Honeycomb Shades – Vertical Application



- 3/4" Bella Vista Blackout (H75)
- 3/4" Opulence Blackout (H29)
- 1-1/4" Bella Vista Blackout (H78)
- 3/4" Fiesta Blackout (H81)
- 3/4" Serene FR Blackout (H60)
- 3/4" Glimmer Blackout (HS4)
- 3/4" Tiffany (H25)

HONEYCOMB VERTICAL APPLICATION C

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	96"	108"	120"	132"	144"	156"	168"
HEIGHT TO:																		
36"	\$746	824	916	992	1056	1102	1172	1236	1299	1364	1426	1546	1706	1835	1967	2108	2241	2335
42"	811	901	997	1067	1139	1203	1274	1349	1422	1488	1563	1690	1863	2010	2165	2320	2470	2583
48"	876	962	1056	1139	1213	1284	1364	1446	1527	1600	1682	1829	2013	2178	2347	2513	2682	2805
54"	934	1037	1133	1225	1306	1394	1479	1572	1657	1747	1832	1991	2201	2382	2564	2756	2937	3082
60"	1001	1093	1210	1306	1394	1484	1581	1685	1777	1876	1967	2139	2362	2564	2764	2973	3171	3337
66"	1056	1156	1284	1394	1484	1581	1678	1798	1895	2002	2104	2292	2533	2745	2966	3189	3402	3575
72"	1117	1216	1349	1476	1572	1678	1786	1905	2010	2130	2238	2444	2702	2934	3167	3414	3645	3841
78"	1172	1274	1426	1559	1660	1774	1895	2022	2133	2265	2382	2591	2866	3120	3377	3631	3877	4091
84"	1225	1337	1493	1630	1744	1860	1995	2126	2250	2385	2508	2742	3030	3301	3564	3841	4110	4337
90"	1278	1398	1566	1712	1829	1960	2104	2235	2370	2517	2644	2892	3199	3484	3765	4063	4346	4587
96"	1334	1466	1630	1798	1908	2057	2207	2355	2494	2648	2783	3044	3377	3672	3974	4280	4581	4844
102"	1388	1527	1706	1867	1987	2152	2308	2467	2606	2771	2910	3177	3514	3830	4148	4475	4790	5068
108"	1446	1589	1774	1945	2060	2255	2412	2578	2718	2888	3033	3320	3676	4015	4346	4687	5019	5312
114"	1496	1657	1845	2022	2145	2347	2513	2688	2839	3012	3158	3469	3847	4191	4550	4902	5257	5564
120"	1603	1786	1975	2168	2292	2498	2671	2856	3012	3192	3344	3672	4063	4430	4798	5169	5540	5864

IMPORTANT NOTE:

3/4" Serene FR Blackout (H60) fabric does not meet the NFPA 701 flammability requirements when used in a Vertical Application.

HONEYCOMB VERTICAL APPLICATION D

- 3/4" Peaceful (H96)

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	96"	108"	120"	132"	144"	156"	168"
HEIGHT TO:																		
36"	\$846	931	1033	1120	1191	1244	1319	1394	1470	1543	1606	1747	1925	2073	2218	2382	2533	2637
42"	921	1016	1123	1207	1288	1357	1442	1524	1606	1682	1768	1908	2104	2269	2444	2621	2790	2914
48"	992	1086	1194	1288	1372	1450	1543	1634	1723	1809	1898	2064	2272	2463	2652	2842	3027	3171
54"	1056	1172	1284	1388	1476	1572	1675	1774	1870	1975	2067	2250	2482	2692	2896	3116	3317	3480
60"	1129	1236	1364	1476	1577	1678	1781	1902	2010	2118	2223	2415	2667	2896	3123	3360	3581	3769
66"	1194	1302	1446	1577	1678	1789	1895	2026	2139	2261	2378	2588	2860	3101	3349	3600	3844	4044
72"	1261	1372	1527	1666	1777	1895	2017	2152	2269	2409	2528	2764	3054	3317	3575	3854	4118	4337
78"	1325	1442	1613	1758	1879	2006	2142	2285	2412	2560	2692	2927	3236	3526	3812	4102	4380	4620
84"	1384	1511	1685	1845	1967	2104	2255	2400	2539	2695	2834	3097	3425	3732	4028	4340	4642	4899
90"	1446	1581	1771	1934	2064	2215	2378	2523	2678	2846	2989	3266	3614	3936	4257	4587	4906	5185
96"	1507	1651	1845	2026	2157	2324	2494	2664	2816	2989	3147	3437	3812	4148	4489	4837	5178	5471
102"	1569	1723	1929	2108	2245	2432	2610	2783	2943	3136	3290	3592	3974	4331	4687	5052	5418	5730
108"	1630	1794	2006	2197	2331	2547	2726	2910	3070	3263	3430	3754	4156	4532	4911	5297	5673	6000
114"	1690	1876	2084	2289	2423	2652	2842	3033	3209	3402	3568	3920	4346	4737	5139	5540	5943	6287
120"	1812	2013	2232	2450	2588	2822	3020	3229	3402	3608	3777	4148	4587	5008	5421	5841	6261	6630

STACKING DESIGN OPTIONS

- Left Stack
- Right Stack
- Split stack (center opening)Price as two separate shades
- Center Stack.....add \$63 each
- Two Fabric Combo.....Price as two separate shades

OPTIONS: NO EXTRA CHARGE

- Spacer blocks
- Extension brackets
- Shims (OB)

BLISS Automation pricing. [Click here to view.](#)

Somfy Automation pricing. [Click here to view.](#)

PowerWand pricing. [Click here to view.](#)

2" HYBRID PLEAT VERTICAL APPLICATION G

• 2" HYBRID PLEAT – SEMI-OPAQUE (HPF)

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"	132"	144"	156"	168"
HEIGHT TO:																	
36"	\$578	693	693	734	758	811	839	981	1019	1088	1142	1328	1497	1647	1796	1958	2100
42"	652	705	720	752	792	832	870	1012	1052	1134	1186	1363	1540	1692	1848	2013	2163
48"	688	728	737	797	870	877	909	1079	1107	1194	1252	1439	1647	1811	1974	2150	2313
54"	714	768	775	832	901	905	942	1115	1153	1233	1288	1489	1682	1851	2021	2202	2364
60"	717	792	792	870	939	942	973	1146	1186	1280	1352	1557	1760	1934	2109	2296	2469
66"	768	839	842	890	939	958	992	1186	1216	1307	1393	1603	1811	1994	2170	2367	2544
72"	787	873	873	929	953	1003	1042	1249	1276	1393	1477	1682	1906	2095	2285	2489	2674
78"	909	992	1012	1052	1091	1142	1186	1244	1280	1386	1481	1702	1919	2112	2300	2505	2694
84"	933	1019	1039	1084	1134	1186	1230	1288	1335	1442	1547	1776	1994	2188	2388	2603	2797
90"	964	1059	1059	1107	1153	1222	1271	1335	1383	1489	1603	1840	2067	2273	2479	2699	2905
96"	988	1084	1091	1138	1186	1257	1307	1366	1421	1535	1651	1890	2135	2349	2557	2789	2993
108"	1091	1216	1222	1280	1344	1418	1505	1571	1639	1779	1925	2202	2472	2723	2966	3230	3474
120"	1169	1316	1366	1439	1509	1599	1685	1779	1860	2017	2185	2496	2789	3068	3344	3643	3916

2" HYBRID PLEAT VERTICAL APPLICATION H

• 2" HYBRID PLEAT – BLACKOUT (HPR)

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"	132"	144"	156"	168"
HEIGHT TO:																	
36"	\$659	700	710	748	775	828	855	1000	1035	1115	1161	1359	1529	1678	1832	1994	2144
42"	675	720	734	768	808	851	882	1039	1075	1153	1206	1390	1576	1734	1887	2056	2208
48"	697	744	752	808	901	909	926	1103	1130	1216	1280	1461	1682	1848	2013	2195	2356
54"	723	787	787	851	929	926	958	1138	1173	1257	1320	1525	1721	1890	2059	2245	2414
60"	734	808	808	882	984	964	992	1169	1213	1307	1371	1588	1789	1966	2144	2335	2508
66"	779	859	859	905	988	984	1016	1216	1241	1338	1418	1634	1848	2029	2208	2408	2589
72"	808	893	893	942	1003	1022	1059	1276	1299	1421	1501	1718	1941	2135	2324	2534	2723
78"	929	1012	1028	1072	1115	1169	1209	1271	1307	1413	1509	1734	1950	2147	2338	2550	2740
84"	1009	1107	1126	1182	1233	1299	1355	1421	1474	1599	1718	1966	2205	2426	2639	2879	3093
90"	1107	1216	1230	1283	1344	1413	1477	1551	1606	1741	1876	2147	2414	2659	2896	3155	3394
96"	1216	1363	1386	1461	1532	1634	1715	1808	1887	2056	2218	2534	2852	3137	3419	3726	4006
108"	1320	1509	1540	1639	1734	1848	1974	2079	2179	2391	2603	2966	3321	3657	3984	4341	4663
120"	1402	1627	1721	1845	1953	2092	2226	2359	2486	2713	2970	3377	3761	4137	4511	4917	5284

STACKING DESIGN OPTIONS

- Left Stack
- Right Stack
- Split stack (center opening)Price as two separate shades
- Center Stack.....add \$63 each
- Two Fabric Combo.....Price as two separate shades

OPTIONS: NO EXTRA CHARGE

- Spacer blocks
- Extension brackets
- Shims (OB)

BLISS Automation pricing. [Click here to view.](#)
 Somfy Automation pricing. [Click here to view.](#)
 PowerWand pricing. [Click here to view.](#)

PEACEFUL ALLURE- HYBRID PLEAT VERTICAL APPLICATION

• 2" HYBRID PLEAT – SEMI-OPAQUE (HP 96)

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"
HEIGHT TO:													
36"	\$832	988	992	1047	1086	1160	1203	1402	1456	1563	1634	1905	2145
42"	940	1009	1029	1079	1133	1187	1244	1450	1507	1623	1698	1953	2207
48"	982	1040	1056	1139	1244	1261	1302	1546	1585	1709	1798	2060	2362
54"	1019	1102	1109	1187	1292	1299	1349	1597	1651	1768	1851	2139	2412
60"	1022	1133	1136	1244	1341	1345	1394	1647	1701	1835	1937	2232	2520
66"	1102	1203	1207	1274	1341	1372	1422	1701	1744	1876	1999	2299	2597
72"	1129	1257	1257	1329	1364	1442	1493	1789	1829	1999	2114	2412	2732
78"	1302	1422	1446	1507	1566	1639	1701	1786	1835	1987	2126	2441	2749
84"	1337	1461	1488	1559	1623	1701	1762	1851	1913	2067	2218	2542	2856
90"	1388	1514	1517	1589	1654	1747	1825	1913	1980	2139	2299	2637	2966
96"	1416	1559	1566	1630	1698	1806	1870	1960	2040	2204	2362	2711	3058
108"	1566	1744	1747	1832	1922	2029	2152	2255	2351	2554	2764	3154	3548
120"	1678	1885	1960	2060	2161	2292	2415	2551	2667	2892	3136	3575	4001

STACKING DESIGN OPTIONS	
<ul style="list-style-type: none"> • Left Stack • Right Stack • Split stack (center opening)Price as two separate shades 	<ul style="list-style-type: none"> • Center Stack.....add \$63 each • Two Fabric Combo.....Price as two separate shades

OPTIONS: NO EXTRA CHARGE	
<ul style="list-style-type: none"> • Spacer blocks • Extension brackets 	<ul style="list-style-type: none"> • Shims (OB)

BLISS Automation pricing. [Click here to view.](#)
 Somfy Automation pricing. [Click here to view.](#)
 PowerWand pricing. [Click here to view.](#)

**HONEYCOMB
CLASSIC SKYLIGHT A**

- 3/8" Bella Vista (H52)
- 3/8" Marcella (H44)
- 3/4" Marcella (H45)
- 3/4" Radiance (HF6)
- Double Cell Radiance (HF5)

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"
HEIGHT TO:									
36"	\$333	379	422	474	511	567	609	659	695
42"	348	401	455	508	562	609	662	702	747
48"	371	430	481	540	609	659	717	770	809
54"	393	459	518	576	655	695	770	819	872
60"	408	484	552	614	706	754	824	894	
66"	434	511	585	659	747	799	865		
72"	452	537	614	691	776	838	921		

Prices in the 66" and 72" columns apply to side stack

↖ Skylight with Automation Maximum Width: 48"

**HONEYCOMB
CLASSIC SKYLIGHT B**

- 3/8" Opulence (H40)
- 3/4" Bella Vista (H72)
- 3/4" Cardiff (H91)
- 3/4" Fiesta (H80)
- 3/4" Glimmer (HS3)
- 3/4" Linen (H27)
- 3/4" Mirada (H92)
- 3/4" Melodic (HX6)
- 3/4" Opulence (H28)
- 3/4" Serene FR (H62)
- 1/2" Marcella (H47)

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"
HEIGHT TO:									
36"	\$393	445	497	555	598	665	714	773	816
42"	412	471	537	595	659	717	776	824	875
48"	434	504	567	632	714	770	841	905	952
54"	466	537	609	678	770	812	905	963	1027
60"	477	570	644	723	828	883	967	1045	
66"	508	598	684	773	872	933	1016		
72"	530	629	723	809	912	983	1077		

Prices in the 66" and 72" columns apply to side stack

↖ Skylight with Automation Maximum Width: 48"

OPTIONS: EXTRA CHARGE	
• Classic Skylight Extension Pole (extends 5' to 10') (Part #400036-81511)	\$42

To price Skylight with Bliss Automation or SOMFY Automation, add the price of the Skylight from the appropriate grid to the applicable Automation pricing

BLISS Automation pricing. [Click here to view.](#)
 Somfy Automation pricing. [Click here to view.](#)
 PowerWand pricing. [Click here to view.](#)

**HONEYCOMB
CLASSIC SKYLIGHT C**

- 3/4" Bella Vista Blackout (H75)
- 3/4" Marcella BO (H46)
- 3/4" Fiesta Blackout (H81)
- 3/4" Radiance BO (HF7)
- 3/4" Glimmer Blackout (HS4)
- 1/2" Opulence (H39)

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"
HEIGHT TO:									
36"	\$408	471	526	585	635	698	754	805	853
42"	437	497	567	629	698	757	819	879	930
48"	455	534	603	673	754	812	888	952	1004
54"	493	570	648	717	816	858	956	1027	1085
60"	511	606	684	761	872	939	1030	1095	
66"	537	632	720	809	924	993	1089		
72"	567	673	761	858	974	1048	1145		

Prices in the 66" and 72" columns apply to side stack

↖ Skylight with Automation Maximum Width: 48"

**HONEYCOMB
CLASSIC SKYLIGHT D**

- 3/8" Bella Vista Blackout (H55)
- 3/4" Opulence Blackout (H29)
- 3/4" Tiffany (H25)
- 3/8" Opulence Blackout (H41)
- 3/4" Peaceful (H96)
- 3/4" Tranquility (H24)
- 3/4" Serene FR Blackout (H60)

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"
HEIGHT TO:									
36"	\$477	547	614	678	737	809	872	930	993
42"	511	580	655	730	809	879	952	1022	1081
48"	537	618	698	776	869	933	1027	1092	1159
54"	567	659	754	835	939	1004	1095	1174	1251
60"	589	695	790	879	1004	1077	1174	1263	
66"	626	737	845	949	1063	1152	1263		
72"	659	770	888	989	1111	1210	1348		

Prices in the 66" and 72" columns apply to side stack

↖ Skylight with Automation Maximum Width: 48"

OPTIONS: EXTRA CHARGE	
• Classic Skylight Extension Pole (extends 5' to 10') (Part #400036-81511)	\$42

To price Skylight with Bliss Automation or SOMFY Automation, add the price of the Skylight from the appropriate grid to the applicable Automation pricing

BLISS Automation pricing. [Click here to view.](#)
 Somfy Automation pricing. [Click here to view.](#)
 PowerWand pricing. [Click here to view.](#)

- 3/8" Bella Vista (H52)
- 3/8" Marcella (H44)
- 3/4" Marcella (H45)
- 3/4" Radiance (HF6)
- Double Cell Radiance (HF5)

HONEYCOMB ARCH A

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"
Stationary	\$139	162	183	212	245	279	318	363	412	466	530
Movable*	204	234	269	302	345	397	448	508	567	651	747

3/8", Double Cell and 3/4" Blackout N/A in these sizes

*Specify Fan-Fold or Top-Down Movable Arch when ordering

- 3/8" Opulence (H40)
- 3/4" Linen (H27)
- 3/4" Serene FR (H62)
- 3/4" Bella Vista (H72)
- 3/4" Mirada (H92)
- 1/2" Marcella (H47)
- 3/4" Cardiff (H91)
- 3/4" Melodic (HX6)
- 3/4" Fiesta (H80)
- 3/4" Opulence (H28)

HONEYCOMB ARCH B

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"
Stationary	\$165	187	212	251	287	327	379	430	484	547	618
Movable*	238	272	309	351	404	466	526	592	665	761	872

3/8", Double Cell and 3/4" Blackout N/A in these sizes

*Specify Fan-Fold or Top-Down Movable Arch when ordering

- 3/4" Bella Vista Blackout (H75)
- 3/4" Radiance Blackout (HF7)
- 3/4" Fiesta Blackout (H81)
- 1/2" Opulence (H39)
- 3/4" Marcella Blackout (H46)

HONEYCOMB ARCH C

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"
Stationary	\$194	220	251	290	333	386	441
Movable*	275	318	363	416	474	547	614

*Specify Fan-Fold or Top-Down Movable Arch when ordering

- 3/8" Bella Vista Blackout (H55)
- 3/8" Opulence Blackout (H41)
- 3/4" Glimmer Blackout (HS4)
- 3/4" Opulence Blackout (H29)
- 3/4" Serene FR Blackout (H60)
- 3/4" Tiffany (H25)

HONEYCOMB ARCH D

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"
Stationary	\$220	254	290	338	393	452	515	589	665	757	848
Movable*	323	375	426	484	555	635	720	812	912	1045	1207

3/8", Double Cell and 3/4" Blackout N/A in these sizes

*Specify Fan-Fold or Top-Down Movable Arch when ordering

NOTE: 2" HYBRID PLEAT, DIMENSIONS, 3/4" SEMI-SHEER, GLIMMER SEMI-OPAQUE, AND 3/4" PEACEFUL ARE NOT AVAILABLE AS ARCHES

OPTIONS: EXTRA CHARGE


- **Top-Down Movable Arch Extension Pole** (extends 5' to 10')
Part #400037-0007.....\$42
- **Movable Arch Extension Pole** (extends 18"-36")
Part #24-213_TEP-2L13091.....\$24
- **Arch and Elliptical Arch** – price using width on Arch price charts for fabric desired.
- **Rectangular Shade and Arch** – price as 2 separate shades; One Arch and One Rectangular.

BLISS Automation pricing. [Click here to view.](#)
Somfy Automation pricing. [Click here to view.](#)
PowerWand pricing. [Click here to view.](#)

RECTANGULAR CONFIGURATION SPECIFICATIONS

NOTE: Use metal tape measure for all measurements. Measures to 1/8 inch.

STANDARD CORDLOCK



- Features snap-in bracket
- Headrail Color – color coordinated with fabric
- End mount brackets also available
- Standard cord length is 40% of the height of the shade unless otherwise specified

1-1/4" Pleat, 2" Hybrid Pleat and Dimensions are not available with standard cordlock

STANDARD RECTANGULAR – SIZE STANDARDS		
	Honeycomb	
	All Sheer, Semi-Sheer, and Semi-Opaque Fabrics*	All Blackout Fabrics*
Min. Width (net)*	8"	8"
Max. Width	72"	72"
Max. Width-End Mount	36"	36"
Min. Height	12"	12"
Max. Height*	120"	120"
Max. Area (sq. ft.)	50"	60"

* For shades under 12" widths, the maximum height is 80"

FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions.

Inside (IB) Mount	
Headrail unit	– 3/16"
Shade height	ordered height
Fabric width	– 3/8"
Outside (OB) Mount	
Headrail unit	ordered width
Shade height	ordered height
Fabric width	– 3/16"
End (EB) Mount	
Headrail unit	– 3/16"
Shade height	ordered height
Fabric width	– 3/8"
2 on 1 Headrail	
Gap between panels	– 1/4"

NOTE: Measurements may vary $\pm 1/8"$


Inside mount with hold down brackets deductions:
 Headrail -1/2"
 Fabric -5/8"
 Bottomrail -1/2"

MOUNTING REQUIREMENTS

Use a metal tape measure for all measurements.

Inside (IB) Mount		3/8" Pleat
Minimum mounting depth:		
Standard installation bracket		3/4"
Minimum mounting depth, flush mount:		
Standard installation bracket		1-7/8"
End mount bracket		1-3/4"
Outside (OB) Mount		3/8" Pleat
Minimum flat vertical surface		
		5/8"
Inside (IB) Mount		3/4" & 1/2" Double
Minimum mounting depth:		
Standard installation bracket		1-1/4"
Minimum mounting depth, flush mount:		
Standard installation bracket		2-1/4"
End mount bracket		2"
Outside (OB) Mount		3/4" & 1/2" Double
Minimum flat vertical surface		
		1"

CUT-OUTS



The portion of the shade above the cut-out will not stack tightly when the shade is raised.

Available on standard cordlock and continuous cord loop bottom-up shades only.


Not available on 1-1/4", 2" Hybrid Pleat or Dimensions.

CUT-OUTS - SIZE STANDARDS	
Min. Cut-out Width	1/8"
Max. Cut-out Width	3"
Min. Shade Width	12"
Max. Shade Width	120"
Min. Shade Height	12"
Max. Shade Height	120"

RECTANGULAR CONFIGURATION SPECIFICATIONS

NOTE: Use metal tape measure for all measurements. Measures to 1/8 inch.

STANDARD CORDLOCK – 2-ON-1 HEADRAIL (PRICE AS 2 SEPARATE SHADES)



Cover patio doors and other large expanses by placing two independently operated shades side-by-side on the same headrail. Note: there will be a 1/4" minimum to a 1/2" maximum light gap between the two shades.

Finished Dimensions & Mounting Requirements: see "Standard Rectangle" or "Continuous Cord" section.

NOTE: Measurements may vary $\pm 1/8$ "

TWO-ON-ONE – SIZE STANDARDS		
	Honeycomb	
	All Sheer, Semi-Sheer, and Semi-Opaque Fabrics*	All Blackout Fabrics*
Min. Width (per panel)	8"	8"
Min. Width (overall)	16"	16"
Max. Width (per panel)	72"	72"
Max. Width (overall)	144"	144"
Max. Width (end mount)	36"	36"
Min. Height	12"	12"
Max. Height	120"	120"
Max. Area (sq. ft.)	50	60


* For shades under 12" widths, the maximum height is 80"

* Cordlock not available with any 1-1/4" Pleat, 2" Hybrid Pleat, or Dimensions fabrics

Controls must be on opposite ends of the headrail.

Standard cord length is 40% of the height of the shade unless otherwise specified.

STANDARD CORDLOCK – TWO-FABRIC COMBINATION (PRICE AS 2 SEPARATE SHADES)



Headrail, Middle Rail, and Bottomrail will coordinate with the bottom fabric unless otherwise specified.

Combines two fabrics in the same shade for function, beauty and total versatility. Consider a sheer shade to filter light, combined with a blackout shade for maximum darkness. Easily adjust shade to cover the window with one fabric or with some of each fabric. Standard cord length is 40% of the height of the shade unless otherwise specified.

Shade features one Break-Away tassel per cordlock.

Finished Dimensions & Mounting Requirements:

- See "Standard Rectangle" or "Cordless Lift" section.
- End mount brackets also available.

NOTE: Measurements may vary $\pm 1/8$ "

TWO-FABRIC COMBO – SIZE STANDARDS		
	Honeycomb	
	All Sheer, Semi-Sheer, and Semi-Opaque Fabrics*	All Blackout Fabrics*
Min. Width (net)*	10"	10"
Max. Width	72"	72"
Max. Width-End Mount	36"	36"
Min. Height	12"	12"
Max. Height*	96"	96"
Max. Area (sq. ft.)	50"	60"


* For shades under 12" widths, the maximum height is 80"

* Two fabric combo Cordlock not available with any 3/8" pleat, 1-1/4" Pleat, 2" Hybrid Pleat, or Dimensions fabrics

RECTANGULAR CONFIGURATION SPECIFICATIONS

NOTE: Use metal tape measure for all measurements. Measures to 1/8 inch.

STANDARD CORDLOCK – TOP-DOWN OR TOP-DOWN/BOTTOM-UP



Conveniently open shades from the top down or from both top and bottom.

Top-Down/Bottom-Up features one Break-Away tassel per cordlock.

Finished Dimensions & Mounting Requirements:

- See "Standard Rectangle" or "Cordless Lift" section.
- End mount brackets also available.

NOTE: Measurements may vary $\pm 1/8$ "

NOTES:

- The standard control positions for TD/BU are:
RIGHT operates the center moving rail and LEFT operates the bottomrail. REVERSE CONTROLS also are available (operate opposite as described above). Specify REVERSE CONTROLS when ordering.
- Standard cord length is 40% of the height of the shade unless otherwise specified.
- On top-down/bottom-up shades a fabric insert is standard. This is an extra two-cell fabric gasket attached to the top headrail and acts as a seal to eliminate light leakage between the headrail and center rail when the shade is closed.

TOP-DOWN & TOP-DOWN/BOTTOM-UP – SIZE STANDARDS		
	Honeycomb	
	All Sheer, Semi-Sheer, and Semi-Opaque Fabrics*	All Blackout Fabrics*
Min. Width (net)*	10"	10"
Max. Width	60"	60"
Max. Width-End Mount	36"	36"
Min. Height	12"	12"
Max. Height*	96"	96"
Max. Area (sq. ft.)	50"	60"


* Cordlock not available with any 1-1/4" Pleat, 2" Hybrid Pleat, or Dimensions fabrics

Cut-outs are not available on Top-Down or Top-Down/Bottom-Up shades.

RECTANGULAR CONFIGURATION SPECIFICATIONS

NOTE: Use metal tape measure for all measurements. Measures to 1/8 inch.

CORDLESS LIFT SYSTEM



Cordless Lift System easily lifts and lowers from color-coordinated bottomrail. No lift cord is necessary.



- All Cordless shades can be ordered with the fabric covered headrail and bottomrail for a surcharge, or with the color coordinated non-wrapped rails at no additional charge. Must be specified when order is placed.
- Cordless honeycomb shades come with a color-coordinated textured handle pre-inserted, a clear textured handle or clear plastic insert are optional.
Shades over 42" in width will have 2 handles. Single handle available*, must be selected during order entry.
*Single handle option over 42" in width is not available with 3/8" fabric
- Cut-outs are not available on Cordless Lift shades.
- Top Down Bottom Up shades are now available with white striker plates and magnet caps when shades are ordered with fabric-wrapped rails. Zinc striker plates and magnets comes standard on shades ordered with color-coordinated rails.
Striker plate & magnet placement:
Shades under 42" Wide – one magnet on each end of the shade
Shades 42" - 78" wide – one magnet on each end of the shade and one offset 3" from the center cord
Shades 78" - 96" wide – one magnet on each end of the shade and one in the center of the shade.
Shades over 96" wide – one magnet on each end of the shade and one at 3" to the left and right of the center routes.

CORDLESS LIFT – SIZE STANDARDS				
	Honeycomb		2" Hybrid Pleat	Dimensions
	Honeycomb Fabrics	1-1/4" Fabrics		
Min. Width (net)	16"	16"	16"	16"
Max. Width	120"	120"	120"	96"
Max. Width – End Mount	48"	N/A	42"	42"
Min. Height	12"	12"	12"	12"
Max. Height	84"	84"	84"	84"
Max Area (sq. ft.)	70	60	60	60

**H81 3/4" Fiesta BO and HS4 - 3/4" Glimmer BO Max Width 84"; Max square footage is 40

NOTE: Cordless Lift not available with 3/8" blackout fabric

CORDLESS LIFT TOP-DOWN/BOTTOM-UP – SIZE STANDARDS			
	Honeycomb		2" Hybrid Pleat
	Honeycomb Fabrics	1-1/4" Fabrics	
Min. Width (net)	16"	18"	16"
Max. Width	120"	96"	120"
Max. Width – End Mount	48"	N/A	42"
Min. Height	12"	12"	12"
Max. Height	84"	84"	84"
Max Area (sq. ft.)	70	56	60

* Cordless Lift Top-Down/Bottom-Up is not available with 3/8" blackout, 3/4" Glimmer BO, or Dimensions

CORDLESS LIFT TWO-FABRIC COMBO – SIZE STANDARDS	
	Honeycomb Fabrics *
Min. Width (net)	16"
Max. Width	84"
Max. Width – End Mount	36"
Min. Height	12"
Max. Height	84"
Max Area (sq. ft.)	42

* Cordless Lift Two-Fabric Combination is not available with any 3/8", 1/2" double cell, 3/4" Glimmer BO, 1-1/4", 2" Hybrid Pleat or Dimensions fabrics

Note: Cut-outs are not available on Cordless Lift shades.

CORDLESS TWO-ON-ONE – SIZE STANDARDS			
	Honeycomb		2" Hybrid Pleat
	Honeycomb Fabrics	1-1/4" Fabrics	
Min Width (per panel)	16"	16"	16"
Min Width (overall)	32"	32"	32"
Max Width (per panel)	120"	96"	100"
Max Width (overall)	174"	120"	120"
Min Height	12"	12"	12"
Max Height	84"	84"	84"
Max Area (per panel) (Sq/Ft)	70	60	60

* Two-On-One Headrail is not available in Top-Down/Bottom-Up, Two-Fabric Combo, 3/8" blackout, or Dimensions fabrics

Note: End mount not available.

CORDLESS THREE-ON-ONE – SIZE STANDARDS		
	Honeycomb	2" Hybrid Pleat
	All Honeycomb Fabrics *	All Fabrics
Min Width (per panel)	16"	16"
Min Width (overall)	48"	48"
Max Width (per panel)	120"	120"
Max Width (overall)	174"	174"
Min Height	12"	12"
Max Height	84"	84"
Max Area (per panel) (Sq/Ft)	70"	60"

* Three-On-One Headrail is not available in Top-Down/Bottom-Up, Two-Fabric Combo, 3/8" blackout, 1-1/4", or Dimensions fabrics

Note: End mount not available.

RECTANGULAR CONFIGURATION SPECIFICATIONS

NOTE: Use metal tape measure for all measurements. Measures to 1/8 inch.

CORDLESS LIFT SYSTEM

FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions.

	Honeycomb	2" Hybrid Pleat
Inside (IB) Mounts		
Headrail unit	- 1/4"	- 1/4"
Shade height	ordered height	ordered height
Fabric width	- 3/8"	- 3/8"
End (EB) Mounts		
Headrail unit	- 1/2"	- 1/2"
Shade height	ordered height	ordered height
Fabric width	- 5/8"	- 5/8"
Outside (OB) Mount		
Headrail unit	ordered width	ordered width
Shade height	ordered height	ordered height
Fabric width	- 1/8"	- 1/8"
2-on-1 & 3-on-1 Headrail		
Gap between panels	-1/4"	-1/4"

NOTE: Measurements may vary ± 1/8"

Adjustments are taken from ordered dimensions.

Cordless Lift (N/A as 2 Fabric Combo)

	1-1/4" Fabrics	Dimensions
Inside (IB) Mounts		
Headrail unit	- 1/4"	- 1/4"
Shade height	ordered height	ordered height
Fabric width	- 3/8"	- 3/8"
End (EB) Mounts		
Headrail unit	- 1/2"	- 1/2"
Shade height	ordered height	ordered height
Fabric width	- 5/8"	- 5/8"
Outside (OB) Mount		
Headrail unit	ordered width	ordered width
Shade height	ordered height	ordered height
Fabric width	- 1/8"	- 1/8"
2 on 1 Headrail		
Gap between panels	-1/4"	-1/4"

MOUNTING REQUIREMENTS

Use a metal tape measure for all measurements.

	Honeycomb	2" Hybrid Pleat
Inside (IB) & End (EB) Mounts		
Minimum mounting depth	3/4"	3/4"
Minimum mounting depth, flush mount:	2-1/8"	2-1/8"
Outside (OB) Mount		
Minimum flat vertical surface	1-1/2"	1-1/2"

NOTE: Inside mount with hold down brackets deductions:

Headrail -1/2"

Fabric -5/8"

Bottomrail -1/2"

Use a metal tape measure for all measurements.

Cordless Lift (N/A as 2 Fabric Combo)

	1-1/4" Fabrics	Dimensions
Inside (IB) & End (EB) Mounts		
Minimum mounting depth	1-5/8"	1-5/8"
Minimum mounting depth, flush mount:	3"	3"
Outside (OB) Mount		
Minimum flat vertical surface	1-1/2"	1-1/2"


NOTE: Dimensions is not available in the TD/BU Configuration

NOTE: To accommodate the larger pleat of 1-1/4" and Dimensions fabrics, the use a larger rail system that requires more mounting depth.

RECTANGULAR CONFIGURATION SPECIFICATIONS

NOTE: Use metal tape measure for all measurements. Measures to 1/8 inch.

CORDLESS LIFT & LOCK



Press a button on the bottomrail to lift and lower the shade. Release the button to securely lock the shade into place.

No exposed cords on bottom up shades. Lift cords on Top-Down/Bottom-Up are on the far sides of the shade. Child-safe option.

All Cordless Lift & Lock shades can be ordered with the fabric covered headrail and bottomrail for a surcharge, or with the color coordinated non-wrapped rails at **no additional charge**. Must be specified when order is placed.

Top-Down/bottom-Up Lift & Lock shades under 42" will have one magnet in the middle.

Shades over 42" will have one magnet in the middle, and one approximately 3" from each end to provide better closure between the middle rail and top rail.

Cordless Lift & Lock shades can be ordered with the Premium headrail for a surcharge. Premium headrail option is not available with Top-Down/Bottom-Up or TriLight.

CORDLESS LIFT & LOCK – SIZE STANDARDS				
	Honeycomb		2" Hybrid Pleat	Dimensions
	Sheer, Semi-Sheer & Semi-Opaque Honeycomb Fabrics*	All Blackout Honeycomb Fabrics*	All Fabrics	All Fabrics
Min. Width (net)	10"	10"	10"	10"
Max. Width	84"	84"	84"	84"
Max. Width – End Mount	48"	48"	48"	48"
Min. Height	12"	12"	12"	12"
Max. Height	84"	84"	84"	84"
Max Area (sq. ft.)	49"	49"	49"	49"

* Cordless Lift & Lock is not available with 3/8" or 1-1/4" fabrics

CORDLESS LIFT & LOCK TOP-DOWN/BOTTOM-UP – SIZE STANDARDS			
	Honeycomb		2" Hybrid Pleat
	All Sheer, Semi-Sheer & Semi-Opaque Honeycomb Fabrics*	All Blackout Honeycomb Fabrics*	All Fabrics
Min. Width (net)	16"	16"	16"
Max. Width	84"	84"	84"
Max. Width – End Mount	48"	48"	42"
Min. Height	12"	12"	12"
Max. Height	84"	84"	84"
Max Area (sq. ft.)	49"	49"	49"

* Cordless Lift & Lock is not available with 3/8" or 1-1/4" fabrics

* Cordless Lift & Lock Top-Down/Bottom-Up is not available with Dimensions

CORDLESS LIFT & LOCK TWO-ON-ONE & THREE-ON-ONE – SIZE STANDARDS				
	All Sheer, Semi-Sheer & Semi-Opaque Honeycomb Fabrics*	All Blackout Honeycomb Fabrics*	2" Hybrid Pleat	Dimensions
	Two-on-One			
Min. Width (net - per panel)	10"	10"	10"	10"
Max. Width (per panel)	84"	84"	84"	84"
Max. Width (overall)	168"	168"	168"	168"
Three-on-One				
Min. Width (net - per panel)	10"	10"	10"	10"
Max. Width (per panel)	84"	84"	84"	84"
Max. Width (overall)	168"	168"	168"	144"
Min. Height	12"	12"	12"	12"
Max. Height	84"	84"	84"	84"
Max Area (per panel) (sq. ft.)	49"	49"	49"	39"

* Cordless Lift & Lock is not available with 3/8" or 1-1/4" fabrics

Note: End mount not available with 2-on-1 or 3-on-1

FINISHED DIMENSIONS – STANDARD

Adjustments are taken from ordered dimensions.

Honeycomb, Dimensions, and 2" Hybrid Pleat*

Inside (IB) Mounts	
Headrail unit (includes end caps)	– 1/4"
Shade height	ordered height
Fabric width	– 3/8"
End (EB) Mounts	
Headrail unit (includes end caps)	– 1/2"
Shade height	ordered height
Fabric width	– 5/8"
Outside (OB) Mount	
Headrail unit (includes end caps)	ordered width
Shade height	ordered height
Fabric width	– 1/8"

NOTE: Measurements may vary ± 1/8"

MOUNTING REQUIREMENTS

Use a metal tape measure for all measurements.

Standard Rail

Honeycomb, Dimensions and 2" Hybrid Pleat Dimensions

Inside (IB) Mount		
Minimum mounting depth	1-1/4"	1-3/4"
Minimum mounting depth, flush mount:	2-1/4"	2-3/4"
End (EB) Mount		
Minimum flat vertical surface	2"	2"
Outside (OB) Mount		
Minimum flat vertical surface	1"	1"

Premium Rail

Honeycomb, Dimensions and 2" Hybrid Pleat Dimensions


Inside (IB) & End (EB) Mounts		
Minimum mounting depth	3/4"	1-1/4"
Minimum mounting depth, flush mount:	2-1/8"	2-5/8"
Outside (OB) Mount		
Minimum flat vertical surface	1-1/2"	1-1/2"

NOTE: Due to the shape of Dimensions fabric, it extends behind the headrail when stacked. There is an extra 1/2" added to minimum mounting depths. For Outside Mount orders, it is recommended that extension brackets be added to your order.

RECTANGULAR CONFIGURATION SPECIFICATIONS

NOTE: Use metal tape measure for all measurements. Measures to 1/8 inch.

CONTINUOUS CORD LOOP SYSTEM



Continuous cord loop easily lifts any shade – even large or hard-to-reach – and stops the shade exactly where you want. No more tangled cords!

- All continuous cord loop shades can be ordered with the fabric covered headrail and bottomrail for a surcharge, or with the color coordinated non-wrapped rails at **no additional charge**. **Must be specified** when order is placed.
- On top-down/bottom-up Honeycomb shades, a fabric insert is standard (does not apply to Hybrid Pleat). This is an extra two-cell fabric gasket attached to the top headrail and acts as a seal to eliminate light leakage between the headrail and center rail when the shade is closed.

CONTINUOUS CORD LOOP – SIZE STANDARDS							
	Honeycomb						2" Hybrid Pleat
	All 3/8" Semi-Opaque Fabrics	All 3/8" Blackout Fabrics	All 3/4" Sheer and Semi-Sheer Fabrics	All 3/4" Semi-Opaque Fabrics*	All 3/4" Blackout Fabrics*	All 1/2" Double Cell Fabrics	All Fabrics
Min. Width (net)*	18"	18"	18"	18"	18"	18"	18"
Max. Width	144"	144"	174"	174"	144"	144"	120"
Max. Width – End Mount	48"	48"	48"	48"	48"	48"	42"
Min. Height	6"	6"	6"	6"	6"	6"	12"
Max. Height*	96"	96"	144"	144"	144"	144"	120"
Max. Area (sq. ft.)	90"	80"	150"	150"	100"	80"	60"

* ALL Radiance fabrics => Max Width 120"

* ALL Radiance fabrics => Max Height 120"

* Continuous Cord Loop is not available with 1-1/4" or Dimensions fabrics

* 3/4" Glimmer Blackout and 3/4" Fiesta Blackout MAX 60 Sq Feet

CONTINUOUS CORD LOOP TWO-ON-ONE – SIZE STANDARDS							
	Honeycomb						2" Hybrid Pleat
	All 3/8" Semi-Opaque Fabrics	All 3/8" Blackout Fabrics	All 3/4" Sheer and Semi-Sheer Fabrics	All 3/4" Semi-Opaque Fabrics*	All 3/4" Blackout Fabrics*	All 1/2" Double Cell Fabrics	2" Hybrid Pleat
Min. Width (per panel)	18"	18"	18"	18"	18"	18"	18"
Min. Width (overall)	36"	36"	36"	36"	36"	36"	36"
Max. Width (per panel)	144"	144"	144"	144"	144"	144"	102"
Max. Width (overall)	174"	174"	174"	174"	174"	174"	120"
Min. Height	6"	6"	6"	6"	6"	6"	12"
Max. Height	96"	96"	144"	144"	144"	144"	120"
Max. Area (sq. ft.)	90"	80"	150"	150"	100"	80"	60"

Note: End mount not available.

* Continuous Cord Loop is not available with 1-1/4" or Dimensions fabrics

* ALL Radiance fabrics => Max Width 120"

* ALL Radiance fabrics => Max Height 120"

* 3/4" Glimmer Blackout and 3/4" Fiesta Blackout MAX 60 Sq Feet

CONTINUOUS CORD LOOP TOP-DOWN/BOTTOM-UP – SIZE STANDARDS							
	Honeycomb						2" Hybrid Pleat
	All 3/8" Semi-Opaque Fabrics	All 3/8" Blackout Fabrics	All 3/4" Sheer and Semi-Sheer Fabrics	All 3/4" Semi-Opaque Fabrics*	All 3/4" Blackout Fabrics*	All 1/2" Double Cell Fabrics	2" Hybrid Pleat
Min. Width (net)*	24"	24"	24"	24"	24"	24"	24"
Max. Width	144"	144"	144"	144"	144"	144"	120"
Max. Width – End Mount	48"	48"	48"	48"	48"	48"	42"
Min. Height	8"	8"	8"	8"	8"	8"	12"
Max. Height*	96"	96"	144"	144"	144"	144"	120"
Max. Area (sq. ft.)	90"	80"	150"	150"	100"	80"	60"

* Continuous Cord Loop is not available with 1-1/4" or Dimensions fabrics

* ALL Radiance fabrics => Max Width 120"

* ALL Radiance fabrics => Max Height 120"

* 3/4" Glimmer Blackout and 3/4" Fiesta Blackout MAX 60 Sq Feet

Right control operates the center moving rail; left control operates the bottomrail. Reverse controls are available.

NOTE: Inside mount with hold down brackets deductions:
 Headrail -1/2"
 Fabric -5/8"
 Bottomrail -1/2"

RECTANGULAR CONFIGURATION SPECIFICATIONS

NOTE: Use metal tape measure for all measurements. Measures to 1/8 inch.

CONTINUOUS CORD LOOP SYSTEM

FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions.

	Honeycomb	2" Hybrid Pleat*
Inside (IB) Mount		
Headrail unit	- 1/4"	- 1/4"
Shade height	ordered height	ordered height
Fabric width	- 3/8"	- 5/8"
End (EB) Mounts		
Headrail unit	- 1/2"	- 1/2"
Shade height	ordered height	ordered height
Fabric width	- 5/8"	- 7/8"
Outside (OB) Mount		
Headrail unit	ordered width	ordered width
Shade height	ordered height	ordered height
Fabric width	- 1/8"	- 3/8"

*An extra 1/4" deduction will be taken from the fabric with the Top-Down/Bottom-Up option for Hybrid Pleat

NOTE: Measurements may vary ± 1/8"

CORD LOOP DROP

SHADE HEIGHT	CORD LOOP DROP
up to 18"	18" loop
18" to 42"	24" loop
42-1/8" - 54"	36" loop
54-1/8" - 72"	48" loop
72-1/8" - 90"	60" loop
90-1/8" - 110"	72" loop
110-1/8" - 130"	96" loop
130-1/8" - 144"	120" loop

FINISHED DIMENSIONS – 2 ON 1

Adjustments are taken from ordered dimensions.

	Honeycomb	2" Hybrid Pleat
Inside (IB) Mount		
Headrail unit	- 1/4"	- 1/4"
Shade height	ordered height	ordered height
Fabric width (includes gap deduction)	- 5/8"	- 7/8"
Outside (OB) Mount		
Headrail unit	ordered width	ordered width
Shade height	ordered height	ordered height
Fabric width	- 1/8"	- 3/8"
2 on 1 Headrail		
Gap between panels	- 1/4"	- 1/4"

MOUNTING REQUIREMENTS

Use a metal tape measure for all measurements.

	Honeycomb	2" Hybrid Pleat
Inside (IB) Mounts		
Minimum mounting depth	3/4"	3/4"
Minimum mounting depth, flush mount:	2-1/8"	2-1/8"
Outside (OB) Mount		
Minimum flat vertical surface	1-1/2"	1-1/2"


NOTE: Inside mount with hold down brackets deductions:

Headrail -1/2"

Fabric -5/8"

Bottomrail -1/2"

CUT-OUTS



The portion of the shade above the cut-out will not stack tightly when the shade is raised.

Available on standard cordlock and continuous cord loop bottom-up shades only.

Not available on 1-1/4", 2" Hybrid Pleat or Dimensions.

CUT-OUTS - SIZE STANDARDS

Min. Cut-out Width	1/8"
Max. Cut-out Width	3"
Min. Shade Width	12"
Max. Shade Width	120"
Min. Shade Height	12"
Max. Shade Height	120"

FEATURES & BENEFITS



- The beautiful combination of a sheer pleated shade on top and honeycomb or 2" Hybrid Pleat shade on the bottom provides maximum versatility in a single window covering.
- Wide array of color options from whites, neutrals, and muted tones to bold colors and exclusive prints.
- Four sheer pleated styles in multiple colors to meet most decorating tastes.
- Semi-opaque and blackout fabrics are available in multiple sizes, providing a choice for every window size and desired light and privacy control.
- Honeycomb fabric provides superior insulation for reduced heating and cooling bills. It also absorbs sound, making rooms more comfortable.
- The continuous cord loop option lifts any shade – even large or hard-to-reach – and positions it exactly where you want without any dangling cords.
- The Cordless and Cordless Lift & Lock option provide safe, simple operation by raising and lowering the shade using handles instead of cords. Ideal in homes with children and pets.
- The Bliss Automation option provides safe, simple operation by raising and lowering the shade with the touch of a button or via the Bliss App (Bliss Bridge required). Ideal in homes with children and pets.

SELECTING A TRILIGHT SHADE

1. Choose a fabric, cell size and color for the bottom shade.
Note: TriLight Shades are not available with 3/8" single cell, 3/4" sheer/semi-sheer, 1-1/4", or Dimensions.
2. Choose a sheer pleated fabric for the top shade.
See Sheer Pleated Color Chart.
3. Refer to the honeycomb and 2" Hybrid Pleat price grids on pages 9-24 to determine your bottom shade price.
4. Refer to the sheer pleated grids on page 28 to find your top shade price. Add the bottom shade, sheer pleated and control option prices together to determine your final price. Bliss Automation option and options prices can be found in the Bliss Automation pricing section.
 - TriLight Shades are available as standard rectangle only.
 - Continuous cord loop system – right operates the middle rail; left operates the bottomrail. Reverse controls are available; grouped controls are NOT available.

SHEER PLEATED COLOR CHART

Nova Sheer		
Style Name	Color #	Color Name
Nova Sheer	P33-824	Blush
Nova Sheer	P33-820	Bridal White
Nova Sheer	P33-823	Crème
Nova Sheer	P33-821	Glacier White
Nova Sheer	P33-822	Light Lemon
Nova Sheer	P33-825	Tea

Carousel Sheer		
Style Name	Color #	Color Name
Carousel Sheer	P32-804	Blush
Carousel Sheer	P32-800	Bridal White
Carousel Sheer	P32-803	Crème
Carousel Sheer	P32-801	Glacier White
Carousel Sheer	P32-802	Light Lemon


Willa Sheer		
Style Name	Color #	Color Name
Willa Sheer	P05-506	Bisque
Willa Sheer	P05-508	Chocolate
Willa Sheer	P05-504	Crystal
Willa Sheer	P05-502	Heirloom
Willa Sheer	P05-501	Ice
Willa Sheer	P05-507	Latte
Willa Sheer	P05-505	Light Taupe
Willa Sheer	P05-500	Snow White
Willa Sheer	P05-503	Soft Ivory
Willa Sheer	P05-509	Twilight

Lyssa Sheer		
Style Name	Color #	Color Name
Lyssa Sheer	P04-405	Blush
Lyssa Sheer	P04-400	Bridal White
Lyssa Sheer	P04-402	Crème
Lyssa Sheer	P04-401	Glacier White
Lyssa Sheer	P04-403	Light Lemon
Lyssa Sheer	P04-407	Tea

SHEER PLEATED MAXIMUM WIDTHS		% UV BLOCKAGE
Carousel	96"	60
Lyssa	96"	50
Nova	96"	60
Willa	83"	60

TRILIGHT CONFIGURATION SPECIFICATIONS

TRILIGHT – CONTINUOUS CORD LOOP



Features same headrail as continuous cord loop system.

Options:

- Color-Coordinated painted rails - no extra charge
 - Headrail, bottomrail, and middle rail, end caps, cord loops, and handles will color-coordinate to the bottom (honeycomb) fabric
- Fabric wrapped rails - surcharge applies
 - fabric wrapped headrail, bottomrail, and middle rail, end caps, cord loops, and handles will coordinate to the bottom (honeycomb) fabric
- Headrail can be fabric wrapped to match the top (sheer) fabric - surcharge applies
 - Rails, end caps, cord loops, and handles will color-coordinate to the bottom (honeycomb) fabric

NOTES:

- Right loop control operates the middle rail, left loop control operates the bottomrail.
- TriLight is not available with 3/8" single cell, 3/4" Sheer, 3/4" Semi-Sheer, 1-1/4", or Dimensions fabrics

Cut-outs are not available on TriLight Shades.

CONTINUOUS CORD LOOP SIZE STANDARDS				
	Honeycomb			2" Hybrid Pleat
	All 3/4" Semi-Opaque Fabrics	All 3/4" Blackout Fabrics	All 1/2" Double Cell Fabrics	All Fabrics
Min. Width (net)	24"	24"	24"	24"
Max. Width*	83" - 96"	83" - 96"	83" - 96"	83" - 96"
Max. Width-End Mount	48"	48"	48"	42"
Min. Height	12"	12"	12"	12"
Max. Height	96"	96"	96"	96"
Max. Area (sq. ft.)	64"	50"	50"	60"

* The bottom panel fabric width can be reduced by the ordered sheer fabric (top panel), if the sheer max width is less than the bottom panel max width.

FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions.
Measurements may vary +/- 1/8".

	Honeycomb	2" Hybrid Pleat
Inside (IB) Mounts		
Headrail unit	- 1/4"	- 1/4"
Shade height	ordered height	ordered height
Fabric width	- 3/8"	- 7/8"
End (EB) Mounts		
Headrail unit	- 1/2"	- 1/2"
Shade height	ordered height	ordered height
Fabric width	- 5/8"	- 1-1/8"
Outside (OB) Mount		
Headrail unit	ordered width	ordered width
Shade height	ordered height	ordered height
Fabric width	- 1/8"	- 5/8"

MOUNTING REQUIREMENTS

Use a metal tape measure for all measurements.

	Honeycomb	2" Hybrid Pleat
Inside (IB) & End (EB) Mounts		
Minimum mounting depth	3/4"	3/4"
Minimum mounting depth, flush mount:	2-1/8"	2-1/8"
Outside (OB) Mount		
Minimum flat vertical surface	1-1/2"	1-1/2"


NOTE: Inside mount with hold down brackets deductions:
Headrail -1/2"
Fabric -5/8"
Bottomrail -1/2"

FABRIC AND HARDWARE STACKING

- **HONEYCOMB CONTINUOUS CORD LOOP TRILIGHT:** Take 2-1/2" for rails, plus 1/8" for each 12" of honeycomb shade height, plus 1/8" for each 12" of pleated shade height.
- **2" HYBRID PLEAT CONTINUOUS CORD LOOP TRILIGHT:** Take 2-1/2" for rails, plus 1/4" for each 12" of shade height, plus 1/8" for each 12" of pleated shade height. Allow 1-1/2" for fabric fold over.

TRILIGHT CONFIGURATION SPECIFICATIONS

TRILIGHT – CORDLESS



Sheer pleated lifts and lowers from the middle rail. Honeycomb and 2" Hybrid Pleat lift and lower from the bottomrail. No lift cords are necessary.

Options:

- Color-Coordinated painted rails - no extra charge
– Headrail, bottomrail, and middle rail, end caps, cord loops, and handles will color-coordinate to the bottom (honeycomb) fabric
- Fabric wrapped rails - surcharge applies
– fabric wrapped headrail, bottomrail, and middle rail, end caps, cord loops, and handles will coordinate to the bottom (honeycomb) fabric
- Headrail can be fabric wrapped to match the top (sheer) fabric - surcharge applies
– Bottomrail, end caps, cord loops, and handles will color-coordinate to the bottom (honeycomb) fabric

NOTES:

- Shades over 42" will have two handles in the middle rail and two handles in the bottomrail. Single handle available, must be selected during order entry.
- Cordless TriLight is not available with 3/8" single cell, 3/4" Sheer, 3/4" Semi-Sheer, 3/4" Glimmer Blackout, 1-1/4", or Dimensions fabrics

Cut-outs are not available on TriLight Shades.

CORDLESS LIFT SIZE STANDARDS		
	Honeycomb	2" Hybrid Pleat
	All Fabrics*	All Fabrics
Min. Width (net)	16"	16"
Max. Width*	83" - 96"	83" - 96"
Max. Width-End Mount	48"	42"
Min. Height	12"	12"
Max. Height	84"	84"
Max. Area (sq. ft.)	70"	60"

FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions.
Measurements may vary +/- 1/8".

	Honeycomb	2" Hybrid Pleat
Inside (IB) Mounts		
Headrail unit	- 1/4"	- 1/4"
Shade height	ordered height	ordered height
Fabric width	- 3/8"	- 3/8"
End (EB) Mounts		
Headrail unit	- 1/2"	- 1/2"
Shade height	ordered height	ordered height
Fabric width	- 5/8"	- 5/8"
Outside (OB) Mount		
Headrail unit	ordered width	ordered width
Shade height	ordered height	ordered height
Fabric width	- 1/8"	- 1/8"

MOUNTING REQUIREMENTS

Use a metal tape measure for all measurements.

	Honeycomb	2" Hybrid Pleat
Inside (IB) & End (EB) Mounts		
Minimum mounting depth	3/4"	3/4"
Minimum mounting depth, flush mount:	2-1/8"	2-1/8"
Outside (OB) Mount		
Minimum flat vertical surface	1-1/2"	1-1/2"


NOTE: Inside mount with hold down brackets deductions:
Headrail -1/2"
Fabric -5/8"
Bottomrail -1/2"

FABRIC AND HARDWARE STACKING

- **HONEYCOMB CORDLESS TRILIGHT:** Take 2-1/2" for rails, plus 1/8" for each 12" of honeycomb shade height, plus 1/8" for each 12" of pleated shade height.
- **2" HYBRID PLEAT CORDLESS TRILIGHT:** Take 2-1/2" for rails, plus 1/4" for each 12" of shade height, plus 1/8" for each 12" of pleated shade height. Allow 1-1/2" for fabric fold over.

TRILIGHT CONFIGURATION SPECIFICATIONS

TRILIGHT – CORDLESS LIFT & LOCK



CORDLESS LIFT & LOCK SIZE STANDARDS				
	Honeycomb			2" Hybrid Pleat
	All 3/4" Semi-Opaque Fabrics	All 3/4" Blackout Fabrics	All 1/2" Double Cell Fabrics	All Fabrics
Min. Width (net)	12"	12"	12"	12"
Max. Width*	84"	84"	84"	84"
Max. Width-End Mount	48"	48"	48"	42"
Min. Height	12"	12"	12"	12"
Max. Height	84"	84"	84"	84"
Max. Area (sq. ft.)	49"	49"	49"	49"

* 3/8" single, 3/4" sheer/semi-sheer 1-1/4" and Dimensions fabrics are not available with TriLight.
 ** Willa Sheer max. width is 83".

Options:

- Color-Coordinated painted rails - no extra charge
 – Headrail, bottomrail, and middle rail, end caps, cord loops, and handles will color-coordinate to the bottom (honeycomb) fabric
- Fabric wrapped rails - surcharge applies
 – fabric wrapped headrail, bottomrail, and middle rail, end caps, cord loops, and handles will coordinate to the bottom (honeycomb) fabric

Must be specified when order is placed.

FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions.
 Measurements may vary +/- 1/8".

	Honeycomb	2" Hybrid Pleat
Inside (IB) Mounts		
Headrail unit	-1/4"	-1/4"
Shade height	Ordered Height	Ordered Height
Fabric width	-3/8"	-3/8"
End (EB) Mounts		
Headrail unit	-1/2"	-1/2"
Shade height	Ordered Height	Ordered Height
Fabric width	-5/8"	-5/8"
Outside (OB) Mount		
Headrail unit	Ordered Width	Ordered Width
Shade height	Ordered Height	Ordered Height
Fabric width	-1/8"	-1/8"

MOUNTING REQUIREMENTS

Use a metal tape measure for all measurements.

	Honeycomb	2" Hybrid Pleat
Inside (IB) & End (EB) Mounts		
Minimum mounting depth	1-1/4"	1-1/4"
Minimum mounting depth, flush mount:	2-1/4"	2-1/4"
End (OB) Mount		
Minimum flat vertical surface	2"	2"
Outside (OB) Mount		
Minimum flat vertical surface	1"	1"


Note: Inside mount with hold down brackets deductions:
 Headrail - 1/2", Fabric - 5/8", Bottomrail - 1/2"

FABRIC AND HARDWARE STACKING

- **HONEYCOMB CORDLESS LIFT & LOCK TRILIGHT:** Take 2-1/4" for bottomrail and intermediate rail, plus 5/8" for headrail, plus 1/8" for each 12" of honeycomb shade height, plus 1/8" for each 12" of pleated shade height.
- **2" HYBRID PLEAT CORDLESS LIFT & LOCK TRILIGHT:** Take 2-1/4" for bottomrail and intermediate rail, plus 5/8" for headrail, plus 1/4" for each 12" of shade height, plus 1/8" for each 12" of pleated shade height. Allow 1-1/2" for fabric fold over.

TRILIGHT CONFIGURATION SPECIFICATIONS

TRILIGHT – BLISS AUTOMATION



Sheer pleated lifts and lowers from the middle rail. Honeycomb and 2" Hybrid Pleat lift and lower from the bottomrail. No lift cords are necessary.

Options:

- Color-Coordinated painted rails - no extra charge
 - Headrail, bottomrail, and middle rail, end caps, cord loops, and handles will color-coordinate to the bottom (honeycomb) fabric
- Fabric wrapped rails - surcharge applies
 - fabric wrapped headrail, bottomrail, and middle rail, end caps, cord loops, and handles will coordinate to the bottom (honeycomb) fabric
- Headrail can be fabric wrapped to match the top (sheer) fabric - surcharge applies
 - Bottomrail, end caps, cord loops, and handles will color-coordinate to the bottom (honeycomb) fabric

NOTES:

- TriLight with Bliss Automation is not available with 3/8" single cell, 3/4" Sheer, 3/4" Semi-Sheer, 3/4" Glimmer Blackout, 1-1/4", or Dimensions fabrics

Cut-outs are not available on TriLight Shades.

BLISS AUTOMATION - SIZE STANDARDS				
	Honeycomb		2" Hybrid Pleat	
	All Available Fabrics*			
	Right Side Control	Left Side Control	Right Side Control	Left Side Control
Min. Width (net)	30-1/8"	35-1/8"	30-1/8"	35-1/8"
Max. Width*	83" - 96"	83" - 96"	83" - 96"	83" - 96"
Min. Height	18"	18"	18"	18"
Max. Height	96"	96"	96"	96"
Max. Area (sq. ft.)	n/a *	n/a	n/a	n/a

NOTE: H62 Serene FR Semi-Opaque, 65 MAX Sq Ft

End mount not available

*Not available with 1-1/4", Dimensions, and 3/8" fabrics

FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions.

	Honeycomb	Hybrid Pleat
Inside (IB) Mounts		
Headrail unit	– 1/4"	– 1/4"
Shade height	ordered height	ordered height
Fabric width	– 3/8"	– 3/8"
Outside (OB) Mount		
Headrail unit	ordered width	ordered width
Shade height	ordered height	ordered height
Fabric width	– 1/8"	– 1/8"

NOTE: Measurements may vary $\pm 1/8"$

MOUNTING REQUIREMENTS

Use a metal tape measure for all measurements.

Honeycomb & Hybrid Pleat	
Inside (IB) Mount	
Minimum mounting depth	3/4"
Minimum mounting depth, flush mount:	2-1/8"
Outside (OB) Mount	
Minimum flat vertical surface	1-1/2"

Honeycomb & Hybrid Pleat	
Inside (IB) Mount	
Minimum mounting depth	2-5/8"
Minimum mounting depth, flush mount	3-1/4"
Outside (OB) Mount	
Minimum flat vertical surface	1-1/2"

Note: Inside mount with hold down brackets deductions:
Headrail - 1/2", Fabric - 5/8", Bottomrail - 1/2"

FABRIC AND HARDWARE STACKING

- **HONEYCOMB CORDLESS LIFT & LOCK TRILIGHT:** Take 2-1/4" for bottomrail and intermediate rail, plus 5/8" for headrail, plus 1/8" for each 12" of honeycomb shade height, plus 1/8" for each 12" of pleated shade height.
- **2" HYBRID PLEAT CORDLESS LIFT & LOCK TRILIGHT:** Take 2-1/4" for bottomrail and intermediate rail, plus 5/8" for headrail, plus 1/4" for each 12" of shade height, plus 1/8" for each 12" of pleated shade height. Allow 1-1/2" for fabric fold over.

BLISS AUTOMATION CONFIGURATION SPECIFICATIONS

BLISS AUTOMATION LIFT 0.6 DC (EXTERNAL POWERSOURCE)



- DC= Requires External source of power
- Features the same headrail and bottomrail as Cordless Lift, and Continuous Cord Loop. Fabric wrapped rails are available for a **surcharge**. Color-coordinated rails are available at **no additional charge**. Must be specified when ordering.

SIZE STANDARDS			
	Bottom-Up		
	All Honeycomb Fabrics	2" Hybrid Pleat	1-1/4" and Dimensions
Minimum NET Width	18"	18"	24"
Maximum Width	120"	120"	120"
Minimum Height	12"	12"	12"
Maximum Height	108"	108"	108"

NOTE: Max height varies by width and fabric type. Refer to chart on page 52

End Mount not available

Minimum Panel Width for 1-1/4" Pleat is 24"

The minimum inside mount width is 19" when ordered with hold-down brackets

Note: Bliss Bottom-Up with external power source has a right side motor position only

2-on-1 HEADRAIL - SIZE STANDARDS			
	Bottom-Up		
	All Honeycomb Fabrics	2" Hybrid Pleat	1-1/4" and Dimensions
Minimum NET Width (per panel)	20"	20"	24"
Minimum NET Width (overall)	40" / 48" ***	40"	48"
Maximum Width (per panel)	120"	120"	120"
Maximum Width (overall)	144"	144"	144"
Minimum Height	12"	12"	12"
Maximum Height	108"	108"	108"

NOTE: Max height varies by width and fabric type. Refer to chart on page 52

Minimum Panel Width for 1-1/4" Pleat is 24"

FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions.

	Honeycomb	Hybrid Pleat	1-1/4" Pleat & Dimensions
Inside (IB) Mounts			
Headrail unit	- 1/4"	- 1/4"	- 3/8"
Shade height	ordered height	ordered height	ordered height
Fabric width	- 3/8"	- 3/8"	- 3/8"
Outside (OB) Mount			
Headrail unit	ordered width	ordered width	ordered width
Shade height	ordered height	ordered height	ordered height
Fabric width	- 1/8"	- 1/8"	- 1/8"

NOTE: Measurements may vary $\pm 1/8"$

MOUNTING REQUIREMENTS

Use a metal tape measure for all measurements.

Powersource Not Mounted on headrail

	Honeycomb & Hybrid Pleat	1-1/4" Pleat & Dimensions *
Inside (IB) Mount		
Minimum mounting depth	3/4"	1-3/4"
Minimum mounting depth, flush mount:	2-1/8"	3"
Outside (OB) Mount		
Minimum flat vertical surface	1-1/2"	1-1/2"

External Battery - Mounted to the back of the Headrail

	Honeycomb & Hybrid Pleat	1-1/4" Pleat & Dimensions
Inside (IB) Mount		
Minimum mounting depth	2-5/8"	3"
Minimum mounting depth, flush mount	3-1/4"	4-1/4"
Outside (OB) Mount		
Minimum flat vertical surface	1-1/2"	1-1/2"

Extension Brackets required for Battery - Mounted to the back of the Headrail

BLISS AUTOMATION CONFIGURATION SPECIFICATIONS

BLISS AUTOMATION BU & TDBU 0.6 LI-ION (INTERNAL BATTERY)



- Li-ion = Features Internal Battery
- Features the same headrail and bottomrail as Cordless Lift, and Continuous Cord Loop. Fabric wrapped rails are available for a **surcharge**. Color-coordinated rails are available at **no additional charge**. Must be specified when ordering.

SIZE STANDARDS				
	Bottom-Up		Top-Down/Bottom-Up	
	Honeycomb Fabrics	2" Hybrid Pleat	Right Side Control	Left Side Control
Minimum NET Width*	18-1/8"	18-1/8"	30"	35"
Maximum Width	120"	120"	120"	120"
Minimum Height	12"	12"	18"	18"
Maximum Height	108"	108"	108"	108"

NOTE: Max height varies by width and fabric type. Refer to chart on page 53
 End Mount not available
 Not available with 1-1/4" and Dimensions is 24"
 The minimum inside mount width is 19" when ordered with hold-down brackets

2-on-1 HEADRAIL - SIZE STANDARDS		
	Bottom-Up	
	Honeycomb Fabrics	2" Hybrid Pleat
Minimum NET Width (per panel)	20"	20"
Minimum NET Width (overall)	40"	40"
Maximum Width (per panel)	120"	120"
Maximum Width (overall)	144"	144"
Minimum Height	12"	12"
Maximum Height	108"	108"

NOTE: Max height varies by width and fabric type. Refer to chart on page 52
 Not available with 1-1/4" and Dimensions

FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions.

	Honeycomb	Hybrid Pleat
Inside (IB) Mounts		
Headrail unit	- 1/4"	- 1/4"
Shade height	ordered height	ordered height
Fabric width	- 3/8"	- 3/8"
Outside (OB) Mount		
Headrail unit	ordered width	ordered width
Shade height	ordered height	ordered height
Fabric width	- 1/8"	- 1/8"

NOTE: Measurements may vary $\pm 1/8"$

MOUNTING REQUIREMENTS

Use a metal tape measure for all measurements.

Internal Battery - Top-Down/Bottom-Up

Honeycomb & Hybrid Pleat	
Inside (IB) Mount	
Minimum mounting depth	3/4"
Minimum mounting depth, flush mount:	2-1/8"
Outside (OB) Mount	
Minimum flat vertical surface	1-1/2"

Honeycomb & Hybrid Pleat	
Inside (IB) Mount	
Minimum mounting depth	2-5/8"
Minimum mounting depth, flush mount	3-1/4"

Outside (OB) Mount	
Minimum flat vertical surface	1-1/2"

Extension Brackets required for Battery - Mounted to the **back** of the Headrail

SIZE STANDARDS – BLISS AUTOMATION

BLISS AUTOMATION MAXIMUM HEIGHTS Bottom-Up						
CODE	SHADE NET WIDTH TO:	18" – 72" *	84"	96"	108"	120"
3/8" Semi-Opaque						
H52	3/8" Bella Vista	108"	108"	108"	108"	108"
H44	3/8" Marcella	108"	108"	108"	108"	108"
H40	3/8" Opulence	108"	108"	108"	108"	108"
3/8" Blackout						
					60 Sq Ft Max - Over 96"	
H55	3/8" Bella Vista Blackout	108"	108"	108"	80"	72"
					60 Sq Ft Max - Over 96"	
H41	3/8" Opulence Blackout	108"	108"	108"	80"	72"
3/4" Semi-Opaque						
					85 Sq Ft Max - Over 96"	
H72	3/4" Bella Vista	108"	108"	108"	108"	102"
H91	3/4" Cardiff	108"	108"	108"	108"	108"
H80	3/4" Fiesta	108"	108"	108"	108"	108"
HS3	3/4" Glimmer	108"	108"	108"	108"	108"
H27	3/4" Linen	108"	108"	108"	108"	108"
H45	3/4" Marcella	108"	108"	108"	108"	108"
HX6	3/4" Melodic	108"	108"	108"	108"	108"
H92	3/4" Mirada	108"	108"	108"	108"	108"
H28	3/4" Opulence	108"	108"	108"	108"	108"
					60 Sq Ft Max - Over 96"	
H96	3/4" Peaceful	108"	108"	108"	80"	72"
HF6	3/4" Radiance	108"	108"	108"	108"	108"
					65 Sq Ft Max - Up to 96"	
H62	3/4" Serene FR	108"	108"	97"	67"	60"
3/4" Sheer & Semi-Sheer						
H25	3/4" Tiffany Sheer	108"	108"	108"	108"	108"
					60 Sq Ft Max - Over 96"	
H24	3/4" Tranquility Semi-Sheer	108"	108"	108"	80"	72"
3/4" Blackout						
					65 Sq Ft Max - Over 96"	
H75	3/4" Bella Vista Blackout	108"	108"	108"	87"	78"
					50 Sq Ft Max - Over 96"	
H81	3/4" Fiesta Blackout	108"	108"	108"	67"	60"
					50 Sq Ft Max - Over 96"	
HS4	3/4" Glimmer Blackout	108"	108"	108"	67"	60"
					60 Sq Ft Max - Over 96"	
H46	3/4" Marcella Blackout	108"	108"	108"	80"	72"
					65 Sq Ft Max - Over 96"	
H29	3/4" Opulence Blackout	108"	108"	108"	87"	78"
HF7	3/4" Radiance Blackout	108"	108"	108"	108"	108"
					50 Sq Ft Max - Over 96"	
H60	3/4" Serene FR Blackout	108"	108"	108"	67"	60"
Double Cell						
					70 Sq Ft Max - Over 96"	
H47	1/2" Marcella Double Cell	108"	108"	108"	93"	84"
					60 Sq Ft Max - Over 96"	
H39	1/2" Opulence Double Cell	108"	108"	108"	80"	72"
					65 Sq Ft Max - Over 96"	
HF5	1/2" Radiance Double Cell	108"	108"	108"	87"	78"
1-1/4" Semi-Opaque & Blackout (n/a with Internal Battery)						
					55 Sq Ft Max - Over 96"	
H77	1-1/4" Bella Vista	108"	108"	108"	73"	66"
					50 Sq Ft Max - Over 96"	
H78	1-1/4" Bella Vista Blackout	108"	108"	108"	67"	60"
2" Hybrid Pleat Semi-Opaque & Blackout						
					50 Sq Ft Max - Over 96"	
HPF	2" Hybrid Pleat - Semi-Opaque	108"	108"	108"	67"	60"
					45 Sq Ft Max - Up to 96"	
HP96	2" Peaceful Allure Hybrid Pleat - Semi-Opaque	90"	77"	67"	40"	36"
					55 Sq Ft Max - Up to 96"	
HPR	2" Hybrid Pleat - Blackout	108"	94"	82"	53"	48"
					40 Sq Ft Max - Over 96"	
Dimensions - Semi-Opaque (n/a with Internal Battery)						
					30 Sq Ft Max - Up to 96"	
DM96	Peaceful Allure Dimensions - Semi-Opaque	60"	50"	44"	26"	24"

NOTES:

DC = Requires External source of power

LI-ion = Features Internal Battery

1) Minimum Panel Width for 1-1/4" and Dimensions is 24"

2) 2-on-1 Minimum Panel Width 20" (24" for 1-1/4" & Dimensions)

3) 2-on-1 Maximum Width (overall) is 144"

4) For fabrics showing less than 108" Drop @ 72" wide, a square foot restriction applies and is noted

SIZE STANDARDS – BLISS AUTOMATION

BLISS AUTOMATION MAXIMUM HEIGHTS Top-Down / Bottom-Up						
CODE	SHADE NET WIDTH TO:	30" – 72" *	84"	96"	108"	120"
3/8" Semi-Opaque						
H52	3/8" Bella Vista	108"	108"	108"	108"	108"
H44	3/8" Marcella	108"	108"	108"	108"	108"
H40	3/8" Opulence	108"	108"	108"	108"	108"
3/8" Blackout						
					60 Sq Ft Max - Over 96"	
H55	3/8" Bella Vista Blackout	108"	108"	108"	80"	72"
					60 Sq Ft Max - Over 96"	
H41	3/8" Opulence Blackout	108"	108"	108"	80"	72"
3/4" Semi-Opaque						
					85 Sq Ft Max - Over 96"	
H72	3/4" Bella Vista	108"	108"	108"	108"	102"
H91	3/4" Cardiff	108"	108"	108"	108"	108"
H80	3/4" Fiesta	108"	108"	108"	108"	108"
HS3	3/4" Glimmer	108"	108"	108"	108"	108"
H27	3/4" Linen	108"	108"	108"	108"	108"
H45	3/4" Marcella	108"	108"	108"	108"	108"
HX6	3/4" Melodic	108"	108"	108"	108"	108"
H92	3/4" Mirada	108"	108"	108"	108"	108"
H28	3/4" Opulence	108"	108"	108"	108"	108"
					60 Sq Ft Max - Over 96"	
H96	3/4" Peaceful	108"	108"	108"	80"	72"
HF6	3/4" Radiance	108"	108"	108"	108"	108"
				65 Sq Ft Max - Up to 96"		50 Sq Ft Max - Over 96"
H62	3/4" Serene FR	108"	108"	97"	67"	60"
3/4" Sheer & Semi-Sheer						
H25	3/4" Tiffany Sheer	108"	108"	108"	108"	108"
					60 Sq Ft Max - Over 96"	
H24	3/4" Tranquility Semi-Sheer	108"	108"	108"	80"	72"
3/4" Blackout						
					65 Sq Ft Max - Over 96"	
H75	3/4" Bella Vista Blackout	108"	108"	108"	87"	78"
					50 Sq Ft Max - Over 96"	
H81	3/4" Fiesta Blackout	108"	108"	108"	67"	60"
					50 Sq Ft Max - Over 96"	
HS4	3/4" Glimmer Blackout	108"	108"	108"	67"	60"
					60 Sq Ft Max - Over 96"	
H46	3/4" Marcella Blackout	108"	108"	108"	80"	72"
					65 Sq Ft Max - Over 96"	
H29	3/4" Opulence Blackout	108"	108"	108"	87"	78"
HF7	3/4" Radiance Blackout	108"	108"	108"	108"	108"
					50 Sq Ft Max - Over 96"	
H60	3/4" Serene FR Blackout	108"	108"	108"	67"	60"
Double Cell						
					70 Sq Ft Max - Over 96"	
H47	1/2" Marcella Double Cell	108"	108"	108"	93"	84"
					60 Sq Ft Max - Over 96"	
H39	1/2" Opulence Double Cell	108"	108"	108"	80"	72"
					65 Sq Ft Max - Over 96"	
HF5	1/2" Radiance Double Cell	108"	108"	108"	87"	78"
2" Hybrid Pleat Semi-Opaque & Blackout						
					50 Sq Ft Max - Over 96"	
HPF	2" Hybrid Pleat - Semi-Opaque	108"	108"	108"	67"	60"
				45 Sq Ft Max - Up to 96"		30 Sq Ft Max - Over 96"
HP96	2" Peaceful Allure Hybrid Pleat - Semi-Opaque	90"	77"	67"	40"	36"
				55 Sq Ft Max - Up to 96"		40 Sq Ft Max - Over 96"
HPR	2" Hybrid Pleat - Blackout	108"	94"	82"	53"	48"

NOTES:

- 1) Not available with 1-1/4" or Dimensions fabrics
- 2) For fabrics showing less than 108" Drop @ 72" wide, a square foot restriction applies and is noted
- 3) Minimum Width for Top-Down/Bottom-Up is 30" **Right Side Control** & 35" **Left Side Control**
Control Side indicates where the Charging Port and Reset/Programming button are located

SOMFY AUTOMATION CONFIGURATION SPECIFICATIONS

SOMFY AUTOMATION

- Features the same headrail and bottomrail as Cordless Lift, and Continuous Cord Loop. Fabric wrapped rails are available for a **surcharge**. Color-coordinated rails are available at **no additional charge**. Must be specified when ordering.



SOMFY AUTOMATION - SIZE STANDARDS		
	Bottom-Up	
	Honeycomb Fabrics	2" Hybrid Pleat
Minimum NET Width*	18"	18"
Maximum Width	120"	120"
Minimum Height	12"	12"
Maximum Height	108"	108"

NOTE: Max height varies by width and fabric type. Refer to chart on page 55

End Mount not available

Note: not Available with 1-1/4" & Dimensions

***The minimum inside mount width is 19" when ordered with hold-down brackets**

SOMFY AUTOMATION - 2-on-1 HEADRAIL SIZE STANDARDS		
	Bottom-Up	
	All Honeycomb Fabrics	2" Hybrid Pleat
Minimum NET Width (per panel)	18"	18"
Minimum NET Width (overall)	36"	36"
Maximum Width (per panel)	120"	120"
Maximum Width (overall)	144"	144"
Minimum Height	12"	12"
Maximum Height	108"	108"

NOTE: Max height varies by width and fabric type. Refer to chart on page 55

End Mount not available

Note: not Available with 1-1/4" & Dimensions

FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions.

	Honeycomb	Hybrid Pleat
Inside (IB) Mounts		
Headrail unit	- 1/4"	- 1/4"
Shade height	ordered height	ordered height
Fabric width	- 3/8"	- 3/8"
Outside (OB) Mount		
Headrail unit	ordered width	ordered width
Shade height	ordered height	ordered height
Fabric width	- 1/8"	- 1/8"

NOTE: Measurements may vary $\pm 1/8"$

MOUNTING REQUIREMENTS

Use a metal tape measure for all measurements.

Powersource Not Mounted on Headrail

Honeycomb & Hybrid Pleat

Inside (IB) Mount	
Minimum mounting depth	3/4"
Minimum mounting depth, flush mount:	2-1/8"
Outside (OB) Mount	
Minimum flat vertical surface	1-1/2"

External Battery - Mounted to the **back** of the Headrail

Honeycomb & Hybrid Pleat

Inside (IB) Mount	
Minimum mounting depth	2-5/8"
Minimum mounting depth, flush mount:	3-1/4"
Outside (OB) Mount	
Minimum flat vertical surface	1-1/2"

Extension Brackets required for Battery - Mounted to the **back** of the Headrail

SOMFY AUTOMATION SIZE STANDARDS

SOMFY AUTOMATION MAXIMUM HEIGHTS Bottom-Up						
CODE	SHADE NET WIDTH TO:	18" – 72" *	84"	96"	108"	120"
3/8" Semi-Opaque						
H52	3/8" Bella Vista	108"	108"	108"	108"	108"
H44	3/8" Marcella	108"	108"	108"	108"	108"
H40	3/8" Opulence	108"	108"	108"	108"	108"
3/8" Blackout						
					80 Sq Ft Max - Over 96"	
H55	3/8" Bella Vista Blackout	108"	108"	108"	106"	96"
					80 Sq Ft Max - Over 96"	
H41	3/8" Opulence Blackout	108"	108"	108"	106"	96"
3/4" Semi-Opaque						
H72	3/4" Bella Vista	108"	108"	108"	108"	108"
H91	3/4" Cardiff	108"	108"	108"	108"	108"
H80	3/4" Fiesta	108"	108"	108"	108"	108"
HS3	3/4" Glimmer	108"	108"	108"	108"	108"
H27	3/4" Linen	108"	108"	108"	108"	108"
H45	3/4" Marcella	108"	108"	108"	108"	108"
HX6	3/4" Melodic	108"	108"	108"	108"	108"
H92	3/4" Mirada	108"	108"	108"	108"	108"
H28	3/4" Opulence	108"	108"	108"	108"	108"
					80 Sq Ft Max - Over 96"	
H96	3/4" Peaceful	108"	108"	108"	106"	96"
HF6	3/4" Radiance	108"	108"	108"	108"	108"
					65 Sq Ft Max - Over 96"	
H62	3/4" Serene FR	108"	108"	108"	86"	78"
3/4" Sheer & Semi-Sheer						
H25	3/4" Tiffany Sheer	108"	108"	108"	108"	108"
					80 Sq Ft Max - Over 96"	
H24	3/4" Tranquility Semi-Sheer	108"	108"	108"	106"	96"
3/4" Blackout						
					85 Sq Ft Max - Over 96"	
H75	3/4" Bella Vista Blackout	108"	108"	108"	108"	102"
					70 Sq Ft Max - Over 96"	
H81	3/4" Fiesta Blackout	108"	108"	108"	93"	84"
					70 Sq Ft Max - Over 96"	
HS4	3/4" Glimmer Blackout	108"	108"	108"	93"	84"
					80 Sq Ft Max - Over 96"	
H46	3/4" Marcella Blackout	108"	108"	108"	106"	96"
					85 Sq Ft Max - Over 96"	
H29	3/4" Opulence Blackout	108"	108"	108"	108"	102"
HF7	3/4" Radiance Blackout	108"	108"	108"	108"	108"
					70 Sq Ft Max - Over 96"	
H60	3/4" Serene FR Blackout	108"	108"	108"	93"	84"
Double Cell						
					85 Sq Ft Max - Over 96"	
H47	1/2" Marcella Double Cell	108"	108"	108"	108"	102"
					80 Sq Ft Max - Over 96"	
H39	1/2" Opulence Double Cell	108"	108"	108"	106"	96"
					85 Sq Ft Max - Over 96"	
HF5	1/2" Radiance Double Cell	108"	108"	108"	108"	102"
2" Hybrid Pleat Semi-Opaque & Blackout						
					70 Sq Ft Max - Over 96"	
HPF	2" Hybrid Pleat - Semi-Opaque	108"	108"	108"	93"	84"
					65 Sq Ft Max - Up to 96"	
HP96	2" Peaceful Allure Hybrid Pleat - Semi-Opaque	108"	108"	86"	40"	36"
					55 Sq Ft Max - Over 96"	
HPR	2" Hybrid Pleat - Blackout	108"	108"	108"	73"	66"

NOTES:

- 1) SOMFY Automation **not available** with 1-1/4" or Dimensions
- 2) 2-on-1 **Minimum Panel Width 18"**
- 3) 2-on-1 **Maximum Width (overall)** is 144"
- 4) For fabrics showing less than 108" Drop @ 72" wide, a square foot restriction applies and is noted

POWERWAND CONFIGURATION SPECIFICATIONS

POWERWAND



Powerwand - SIZE STANDARDS	
Single Panel	
	Honeycomb Fabrics
Minimum NET Width - Bottom-Up	21"
Maximum Width	120"
Minimum Height	12"
Maximum Height	108"

NOTE: Max height varies by width and fabric type. Refer to chart on page 57
 The minimum inside mount width is 22" when ordered with hold-down bracket
 Powerwand is not available with 1-1/4", Hybrid pleat or Dimensions
PLEASE NOTE- At narrower widths the bottomrail may not travel smoothly during operation. This is an inherent characteristic and not considered a defect.

Powerwand - SIZE STANDARDS	
Two-on-One Headrail	
	Honeycomb Fabrics
Minimum NET Width - Per Panel	24-1/4"
Minimum NET Width - Overall	48-1/2"
Maximum Width - Per Panel	120"
Maximum Width - Overall	144"
Minimum Height	12"
Maximum Height	108"

NOTE: Max height varies by width and fabric type. Refer to chart on page 57
 Powerwand is not available with 1-1/4", Hybrid pleat or Dimensions

FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions.

Honeycomb

Inside (IB) Mounts	
Headrail unit	- 1/4"
Shade height	ordered height
Fabric width	- 3/8"
Outside (OB) Mount	
Headrail unit	ordered width
Shade height	ordered height
Fabric width	- 1/8"

NOTE: Measurements may vary $\pm 1/8"$

NOTE: PowerWand is **not available** with Hybrid Pleat, 1-1/4" & Dimensions fabrics

MOUNTING REQUIREMENTS

Use a metal tape measure for all measurements.

Honeycomb

Inside (IB) Mount	
Minimum mounting depth	3/4"
Minimum mounting depth, flush mount:	2-1/8"
Outside (OB) Mount	
Minimum flat vertical surface	1-1/2"

POWERAND SIZE STANDARDS

POWERWAND MAXIMUM HEIGHTS Bottom-Up						
CODE	SHADE NET WIDTH TO:	21" – 72"	84"	96"	108"	120"
3/8" Semi-Opaque						
H52	3/8" Bella Vista	108"	108"	108"	108"	108"
H44	3/8" Marcella	108"	108"	108"	108"	108"
H40	3/8" Opulence	108"	108"	108"	108"	108"
3/8" Blackout						
					60 Sq Ft Max - Over 96"	
H55	3/8" Bella Vista Blackout	108"	108"	108"	80"	72"
					60 Sq Ft Max - Over 96"	
H41	3/8" Opulence Blackout	108"	108"	108"	80"	72"
3/4" Semi-Opaque						
					85 Sq Ft Max - Over 96"	
H72	3/4" Bella Vista	108"	108"	108"	108"	102"
H91	3/4" Cardiff	108"	108"	108"	108"	108"
H80	3/4" Fiesta	108"	108"	108"	108"	108"
HS3	3/4" Glimmer	108"	108"	108"	108"	108"
H27	3/4" Linen	108"	108"	108"	108"	108"
H45	3/4" Marcella	108"	108"	108"	108"	108"
HX6	3/4" Melodic	108"	108"	108"	108"	108"
H92	3/4" Mirada	108"	108"	108"	108"	108"
H28	3/4" Opulence	108"	108"	108"	108"	108"
					60 Sq Ft Max - Over 96"	
H96	3/4" Peaceful	108"	108"	108"	80"	72"
HF6	3/4" Radiance	108"	108"	108"	108"	108"
					65 Sq Ft Max - Up to 96"	
H62	3/4" Serene FR	108"	108"	97"	67"	60"
3/4" Sheer & Semi-Sheer						
H25	3/4" Tiffany Sheer	108"	108"	108"	108"	108"
					60 Sq Ft Max - Over 96"	
H24	3/4" Tranquility Semi-Sheer	108"	108"	108"	80"	72"
3/4" Blackout						
					65 Sq Ft Max - Over 96"	
H75	3/4" Bella Vista Blackout	108"	108"	108"	87"	78"
					50 Sq Ft Max - Over 96"	
H81	3/4" Fiesta Blackout	108"	108"	108"	67"	60"
					50 Sq Ft Max - Over 96"	
HS4	3/4" Glimmer Blackout	108"	108"	108"	67"	60"
					60 Sq Ft Max - Over 96"	
H46	3/4" Marcella Blackout	108"	108"	108"	80"	72"
					65 Sq Ft Max - Over 96"	
H29	3/4" Opulence Blackout	108"	108"	108"	87"	78"
HF7	3/4" Radiance Blackout	108"	108"	108"	108"	108"
					50 Sq Ft Max - Over 96"	
H60	3/4" Serene FR Blackout	108"	108"	108"	67"	60"
Double Cell						
					70 Sq Ft Max - Over 96"	
H47	1/2" Marcella Double Cell	108"	108"	108"	93"	84"
					60 Sq Ft Max - Over 96"	
H39	1/2" Opulence Double Cell	108"	108"	108"	80"	72"
					65 Sq Ft Max - Over 96"	
HF5	1/2" Radiance Double Cell	108"	108"	108"	87"	78"

NOTES:


- 1) PowerWand is not available with Hybrid Pleat, 1-1/4", and Dimensions
- 2) PowerWand minimum width is 21"
- 3) 2-on-1 Minimum Panel Width 48-1/2"
- 4) 2-on-1 Maximum Width (overall) is 144"

VERTICAL APPLICATION CONFIGURATION SPECIFICATIONS


NOTE: Use metal tape measure for all measurements. Measures to 1/8 inch.

VERTICAL APPLICATION

- Fits rectangular window and door openings
- Opens and closes from side to side; ideal for sliding glass doors & French doors
- Five fabric stacking options:
 - 1) left stack
 - 2) right stack
 - 3) split stack (center opening)
 - 4) center stack
 - 5) two fabric combo



Top Rail Dimensions



VERTICAL APPLICATION – SIZE STANDARDS

	Honeycomb				2" Hybrid Pleat	2" Hybrid Pleat	1-1/4" pleat
	Sheer Fabric	3/4" Fabrics	3/4" Serene Fabric	All 3/4" Blackout Fabrics	Peaceful Allure	Semi-Opaque & Blackout	Semi-Opaque & Blackout Fabrics
Min. Width	12"	12"	12"	12"	12"	12"	12"
Max. Width Side & Center Stack	120"	168"	168"	168"	120"	120"	120"
Max. Width Split Stack	240"	336"	336"	336"	240"	240"	240"
Max. Width Two Fabric Combo	120"	168"	168"	168"			120"
Min. Height	24"	24"	24"	24"	24"	24"	24"
Max. Height	120"	120"	120"	120"	120"	120"	120"
Max Sq. ft. Side & Center Stack	100" / panel	140" / panel	120" / panel	120" / panel	100"	100"	100" / panel
Max Sq. ft. Split Stack	100" / panel	140" / panel	120" / panel	120" / panel	100" / panel	100" / panel	100" / panel
Max Sq. ft. Two Fabric Combo	100" / panel	140" / panel	120" / panel	120" / panel	N/A	N/A	100" / panel

Vertical Application not available with any 3/8", 3/8" blackout, 3/4" semi sheer, 1/2" double cell, or Dimensions

*HS4 - 3/4" Glimmer Blackout Max Sq. ft is 100 for Side Stack and Split Stack

NOTE: Stack is 6-1/2" space per side when fully opened, regardless of shade width

NOTE: The Vertical Application headrail color is Aspen White (785)

- Split stack up to 336"
- TFC not available for Hybrid Pleat
 - Hardware color follows the fabric that stacks on the left
 - CANNOT combine two different pleat sizes
 - Max width use the smaller of the two fabrics

Standard Valance Returns	
3/4" Pleat	3-1/4"
1-1/4" Pleat.	4"
Hybrid Fabric.	4-3/8"

VERTICAL APPLICATION CONFIGURATION SPECIFICATIONS

NOTE: Use metal tape measure for all measurements. Measures to 1/8 inch.

FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions.

	Honeycomb	2" Hybrid Pleat
Inside (IB) Mount		
Headrail unit	-1/2"	-1/2"
Shade height	- 1/2"	- 1/2"
Valance width (non-flush)	+ 1"	+ 1-1/4"
Valance width (flush)	- 1/8"	- 1/8"
Outside (OB) Mount		
Headrail unit	-1/2"	-1/2"
Shade height	ordered height	ordered height
Valance width	+ 1.25"	+ 1.25"
Standard Returns		
Outside Mount	3-1/8"	4-1/4"
Inside Non Flush Mount *	1-1/2"	1-1/2"

NOTE: Measurements may vary $\pm 1/8"$

MOUNTING REQUIREMENTS

Use a metal tape measure for all measurements.

	Honeycomb	2" Hybrid Pleat
Inside (IB) Mount		
Minimum mounting depth	15/16"	15/16"
Minimum mounting depth, flush mount	3-5/8"	4-1/2"
Outside (OB) Mount		
Minimum flat vertical surface	5/8"	5/8"

*For each spacer block, 1/2" will be added to the length of the valance returns. For extension brackets, 2" will be added unless otherwise specified.

HARDWARE COLOR

- Refer to the hardware color Guide and reference guide for the 10 coordinating configuration colors available.
- The Vertical Application headrail color is always Aspen White (785)

EXCLUSIONS

- All 3/8", 3/4" Semi-Sheer, Double Cell or Dimensions


VERTICAL APPLICATION ORDERING NOTES

- | | |
|---|--|
| <ul style="list-style-type: none"> • Specify inside (IB), outside (OB), inside non flush mount or flush mount. • Specify stacking configuration – left stack, right stack, split stack, or center stack. On split stack shades, both panels will be of equal width, unless otherwise specified. Center stacks are a surcharge option. • Inside non flush mount valance returns are 1-1/2" if returns are selected* • Standard handle height is 40" to 50" from bottom of moving rail; specify any desired variation from this standard.
*Override height location will be the center of the handle. | <ul style="list-style-type: none"> • Standard installation hardware (brackets) provided. • 2" Hybrid Pleat handles will be clear. • Also refer to vertical application measuring in "General Information" section. <p>NOTE: Cut-outs can be done on movable and stationary rail. 1" is the only cut-out width available for Vertical Application shades. 6" is the maximum cut-out height and the height is measured from the floor to the top of the desired cut-out location.</p> <p>Cut-outs are not available on 2" Hybrid Pleat.</p> |
|---|--|

CLASSIC SKYLIGHT CONFIGURATION SPECIFICATIONS


NOTE: Use metal tape measure for all measurements. Measures to 1/8 inch.

CLASSIC SKYLIGHT




This easy to operate system holds shades in place. Perfect for skylights and other windows beyond reach.



- Hardware color: Aspen White (785)
- Manually operated with handle
- Ends of headrail, moving rail and anchor rail are enclosed by side tracks
- Features a two-cell fabric gasket attached to the headrail; eliminates light leakage when shade is closed
- 5' adjustable extension pole – extends to 10'



Note: Pleats will have a vertical orientation when side stack is ordered.



Optional Extension Pole
Extends 5' to 10'
(Part #400036-81511)



CLASSIC SKYLIGHT – SIZE STANDARDS

	Honeycomb
	All Fabrics *
Min. Width	18"
Max. Width	60"
Min. Height	6"
Max. Height	72"
Max Area (sq. ft.)	25

* Classic Skylight not available with any 2" Hybrid Pleat, or Dimensions fabrics

NOTE: Shades over 36" wide require support cords.
Rail stiffener is required when shade is over 42" wide.

CLASSIC SKYLIGHT SIDE STACK – SIZE STANDARDS

	Honeycomb
	All Fabrics *
Min. Width	6"
Max. Width	72"
Min. Height	18"
Max. Height	60"
Max Area (sq. ft.)	25

* Classic Skylight not available with 1-1/4", 2" Hybrid Pleat, or Dimensions fabrics

FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions.

Inside (IB) Mount	
Headrail unit	- 3/16"
Shade height	ordered height
Fabric width	- 3/4"
Outside (OB) Mount	
Headrail unit	+ 3/4"
Shade height	ordered height
Fabric width	ordered width

NOTE: All finished dimensions include side tracks.

NOTE: Measurements may vary ± 1/8"

MOUNTING REQUIREMENTS

Use a metal tape measure for all measurements.

Inside (IB) Mounts	3/8" Single
Minimum mounting depth IB:	1"
Minimum mounting depth, flush mount:	1-11/16"
Outside (OB) Mount	3/8" Single
Minimum flat vertical surface	5/8"
Inside (IB) Mounts	3/4" Single and 1/2" Double
Minimum mounting depth IB:	1-1/4"
Minimum mounting depth, flush mount:	2-1/2"
Outside (OB) Mount	3/4" Single and 1/2" Double
Minimum flat vertical surface	1"

SKYLIGHT WITH AUTOMATION CONFIGURATION SPECIFICATIONS

NOTE: Use metal tape measure for all measurements. Measures to 1/8 inch.

SKYLIGHT WITH AUTOMATION

Skylights with Automation are different than Classic Skylight.

Key differences include:

- Headrail and Bottomrail are identical and are the same rail used with standard Motorized shades.



Bliss and SOMFY Automation:

- Fabric stacks to the top of the window – between the moving rail and headrail



Features

- Inside Mount only
- White Tiara (661) aluminum head and bottom rails. White vinyl side rails
- Use radio frequency controlled Bliss Automation or Somfy motors
- Wireless remote control operates individual or groups of shades

Operation & Installation Tips

- Skylight with Bliss and Somfy Automation have the option of an external battery pack that can be installed on the back of the headrail. Consider adding 48" Extension Cable (Part #62207000) to the order for installation flexibility. The part may be daisy-chained for additional flexibility.
- Shades installed into windows with metal casings may have a reduced radio frequency range, or may not operate at all.
- Do not let the antenna on the motor touch any metal objects. This may interfere with signals from the remote control.
- Make sure to leave the top of the headrail open (motor exposed), do not cover; especially with metal materials. This could result in a reduced radio frequency range for the remote control or the shade may not operate at all.
- Motorized Skylights will NOT operate properly if installed in a completely horizontal application. The minimum recommended slope is 5%.

SKYLIGHT with AUTOMATION - SIZE STANDARDS

All Honeycomb Fabrics *	
Minimum Width	18"
Maximum Width	48"
Minimum Height	12"
Maximum Height	72"

* Skylight with Automation not available with 1-1/4", 2" Hybrid Pleat, or Dimensions.

FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions.

Inside (IB) Mount	
Headrail unit	– 3/16"
Shade height	ordered height
Fabric width	– 1-1/4"

HEADRAIL & BOTTOMRAIL DIMENSIONS

Depth of Rail	2"
Depth of Rail & Bracket	2-1/4"
Depth of Rail, Side Tracks & Bracket	2-1/2"
Height of Rail	1-1/2"

NOTE: Skylight with Automation is **not available** with 2" Hybrid Pleat, Dimensions, or 1-1/4" Fabrics

NOT AVAILABLE with PowerWand.

MOUNTING REQUIREMENTS

- Should not be more than 1/2" out of square to perform as intended
- The widest width of the window cannot exceed the narrowest width of the window by more than 3/8"
- The shade must be mounted with the fabric stack at the top or highest point in the window.

Bliss and Somfy Automation

External Battery - Mounted away from the Headrail

Inside (IB) Mounts	
Minimum mounting depth, IB	2-1/2"

External Battery - Mounted to the back of the Headrail

Inside (IB) Mounts	
Minimum mounting depth, IB	3-1/2"

NOTE:

The dimensions of the external battery add an extra 1" to the mounting depth requirements if it is mounted to the back of the headrail.

SPECIALTY SIZE STANDARDS & MEASURING INFORMATION

NOTE: Use metal tape measure for all measurements. Measures to 1/8 inch.

ARCHES

Refer to "Extra Charge Options" for Surcharge and Price Information

INSIDE MOUNT

Locate shape below.
Width: Measure exact width(s)
Height: Measure exact height(s)

OUTSIDE MOUNT

Locate shape below.
Width: Measure desired width(s)
Height: Measure desired height(s)

FAN-FOLD ARCHES


NON-MOVABLE ARCH (PERFECT ARCH = EXACT 1/2 CIRCLE, TEMPLATE REQUIRED)

FAN-FOLD STATIONARY PERFECT ARCH

Must be perfect arch.



Come standard with arch disc



Width (Diameter)



	SIZE STANDARDS		
	Honeycomb		
	3/4" Semi-Opaque & Sheer	All 3/4" Blackout	3/8" Semi-Opaque, 3/8" Blackout, and Double Cell
Min. Width	12"	12"	12"
Max. Width	84"	60"	60"
Min. Height	6"	6"	6"
Max. Height	42"	30"	30"


Not available with 2" Hybrid Pleat, Dimensions, 1-1/4", 3/4" Peaceful, 3/4" Semi-Sheer, or 3/4" Glimmer Semi-Opaque

Note: Straight Side Arch is Not Available with Fan-Fold Stationary Perfect Arch


MOVABLE ARCH (PERFECT ARCH = EXACT 1/2 CIRCLE, TEMPLATE REQUIRED)

FAN-FOLD OPERABLE PERFECT ARCH

Must be perfect arch. Specify L or R arch orientation when ordering.



Shown Here - Fan Fold Left



Width (Diameter)



	SIZE STANDARDS		
	Honeycomb		
	3/4" Semi-Opaque & Sheer	All 3/4" Blackout	3/8" Semi-Opaque, 3/8" Blackout, and Double Cell
Min. Width	12"	12"	12"
Max. Width	84"	60"	60"
Min. Height	6"	6"	6"
Max. Height	42"	30"	30"

Not available with 2" Hybrid Pleat, Dimensions, 1-1/4", 3/4" Peaceful, 3/4" Semi-Sheer, or 3/4" Glimmer Semi-Opaque

Note: Straight Side Arch is Not Available with Fan-Fold Operable Perfect Arch

Note: all fan-fold arches require the use of small, clear clips to be installed around the outer edge, which holds the fabric in place. The fabric must be slid out of the clips before the arch can be operated.


NON-MOVABLE ELLIPTICAL ARCH (TEMPLATE REQUIRED)

FAN-FOLD STATIONARY ELLIPTICAL ARCH

Non-perfect arch.



Come standard with arch disc



Width (Diameter)



	SIZE STANDARDS		
	Honeycomb		
	3/4" Semi-Opaque & Sheer	All 3/4" Blackout	3/8" Semi-Opaque, 3/8" Blackout, and Double Cell
Min. Width	12"	12"	12"
Max. Width	84"	60"	60"
Min. Height	1/4 width (6" min)	1/4 width (6" min)	1/4 width (6" min)
Max. Height	1/2" width	1/2" width	1/2" width


Not available with 2" Hybrid Pleat, Dimensions, 1-1/4", 3/4" Peaceful, 3/4" Semi-Sheer, or 3/4" Glimmer Semi-Opaque

Note: Straight Side Arch is Not Available with Fan-Fold Stationary Elliptical Arch


TOP-DOWN MOVABLE ARCH (TEMPLATE REQUIRED)

TOP-DOWN OPERABLE PERFECT ARCH

Must be perfect arch. (Template required)



Fabric Pleats Oriented Horizontally.



Width (Diameter)

	SIZE STANDARDS		
	Honeycomb		
	3/4" Semi-Opaque & Sheer	All 3/4" Blackout	3/8" Semi-Opaque, 3/8" Blackout, and Double Cell
Min. Width	18"	18"	18"
Max. Width	84"	60"	60"
Min. Height	6"	6"	6"
Max. Height	42"	30"	30"

Not available with 2" Hybrid Pleat, Dimensions, 1-1/4", 3/4" Peaceful, 3/4" Semi-Sheer, or 3/4" Glimmer Semi-Opaque



Optional Top-Down Movable Arch Extension Pole
Extends 5' to 10' (Part #400037-0007)


Available as Inside (IB) Mount ONLY

Specify arch trim at order entry:


661 Tiara White
320 Rich Cream

TOP-DOWN OPERABLE ELLIPTICAL ARCH

Non-perfect arch. (Template required)



Fabric Pleats Oriented Horizontally.



Width (Diameter)

	SIZE STANDARDS		
	Honeycomb		
	3/4" Semi-Opaque & Sheer	All 3/4" Blackout	3/8" Semi-Opaque, 3/8" Blackout, and Double Cell
Min. Width	18"	18"	18"
Max. Width	84"	60"	60"
Min. Arch Height	1/4 width	1/4 width	1/4 width
Max. Height	60"	60"	60"

Not available with 2" Hybrid Pleat, Dimensions, 1-1/4", 3/4" Peaceful, 3/4" Semi-Sheer, or 3/4" Glimmer Semi-Opaque

If width more than 66", Max Length 60", Width more than 72", max Length 48", MAX Height - 60" FOR ALL FABRICS

Top-down arches will have a "flared" look to them when lowered. This is a natural characteristic of this product.

Arch trim kit included with Top-Down arches - available in White Tiara (661) & Rich Cream (320) - See the hardware guides for color example.

SPECIALTY SIZE STANDARDS & MEASURING INFORMATION

NOTE: Use metal tape measure for all measurements. Measures to 1/8 inch.

CIRCLES, QUARTER CIRCLES & ANGLE CUTS (TEMPLATE REQUIRED)

Refer to "Extra Charge Options" for Surcharge and Price Information


INSIDE MOUNT

Locate shape of window.
 Width: Measure exact width(s)
 Height: Measure exact height(s)
 Diagonal: Measure height of diagonal(s) (for Angle Cuts)


OUTSIDE MOUNT

Locate shape of window.
 Width: Measure desired width(s)
 Height: Measure desired height(s)
 Diagonal: Measure length of diagonal(s) (for Angle Cuts)

CIRCLES & QUARTER CIRCLE (TEMPLATE REQUIRED)



All Available	
Min. Width	12"
Max. Width	42"
NON-OPERABLE	




All Available	
Min. Width	12"
Max. Width	42"
NON-OPERABLE	

• Not Available with: 1-1/4", 2" Hybrid Pleat, Dimensions, 3/4" Semi-Sheer, 3/4" Sparkle Semi-Opaque

ANGLE CUTS (TEMPLATE REQUIRED)

ANGLED TOP (TEMPLATE REQUIRED)



ANGLED TOP - Operable



	All 3/8" Semi- Opaque	All 3/4" Sheer and Semi-Opaque	All 3/8" & 3/4" Blackout	All Available Double Cell
Minimum Height (L/R)	12"	12"	12"	12"
Maximum Height	84"	84"	72"	84"
Maximum Area (sq ft)	35	35	35	30
MINIMUM SLOPE WIDTH				
0 - 30 Angle	12"	12"	12"	12"
MAXIMUM SLOPE WIDTH				
0 - 30 Angle	60"	60"	60"	60"

ANGLED TOP - Non-Operable

	All 3/8" Semi- Opaque	All 3/4" Sheer and Semi-Opaque	All 3/8" & 3/4" Blackout	All Available Double Cell
Minimum Height (L/R)	3"	3"	3"	3"
Maximum Height	84"	84"	72"	84"
Maximum Area (sq ft)	35	35	35	35
MINIMUM SLOPE WIDTH				
0 - 30 Angle	12"	12"	12"	12"
MAXIMUM SLOPE WIDTH				
0 - 30 Angle	60"	60"	60"	60"


Angle Top n/a with: 3/4" Semi-Sheer, all 1-1/4" fabrics, 2" Hybrid Pleat, and Dimensions

HEXAGON & OCTAGON (TEMPLATE REQUIRED)



- Not Available with: 1-1/4", 2" Hybrid Pleat, Dimensions, 3/4" Semi-Sheer, 3/4" Sparkle Semi-Opaque
- Maximum width and maximum height – 30"
- Non-Operable ONLY

TRAPEZOID (ALL PATTERNS) (TEMPLATE REQUIRED)



- Minimum width – 8"
- Maximum width of long rail – 72"
- Maximum reduction for short rail – 9" per side
- Maximum height – 96"
- Maximum area (sq. ft.) – 40
- Non-Operable ONLY

OPTIONS: EXTRA CHARGE

- **Angle Cut**add \$135
(includes Angle Top, Hexagon, Octagon & Trapezoid)
- **Circle** – price as (width price x 1.3) using the Stationary Arch price chart for the fabric desired. Use exact width desired when ordering. (Template required.)
- **Quarter Circle** – price as (width price x 1.3) using the Stationary Arch price chart for the fabric desired. Use exact width desired when ordering.

SPECIALTY SIZE STANDARDS & MEASURING INFORMATION

NOTE: Use metal tape measure for all measurements. Measures to 1/8 inch.

ARCHES & QUARTER CIRCLES

FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions.

Inside (IB) Mount	
Rail unit	- 3/16"
Arch height	ordered height
Fabric width	- 3/8"
Outside (OB) Mount	
Rail unit	+ 3/16"
Arch height	ordered height
Fabric width	ordered width

NOTE: Measurements may vary \pm 1/8"

MOUNTING REQUIREMENTS

Inside (IB) Mount	3/8" Single
Minimum mounting depth:	
Standard installation bracket	1"
Minimum mounting depth, flush mount:	
Standard installation bracket	1-1/2"
Outside (OB) Mount	3/8" Single
Minimum flat vertical surface	5/8"
Inside (IB) Mount	3/4" Single, 1/2" Double
Minimum mounting depth:	
Standard installation bracket	1-1/4"
Minimum mounting depth, flush mount:	
Standard installation bracket	2-1/4"
Outside (OB) Mount	3/4" Single, 1/2" Double
Minimum flat vertical surface	1"

CIRCLES

FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions.

Inside (IB) Mount	
Rail unit	- 1/16"
Arch height	- 3/32"
Fabric width	- 3/8"
Outside (OB) Mount	
Rail unit	+ 3/32"
Arch height	+ 1/32"
Fabric width	ordered width

NOTE: Measurements may vary \pm 1/8"

MOUNTING REQUIREMENTS

Use a metal tape measure for all measurements.

Inside (IB) Mount	3/8" Single
Minimum mounting depth	1-1/8"
Inside (IB) Mount	3/4" Single, 1/2" Double
Minimum mounting depth	1-7/8"
Outside (OB) Mount	3/4" Single, 1/2" Double
Minimum flat vertical surface	5/8"

ANGLES

FINISHED DIMENSIONS

Finished dimensions vary depending on the degree of the angle.

NOTE: Measurements may vary \pm 1/8"

MOUNTING REQUIREMENTS

SAME AS ARCHES & QUARTER CIRCLES

SPECIALTY SHAPES

FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions.

Inside (IB) Mount	
Rail unit	- 3/16"
Arch height	ordered height
Fabric width	- 3/8"
Outside (OB) Mount	
Rail unit	+ 3/16"
Arch height	ordered height
Fabric width	ordered width

NOTE: Measurements may vary \pm 1/8"

MOUNTING REQUIREMENTS

SAME AS ARCHES & QUARTER CIRCLES

SIZE STANDARDS SUMMARY BY CONFIGURATION & FABRIC

HONEYCOMB									2" HYBRID PLEAT		
3/8" Single Cell - Semi- Opaque	3/8" Single Cell - Blackout	3/4" Single Cell - Sheer and Semi-Sheer	3/4" Single Cell - Semi- Opaque	3/4" Single Cell - Blackout	1/2" Double Cell Semi- Opaque	1-1/4" Single Cell - Semi- Opaque	1-1/4" Single Cell - Blackout	Peaceful Allure - Dimensions	Peaceful Allure - Hybrid Pleat	Semi-Opaque & Blackout	

Standard Cordlock

Min Width (net) *	8"	8"	8"	8"	8"	8"	N/A	N/A	N/A	N/A	N/A
Max Width	72"	72"	72"	72"	72"	72"					
Max Width - End Mount	36"	36"	36"	36"	36"	36"					
Min Height	12"	12"	12"	12"	12"	12"					
Max Height	120"	120"	120"	120"	120"	120"					
Max Area (Sq/Ft)	50	60	50	50	60	50					

Standard Cordlock - Top-Down & Top-Down/Bottom-Up

Min Width (net) *	10"	10"	10"	10"	10"	10"	N/A	N/A	N/A	N/A	N/A
Max Width	60"	60"	60"	60"	60"	60"					
Max Width - End Mount	36"	36"	36"	36"	36"	36"					
Min Height	12"	12"	12"	12"	12"	12"					
Max Height	96"	96"	96"	96"	96"	96"					
Max Area (Sq/Ft)	50	60	50	50	60	50					

* If width < 12", max height = 80"

Standard Cordlock - Two-Fabric Combo

Min Width (net) *	N/A	N/A	10"	10"	10"	10"	N/A	N/A	N/A	N/A	N/A
Max Width			72"	72"	72"	72"					
Max Width - End Mount			36"	36"	36"	36"					
Min Height			12"	12"	12"	12"					
Max Height			96"	96"	96"	96"					
Max Area (Sq/Ft)			50	50	60	50					

* If width < 12", max height = 80"

Standard Cordlock - Two-On-One Headrail

Min Width (per panel) (net) *	8"	8"	8"	8"	8"	8"	N/A	N/A	N/A	N/A	N/A
Min Width (overall)	16"	16"	16"	16"	16"	16"					
Max Width (per panel)	72"	72"	72"	72"	72"	72"					
Max Width (overall)	144"	144"	144"	144"	144"	144"					
Max Width - End Mount	36"	36"	36"	36"	36"	36"					
Min Height	12"	12"	12"	12"	12"	12"					
Max Height	120"	120"	120"	120"	120"	120"					
Max Area (Sq/Ft)	50	60	50	50	60	50					

Continuous Cord Loop

Min Width (net)	18"	18"	18"	18"	18"	18"	N/A	N/A	N/A	18"	18"
Max Width	144"	144"	174"	174"	144"	144"				120"	120"
Max Width - End Mount	48"	48"	48"	48"	48"	48"				42"	42"
Min Height	6"	6"	6"	6"	6"	6"				12"	12"
Max Height	96"	96"	144"	144"	144"	144"				120"	120"
Max Area (Sq/Ft)	90	80	150	150	100	80				60	60

*3/4" Glimmer Blackout and 3/4" Fiesta Blackout MAX 60 Sq Feet

Continuous Cord Loop - Top-Down/Bottom-Up

Min Width (net)	24"	24"	24"	24"	24"	24"	N/A	N/A	N/A	24"	24"
Max Width	144"	144"	144"	144"	144"	144"				120"	120"
Max Width - End Mount	48"	48"	48"	48"	48"	48"				42"	42"
Min Height	8"	8"	8"	8"	8"	8"				12"	12"
Max Height	96"	96"	144"	144"	144"	144"				120"	120"
Max Area (Sq/Ft)	90	80	150	150	100	80				60	60

*3/4" Glimmer Blackout and 3/4" Fiesta Blackout MAX 60 Sq Feet

Continuous Cord Loop - Two-On-One Headrail

Min Width (per panel) (net)	18"	18"	18"	18"	18"	18"	N/A	N/A	N/A	18"	18"
Min Width (overall)	36"	36"	36"	36"	36"	36"				36"	36"
Max Width (per panel)	144"	144"	144"	144"	144"	144"				102"	102"
Max Width (overall)	174"	174"	174"	174"	174"	174"				120"	120"
Min Height	6"	6"	6"	6"	6"	6"				12"	12"
Max Height	96"	96"	144"	144"	144"	144"				120"	120"
Max Area (Sq/Ft)	90	80	150	150	100	80				60	60

*3/4" Glimmer Blackout and 3/4" Fiesta Blackout MAX 60 Sq Feet

SIZE STANDARDS SUMMARY BY CONFIGURATION & FABRIC

	HONEYCOMB								2" HYBRID PLEAT		
	3/8" Single Cell - Semi-Opaque	3/8" Single Cell - Blackout	3/4" Single Cell - Sheer and Semi Sheer	3/4" Single Cell - Semi-Opaque	3/4" Single Cell - Blackout	1/2" Double Cell - Semi-Opaque	1-1/4" Single Cell - Semi-Opaque	1-1/4" Single Cell - Blackout	Peaceful Allure - Dimensions	Peaceful Allure - Hybrid Pleat	Semi-Opaque Blackout

Cordless Lift System

Min Width (net)	16"	N/A	16"	16"	16"	16"	16"	16"	16"	16"	16"	
Max Width	120"		120"	120"	120"	120"	120"	120"	120"	96"	120"	120"
Max Width - End Mount	48"		48"	48"	48"	48"	48"	48"	48"	42"	42"	42"
Min Height	12"		12"	12"	12"	12"	12"	12"	12"	12"	12"	12"
Max Height	84"		84"	84"	84"	84"	84"	84"	84"	84"	84"	84"
Max Area (Sq/Ft)	70		70	70	70	70	60	60	60	60	60	60

Cordless Lift - Two-On-One Headrail

Min Width (per panel) (net)	16"	N/A	16"	16"	16"	16"	16"	16"	N/A	16"	16"	
Min Width (overall)	32"		32"	32"	32"	32"	32"	32"		32"	32"	32"
Max Width (per panel)	120"		120"	120"	120"	96"	96"	96"		100"	100"	100"
Max Width (overall)	174"		174"	174"	174"	120"	120"	120"		120"	120"	120"
Min Height	12"		12"	12"	12"	12"	12"	12"		12"	12"	12"
Max Height	84"		84"	84"	84"	84"	84"	84"		84"	84"	84"
Max Area (per panel) (Sq/Ft)	70	70	70	70	60	60	60	60	60	60		

Cordless Lift - Three-On-One Headrail

Min Width (per panel) (net)	16"	N/A	16"	16"	16"	16"	N/A	N/A	N/A	16"	16"	
Min Width (overall)	32"		48"	48"	48"	48"				48"	48"	48"
Max Width (per panel)	120"		120"	120"	120"	120"				120"	104"	104"
Max Width (overall)	174"		174"	174"	174"	174"				174"	120"	120"
Min Height	12"		12"	12"	12"	12"				12"	12"	12"
Max Height	84"		84"	84"	84"	84"				84"	84"	84"
Max Area (per panel) (Sq/Ft)	70	70	70	70	70	70	60	60				

Cordless Lift System - Top-Down/ Bottom-Up

Min Width (net)	16"	N/A	16"	16"	16"	16"	18"	18"	N/A	16"	16"
Max Width	120"		120"	120"	120"	120"	96"	96"		120"	120"
Max Width - End Mount	48"		48"	48"	48"	48"	N/A	N/A		42"	42"
Min Height	12"		12"	12"	12"	12"	12"	12"		12"	12"
Max Height	84"		84"	84"	84"	84"	84"	84"		84"	84"
Max Area (Sq/Ft)	70		70	70	70	70	56	56		60	60

Cordless Lift System - Two Fabric Combo

Min Width (net)	N/A	N/A	16"	16"	16"	N/A	N/A	N/A	N/A	N/A	N/A
Max Width			84"	84"	84"						
Max Width - End Mount			36"	36"	36"						
Min Height			12"	12"	12"						
Max Height			84"	84"	84"						
Max Area (Sq/Ft)			42	42	42						

Cordless Lift & Lock

Min Width (net)	N/A	N/A	10"	10"	10"	10"	N/A	N/A	10"	10"	10"
Max Width			84"	84"	84"	84"			84"	84"	84"
Max Width - End Mount			48"	48"	48"	48"			48"	48"	48"
Min Height			12"	12"	12"	12"			12"	12"	12"
Max Height			84"	84"	84"	84"			84"	84"	84"
Max Area (Sq/Ft)			49	49	49	49			49	49	49

Cordless Lift & Lock - Two-On-One Headrail

Min Width (per panel) (net)	N/A	N/A	10"	10"	10"	10"	N/A	N/A	10"	10"	10"
Min Width (overall)			20"	20"	20"	20"			20"	20"	20"
Max Width (per panel)			84"	84"	84"	84"			84"	84"	84"
Max Width (overall)			168"	168"	168"	168"			168"	168"	168"
Min Height			12"	12"	12"	12"			12"	12"	12"
Max Height			84"	84"	84"	84"			84"	84"	84"
Max Area (per panel) (Sq/Ft)	49	49	49	49	49	49	49				

Cordless Lift & Lock - Three-On-One Headrail

Min Width (per panel) (net)	N/A	N/A	10"	10"	10"	10"	N/A	N/A	10"	10"	10"
Min Width (overall)			30"	30"	30"	30"			30"	30"	30"
Max Width (per panel)			84"	84"	84"	84"			84"	84"	84"
Max Width (overall)			168"	168"	168"	168"			168"	168"	168"
Min Height			12"	12"	12"	12"			12"	12"	12"
Max Height			84"	84"	84"	84"			84"	84"	84"
Max Area (per panel) (Sq/Ft)	49	49	49	49	49	49	49				

Cordless Lift & Lock - Top-Down/ Bottom-Up

Min Width (net)	N/A	N/A	16"	16"	16"	16"	N/A	N/A	N/A	16"	16"
Max Width			84"	84"	84"	84"				84"	84"
Max Width - End Mount			48"	48"	48"	48"				48"	48"
Min Height			12"	12"	12"	12"				12"	12"
Max Height			84"	84"	84"	84"				84"	84"
Max Area Overall (Sq/Ft)			49	49	49	49				49	49

TriLight Shades - Continuous Cord Loop

Min Width (net)	N/A	N/A	N/A	24"	24"	24"	N/A	N/A	N/A	24"	24"	
Max Width				83" - 96"	83" - 96"	83" - 96"				83" - 96"	83" - 96"	83" - 96"
Max Width - End Mount				48"	48"	48"				48"	48"	48"
Min Height				12"	12"	12"				12"	12"	12"
Max Height				96"	96"	96"				96"	96"	96"
Max Area (Sq/Ft)				64	50	50				60	60	60

* The HC fabric (bottom panel) max width can be reduced by the ordered PLE fabric (top panel), if PLE max width < HC max width.

** Willa Sheer maximum width is 83"

TriLight Shades - Cordless

Min Width (net)	N/A	N/A	N/A	16"	16"	16"	N/A	N/A	N/A	16"	16"
Max Width				83" - 96"	83" - 96"	83" - 96"				83" - 96"	83" - 96"
Max Width - End Mount				48"	48"	48"				48"	48"
Min Height				12"	12"	12"				12"	12"
Max Height				84"	84"	84"				84"	84"
Max Area (Sq/Ft)				70	70	70				70	70

* The HC fabric (bottom panel) max width can be reduced by the ordered PLE fabric (top panel), if PLE max width < HC max width.

** Willa Sheer maximum width is 83"

TriLight Shades - Cordless Lift & Lock

Min Width (net)	N/A	N/A	N/A	12"	12"	12"	N/A	N/A	N/A	12"	12"
Max Width				84"	84"	84"				84"	84"
Max Width - End Mount				48"	48"	48"				48"	48"
Min Height				12"	12"	12"				12"	12"
Max Height				84"	84"	84"				84"	84"
Max Area (Sq/Ft)				49	49	49				49	49

* The HC fabric (bottom panel) max width can be reduced by the ordered PLE fabric (top panel), if PLE max width < HC max width.

** Willa Sheer maximum width is 83"

SIZE STANDARDS SUMMARY BY CONFIGURATION & FABRIC

HONEYCOMB										2" HYBRID PLEAT		
3/8" Single Cell - Semi-Opaque	3/8" Single Cell - Blackout	3/4" Single Cell - Sheer	3/4" Single Cell - Semi-Opaque	3/4" Single Cell - Serene Semi-Opaque	3/4" Single Cell - Blackout	1/2" Double Cell Semi-Opaque	1-1/4" Single Cell - Semi-Opaque	1-1/4" Single Cell - Blackout	Peaceful Allure - Dimensions	Peaceful Allure - Hybrid Pleat	Semi-Opaque & Blackout	

Vertical Application

Min Width	N/A	N/A	12"	12"	12"	12"	N/A	12"	12"	N/A	12"	12"
Max Width Side & Center Stack			120"	168"	168"	168"		120"	120"		120"	120"
Max Width Split Stack			240"	336"	336"	336"		240"	240"		240"	240"
Max Width Two Fabric Combo			120"	168"	168"	168"		120"	120"		N/A	N/A
Min Height			24"	24"	24"	24"		24"	24"		24"	24"
Max Height			120"	120"	120"	120"		120"	120"		120"	120"
Max Area Side & Center Stack			100/ Panel	140/ Panel	120/ Panel	120/ Panel		100/ Panel	100/ Panel		100/ Panel	100/ Panel
Max Area Split Stack			100/ Panel	140/ Panel	120/ Panel	120/ Panel		100/ Panel	100/ Panel		100/ Panel	100/ Panel
Max Area Two Fabric Combo			100/ Panel	140/ Panel	120/ Panel	120/ Panel		100/ Panel	100/ Panel		N/A	N/A

Note: Sheer only, not available on Semi-Sheer.

HONEYCOMB										2" HYBRID PLEAT		
3/8" Single Cell - Semi-Opaque	3/8" Single Cell - Blackout	3/4" Single Cell - Sheer and Semi-Sheer	3/4" Single Cell - Semi-Opaque	3/4" Single Cell - Blackout	1/2" Double Cell Semi-Opaque	1-1/4" Single Cell - Semi-Opaque	1-1/4" Single Cell - Blackout	Peaceful Allure - Dimensions	Peaceful Allure - Hybrid Pleat	Semi-Opaque & Blackout		

Classic Skylight

Min Width	18"	18"	18"	18"	18"	18"	N/A	N/A	N/A	N/A	N/A
Max Width	60"	60"	60"	60"	60"	60"					
Min Height	6"	6"	6"	6"	6"	6"					
Max Height	72"	72"	72"	72"	72"	72"					
Max Area (Sq/Ft)	25	25	25	25	25	25					

Classic Skylight – Side Stack

Min Width	6"	6"	6"	6"	6"	6"	N/A	N/A	N/A	N/A	N/A
Max Width	72"	72"	72"	72"	72"	72"					
Min Height	18"	18"	18"	18"	18"	18"					
Max Height	60"	60"	60"	60"	60"	60"					
Max Area (Sq/Ft)	25	25	25	25	25	25					

Skylight with Bliss or SOMFY Automation

Min Width	18"	18"	18"	18"	18"	18"	N/A	N/A	N/A	N/A	N/A
Max Width	48"	48"	48"	48"	48"	48"					
Min Height	12"	12"	12"	12"	12"	12"					
Max Height	72"	72"	72"	72"	72"	72"					
Max Area (Sq/Ft)	N/A	N/A	N/A	N/A	N/A	N/A					

Non-Movable Perfect Arch (Fan-Fold)

Min Width	12"	12"	12"	12"	12"	12"	N/A	N/A	N/A	N/A	N/A
Max Width	60"	60"	84"	60"	84"	60"					
Min Height	6"	6"	6"	6"	6"	6"					
Max Height	30"	30"	42"	30"	42"	30"					

n/a with Semi-Sheer or Glimmer Semi-Opaque

Movable Perfect Arch (Fan-Fold)

Min Width	12"	12"	12"	12"	12"	12"	N/A	N/A	N/A	N/A	N/A
Max Width	60"	60"	84"	60"	84"	60"					
Min Height	6"	6"	6"	6"	6"	6"					
Max Height	30"	30"	42"	30"	42"	30"					

n/a with Semi-Sheer or Glimmer Semi-Opaque

Non-Movable Elliptical Arch (Fan-Fold)

Min Width	12"	12"	12"	12"	12"	12"	N/A	N/A	N/A	N/A	N/A
Max Width	60"	60"	84"	60"	84"	60"					
Min Height	1/4 width (6" minimum)										
Max Height	1/2 width										

n/a with Semi-Sheer or Glimmer Semi-Opaque

Top-Down Movable Perfect Arch

Min Width	18"	18"	18"	18"	18"	18"	N/A	N/A	N/A	N/A	N/A
Max Width	60"	60"	84"	60"	84"	60"					
Min Height	6"	6"	6"	6"	6"	6"					
Max Height	30"	30"	42"	30"	42"	30"					

n/a with Semi-Sheer or Glimmer Semi-Opaque

Top-Down Movable Elliptical Arch

Min Width	18"	18"	18"	18"	18"	18"	N/A	N/A	N/A	N/A	N/A
Max Width	84"	60"	84"	84"	60"	84"					
Min Height	1/4" width	1/4" width	1/4" width	1/4" width	1/4" width	1/4" width					
Max Height	60"	60"	60"	60"	48"	60"					

n/a with Semi-Sheer or Glimmer Semi-Opaque