

Wing
Archery Equipment
1972


SHOOTS BETTER, IS BETTER!

Welcome to the world of Wing Archery. Whether you are a beginner looking for a new and demanding sport, or an old timer who knows the thrill of competition shooting and bowhunting, we think you'll find many things of interest throughout these pages.

This is the big year for archery with many exciting tournaments capped, in the fall of the year, by the 1972 Olympic target competition to be held in Munich, Germany. The increased, worldwide attention to archery is sure to swell the number of ardent archers throughout the globe.

And this is a big year for Wing Archery Company. Of the many changes and innovations in the Wing line for 1972, perhaps the most exciting is the introduction of new WING-WOOD high-density exotic hardwood in the riser section of many Wing bows. The result of advanced technology by Wing Archery and AMF, Incorporated, new WINGWOOD is harder, tougher, lasts longer and is more beautiful than previously used riser material. We think you'll be just as excited and just as pleased about this innovation in bow making as we are.

Everyone in the Wing organization invites you to look through the pages of this, Wing's 20th Anniversary Catalog, and become part of a most personally fulfilling sport.



A MESSAGE FROM BOB LEE.


Archery is a bold and dramatic sport, demanding the best of both the archer and his equipment.

Because I, personally, have been so deeply involved in the sport of archery for so many years, I really appreciate the demands on both. This is just one reason why, when I founded Wing Archery Company more than two decades ago, I dedicated the plant to the production of only the finest, highest-quality archery equipment of all types.

That's what you'll find in the pages of this catalog. The best archery equipment you can buy, anywhere. I know, because this year, as in all the previous years, I have personally contributed to the design of each piece as well as tested each design thoroughly and to my satisfaction.


All of us here at Wing Archery are dedicated to the making of archery equipment of meticulous design and unvarying quality so that every archer can experience a more enjoyable, rewarding sport.

One final thing about this new Wing equipment. It is equipment of singular beauty that is really exciting to see and hold. I hope that you will go to your nearest sporting goods dealer and see for yourself just what strides have been made in this great sport by Wing Archery for 1972.



Bot See

President
WING ARCHERY COMPANY



WING TARGET BOWS

PRESENTATION II

The ultimate achievement in bow making. In looks, feel and performance, no other bow made meets the standards of this exceptional bow. Heralded as one of the world's finest target and hunting bows, the Presentation II target model serves as the basis for the styling for all Wing bows.

Wing's exclusive limb-coupling feature, found only on the Presentation II, allows quick and easy changing of limbs. Three sets of limbs are available in a variety of draw weights for maximum versatility. After target season is over, merely replace the target limbs with the 62" hunting limbs and go after your trophy with the same, familiar bow in your hand.

A sight window cut well past center insures plenty of adjustment for any size arrow. Five stabilizer positions and a built-in stabilizer insert adapter are provided for exact mass and stability adjustments. The carefully designed grip of Presentation II discourages torquing during draw, thus greatly improving consistency and accuracy.

STANDARD EQUIPMENT includes: Padded Vinyl Case (specify Long or Short), Stabilizer Insert Adapter, Wing Flip Rest, Pro String with monofilament serving.

OPTIONAL EQUIPMENT: Wing Stabilizer (p., 20), Wing Sight Extension (p. 19), Wing Adjustable, Spring-Loaded Panic Button (p., 17), Bow Quiver Adapter Limb Bolts (p. 17), Bow Quiver (p. 17), Quick-Attach Fishing Reel (p. 16), Custom Carrying Case (p., 14), Bow Stringer (p., 17).

AMO Lengths: 62", 68", 70" 68" and 70"—25 to 50 lbs. Weights: 62"—Stocked in 40, 45, 50, and 55 lbs. for 35, 60 and 65 lbs, please allow additional delivery time.

Riser: Black WINGWOOD and EAST INDIAN ROSEWOOD, with a decorative Ebony and Pearl cap. Glass Color: 70" and 68"—White; 62"— Black

Catalog order: 115 (complete) Handle only: 116 Limbs only: 117 (pair)

All specifications in this catalog are in accordance with standards of the Archery Manufacturers Organization.

WHITE WING

The White Wing duplicates most of the superb features of Presentation II, but at a lower cost. For beauty as well as function, the riser section is of new WINGWOOD with an eyecatching, contrasting cap. Beauty in appearance only accents beauty of design in White Wing. The sight window, cut well past center, insures maximum performance with any arrow. The grip fits your hand in such a way that torquing effects are minimized. White Wing—an outstanding hallmark of excellence in a competitively priced bow.

STANDARD EQUIPMENT includes: Padded Vinyl Bow Case, Stabilizer Insert Adapter, Wing Flip Rest, Pro String with monofilament serving.

OPTIONAL EQUIPMENT: Wing Stabilizer (p. 20), Wing Sight Extension (p. 19), Wing Adjustable, Spring-Loaded Panic Button (p. 17), Bow Stringer (p. 17).

AMO Lengths: 68" and 70"
Weights: 25 to 50 lbs, at 28" draw length
Riser: New WINGWOOD with contrasting
color cap
Glass Color: White

Catalog order: 118


SWIFT WING

Heavily influenced by the design of Presentation II, Swift Wing is a fine target bow as well as an excellent choice in hunting bows, Its standard 66" length also lends itself to use as a ladies' tournament bow, Swift Wing is an economically priced bow, but with features found only on more expensive counterparts. An exceptionally handsome bow, Swift Wing's riser features new WINGWOOD.

STANDARD EQUIPMENT includes: Built-In Stabilizer Insert Adapter, Wing Flip Rest, # 701 Bow string.

OPTIONAL EQUIPMENT:
Padded Vinyl Case (p. 14), Wing Stabilizer (p. 20), Wing Sight Extension (p. 19), Wing Adjustable, Spring-Loaded Panic Button (p. 17), Pro String with monofilament serving (p. 16), Bow Stringer (p. 17).

AMO Length: 66"
Weights: 25 to 40 lbs, at 28" draw length (also available in hunting weights 45, 50, and 55 lbs.)
Riser: WINGWOOD
Glass Color, White
Catalog order, 119





WING HUNTING BOWS

PRESENTATION II HUNTER

By using 62" limbs on this versatile bow, Presentation II becomes one of bowhunting's most admired trophy winners. The added mass of new WINGWOOD in the riser section contributes to increased accuracy, increased consistency. The smoothness of advanced limb design gives extra speed and maximum cast to every shot. Standard equipment includes such extras as a padded vinyl bow case (specify Long or Short), stabilizer insert adapter, and bow guiver adapter screws. The ultimate in convenience is the exclusive limb-coupling feature of Presentation II, quickly converting the bow from a fine target model to a superb hunting bow. With limbs taken down, transportation to the field is easier than ever. Presentation II Hunterthe confidence and consistency that comes only from a top competition bow, coupled with the rugged, nononsense strength and power of a serious hunter's bow

OPTIONAL EQUIPMENT: Wing Stabilizer (p. 20), Wing Sight Extension (p. 19), Wing Adjustable, Spring-Loaded Panic Button (p. 17), Wing Hunting Sight (p. 20), Wing Bow Quiver, (p. 17), Wing Quick-Attach Fishing Reel (p. 16), Custom Carrying Case (p. 14), Bow Stringer (p. 17).

AMO Lengths: 62" also available, 68" and 70"

Weights: 62"—Stocked in 40, 45, 50 and 55 lbs, For 35, 60 and 65 lbs,, please allow additional delivery time.

Riser: Black WINGWOOD and EAST INDIAN ROSEWOOD, with a decorative Ebony and Pearl cap. Glass Color: Black

Catalog order: 115 (complete)
Handle only: 116
Limbs only: 117 (pair)

THUNDERBIRD

Rugged, solid and masculine, Thunderbird is an all bowhunter's bow. With a distinctive riser section of new, high-density WINGWOOD, the Thunderbird has plenty of mass weight for added accuracy. Along with many other design features borrowed from the Presentation II Hunter, Thunderbird's limb design provides the perfect combination of smoothness and maximum cast. Available in 54" length for the hunter looking for real compactness in tight areas, and in 62" length for the hunter who likes the feel and added stability of a longer bow. Included as standard equipment are insert adapters to accommodate Wing's ultra-lite Bow Quiver and Quick-Attach Bow Fishing Reel.

OPTIONAL EQUIPMENT: Wing Bow Quiver (p. 17), Wing Hunting Sight (p. 20), Wing Quick-Attach Fishing Reel (p. 16), Bow Stringer (p. 17),

AMO Lengths: 54" and 62"
Weights: Stocked in 40, 45, 50, and
55 lbs. For 35, 60, 65, and 70 lbs,
please allow additional delivery
time.

Riser: Black WINGWOOD Glass Color: Black Catalog order: **120** (62") and **121** (54")

RED WING HUNTER

The standard of excellence in hunting bows. Since its introduction, no other bow has matched the acclaim and respect professional game hunters have given Red Wing Hunter. Rugged, functional, without fancy frills, Red Wing Hunter is the reliable bow that consistently performs without excuses. While many bow makers try to copy Red Wing, you'll find no other match in the hunting field, Standard equipment includes inserts for Wing's Bow Quiver and Quick-Attach Fishing Reel. The Red Wing Hunter comes in two lengths to suit any hunter's needs. Both lengths travel compactly and easily. Red Wing Hunter styling features a new WING-WOOD riser section for strength and beauty, and glass of natural brown.

OPTIONAL EQUIPMENT: Wing Bow Quiver (p. 17), Wing Hunting Sight (p. 20), Wing Quick-Attach Fishing Reel (p. 16), Bow Stringer (p. 17).

AMO Lengths: 52" and 58"
Weights: Stocked in 40, 45, 50, and 55
Ibs, For 35, 60, 65 and 70 lbs,
please allow additional delivery
time.

Riser: WINGWOOD Glass Color: Brown Catalog order: **122** (58") and **123** (52").





WING UTILITY BOWS

FALCON

More than just a beginner's bow, Falcon has full working recurves, a form-fitting handle, wide overdraw and full-center sight window for the real excitement of archery. The Falcon offers performance and design features usually found only in more expensive bows. The riser section of exotic hardwoods blends beauty with dependability.

AMO Length: 62" Weights: 20-25-30-35-40-45-lbs at 28" draw length, Riser: Exotic Hardwood Glass Color: Assorted

NIGHT HAWK

Catalog order: 124

The ideal beginner's bow, designed to help develop technique easily and gradually. Nighthawk's semi-recurved limbs deliver accuracy and cast. The Hardwood Maple riser. form-fitting handle and attractive glass colors add beauty to an inexpensive bow.

AMO Length: 60" Weights: 15-20-25-30-35 lbs. at 28" draw length. Riser: Maple Glass Color: Assorted Catalog order: 125

LITTLE WING

The perfect bow for the youngster who wants to start off right! The Little Wing has all the features of Mother's or Dad's bow, including a Tropical Hardwood riser, glass and Maple laminated limbs, contoured handle, center shot sight window, and, most of all, exciting performance. This is the way to build an archer!

AMO Length: 48" Weight: 15 lbs, at 24" draw length Draw Limit: 28" Riser: Exotic Hardwood Glass Color: Assorted Catalog order: 126

YOUTH STARTER SETS

WING COMPLETE YOUTH SET

Perfect for the youngster just starting archery. Includes a 50", 15 lb. Recurved Glass Bow, four Cedar Target Arrows, Shooting Tab and Armguard with a Belt Quiver to match, Instruction Booklet and Target Face.

Three to a box-minimum dealer pack.

Catalog order: 901.

WING EXPLORER SET

Just right for the teen-ager and young adult. Perfect for scouting. Includes a 56", 25 lb. Recurved Glass Bow, six 26" Target Arrows, Shooting Tab and Armguard, Belt Quiver, Instruction Booklet and four-color Target.

Three to a box-minimum dealer pack.

Catalog order: 902

WING BOWHUNTER SET

Everything necessary for the beginning bowhunter. Includes a 56", 45 lb. Recurved Glass Bow, four matched Hunting Arrows, Shooting Tab and Armguard, Bow Quiver, Instruction Booklet and four-color Target Face. Three to a box-minimum dealer pack. Catalog order: 903

WING YOUTH BOW. Solid Glass Recurved Bow. 50", 15 lb. Packed six to a carton. Catalog order: 904.

WING EXPLORER BOW. Solid Glass Recurved Bow. 56", 25 lb. Packed four to a carton. Catalog order: 905.

WING HUNTER BOW. Solid Glass Recurved Bow, 56", 45 lb. Packed four to a carton. Catalog order: 906.



Archery Equipment



Archery Equipment



7

WING ARROWS: SHAFTS AND POINTS

to be straight on target, every time. Precisely matched and uniform, all Wing arrows are exceptionally well made, reflecting the fine equipment and skilled craftsman that stand behind every dozen.

types of arrows—aluminum, fiberglass and wood. In aluminum shafts, Wing offers its Wing aluminum Target arrows. All feature Easton's shafting for 215/216. Cut to length, 4-Blade arrows. Two grades of fiber-Glass and Wing Glass, offer the | CRESTED. archer a choice in price ranges of a straight, tough shaft, unaffected by temperature or moisture. Wing's Port Orford Cedar wood arrows are manufactured using the finest Cedar stock available, and offer economy in a carefully spine and weight-matched wood arrow.

All arrows are measured in accordance with AMO Standards.

ARROWS

203/204. WING TARGET ALU-MINUM, 24SRT-X. Sizes: 1616, 1716, 1816, 1916, 1718, 1818. #203-Full length, points unattached, specify Bow Weight; #204 — Cut to length, Target Points installed, specify Bow Weight and Draw Length.

RED WING ALUMINUM HUNTING ARROWS

Dull red anodizing eliminates glare. Sizes: 1918, 2016, 2018. 2020, 2219, Specify Bow Weight and Draw Length.

205/206. Full length, Broadhead adapters included but Weight. #205—CRESTED; #206-UNCRESTED.

207/208. Cut to length, Broadhead adapters installed. Specify Bow Weight and Draw Length. #207—CRESTED; #208—UN-CRESTED.

From bowhunting to top 209/210. Cut to length, Field competition target shooting, | Points installed. Specify Bow you can depend on Wing arrows | Weight and Draw Length. #209 -CRESTED: #210 - UN-CRESTED.

> 211/212. Cut to length, Single-Blade Razorheads installed. Specify Bow Weight and Draw Length. #211—CRESTED; #212-UNCRESTED.

Wing makes three basic | 213/214. Cut to length, 3-Blade Hi-Precision Hunting Points installed. Specify Bow Weight and Draw Length. #213popular Red Wing arrow, and | CRESTED; # 214 - UN-CRESTED.

professional - grade aluminum Razorheads installed. Specify Bow Weight and Draw Length. glass arrows, Wing Custom #215—CRESTED: #216—UN-

> 217/218. Cut to length, with Six 4-Blade Razorheads installed and Six Field Points installed. Specify Bow Weight and Draw Length. #217 --CRESTED: #218- UN-CRESTED.

WING CUSTOM GLASS and WING GLASS ARROWS

Wing Custom Glass arrows feature attractive dip and multicolored cresting, plus full 5" helical fletching. Wing Glass is made of the same fine material as Custom Glass, but does not have dip or cresting. Glass arrows have full 5" fletching, and are available in sizes identical to Wing Custom Glass arrows. Both are available in weights from 30 to 75 lbs. All glass arrows available in standard grade shafting at reduced cost. Check with your authorized Wing dealer for prices.

WING CUSTOM GLASS and **GLASS TARGET ARROWS** Sizes 3, 5 and 7 only. Weights: 30 to 50 lbs.

220/221. Full length, Target Points included but unattached. unattached. Specify Bow Specify Bow Weight. #220-CRESTED: # 221 -- UN-CRESTED.

> 224/225. Cut to length, Target Points installed. Specify Bow Weight and Draw Length. #224—CRESTED; # 225 -- UNCRESTED.



WING ARROWS: SHAFTS AND POINTS

WING CUSTOM GLASS and | 244. Cut to length, 3-Blade | inserts in Wing Red Wing Alu-GLASS HUNTING ARROWS | Hi-Precision Broadheads in-Sizes 7 thru 11. Weights: 40 to stalled. 75 lbs.

222/223. Full length, Broadhead adapters included but 246. Cut to length, with Six unattached. Specify Bow 4-Blade Razorheads and Six Weight. # 222 — CRESTED; #223 - UNCRESTED

226/227. Cut to length, Broadhead adapters installed. Specify Bow Weight and Draw Length. # 226 - CRESTED; #227-UNCRESTED.

228/229. Cut to length, Field Points installed. Specify Bow Weight and Draw Length #228 - CRESTED; #229 -UNCRESTED.

230/231. Cut to length, Single-Blade Razorheads installed. Specify Bow Weight and Draw Length. #230 - CRESTED; # 231 - UNCRESTED

232/233. Cut to length, 3-Blade Hi-Precision Broadheads installed. Specify Bow Weight and Draw Length # 233 - UN-CRESTED; #232-CRESTED. 234/235. Cut to length, 4-Blade Razorheads installed. Specify Bow Weight and Draw Length, #234-CRESTED; #235-UNCRESTED.

236/237. Cut to length, with Six 4-Blade Razorheads and Six Field Points installed, Specify Bow Weight and Draw Length. #236 - CRESTED; # 237 - UNCRESTED.

WING HAWK ARROWS

A top quality wood arrow with | 252. Cut to length, 4-Blade full painted shaft and stand- Razorheads installed. ard two-color crest. Full 5" heli- 253. Cut to length with Six cal fletch. Spine matched to 4-Blade Razorheads and Six within 5 lbs.

240. Full length, no points. 254. WING FLU-FLU. 125 grain Available in weights 35 to 70 | Blunt Points installed. Availfy Bow Weight.

241. Cut to length, Target Points installed. Available in 26" thru 30" lengths, 30 to 50 lbs. in 5- 255. WING RAVEN. Target Ib. increments. Specify Bow | Points installed. Available in Weight and Draw Lengths.

WING HAWK **HUNTING ARROWS**

Available in 28", 29" and 30" lengths. Weights 35 to 70 lbs. in 5-lb. increments. Specify Bow Weight and Draw Length. 242. Cut to length, Field Points installed.

243. Cutto length, Single-Blade Razorheads installed.

245. Cut to length, 4-Blade Razorheads installed.

Field Points installed.

WING OWL ARROWS

An economical arrow suitable for the beginner and the experienced archer alike. It has diagonal 5" fletch, with attractive cresting. Spine matched to within 10 lbs. Available both in dozens or 1/2 gross display cartons.

247. Full length, no points. Available in weights 30 to 60 lbs. in 10-lb. increments. Specify Bow Weight.

248. Cut to length, with Target Points installed. Available in 26" through 30" lengths, 30 to 60 lbs. in 10-lb. increments. | Specify Bow Weight and Draw Length.

WING OWL **HUNTING ARROWS**

Available in 28", 29" and 30' lengths. Weights 30 to 60 lbs. in 10-lb. increments. Specify Bow Weight and Draw Length. 249. Cut to length, Field Points installed.

250. Cut to length, Single-Blade Razorheads installed.

251. Cut to length, 3-Blade Hi-Precision Broadheads installed.

Field Points installed.

lbs. in 5-lb. increments. Speci- able in 29" length only. Weights: 35 to 70 lbs. in 5-lb. increments. Packaged 4 to a box. Specify Bow Weight.

> 26" and 28" lengths only. Suitable only for bows UNDER 40 lbs. Packaged in 1/2 gross boxes. Specify Draw Lengths, i.e. . . . half 26" and half 28, or all 26" or all 28.

WING "SWITCH-A-POINT" **HUNTING ARROWS**

The most versatile, economical way to buy arrows! Aluminum | All the superior performance

minum Glass "switch-a-point" arrows allow you to "switcha-point" by unscrewing the point on the arrow and simply replacing it with another. From now on, you don't have to own a lot of extra arrows —just a handful of points!

RED WING ALUMINUM "SWITCH-A-POINT" ARROWS

Your best value aluminum hunting arrow, featuring Easton's 24 SRT shafting, dull'red anodizing to eliminate glare and helical fletching of appropriate length. Sizes: 1918, 2016, 2018, 2020, 2219. Specify Bow Weight and Draw Length

260/261. Full length, with 'switch-a-point" inserts included. Specify Bow Weight only.#260-CRESTED:#261-UNCRESTED.

262/263. Cut to length, "switcha-point" inserts installed. No points.#262-CRESTED;#263 — UNCRESTED.

276/277. Cut to length, with "switch-a-point" Broadhead Adapters installed. No points. #276—CRESTED, #277—UN-CRESTED.

264/265. Cut to length, "switcha-point" 125 grain Field Points installed. #264-CRESTED: #265 - UNCRESTED.

266/267. Cut to length, "switcha-point" 125 grain Blunt Points installed. #266-CRESTED; #267 — UNCRESTED.

268/269. Cut to length, "switcha-point" Single Blade Razorheads installed. - CRESTED; # 269 - UN CRESTED.

270/271. Cut to length, "switcha-point" 3-Blade Hi-Precision Broadheads installed. #270 — CRESTED; # 271 — UN-CRESTED.

272/273. Cut to length, "switcha-point" 4-Blade Razorheads installed. #272 - CRESTED; #273 — UNCRESTED.

274/275. Cut to length, with Six "switch-a-point" 4-Blade Razorheads and Six "switch-a-point" 125 grain Field Points installed. #274-CRESTED; #275-UN-CRESTED.

WING "SWITCH-A-POINT" **CUSTOM GLASS and** GLASS ARROWS

characteristics of Wing Custom Glass arrows . . all the economy of Wing Glass arrows . . . now, with the versatility of the Wing "switch-a-point" system! Both Custom Glass and Wing Glass are available in "switcha-point" sizes 7 thru 11, weights 40 to 75 lbs. Specify Bow Weight and Draw Length, Wing Custom Glass is dipped and crested, Wing Glass is not.

280/281. Full length, with "switch-a-point" inserts included but not installed. No points included. Specify Bow Weight only. #280—CRESTED: #281 - UNCRESTED.

282/283. Cut to length, "switcha-point" inserts installed. No points. #282 - CRESTED; #283 - UNCRESTED.

296/297. Cut to length, with Broadhead Adapters installed. No points. #296—CRESTED; #297—UNCRESTED.

284/285. Cut to length, "switcha-point" 125 grain Field Points installed: #284 -- CRESTED: # 285 — UNCRESTED.

286/287. Cut to length, "switcha-point" 125 grain Blunt Points installed. #286 - CRESTED; #287-UNCRESTED.

288/289. Cut to length, "switcha-point" Single-Blade Razorheads installed. # 288 -CRESTED: # 289 - UN CRESTED.

290/291. Cut to length, "switcha-point" 3-Blade Hi-Precision Broadheads installed. #290-CRESTED; # 291 - UN-CRESTED.

292/293. Cut to length, "switcha-point" 4-Blade Razorheads installed. #292-CRESTED; #293 - UNCRESTED

294/295. Cut to length, with Six "switch-a-point" 4-Blade Razorheads and Six "switcha-point" 125 grain Field Points installed. #294-CRESTED; #295-UNCRESTED



WING ARROW-MAKING MATERIALS AND TOOLS



WING AND EASTON RAW **ALUMINUM SHAFTS, POINTS AND ADAPTERS**

RAWSHAFTS, points included; 301 EASTON X7. sizes 1614. 1714, 1814, 1914, 2014, 1616, 1716, 1816, 1916, 1516.

353 Easton XX75, sizes 1416. 1516, 1518, 1616, 1618, 1713, 1716, 1718, 1813, 1816, 1818, 1820, 1913, 1916, 1918, 1920, 2013, 2016, 2018, 2020, 2114, 2213, 2219.

354 Easton 24SRT-X, sizes same as XX75 plus 1413, 2117 (no 2113)


302 WING TARGET, sizes 1516. 1616, 1716, 1816, 1916, 1718,

303 RED WING HUNTING, sizes 1918, 2016, 2018, 2020, 2219. (No points. Broadhead adapters included.)

355 Easton Swift Raw Shafts, Target Points or Broadhead Adapters included. Sizes: 1416, 1516, 1616, 1716, 1816, 1916, 2016, 1518, 1618, 1718, 1818, 1918, 2018, 1820, 1920, 2020, 2117, 2219, 1413.

305 EASTON X7 INSERT TAR-GET POINTS.

306 - 2 PIECE INSERT TARGET POINTS.



308 BROADHEAD ADAPT-ERS, 5° taper.

WING GLASS SHAFTS. POINTS AND ADAPTERS

WING GLASS - the finest shafts available. Unaffected by heat or moisture. Extremely strong. Full length only. (Standard grade shafting available at reduced cost).

304 WING GLASS SHAFTS. sizes 3, 5, 7 thru 11...



309 NOCK INSERTS, specify shaft size

310 TARGET POINTS, Specify Shaft size.

311 BROADHEAD ADAPT-ERS, specify shaft size.

WING CEDAR SHAFTS

WING CEDAR - top-grade Port Orford cedar, Parallel shafts. Matched in spine and weight. Specify Bow Weight. 349 21/64" CEDAR SHAFTS. packaged by the dozen.

NEW, WING "SWITCH-A-POINTS"

The following inserts, points and adapters fit "switch-apoint" arrows and arrow shafts, as designated on pages 8 and 9.

Aluminum shaft sizes: 1918, 2016, 2018, 2020 and 2219. Glass shaft sizes: 7, 8, 9, 10 and 11.



'switch-a-point" INSERTS 312 For Aluminum shafts. 313 For Glass shafts.



''switch-a-point'' 125 grain FIELD POINTS

314 For Aluminum shafts. 315 For Glass shafts.



"switch-a-point" 125 grain **BLUNT POINTS**

316 For Aluminum shafts. 317 For Glass shafts.



"switch-a-point" BROADHEAD ADAPTERS

> 318 Fits all sizes, Aluminum and Glass shafts.



HAMILTON PLASTIC VANES

Increase trajectory and eliminate wind drift with Hamilton Plastic Vanes. Specify color: white, fluorescent orange or fluorescent green.

319 (P-22) 2-1/4" regular 320 (P-26) 2-3/4" parabolic 321 Mini-vanes



MILLER MASTER FLETCHER

The perfect precision fletcher for the archer who likes to build 331. Available with 1/4", 9/32". his own arrows. All the features 5/16" and 11/32" bushings. of the best equipment avail- | Uses regular injector-type razor able, including magnetic clampholders, feather spacing of 90° 120° and 75° - 105°.

322 With Straight Clamp 323 With Helical Clamp (left wing)

324 Extra Straight Clamp 325 Extra Helical Clamp (left wing)



MILLER STANDARD FLETCHER

326. A low-priced, precision fletching tool with feather spacing adjustments usually found only on higher priced fletchers. Comes complete with straight clamp.



FLEETWOOD FEATHER TRIMMER KIT

329. Economical feather burner kit with mounting board included. All holes pre-drilled. #330 — Extra Wire



TAPERING TOOL

blades

WING ARROW-MAKING MATERIALS AND TOOLS





CEMENTS

332. BOHNING FLETCH-TITE CEMENT. Superior fletching cement for aluminum or wood Air-dries rapidly and does not proof.


333. ROBIN HOOD FLETCH-ING CEMENT, Excellent for feathers, vanes and nocks. 334. EASTON 24SRT-X CE-MENT. Specially formulated for aluminum arrows. For nocks, feathers or vanes.



335/336. BOHNING FERR-L-TITE. The perfect cement for attaching points to arrows. Either liquid or stick. # 335 -Liquid: # 336 - Stick



348. POINT FAST EPOXY AD-HESIVE. Perfect for attaching nocks and points to glass shafts. Also excellent for any repair work.



BJORN NOCKS

Most precise nocks made, More comfortable because of the become brittle with age. Water- | smooth design. Has snap action on string. Specify size: 1/4", 9/32" or 5/16".

337 White or black 338 Fluorescent Orange, Fluorescent Green; Ruby or Blue.



MYCRO INDEX NOCKS

339. Specify size: 1/4", 9/32", 5/16" or 11/32". Specify color: Red, Yellow, Black, White, Blue, Orange or Green



FIELD POINTS

125 grain, Tapered hole, with blued finish.

> 340 11/32 341 5/16'



TARGET-FIELD POINTS

Parallel hole. Zinc-plated steel 342 5/16" **343** 11/32'



TAPERED BLUNTS

125 grain. Tapered hole. 344 11/32 **345** 5/16'



TARGET POINTS

Parallel hole, Zinc-plated steel, 346 11/32 347 5/16"



FEATHERS

Die cut: left wing: top-quality ground base. Parabolic shape. Specify grey-barred, dyebarred, white or dyed-white. Specify color: Black, Red, Orange, Blue, Green, Yellow or White.

350 3" Feathers 351 4" Feathers

352 5" Feathers Packed three dozen to a package



20th **ANNIVERSARY CATALOG**

Wing Archery Company celebrates 1972 as the 20th anniversary of the Company. From a small beginning in 1952, Wing Archery has grown into one of the world's largest and finest manufacturers of highest quality archery equipment. Organized and headed by world-famous hunting and field archer Bob Lee, the Wing Archery Company embodies a spirit of personal involvement with all products, combined with a dynamic pattern of revolutionary new designs. Personally tested and evaluated by Bob Lee, all Wing equipment must pass his inspection and approval. In the manufacturing process, Wing Archery incorporates an uncommon number of quality control checks, assuring the customer of only the best quality of all Wing items.

1972 - twenty years of experience under our belts, and looking forward to an exciting future.





WING LEATHER GOODS

408



401. WING PRO QUIVER. A fine side quiver of top grain leather. Designed to pro specifications. Complete with belt clips, score card pocket and large zippered pocket for accessories. Leather divider strap. Black only. Specify right or left.

402. WING HOLSTER QUIVER. Quality top grain leather and comfort styling make this a popular holster guiver. Beautifully trimmed and stitched. Large accessory pocket with Velcro closing flap. Score card and pencil pockets. Leather divider loop. Complete with contour belt. Black only. Specify right or left.

403. WING TOURNAMENT QUIVER. Extra handy belt quiver - snaps on or off without having to remove belt. Light weight, custom grain finish. Economically priced.

405. STUDENT BELT QUIVER. Tough, leather-like material. Belt loop, Holds 6-8 arrows.

406. PADDED BOW CASE. Leather-grained vinyl with 3/8" padded lining. With carrying handle. Specify length - 52", 62" or 66". (66" case will accommodate bows to 72".)

407. FLANNEL BOW CASE. Durable flannel with soft nap finish. Tie-down flap, 6" wide. Specify length-63" or 72".

408. PRESENTATION II CUS-TOM BOW CASE. Tailored as fashionably as your personal luggage, the Presentation II case of high-impact, featherweight BOLTRON, provides a safe, easy - to - handle case for your Presentation II. A handle and one or two sets of limbs are totally protected by two removable, non-slip foam interliners. Space is provided behind the protective linings for such extras as arm guards, gloves, tabs and other items.

409. PRESENTATION II PADDED VINYL CARRYING CASE. An attractive zip-up case made especially for the Presentation II with its limbcoupling feature. Handily holds one set of limbs and one handle. with pockets provided for stabilizer and bow sight. Most convenient for the archer who wants to save space traveling to tournaments or on hunting trips: Padding offers protection to save you the worry of dam-403 aged equipment.

WING LEATHER GOODS



410. TAN DOUBLE-SEAM GLOVE. Closed end, soft leather tip. Specify size: S, M, L or



411. BROWN SINGLE-SEAM GLOVE. Open end with heavyduty elastic. Specify size: S, M. L or XL.



412/413, PRO GLOVE, Topquality, form-fitting, doubleseam glove with closed end tips. Elastic webbing insures 417. ARM GUARD—JUNIOR. perfect fit. Black; comes in | Split leather. Two elastic loops. cowhide or Corfam. Specify Jiffy hook fastener. size: S, M, L or XL. #412-Cowhide; #413-Corfam.



414. WILSON TAB. New, improved tab from Wilson is cut AND YOUTH. Top-quality leathto fit more comfortably than ever. Felt finger fenders provide excellent protection. Right or left hand, S, M or L.



415. RING TAB. The most comfortable tab available. Two size rings with each tab to insure fit. Eliminates finger irritation. Soft, leather-backed. Available in Cordovan or Hair; right or left hand; size S, M or Please specify.



416. COWHIDE TAB. Soft, leather-backed. Specify right or left hand; size S, M or





418. ARM GUARD-LADIES er and stitching. One steel re-




419. ARM GUARD-VENTI-LATED. Field or hunting guard, ventilated for comfort. Three steel reinforcement rods. Velcro fasteners.



420. ARM GUARD - HUNT-ING. Larger arm guard for hunting, with three steel reinforcement rods. Velcro fasteners.



421. ARM GUARD-RANGE. For maximum protection. 11-1/2" long. Four steel reinforcement rods. Ventilated. Velcro fasteners.



423. STANDARD BOW SLING. A must for tournament shooters. Keeps bow securely in hand. Has self-adhesive. Fastens easily on bow.



424. BOW SADDLE. Self-adhesive. Installs in seconds. Eliminates bow slipping in hand.




425. CHEST PROTECTOR. The only really cool protector available. Elastic lacing allows perfect fit. Completely adjustable. Specify size: S or L; right or left handed. Specify color: black or white.

WING BOWFISHING ACCESSORIES

WING BOWFISHING KIT

to fully enjoy this exciting arch- | all hunting bows. ery sport. There is 50-feet of strong, braided nylon line, a smooth-feeding reel with atto bow (or, a new Quick-Attach | without point. model that screws onto all Wing hunting bows), and the toughest fiberglass arrow made, complete with easy-off, case-hardened harpoon head.



601. COMPLETE KIT (excluding bow) with double-barbed point(#607) and new, improved tape-on reel and line (#604).

602. Same as #601 with Quick-Attach Reel (#603).

603. New, improved QUICK-ATTACH REEL AND LINE, Barbed Point. No time lost recomplete with 50-feet of nylon line. Quickly screws into the ly. Automatically opens to 2' lower bow quiver adapter on all | on drawback when retrieving Wing Hunting Bows.

604. New Improved TAPE-ON Wing's bowfishing kit gives REEL AND LINE, complete you every accessory you need | with 50-feet of nylon line. Fits

> 605. LAYFLETCHED ARROW with Easy-Off point (#60-7).

tached bracket for easy taping | 606. LAYFLETCHED ARROW



607. Double-Barbed EASY-OFF HARPOON HEAD with case-hardened, Easy-Off tip.


608. Extra Double-Barbed **EASY-OFF TIP.**

609. Extra EASY-OFF SHANK. 610. 50-Feet braided NYLON LINE.

611. Extra LAYFLETCH.



612. · AQUA-KILLER Singlemoving point. Closes completegame.



WING BOWSTRINGS, STRING ACCESSORIES, ARROW RESTS



613. MAC'S BOW REEL. A sturdy 11-1/4" diameter solid steel reel with detachable, tapeon brackets. Reel mounts so that arrow is shot through center of reel, assuring even feedoff of line. Complete with 70feet of 80-pound test nylon line. Fits all bows.

701. CUSTOM BOWSTRINGS. Made of finest Dacron. This continuous fiber Dacron thread insures longer string life. Specify lengths: 48", 50", 52" 54", 56", 58", 60", 62", 64" 66", 68", 69" and 70". Specify bow weight: 15 through 80 lbs. Strings for hunting bows these lengths, 62", 60", 58", 56" 54", and 52" (and 12 strands and over) will be black.

STRAND CHART

Up to 25 lb. -8 25-35 lb. - 10 35-45 lb. - 12

45-55 lb. - 14 55 lb. and up - 16

702. PROFESSIONAL BOW-STRINGS. For the exacting archer. Extra-strong doubleloop black Dacron string with full monofilament serving. Specify length: 66", 68", 69" 70" and 72". Specify bow weight; 15 through 55 lbs.

730. DOUBLE LOOP BOW STRING. With center serving. Specify lengths: 48", 50", 52" 54", 56" Weight up to 40 lbs.



703. PRO-TECTO-TIP. Lightweight plastic protects bow tip. Holds string securely in place. Specify size: Standard (red), or Large (blue).



704. NOCK-RITE. Insures fast, accurate shooting with no slippage of arrows on string.

705. TOX-NOX NOCKING **POINT.** Heat shrinks plastic and glues nocking point to string. Positive nocking point Six nocking points per package.



706. NOK-SET. Positive nocking point, guaranteed not to slip. Adjusts to any bowstring diameter, Package of 5. Specify size: T (target), or H (hunting).

707. Dealer Package of 100. 708. Nok-Set Tool only.



709. KISSER BUTTON. Slips onto string easily Adjusts merely by turning. Insures proper anchor. 12 on display card.



710. MARK 3 BOW SQUARE. Helps you measure brace height, locate nocking point. Also helps locate kisser button and peep sight.



711. HOYT KLICKER. Easily mounted on bow. Perfect draw check. Self-Adhesive. A sure help for freezing.



712. WING FLIP REST. New from Wing. Ideal for either target shooting or hunting. Specify right or left hand.



713. WING FEATHER REST. New Wing feather rest insures smooth arrow flight. Horizontal feathers mounted on leather with self-adhesive for easy installation. Specify Right or Left hand.



714. HOYT PRO REST. Noninterfering rest with pressure plate provides for positive clearance of vanes or feathers. Magic retaining finger prevents arrow from falling off of rest. Flexible sheft prevents arrow bounce. Self-adhesive backing. Specify Right or Left hand.



715. ARROW PLATE AND **REST.** Adhesive-backed arrow plate and arrow rest insure quiet drawing and shooting for hunters.

717. TYPE "B" DACRON. Pre-Waxed Dacron insures that you will make the longest-lasting, finest strings possible.



718. "SPEED-SPIN" STRING **SERVER**. Complete with nylon thread. Provides fast, perfect servings.



720. EXTRA MONOFILAMENT SERVING THREAD.



721. BOWSTRING WAX. Will make your bow strings last longer.



727. WING PANIC BUTTON. Adjustable for windage and plunger spring tension. Most popular tuning aid for the precision shooter.



716. WING BOW STRINGER. A must for any archer. The only way to insure safe bow stringing. Anyone can string heavy bows with ease. Prevents limb twisting while protecting archer.



501. WING BOW QUIVER. The most popular bow quiver made. Light in weight, but rugged enough to last a lifetime, this quiver is rapidly becoming the standard of the industry. Made of aluminum and nylon, the unique design makes arrows rattleproof. It won't scratch, mar your bow, or interfere with shooting. The arrow clamp securely holds six arrows of any size. Right or left-handed archers can use the same quiver. The Wing Bow Quiver is easy to attach and load, keeps arrows right at hand for quick, smooth take-out. Comes with adjustable sliding brackets

WING HUNTING ACCESSORIES

bows. 502. Arrow Clamp

503. Rod Clamps and Screws

504. Tape-On Pads

505. Cup Insert

506. Brackets (complete) 507. Allen Wrench



508. PRESENTATION II BOW QUIVER ADAPTERS. For use in place of limb bolt on Presentation II models, to accommodate Wing Bow Quiver (#501). 509. RAZORHEAD KIT.

Since its introduction, more trophy kills have been recorded with the Razorhead than with any other broadhead.


510. Razorheads, less Auxiliary Blades. 511. Auxiliary Razorhead



512. HI-PRECISION HEADS. 11/32" 3-Blade Broadheads. 125 grain. Six per package. 513. HI-PRECISION HEADS. 5/16" 3-Blade Broadheads. 100 grain. Six per package.



WING HUNTING ACCESSORIES



514/515. BRUSH BUTTONS. Brush-proof your bow and quiet the string noise. Made of soft rubber. Attach easily and do not interfere with shooting. #514-Regular; #515-Super.



516. SAUNDERS KWIK-LOK ARROW HOLDER. Holds arrow in bow for hunting. Releases instantly on draw. Keeps arrow always ready for action.



517. KWIKEE STRING SI-**LENCER.** Eliminates bowstring noise. A must for the hunter. Packaged by the pair.



518. BOHNING DRI-TITE WA-TERPROOFING. Protect your feathers by waterproofing them. A liquid when applied, protects the whole feather when dry. The best waterproofing for target or hunting arrows. 12 bottles per box.

519. KWIKEE KWIVER. The lightweight bow quiver that snaps on and off in seconds. Six pair in display carton.

520. KWIKEE KOVER. Attaches instantly. Covers broadheads and protects hunter from injury.



521. BUCK LURE. Attracts deer and camouflages human scent at the same time.



522/523/524. BURNHAM GAME CALLS. "Calling-est calls made." Made of unbreakable tenite plastic to last a lifetime. #522-Long-Range Varmint Call; #523 - Close-Range Varmint Call; #524-Instruction Record.



525. KAMO MAKE-UP KIT. Easy-to-apply camouflage paste. Use very small amount. Easily removed with soap and water, yet not affected by rain or perspiration. Contains Insect repellent, too. Two tubes -Forest Brown and Leaf Green —in plastic box.

530. CAMOUFLAGE BOW COVER. Made of genuine fivecolor camouflage cotton cloth.

531. HEAD NET. Fits over cap and face. Bars insects. Easy to see out. Drawstring adjustment.

removing belt.




526/527.TWO-PIECECAMOU-FLAGE SUIT. Jacket full cut to allow extra freedom. Made of soft cotton poplin (rip-stop). Won't shrink or fade. Brass zipper fly. Two extra-large patch pockets in pants, plus two large hip pockets. Two large front pockets in jacket. plus large cigarette pocket. Specify size when ordering. #526 - Small, Medium, Large or Extra Large; # 527 - Extra-Extra Large.



528. COVERALL. One-piece, with concealed zipper front, adjustable belt. Full bi-swing back. Slash openings at side. Seven pockets. Water-repellent poplin. Specify size: S, M, L or XL.

529. JONES STYLE HAT. Du-Pont Zelan water-repellent cotton poplin. Flexible stitched brim all around. Specify size: from 6-3/4 to 7-5/8.

WING BOW SIGHTS AND STABILIZERS



Positive windage and elevation locks. All-metal construction. Unique, wide-locking nut works easily and efficiently. Hooded pin aperture. Will accommodate any two-wire aperture.



802 REYNOLDS BOW SIGHT. New, removable, double-adjustable bow sight 10 to 100 yards elevation adjustment. Sight takes prism, pins or double-wire apertures. Vertical adjustment further compensates on "heavy" days. 803. Extra base.



804. SCOR-MOR "T". Singlepost target sight with anodized aluminum vertical slide bar.



805. SCOR-MOR "SH". Deluxe hunting sight with three adjustable pins.



806. WING SIGHT EXTEN-SION. Easily mounted on side of bow. Can be extended forward or backward, and has vertical adjustment to align sight with bow string. A must for tournament shooters who want perfection.



807. UNIVERSAL ADAPTER BAR for Wing Sight Extension. For longer sight bases.

808. SIGHT EXTENSION BASE

809. SIGHT EXTENSION, HEXAGONAL ROD, SIGHT AND NUT.




810/811. STRING PEEP. Unbreakable hard vinyl. Inserts easily in string. Serves as rear sight. # 810-round hole; #811-slotted hole.



WING BOW SIGHTS AND STABILIZERS




SIGHT APERTURES. All have 5/8" diameter hood. Mounting wires all chrome-plated and permanently attached. #812 — CROSS HAIR; #813-DROP PIN; #814-CENTERLESS CROSS HAIR with LEVEL; #815-PIN with LEVEL.



WING STABILIZER. Fits any | 816 - STABILIZER SET: One bow. The dynamically designed Rod—Specify Long (22") or head and black-anodized aluminum rod puts stability into #817—ROD Only, Specify Long your shooting and lets you (22") or Short (15"); #818adjust to different conditions. WEIGHT, 3-3/4-Oz.; #819-Rod fastens easily into the bow | WEIGHT, 6-oz.;#820—INSERT insert adapter.

ADAPTER.



ing pin is color coded for Specify right or left hand.

822. FULLY ADJUSTABLE, immediate distance recogni-QUICK-ATTACH BOW SIGHT. tion. All four pins adjust Four completely adjustable both vertically and horizonsighting bars. Set all four for tally. Sight attaches quickpre-determined distances. It's ly to any model bow quicker, more accurate and using mounting screws that more dependable. Each sight- are furnished with sight.

DEALER AIDS



390. WING DEALER ACCESSORY DISPLAY Features fastmoving accessory items packaged in attractive, eye-catching plastic-bubble cards. Sturdy steel rack design holds up to 120 cards. "Wing Archery Headquarters" banner sign attaches to rack.



be black.

255. WING RAVEN ARROW **DEALER PACK** Attractive 726. WING DEALER BOW- packaging of Raven wood STRING RACK A functional practice arrows, each with and appealing sturdy wire rack. crest, full painted shaft and Designed to hold 75 Wing bow- 3" fletch. Target points only. strings in plastic tubes. Wing Packed in 1/2 gross display banner sign attached. Strings cartons containing 3-dozen for hunting bows these lengths, each of 26", and 28" arrows 62", 60", 58", 56", 54", and 52" unless otherwise specified. (and 12 strands and over) will (Not recommended for bows over 40-lbs.)

PLEASE NOTE:


Wing orders are filled with furnished all catalog numbers, dealer. bow weights and lengths, as applicable. Also, be sure arrow information is complete, in- WING ARCHERY COMPANY cluding arrow lengths and bow Route 1 weights.

Your local Wing dealer all care and speed possible, takes pride in helping you To avoid delays, please check select proper equipment. If no your order carefully before dealer is nearby, write us and mailing to make sure you have we will direct you to the nearest

Jacksonville, Texas 75766

TABLE OF CONTENTS

rmguards	15
rrows, Aluminum 8 rrows, "Switch-A-Point" 8	, 9
rrows, "Switch-A-Point" 8	, 9
rrows, Fiberglass8	, 9
irrows, Wood8	, 9
rrow Making Materials	
and Tools12,	13
rrow nocks	13
rrow rests	17
lows, Hunting	5
lows. Target	3
Sows, Target	6
Sow cases	14
Bowfishing	16
Sow quiver	17
Sow sights 19,	20
Sow square	16
	17
	16
Sowstring wax	
Brush buttons	18
	18
amouflage items 18,	19
	13
	17
merrer in a general and a second	20 20
	15
	18
	16
	18
eather goods14,	15
	16
	19
Quiver14,	17
Razorheads	17
Sets	7
hirt and	4 5
blouse protector	15
	15
tabilizers	20
tring server	
tring silencers	18
abs	15
ip protectors	16



WING ARCHERY DIVISION Route 1, Jacksonville, Texas 75766 214/586-2416

AMF INCORPORATED

EXPORT SALES OFFICE AMF INTERNATIONAL 261 Madison Ave, NY 10016 ● Cable AMMAFOCO New York Export Division of AMF INCORPORATED