

Form - IV
(See rule 13)
ANNUAL REPORT

[To be submitted to the prescribed authority on or before 30th June every year for the period from January to December of the preceding year, by the occupier of health care facility (HCF) or common bio-medical waste treatment facility (CBWTF)]

Sl. No.	Particulars		
1	Particulars of the Occupier	:	
	(i) Name of the authorized person (occupier or : operator of facility)	:	ASHWANI KUMAR SALEWA
	(ii) Name of HCF or CBMWTF	:	M MITTAL HOSPITAL AND RESEARCH CENTRE
	(iii) Address for Correspondence	:	Institutional Plot No.16, Sector 10.
	(iv) Address of Facility	:	Vidyadhar Nagar, Jaipur- 302039 (Rajasthan)
	(v) Tel. No, Fax. No	:	Phone: +91-141-2335122, +91-7727088007
	(vi) E-mail ID	:	Email : hospital.mittal.new@gmail.com
	(vii) URL of Website	:	www.mittalhospitaljaipur.com
	(viii) GPS coordinates of HCF or CBMWTF	:	N 26° 58' E 75° 47'
	(ix) Ownership of HCF or CBMWTF	:	(State Government or Private or Semi Govt. or any other): PRIVATE
	(x). Status of Authorization under the Bio-Medical Waste (Management and Handling) Rules	:	Authorisation No.: F(Env)/Jaipur (Jaipur)/7022/1/2021-22/2914-2915 Valid upto: 30/11/2026
	(xi). Status of Consents under Water Act and Air Act	:	Valid upto: 30/11/2026
2	Type of Health Care Facility	:	
	(i) Bedded Hospital	:	No. of Beds: 40
	(ii) Non-bedded hospital	:	NA
	Clinical Laboratory or Research Institute or Veterinary Hospital or any other)	:	NA
	(iii) License number and its date of expiry	:	
3	Details of CBMWTF	:	NA
	(i) Number of health care facilities covered by CBMWTF	:	
	(ii) No. of Beds covered by CBMWTF	:	
	(iii) Installed treatment and disposal capacity of CBMWTF;	:	_____ Kg / day
	(iv) Quantity of bio medical waste treated or disposed by CBMWTF	:	_____ Kg / day
4	Quantity of waste generated or disposed in Kg per Annum (on monthly average basis)	:	Yellow Category: 38 kg / months Average Red Category: 34 kg / months Average White: 0.5 kg / months Average Blue Category: 4 kg / months Average General Solid Waste: 10 kg / months Average
5	Details of the Storage, Treatment, Transportation, Processing and Disposal Facility	:	
	(i) Details of the on-site storage	:	Size: SEPARATE COLOUR CODED ROOMS AT GROUND FLOOR


facility	Capacity:			
	Provision of on-site storage : (Cold storage & any other provision) <i>NA</i>			
(ii) Disposal facilities <i>NA</i>	Type of treatment equipment	No of Units	Capacity Kg/day	Quantity Treated or disposed in kg per annum
	Incinerators			
	Plasma Pyrolysis			
	Autoclaves			
	Microwave			
	Hydroclave			
	Shredder			
	Needle tip cutter or destroyer			
	Sharps			
	Encapsulation or concrete pit			
	Deep burial pits			
	Chemical disinfection:			
	Any other treatment equipment:			
	(iii) Quantity of recyclable wastes sold to authorized recyclers after treatment in Kg per annum	:	Red Category (like plastic, glass, etc.) <i>NONE</i>	
(iv) No. of Vehicles used for collection and transportation of biomedical waste	:	<i>—</i>		
(v) Details of incineration ash and ETP sludge generated and disposed during the treatment of wastes in Kg per annum	<i>—</i>	Quantity Generated	Where disposed	
	Incineration			
	Ash			
(vi) Name of the Common Bio-Medical Waste Treatment Facility Operator through which wastes are disposed of		<i>INSTROMEDIX INDIA Pvt Ltd 402, Gaurav Tower, Malviya Nagar Jaipur</i>		
(vii) List of member HCF not handed over bio-medical waste.		<i>—</i>		
6 Do you have bio-medical waste management committee? If yes, attach minutes of the meetings held during the reporting period		<i>Attached separate</i>		

Details trainings conducted on BMW		
(i)	Number of trainings conducted on BMW Management	2+
(ii)	Number of personnel trained	All
(iii)	Number of personnel trained at the time of induction	All
(iv)	Number of personnel not undergone any training so far	NONE
(v)	Whether standard manual for training is available?	YES
8	Details of the accident occurred during the year	
(i)	Number of Accidents occurred	—
(ii)	Number of persons affected	—
(iii)	Remedial Action taken (Please attach details if any)	—
(iv)	Any Fatality occurred, details	—
9	Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not met the standards?	NA
	Details of Continuous online emission monitoring systems installed	NA
10	Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year?	HYPOCHLORITE TREATMENT —
11	Is the disinfection method or sterilization meeting the log 4 standards? How many times you have not met the standards in a year?	Yes None
12	Any other relevant information	(Air Pollution Control Devices attached with the Incinerator) NA

Certified that the above report is for the period from 01-01-2022 to 31-12-2023

(Note: Hospital OPERATIONAL FROM 23/4/22)

For Mittal Hospital & Research Centre


Authorised Signatory

Name and Signature of the Head of the Institution

Date: 30/6/23
Place: Mittal Hospital & R.C.

MITTAL HOSPITAL AND RESEARCH CENTRE
Institutional Plot No.16, Sector 10
Vidyadhar Nagar, Jaipur- 302039 (Rajasthan)
Phone:- +91-141-2335122, +91-7727088007
Email : hospital.mittal.new@gmail.com