

146

Request for Student Educational Record (Transcript)

Functional Group=R^Y

This Draft Standard for Trial Use contains the format and establishes the data contents of The Request for Student Educational Record (Transcript) Transaction Set (146) within the context of an Electronic Data Interchange (EDI) environment. This transaction set is used by educational institutions to which a student has applied for admission. This request is then sent to the educational institution which the student is currently attending or previously attended.

Heading (Table 1):

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Notes</u>	<u>Usage</u>	<u>Page</u>
010	ST	Transaction Set Header	M	1			Must use	2
020	BGN	Beginning Segment	M	1			Must use	3
030	ERP	Educational Record Purpose	M	1		N1/030	Must use	6
040	REF	Reference Identification (Student Identification Number)	M	10		N1/040	Must use	7
050	DMG	Demographic Information	O	1			Used	9
060	IND	Additional Individual Demographic Information	O	1			Used	11
070	SSE	Entry and Exit Information	O	1		N1/070	Used	13
080	SST	Student Academic Status	O	1		N1/080	Used	15
090	NTE	Note/Special Instruction	O	15			Used	17
LOOP ID - N1					2			
100	N1	Name (Sending/Receiving Institution)	M	1		N1/100	Must use	18
110	N2	Additional Name Information	O	1			Used	20
120	N3	Address Information (Street Address of Sending/Receiving Institution)	O	1			Used	21
130	N4	Geographic Location	O	1			Used	22
140	PER	Administrative Communications Contact	O	1			Used	24
LOOP ID - IN1					15			
150	IN1	Individual Identification	M	1		N1/150	Must use	27
160	IN2	Individual Name Structure Components	M	10			Must use	29
170	N3	Address Information	O	1			Used	30
180	N4	Geographic Location	O	1			Used	31
190	SE	Transaction Set Trailer	M	1			Must use	32

Notes:

- 1/030 The ERP segment is used to indicate what type of student record is being requested.
- 1/040 The REF segment is used to indicate the student's identification numbers.
- 1/070 The SSE segment is used to indicate dates of attendance at the institution receiving the request.
- 1/080 The SST segment is used to indicate the date of high school graduation.
- 1/100 The N1 loop identifies the sending and receiving institutions.
- 1/150 The IN1 loop indicates the name and address of the student.

ST Transaction Set Header

Pos: 010	Max: 1
Heading - Mandatory	
Loop: N/A	Elms: 2

To indicate the start of a transaction set and to assign a control number

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
ST01	143	Transaction Set Identifier Code Description: Code uniquely identifying a Transaction Set <u>Code NAME</u> 146 Request for Student Educational Record (Transcript)	M	ID	3/3	Must use
ST02	329	Transaction Set Control Number Description: Identifying control number that must be unique within the transaction set functional group assigned by the originator for a transaction set Note to User: This is the identifying control number assigned and maintained by the sender of the transaction set. This value is assigned by the sender in such a way that it is unique to the transaction being sent. This value must match that in data element SE02. It should be returned in AK202 of TS997 (Functional Acknowledgment). Besides the TS997, the receiver of a TS146 should respond by either transmitting the student's educational record (TS130) or indicating why the record will not be sent (TS147). In either case, this value is returned to the sender of the TS146 in BGN02 of the response transaction set.	M	AN	4/9	Must use

Semantics:

1. The transaction set identifier (ST01) used by the translation routines of the interchange partners to select the appropriate transaction set definition (e.g., 810 selects the Invoice Transaction Set).

BGN Beginning Segment

Pos: 020	Max: 1
Heading - Mandatory	
Loop: N/A	Elms: 9

To indicate the beginning of a transaction set

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
BGN01	353	<p>Transaction Set Purpose Code Description: Code identifying purpose of transaction set Note to User: If the value in this field is '07' or '18', then the Transaction Set Control Number (ST02) from the earlier request is transmitted in an REF segment with REF01 = 'F8'. <u>Code NAME</u> 00 Original 01 Cancellation 07 Duplicate Description: This request is identical to an earlier request. 13 Request 15 Resubmission 18 Reissue Description: This request contains corrected and/or additional information and supersedes an earlier request for the same student.</p>	M	ID	2/2	Must use
BGN02	127	<p>Reference Identification Description: Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier Note to User: This is a reference number or identification number assigned by the sender of this transaction set. This value is returned to the sender of the TS146 as the Original Reference Number in one of the ten occurrences of the REF segments at position 1/040 of either TS130 (Student Educational Record (Transcript)) or TS147 (Response to Request for Student Educational Record (Transcript)).</p>	M	AN	1/30	Must use
BGN03	373	<p>Date Description: Date expressed as CCYYMMDD Note to User: This is the date the transaction was originated by the sender.</p>	M	DT	8/8	Must use
BGN04	337	<p>Time Description: Time expressed in 24-hour clock time as follows: HHMM, or HHMMSS, or HHMMSSD, or HHMMSSDD, where H = hours (00-23), M = minutes (00-59), S = integer seconds (00-59) and DD = decimal seconds; decimal seconds are expressed as follows: D = tenths (0-9) and DD = hundredths (00-99) Note to User: This is the time the transaction was originated by the sender.</p>	X	TM	4/8	Used
BGN05	623	Time Code	O	ID	2/2	Used

A Guide to the Implementation of Electronic Transcripts and Student Records
Part 3: TS146 - Request for Student Educational Record (Transcript)

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
		<p>Description: Code identifying the time.</p> <p>Note to User: This indicates the time zone or type of time in BGN04.</p> <p>Code NAME</p> <p>AD Alaska Daylight Time AS Alaska Standard Time AT Alaska Time CD Central Daylight Time CS Central Standard Time CT Central Time ED Eastern Daylight Time ES Eastern Standard Time ET Eastern Time GM Greenwich Mean Time HD Hawaii-Aleutian Daylight Time HS Hawaii-Aleutian Standard Time HT Hawaii-Aleutian Time LT Local Time MD Mountain Daylight Time MS Mountain Standard Time MT Mountain Time ND Newfoundland Daylight Time NS Newfoundland Standard Time NT Newfoundland Time PD Pacific Daylight Time PS Pacific Standard Time PT Pacific Time TD Atlantic Daylight Time TS Atlantic Standard Time TT Atlantic Time UT Universal Time Coordinate</p>				
BGN06	127	<p>Reference Identification</p> <p>Description: Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier</p>	O	AN	1/30	Not used
BGN07	640	<p>Transaction Type Code</p> <p>Description: Code specifying the type of transaction</p>	O	ID	2/2	Not used
BGN08	306	<p>Action Code</p> <p>Description: Code indicating type of action</p>	O	ID	1/2	Not used
BGN09	786	<p>Security Level Code</p> <p>Description: Code indicating the level of confidentiality assigned by the sender to the information following</p>	O	ID	2/2	Not used

Syntax:

C0504 -- If BGN05 is present, then BGN04 is required.

Semantics:

1. BGN02 is the transaction set reference number.
2. BGN03 is the transaction set date.
3. BGN04 is the transaction set time.

A Guide to the Implementation of Electronic Transcripts and Student Records
Part 3: TS146 - Request for Student Educational Record (Transcript)

4. BGN05 is the transaction set time qualifier.
5. BGN06 is the transaction set reference number of a previously sent transaction affected by the current transaction.

ERP Educational Record Purpose

Pos: 030	Max: 1
Heading - Mandatory	
Loop: N/A	Elms: 3

To indicate the type of educational record or information being requested or being sent and to specify conditions under which it is being requested or was sent

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
ERP01	640	Transaction Type Code (Transcript Purpose Code) Description: Code specifying the type of transaction <u>Code NAME</u> DD Interdistrict (Pre-Kindergarten - Grade 12) Student Record DP District to Postsecondary Student Record PS Postsecondary Student Academic Record	M	ID	2/2	Must use
ERP02	641	Status Reason Code Description: Code indicating the status reason	O	ID	3/3	Not used
ERP03	306	Action Code Description: Code indicating type of action <u>Code NAME</u> R2 Send Record Now R3 Send Record at End of the Term R4 Send Record After Degree is Posted R5 Send Vocational Record Only	O	ID	1/2	Used

Semantics:

1. ERP01 identifies the type of transaction set.
2. ERP02 indicates why the record or information is being sent or not being sent.

Note to User:

This segment indicates the type of transcript and what action is being requested.

REF Reference Identification (Student Identification Number)

Pos: 040 Max: 10
 Heading - Mandatory
 Loop: N/A Elms: 4

To specify identifying information

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
REF01	128	<p>Reference Identification Qualifier Description: Code qualifying the Reference Identification Note to User: This code identifies the type of student identification number being transmitted in REF02. At most locales, this will be the "student number" reflected in the data base of the requesting institution. More than one reference number may be included by sending multiple occurrences (up to 10) of this segment.</p> <p>Code NAME 28 Employee Identification Number 30 United States Government Visa Number 48 Agency's Student Number. This is the number assigned by an agency other than the institution sending the record. 49 Family Unit Number 4A Personal Identification Number (PIN) 50 State Student Identification Number 56 Corrected Social Security Number 57 Prior Incorrect Social Security Number C0 Canadian Social Insurance Number LR Local Student Identification Number MV Migrant Number SY Social Security Number</p>	M	ID	2/3	Must use
REF02	127	<p>Reference Identification (Student Identification Number) Description: Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier Note to User: This is the identification number by which the student is known at the sending institution or agency. At most locales, this will be the "student number" reflected in the data base of the requesting institution. More than one reference number may be included by sending multiple occurrences (up to 10) of this segment.</p>	X	AN	1/30	Used
REF03	352	<p>Description Description: A free-form description to clarify the related data elements and their content Note to User: This is a free form text description of the student identification number as may be necessary for clarification or positive identification.</p>	X	AN	1/80	Used
REF04	C040	<p>Reference Identifier Description: To identify one or more reference numbers or identification numbers as specified by the Reference Qualifier</p>	O	Comp		Not used

A Guide to the Implementation of Electronic Transcripts and Student Records
Part 3: TS146 - Request for Student Educational Record (Transcript)

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>

Syntax:

R0203 -- At least one of REF02 or REF03 is required.

Semantics:

1. REF04 contains data relating to the value cited in REF02.

Note to User:

This is used to provide an identification number for the individual student whose educational record is being requested. Up to 10 different student numbers may be provided by sending multiple occurrences of this segment.

DMG Demographic Information

Pos: 050	Max: 1
Heading - Optional	
Loop: N/A	Elms: 9

To supply demographic information

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
DMG01	1250	Date Time Period Format Qualifier (Format for Date of Birth) Description: Code indicating the date format, time format, or date and time format <u>Code</u> <u>NAME</u> CM Date in Format CCYYMM CY Year Expressed in Format CCYY D8 Date Expressed in Format CCYYMMDD DB Date Expressed in Format MMDDCCYY	X	ID	2/3	Used
DMG02	1251	Date Time Period (Date of Birth) Description: Expression of a date, a time, or range of dates, times or dates and times	X	AN	1/35	Used
DMG03	1068	Gender Code Description: Code indicating the sex of the individual <u>Code</u> <u>NAME</u> F Female M Male U Unknown, or not available	O	ID	1/1	Used
DMG04	1067	Marital Status Code Description: Code defining the marital status of a person	O	ID	1/1	K12 Only
DMG05	1109	Race or Ethnicity Code Description: Code indicating the racial or ethnic background of a person; it is normally self-reported; Under certain circumstances this information is collected for United States Government statistical purposes	O	ID	1/1	Not used
DMG06	1066	Citizenship Status Code Description: Code indicating citizenship status	O	ID	1/2	K12 Only
DMG07	26	Country Code (Country of Citizenship) Description: Code identifying the country	O	ID	2/3	K12 Only
DMG08	659	Basis of Verification Code (Original Means of Birth Date Verification) Description: Code indicating the basis of verification	O	ID	1/2	K12 Only
DMG09	380	Quantity Description: Numeric value of quantity	O	R	1/15	Not used

Syntax:

P0102 -- If either DMG01 or DMG02 is present, then the other is required.

Semantics:

1. DMG02 is the date of birth.
2. DMG07 is the country of citizenship.
3. DMG09 is the age in years.

IND

Additional Individual Demographic Information

Pos: 060	Max: 1
Heading - Optional	
Loop: N/A	
Elms: 12	

To provide additional demographic information to the receiving school, institution, or agency to assist in identifying the particular student

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
IND01	26	Country Code (Country of Birth) Description: Code identifying the country Note to User: Refer to Appendix B for the complete code list..	O	ID	2/3	Used
IND02	156	State or Province Code (Place of Birth) Description: Code (Standard State/Province) as defined by appropriate government agency Note to User: Refer to Appendix B for the complete code list.	O	ID	2/2	Used
IND03	1096	County Designator (Place of Birth) Description: Code identifying the county within a state Note to User: This list is available from the National Technical Information Service, 5285 Port Royal Road, Springfield, VA 22161.	O	ID	5/5	Used
IND04	19	City Name (Place of Birth) Description: Free-form text for city name	O	AN	2/30	Used
IND05	819	Language Code Description: Code designating the language used in text, from a standard code list maintained by the International Standards Organization (ISO 639)	O	ID	2/3	Not used
IND06	1476	Language Proficiency Indicator Description: Code indicating language proficiency	O	ID	1/1	Not used
IND07	819	Language Code Description: Code designating the language used in text, from a standard code list maintained by the International Standards Organization (ISO 639)	O	ID	2/3	Not used
IND08	819	Language Code Description: Code designating the language used in text, from a standard code list maintained by the International Standards Organization (ISO 639)	O	ID	2/3	Not used
IND09	66	Identification Code Qualifier (National/Ethnic Origin Code Qualifier) Description: Code designating the system/method of code structure used for Identification Code (67)	X	ID	1/2	K12 Only

A Guide to the Implementation of Electronic Transcripts and Student Records
Part 3: TS146 - Request for Student Educational Record (Transcript)

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
IND10	67	Identification Code (National/Ethnic Origin Code) Description: Code identifying a party or other code	X	AN	2/80	K12 Only
IND11	66	Identification Code Qualifier (National/Ethnic Origin Code Qualifier) Description: Code designating the system/method of code structure used for Identification Code (67)	X	ID	1/2	K12 Only
IND12	67	Identification Code (National/Ethnic Origin Code) Description: Code identifying a party or other code	X	AN	2/80	K12 Only

Syntax:

P0910 -- If either IND09 or IND10 is present, then the other is required.

P1112 -- If either IND11 or IND12 is present, then the other is required.

Semantics:

1. IND01, IND02, IND03, and IND04 refer to the place of birth.
2. IND05 refers to the student's native or first language.
3. IND07 refers to the language spoken in the home.
4. IND08 refers to the language for correspondence to the student or applicant.

SSE Entry and Exit Information

Pos: 070	Max: 1
Heading - Optional	
Loop: N/A	Elms: 4

To provide information concerning the entry into or withdrawal from a school, school program, school district, or postsecondary institution

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
SSE01	373	Date (Entry Date) Description: Date expressed as CCYYMMDD	O	DT	8/8	Used
SSE02	373	Date (Exit Date) Description: Date expressed as CCYYMMDD Note to User:	O	DT	8/8	Used
SSE03	641	Status Reason Code (Reason for Entry or Exit) Description: Code indicating the status reason Code NAME B27 Student is eligible to continue or return or both B28 Student is on suspension or dismissal B29 Student is expelled (from PreK - grade 12) B31 Not currently enrolled B38 Dropped B39 Academic Probation B40 Suspended B51 Student on Suspension or Dismissal; Eligible to Apply for Re-entry B52 According to established regulations or statutes D03 Student has attended a nonpublic school or home education program in- or out-of-state this year D04 Student was received from another attendance reporting unit in the same school D05 Student was received from a school in the same district D06 Student was received from another public school outside the district either in- or out-of-state D07 Student was received from a nonpublic school either in or out of the district or has returned after having been enrolled in a home education program; The student must have been enrolled previously in a public school this year D08 Student unexpectedly reentered the same school after withdrawing or being discharged D09 Student was expected to attend a school but did not enter as expected for unknown reasons D10 Student was promoted, retained, or transferred to another attendance-reporting unit in the same school D11 Student was promoted, retained, or transferred to another school in the same district D12 Student withdrew to attend another public school in the same district D13 Student withdrew to attend another public school in- or out-of-state D14 Student Over Compulsory Attendance Age Left School	O	ID	3/3	Used

A Guide to the Implementation of Electronic Transcripts and Student Records
Part 3: TS146 - Request for Student Educational Record (Transcript)

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
		Voluntarily with No Intention of Returning D15 Student Graduated from School with a Standard Diploma D16 Student Graduated from School with a Special Diploma D17 Student Left School with a Certificate of Completion D18 Student Left School with a Special Certificate of Completion D19 Student Left School with a State General Education Development (GED) High School Diploma D20 Student Withdrew to Attend a Non-Public School or Home Education Program In- or Out-of-State. D21 Student withdrew from school due to hardship D22 Student has not entered any school in this or any other state this school year D23 Previously attended out-of-state public school but is entering a public school in this state for the first time this school year D24 Returned to Regular Education Program EB1 Deceased EB3 Withdrawn EB4 Graduated				
SSE04	1470	Number (Priority of Choice) Description: A generic number	O	N0	1/9	Not used

Semantics:

1. SSE01 refers to the entry date of the student in a school, school district, or school program.
2. SSE02 refers to the exit date of the student in a school, school district, or school program.
3. SSE03 refers to the reason why the student entered or left the school, school district, or school program.
4. SSE04 refers to the priority of choice for an intended entry into a school, school program, school district, or postsecondary institution.

Note to User:

This is used to indicate dates of attendance at the institution receiving the request. This segment is not used in the postsecondary request for a student record.

SST Student Academic Status

Pos: 080	Max: 1
Heading - Optional	
Loop: N/A	Elms: 9

To provide information concerning the student's eligibility to return to the reporting institution, enrollment status, residency for fee purposes, and date and type or status of high school graduation

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
SST01	641	<p>Status Reason Code (High School Graduation Type Code) Description: Code indicating the status reason Note to User: This is a code indicating the type of high school diploma or certification the student was, or is expected to be, awarded.</p> <p>Code NAME B17 Did not complete secondary school B18 Standard high school diploma B19 Advanced or honors diploma B20 Vocational diploma B21 Special education diploma B22 Certificate of completion or attendance B23 Special certificate of completion B24 General Education Development Diploma (GED) B25 Other high school equivalency diploma B26 International diploma or certificate (such as International Baccalaureate)</p>	O	ID	3/3	Used
SST02	1250	<p>Date Time Period Format Qualifier (Format for High School Graduation Date) Description: Code indicating the date format, time format, or date and time format</p> <p>Code NAME CM Date in Format CCYYMM CY Year Expressed in Format CCYY D8 Date Expressed in Format CCYYMMDD DB Date Expressed in Format MMDDCCYY</p>	X	ID	2/3	Used
SST03	1251	<p>Date Time Period (High School Graduation Date) Description: Expression of a date, a time, or range of dates, times or dates and times Note to User: This is the date the student graduated or is expected to graduate from high school.</p>	X	AN	1/35	Used
SST04	641	<p>Status Reason Code Description: Code indicating the status reason</p>	O	ID	3/3	Not used
SST05	1250	<p>Date Time Period Format Qualifier Description: Code indicating the date format, time format, or date and time format</p>	X	ID	2/3	Not used
SST06	1251	<p>Date Time Period Description: Expression of a date, a time, or range of dates, times or</p>	X	AN	1/35	Not used

A Guide to the Implementation of Electronic Transcripts and Student Records
Part 3: TS146 - Request for Student Educational Record (Transcript)

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
		dates and times				
SST07	641	Status Reason Code Description: Code indicating the status reason	O	ID	3/3	Not used
SST08	1131	Level of Individual, Test, or Course Code Description: Code identifying level of course, test, or student	O	ID	2/2	Not used
SST09	1073	Yes/No Condition or Response Code Description: Code indicating a Yes or No condition or response	O	ID	1/1	Not used

Syntax:

P0203 -- If either SST02 or SST03 is present, then the other is required.

P0506 -- If either SST05 or SST06 is present, then the other is required.

Semantics:

1. SST01 refers to the type of high school diploma or certificate the student was awarded, if applicable.
2. SST03 is the date of high school graduation.
3. SST04 indicates if the student is in good standing at the school and is eligible to return. If not eligible to return, the code indicates the reason for this ineligibility to return to this institution.
4. SST06 refers to the date the student is eligible to return.
5. SST07 indicates if the student is currently enrolled at the institution and how the courses for which the student is enrolled are contained in the transaction set.
6. SST08 indicates the grade level of the student at the institution.
7. SST09 refers to the legal residence of the student for fee purposes. A "Y" indicates that the student has been coded as a legal resident of the state for fee purposes; an "N" indicates that the student has been coded as a nonresident of the state for fee purposes.

Note to User:

This optional segment provides the date (or anticipated date) of high school graduation.

NTE Note/Special Instruction

Pos: 090	Max: 15
Heading - Optional	
Loop: N/A	Elms: 2

To transmit information in a free-form format, if necessary, for comment or special instruction

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
NTE01	363	Note Reference Code Description: Code identifying the functional area or purpose for which the note applies	O	ID	3/3	Not used
NTE02	352	Description Description: A free-form description to clarify the related data elements and their content	M	AN	1/80	Must use

Comments:

1. The NTE segment permits free-form information/data which, under ANSI X12 standard implementations, is not machine processable. The use of the NTE segment should therefore be avoided, if at all possible, in an automated environment.

N1

Name (Sending/Receiving Institution)

Pos: 100	Max: 1
Heading - Mandatory	
Loop: N1	Elms: 6

To identify a party by type of organization, name, and code

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
N101	98	<p>Entity Identifier Code (Type of Sender or Receiver) Description: Code identifying an organizational entity, a physical location, property or an individual</p> <p><u>Code NAME</u> AS Postsecondary Education Sender of the Request AT Postsecondary Education Recipient of the Request KR Pre-kindergarten to Grade 12 Recipient of the Request KS Pre-kindergarten to Grade 12 Sender of the Request</p>	M	ID	2/3	Must use
N102	93	<p>Name (Institution Name) Description: Free-form name</p> <p>Note to User: This is the free form name of the institution or agency as commonly used. The N102 data element may be augmented by N2 data segments if the free form name exceeds 60 characters. This information is redundant if valid codes are sent in N103 and N104.</p>	X	AN	1/60	Used
N103	66	<p>Identification Code Qualifier (Institution Code Qualifier) Description: Code designating the system/method of code structure used for Identification Code (67)</p> <p>Note to User: A crosswalk table for code sets 71, 72, 73, 74, CB and CS is available on diskette from AACRAO at (202) 293-9161.</p> <p><u>Code NAME</u> - 71 Integrated Postsecondary Education Data System (IPEDS) set of codes maintained by the U.S. Department of Education's National Center of Education Statistics 72 The College Board's Admission Testing Program (ATP) 73 Federal Interagency Commission on Education (FICE) number. Available from the United States Department of Education 74 American College Testing (ACT) list of postsecondary educational institutions. 77 National Center for Education Statistics (NCES) Common Core of Data (CCD) number for PreK - 12 institutions 78 The College Board and ACT 6 digit code list of secondary educational institutions CB Statistics Canada Canadian College Student Information System Institution Codes CS Statistics Canada University Student Information System University Codes</p>	X	ID	1/2	Used
N104	67	<p>Identification Code (Institution Code) Description: Code identifying a party or other code</p> <p>Note to User: This is the institution code from the code set identified in</p>	X	AN	2/80	Used

A Guide to the Implementation of Electronic Transcripts and Student Records
Part 3: TS146 - Request for Student Educational Record (Transcript)

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
		N103.				
N105	706	Entity Relationship Code Description: Code describing entity relationship	O	ID	2/2	Not used
N106	98	Entity Identifier Code Description: Code identifying an organizational entity, a physical location, property or an individual	O	ID	2/3	Not used

Syntax:

R0203 -- At least one of N102 or N103 is required.

P0304 -- If either N103 or N104 is present, then the other is required.

Comments:

1. This segment, used alone, provides the most efficient method of providing organizational identification. To obtain this efficiency the Institution Code Qualifier (N103) and Code (N104) must be understood by both sender and receiver.
2. N105 and N106 further define the type of entity in N101.

Note to User:

One iteration of the N1 loop describes the sender and the other describes the receiver. In each case it is recommended that in the N1 segment, N103 and N104 be used to identify the institution. If this is not possible, N102 is available for the free-form name of the institution.

N2

Additional Name Information

Pos: 110	Max: 1
Heading - Optional	
Loop: N/A	Elms: 2

To specify additional names or those longer than 35 characters in length

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
N201	93	Name Description: Free-form name	M	AN	1/60	Must use
N202	93	Name Description: Free-form name	O	AN	1/60	Used

Note to User:

This segment can be used to extend the institutional name in those cases where the free-form name exceeds 35 characters in length. It is recommended, however, that this segment not be used if there is a valid code in the N1 segment (N104) since it is probably redundant.

N3

Address Information (Street Address of Sending/Receiving Institution)

Pos: 120	Max: 1
Heading - Optional	
Loop: N/A	Elms: 2

To specify the location of the named party

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
N301	166	Address Information Description: Address information	M	AN	1/55	Must use
N302	166	Address Information Description: Address information	O	AN	1/55	Used

N4

Geographic Location

Pos: 130	Max: 1
Heading - Optional	
Loop: N/A	Elms: 6

To specify the geographic place of the named party

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
N401	19	City Name Description: Free-form text for city name	O	AN	2/30	Used
N402	156	State or Province Code Description: Code (Standard State/Province) as defined by appropriate government agency Note to User: Refer to Appendix B for the complete code list.	O	ID	2/2	Used
N403	116	Postal Code Description: Code defining international postal zone code excluding punctuation and blanks (zip code for United States) Note to User: For the United States, use ZIP codes as specified in the US Postal Service Publication 65, Code Set A-5. This is available from the U.S. Postal Service, Washington, DC 20260.	O	ID	3/15	Used
N404	26	Country Code Description: Code identifying the country Note to User: Refer to Appendix B for the complete code list.	O	ID	2/3	Used
N405	309	Location Qualifier Description: Code identifying type of location Note to User: This is a code identifying the type of location. Depending on the value of this code, N406 will be omitted or will contain another code or free-form text. Code NAME AC City and State CC Country CI City CY County/Parish DR District of Residence F Current Address L Local Address M Mailing Address O Office Address P Permanent Address PT 3 Digit Canadian Postal Code PU 6 Digit Canadian Postal Code RE Regional Education Service Agency SB Suburban SD School District SH School Campus Code SP State/Province SS School	X	ID	1/2	Used

A Guide to the Implementation of Electronic Transcripts and Student Records
 Part 3: TS146 - Request for Student Educational Record (Transcript)

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
		TN Township UR Urban ZZ Mutually Defined				
N406	310	Location Identifier Description: Code which identifies a specific location	O	AN	1/30	Used

Syntax:

C0605 -- If N406 is present, then N405 is required.

Comments:

1. A combination of either N401 through N404, or N405 and N406 may be adequate to specify a location.
2. N402 is required only if city name (N401) is in the U.S. or Canada.

PER Administrative Communications Contact

Pos: 140	Max: 1
Heading - Optional	
Loop: N/A	Elms: 9

To identify a person or office to whom administrative communications should be directed

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
PER01	366	<p>Contact Function Code Description: Code identifying the major duty or responsibility of the person or group named</p> <p>Code NAME BP School Principal DN Dental School Admissions Office E2 Evening Programs Office FA Financial Aid Office GA Graduate Fine Arts Office GB Graduate Business Office GC Guidance Counselor GE Graduate Engineering Office GR Graduate Admissions Office LD Law School Admissions Office MC Medical Contact MD Medical Admissions Office OA Other Adult PK Performance Evaluation Committee PN Probation or Legal Officer PQ Parent or Guardian PS Personnel Department RG Registrar SB Student SF Student in Absentia SK School Clerk SP Special Program Contact SW Social Services Worker TC College of Education Admissions Office TH School of Theology Admissions Office UG Undergraduate Admissions Office VM School of Veterinary Medicine Admissions Office</p>	M	ID	2/2	Must use
PER02	93	<p>Name (Name of Contact Person) Description: Free-form name</p>	O	AN	1/60	Used
PER03	365	<p>Communication Number Qualifier Description: Code identifying the type of communication number</p> <p>Code NAME AP Alternate Telephone AS Answering Service BN Beeper Number CP Cellular Phone EM Electronic Mail EX Telephone Extension FX Facsimile</p>	X	ID	2/2	Used

A Guide to the Implementation of Electronic Transcripts and Student Records
Part 3: TS146 - Request for Student Educational Record (Transcript)

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
		HF Home Facsimile Number HP Home Phone Number NP Night Telephone OF Other Residential Facsimile Number OT Other Residential Telephone Number PA Appointment Phone PC Personal Cellular PP Personal Phone TE Telephone TL Telex TM Telemail TN Teletex Number VM Voice Mail WC Work Cellular WF Work Facsimile Number WP Work Phone Number				
PER04	364	Communication Number Description: Complete communications number including country or area code when applicable	X	AN	1/80	Used
PER05	365	Communication Number Qualifier Description: Code identifying the type of communication number Note to User: Values are listed under PER03.	X	ID	2/2	Used
PER06	364	Communication Number Description: Complete communications number including country or area code when applicable	X	AN	1/80	Used
PER07	365	Communication Number Qualifier Description: Code identifying the type of communication number Note to User: Values are listed under PER03.	X	ID	2/2	Used
PER08	364	Communication Number Description: Complete communications number including country or area code when applicable	X	AN	1/80	Used
PER09	443	Contact Inquiry Reference Description: Additional reference number or description to clarify a contact number	O	AN	1/20	Used

Syntax:

P0304 -- If either PER03 or PER04 is present, then the other is required.
 P0506 -- If either PER05 or PER06 is present, then the other is required.
 P0708 -- If either PER07 or PER08 is present, then the other is required.

Note to User:

Since contact or notification data are not needed in routine circumstances, it is suggested that full contact information be provided only if special handling or delivery instructions are needed.

IN1 Individual Identification

Pos: 150	Max: 1
Heading - Mandatory	
Loop: IN1	Elms: 7

To provide identification of an individual or entity

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
IN101	1065	Entity Type Qualifier Description: Code qualifying the type of entity Note to User: This code indicates whether the entity described is a person or non-person (such as an agency). The postsecondary request for a transcript would send only "1 Person" to identify the student. <u>Code NAME</u> 1 Person 2 Non-Person Entity	M	ID	1/1	Must use
IN102	1107	Name Type Code Description: Code identifying the type of name <u>Code NAME</u> 01 Given Name (Name at Birth) 02 Current Legal 03 Alias 04 Name of Record 05 Previous Name 07 Married Name 08 Professional Name	M	ID	2/2	Must use
IN103	98	Entity Identifier Code Description: Code identifying an organizational entity, a physical location, property or an individual Note to User: A postsecondary request would only use "2 Student", but a postsecondary institution may receive a PreK - Grade 12 request with any of these codes. <u>Code NAME</u> E1 Person or Other Entity Legally Responsible for a Child E2 Person or Other Entity With Whom a Child Resides E3 Person or Other Entity Legally Responsible for and With Whom a Child Resides E4 Other Person or Entity Associated with Student S1 Parent S2 Student S3 Custodial Parent	O	ID	2/3	Used
IN104	128	Reference Identification Qualifier Description: Code qualifying the Reference Identification <u>Code NAME</u> 28 Employee Identification Number 30 United States Government Visa Number 48 Agency's Student Number. This is the number assigned by an agency other than the institution sending the record. 49 Family Unit Number	X	ID	2/3	Used

A Guide to the Implementation of Electronic Transcripts and Student Records
Part 3: TS146 - Request for Student Educational Record (Transcript)

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
		4A Personal Identification Number (PIN) 50 State Student Identification Number 56 Corrected Social Security Number 57 Prior Incorrect Social Security Number C0 Canadian Social Insurance Number LR Local Student Identification Number MV Migrant Number SY Social Security Number ZZ Mutually Defined				
IN105	127	Reference Identification Description: Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier Note to User: This is the reference number for the qualifier sent as IN104.	X	AN	1/30	Used
IN106	1069	Individual Relationship Code Description: Code indicating the relationship between two individuals or entities	O	ID	2/2	K12 Only
IN107	1131	Level of Individual, Test, or Course Code (Parent/Guardian Education Level) Description: Code identifying level of course, test, or student	O	ID	2/2	Not used

Syntax:

P0405 -- If either IN104 or IN105 is present, then the other is required.

Semantics:

1. IN101 defines entity type (person or nonperson).
2. IN102 defines type or usage of name.
3. IN103 defines role of entity. If IN103 equals "03", then IN106 is required.
4. IN104 identifies number type in IN105 as Social Security or Tax ID.
5. IN106 defines type of dependent relationship.

Note to User:

Complete and proper identification of the student whose educational record is being requested is of utmost importance. Careful attention to this segment will assist the receiving institution in matching this request to the correct student.

A postsecondary institution will not send IN103 through IN107 in a request for a student record but may receive IN104 and IN105 from a PreK-Grade12 school or district.

IN2 Individual Name Structure Components

Pos: 160	Max: 10
Heading - Mandatory	
Loop: N/A	Elms: 2

To sequence individual name components for maximum specificity

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
IN201	1104	Name Component Qualifier Description: Code identifying the type of name component <u>Code</u> <u>NAME</u> 01 Prefix 02 First Name 03 First Middle Name 04 Second Middle Name 05 Last Name 06 First Initial 07 First Middle Initial 08 Second Middle Initial 09 Suffix 12 Combined (Unstructured) Name 14 Name of an agency 15 Maiden or former name 16 Composite name (used if the name cannot be broken into separate parts) 17 Middle Names 18 Preferred First Name or Nickname 22 Organization Name	M	ID	2/2	Must use
IN202	93	Name Description: Free-form name Note to User: This is the free-form text of the name component or full name as indicated in IN201.	M	AN	1/60	Must use

Semantics:

- IN201 defines the component of a structured name.

Note to User:

This segment is used to provide the receiving educational institution (recipient of the request) with complete identification of the name of the individual student whose records are being requested. It can also be used to send the names of adults or agencies responsible for students in the PreK-Grade 12 sector. The absence of this segment is likely to invalidate the usefulness of the record by the receiving institution or agency, since the primary means of identification in many environments is the student's name. Some students may not have other means of identification that would be significant for the receiving institution.

Each occurrence of the IN2 qualifies a name component or the full name appearing in IN202.

N3

Address Information

Pos: 170	Max: 1
Heading - Optional	
Loop: N/A	Elms: 2

To specify the location of the named party

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
N301	166	Address Information Description: Address information	M	AN	1/55	Must use
N302	166	Address Information Description: Address information	O	AN	1/55	Used

Note to User:

This segment is used to provide the primary mailing (street) address to be used to correspond with the individual identified in the current IN1 loop.

N4 Geographic Location

Pos: 180	Max: 1
Heading - Optional	
Loop: N/A	Elms: 6

To specify the geographic place of the named party

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
N401	19	City Name Description: Free-form text for city name	O	AN	2/30	Used
N402	156	State or Province Code Description: Code (Standard State/Province) as defined by appropriate government agency Note to User: Refer to Appendix B for the complete code list..	O	ID	2/2	Used
N403	116	Postal Code Description: Code defining international postal zone code excluding punctuation and blanks (zip code for United States) Note to User: For the United States, use ZIP codes as specified in the U.S. Postal Service Publication 65, Code Set A-5. This is available from the U.S. Postal Service, Washington, DC 20260.	O	ID	3/15	Used
N404	26	Country Code Description: Code identifying the country Note to User: Refer to Appendix B for the complete code list.	O	ID	2/3	Used
N405	309	Location Qualifier Description: Code identifying type of location	X	ID	1/2	K12 Only
N406	310	Location Identifier Description: Code which identifies a specific location	O	AN	1/30	K12 Only

Syntax:

C0605 -- If N406 is present, then N405 is required.

Comments:

1. A combination of either N401 through N404, or N405 and N406 may be adequate to specify a location.
2. N402 is required only if city name (N401) is in the U.S. or Canada.

Note to User:

This segment is used to provide city, state, ZIP (postal) code and country address information to be used to correspond with the individual identified in the current IN1 loop.

SE Transaction Set Trailer

Pos: 190	Max: 1
Heading - Mandatory	
Loop: N/A	Elms: 2

To indicate the end of the transaction set and provide the count of the transmitted segments (including the beginning (ST) and ending (SE) segments)

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
SE01	96	Number of Included Segments Description: Total number of segments included in a transaction set including ST and SE segments	M	N0	1/10	Must use
SE02	329	Transaction Set Control Number Description: Identifying control number that must be unique within the transaction set functional group assigned by the originator for a transaction set Note to User: This should contain the same value as that transmitted in ST02.	M	AN	4/9	Must use

Comments:

- SE is the last segment of each transaction set.