

NEW

MAJORIS R1

SUV CAR TYRES

* MAJORIS R1, an new design with 4 drainage ditch and asymmetric pattern especially for SUV, brings you a stronger grip and more comfortable driving experience, superior drainage performance and ultra quiet.

* Strengthen the carcass structure and with special materials, MAJORIS R1 provides with strong loading ability, effectively absorbs the ground impact, makes driving more accurate, safety, and turning more agile.

SUV

SIZE	LI\SI	P R	UTQG			TREAD DEPTH(MM)	RECOMMENDED RIM(INS)	MAX.PRESSURE (PSI)	
			Treadwear	Traction	Temp				
45	245/45R20*	99V	—	460	A	A	7.5	8J	44
	275/45R20*	110V XL	—	460	A	A	7.5	9J	49
50	235/50R18*	101V XL	—	460	A	A	7.5	7 1/2J	49
	245/50R20*	102V	—	460	A	A	7.5	7 1/2J	44
	285/50R20*	116V XL	—	460	A	A	7.5	9J	49
	215/55R18*	95H	—	460	A	A	7.5	7J	44
55	225/55R18*	98V	—	460	A	A	7.5	7J	44
	235/55R18*	100V	—	460	A	A	7.5	7 1/2J	44
	255/55R18*	105V	—	460	A	A	7.5	8J	44
	225/55R19*	99V	—	460	A	A	7.5	7J	44
	235/55R19*	101V	—	460	A	A	7.5	7 1/2J	44
	245/55R19*	103H	—	460	A	A	7.5	7 1/2J	44
	255/55R19*	111V XL	—	460	A	A	7.5	8J	49
	275/55R19*	111H	—	460	A	A	7.5	8 1/2J	44
60	235/60R17*	102H	—	460	A	A	7.5	7J	44
	255/60R17*	106H	—	460	B	B	7.5	7 1/2J	44
	245/60R18*	105H	—	460	B	B	7.5	7J	44
	255/60R18*	112H XL	—	460	B	B	7.5	7 1/2J	49
	265/60R18*	110H	—	460	B	B	7.5	8J	44
	285/60R18*	116S	—	460	B	B	7.5	8 1/2J	44
	275/60R20*	115H	—	460	B	B	7.5	8J	44
	215/65R17*	99H	—	460	B	B	7.5	6 1/2J	44
65	225/65R17*	102S	—	460	B	B	7.5	6 1/2J	44
	235/65R17*	104H	—	460	B	B	7.5	7J	44
	245/65R17*	111S XL	—	460	B	B	7.5	7J	49
	265/65R17*	112S	—	460	B	B	7.5	8J	44
	235/65R18*	106S	—	460	B	B	7.5	7J	44
	P275/65R18*	116S	—	460	B	B	7.5	8J	44
70	245/70R17*	110S	—	460	B	B	7.5	7J	44
	265/70R17*	115S	—	460	B	B	7.5	8J	44
	265/70R18*	116S	—	460	B	B	7.5	8J	44
	215/75R15*	100S	—	460	B	B	7.5	6J	44
75	215/75R15*	100S	—	460	B	B	7.5	6J	44

* UNDER TEST

All the data are subject to change by the manufacturer without further notice.

ANTARES TIRES

WWW.ANTARESTIRES.CA



ANTARES TIRES



PCR/SUV
LTR/WINTER



PRODUCT CATALOGUE

WWW.ANTARESTIRES.CA



INGENS A1




SU-830



NT 3000



SU-810



MAJORIS M5



SMT A7 A/T



DEEP DIGGER M/T



COMFORT A5 H/T



GRIP 20



GRIP 60 ice



MAJORIS M5

It is one of the high performance tire series designed specifically for luxury SUV. The tread is made from a silicon technology with two wave-shaped grooves to carry out its stability and controllability perfectly. The shoulder pattern is enhanced to improve steering and braking performance for safe driving even on wet pavement.



SIZE	LISI	UTQG			TREAD DEPTH(MM)	RECOMMENDED RIM(INS)	MAX.PRESSURE (PSI)
		Treadwear	Traction	Temp			
30	235/30ZR20	88Y XL	300	A	A	8.1	8 1/2J
	245/30ZR20	90W XL	300	A	A	8.1	8 1/2J
	235/30ZR22	90W XL	300	A	A	8.1	8 1/2J
	245/30ZR22	92W XL	300	A	A	8.1	8 1/2J
	255/30ZR22	95W XL	300	A	A	8.1	9J
	265/30ZR22	97W XL	300	A	A	8.1	9 1/2J
	285/30R22	101V XL	360	A	A	8.1	10J
	295/30ZR22	103Y XL	300	A	A	8.1	10 1/2J
35	225/35ZR20	90W XL	300	A	A	8.1	8J
	245/35ZR20	95Y XL	300	A	A	8.1	8 1/2J
	305/35ZR20	104Y	300	A	A	8.1	11J
	315/35ZR20	110W XL	300	A	A	8.1	11J
	295/35ZR21	107Y XL	300	A	A	8.1	10 1/2J
	265/35R22	102V XL	360	A	A	8.1	9 1/2J
	285/35ZR22	106W XL	300	A	A	8.7	10J
	305/35R24	112V XL	360	A	A	8.1	11J
40	255/40ZR20	101W XL	300	A	A	8.1	9J
	275/40ZR20	106W XL	300	A	A	8.1	9 1/2J
	265/40R22	106V XL	360	A	A	8.3	9 1/2J
	305/40R22	114V XL	360	A	A	8.7	11J
	285/40R24	112V XL	360	A	A	8.1	10J
	255/45ZR20	105W XL	300	A	A	8.1	8 1/2J
45	295/45ZR20	114W XL	300	A	A	8.1	10J
	305/45ZR20	116W XL	300	A	A	8.7	10J
	275/45R22	112V XL	360	A	A	8.5	9J
	285/45R22	114V XL	360	A	A	8.7	9 1/2J
	305/45R22	118V XL	360	A	A	9.2	10J
	265/50R20	111V XL	360	A	A	8.7	8 1/2J
50	275/55R20	117V XL	360	A	A	8.7	8 1/2J

* UNDER TEST

All the data are subject to change by the manufacturer without further notice.



HIGH PERFORMANCE RADIAL TIRES

INGENS A1

The outlook is filled with passion; the motion feature is shown everywhere. INGENS A1 provides excellent controllability and comfort. It has been tested repetitiously on dry and wet pavement. Every single result proves that it is able to make driving enjoyable because it has significant gripping ability and outstanding environment adaptability.



SIZE	L\SI	UTQG			TREAD DEPTH(MM)	RECOMMENDED RIM(INS)	MAX.PRESSURE (PSI)
		Treadwear	Traction	Temp			
30	265/30ZR19	93W XL	300	A	A	8.3	9 1/2J 49
	275/30ZR19	96W XL	300	A	A	8.4	9 1/2J 49
35	215/35ZR18	84W XL	300	A	A	7.6	7 1/2J 49
	255/35ZR18	94W XL	300	A	A	7.6	9J 49
	265/35ZR18	97W XL	300	A	A	8.3	9 1/2J 49
	215/35ZR19	85W XL	300	A	A	7.6	7 1/2J 49
	225/35ZR19	88W XL	300	A	A	7.6	8J 49
	235/35ZR19	91W XL	300	A	A	8.1	8 1/2J 42
	245/35ZR19	93W XL	300	A	A	8.2	8 1/2J 49
40	205/40ZR17	84W XL	300	A	A	7.6	7 1/2J 49
	215/40ZR17	87W XL	300	A	A	7.6	7 1/2J 49
	245/40ZR17	95W XL	300	A	A	8.2	8 1/2J 49
	275/40ZR17	98W	300	A	A	8.4	9 1/2J 44
	225/40ZR18	92W XL	300	A	A	8.1	8J 42
	235/40ZR18	95W XL	300	A	A	8.5	8 1/2J 49
	245/40ZR18	97W XL	300	A	A	8.2	8 1/2J 49
	265/40ZR18*	101Y XL	300	A	A	7.5	9 1/2J 49
	245/40ZR19	98W XL	300	A	A	8.1	8 1/2J 49
	245/40ZR20*	99Y XL	300	A	A	7.5	8 1/2J 49

All the data are subject to change by the manufacturer without further notice.

* UNDER TEST

INGENS A1



SIZE	L\SI	UTQG			TREAD DEPTH(MM)	RECOMMENDED RIM(INS)	MAX.PRESSURE (PSI)
		Treadwear	Traction	Temp			
45	195/45ZR16	84W XL	300	A	A	8.2	6 1/2J 49
	205/45ZR16	87W XL	300	A	A	8.1	7J 49
	205/45ZR17	88W XL	300	A	A	8.1	7J 49
	215/45ZR17	91W XL	300	A	A	8.1	7J 42
	225/45ZR17	94W XL	300	A	A	8.1	7 1/2J 42
	235/45ZR17	97W XL	300	A	A	8.1	8J 42
	245/45ZR17*	99W XL	300	A	A	7.6	8J 49
	225/45ZR18	95W XL	300	A	A	8.1	7 1/2J 49
	225/45RF18*	95V XL	300	A	A	8.1	7 1/2J 49
	235/45ZR18	98W XL	300	A	A	7.5	8J 49
	245/45ZR18	100W XL	300	A	A	8.1	8J 49
	245/45RF18*	100V XL	300	A	A	8.1	8J 49
	255/45ZR18	103W XL	300	A	A	8.1	8 1/2J 49
	255/45ZR19	104W XL	300	A	A	7.5	8 1/2J 49
	285/45ZR19	111W XL	300	A	A	8.4	9 1/2J 49
50	195/50R15	82V	360	A	A	6.5	6J 41
	205/50R16	87V	360	A	A	8.1	6 1/2J 41
	205/50R17	93V XL	360	A	A	8.5	6 1/2J 49
	215/50R17	95V XL	360	A	A	8.1	7J 49
	225/50ZR17	98W XL	300	A	A	8.1	7J 42
	225/50RF17*	98V XL	300	A	A	8.1	7J 42
	245/50ZR18	100W	300	A	A	8.1	7 1/2J 44
	245/50RF18*	100V	300	A	A	8.1	7 1/2J 44
	235/50ZR19	99W	300	A	A	7.8	7 1/2J 44
	255/50R19	107V XL	360	A	A	8.4	8J 46
55	155/55R14	69V	360	B	A	7.0	5J 44
	165/55R14	72V	360	B	A	7.0	5J 44
	185/55R15	82V	360	B	A	7.1	6J 41
	195/55R15	85V	360	B	A	8.1	6J 36
	185/55R16	83H	360	B	A	7.1	6J 36
	195/55R16	87V	360	B	A	7.0	6J 41
	205/55R16	94V XL	360	B	A	8.1	6 1/2J 49
	215/55R16	97V XL	360	B	A	8.1	7J 49
	225/55R16	99V XL	360	B	A	8.1	7J 49
	215/55R17	98V XL	300	B	A	8.1	7J 42
	225/55R17	101V XL	300	B	A	8.1	7J 49
	235/55R17	103V XL	360	B	A	8.1	7 1/2J 46
60	175/60R13	77H	360	B	A	7.9	5.00B 41
	165/60R14	75H	360	B	A	7.0	5J 36
	185/60R14	82H	360	B	A	7.0	5 1/2J 36
	195/60R14	86H	360	B	A	7.0	6J 36
	205/60R14	88H	360	B	A	8.1	6J 41
	185/60R15	84H	360	B	A	7.1	5 1/2J 36
	195/60R15	88H	360	B	A	8.1	6J 36
	205/60R15	91H	360	B	A	8.1	6J 36
	215/60R16	95H	360	B	A	8.1	6 1/2J 36
	225/60R16	98H	360	B	A	8.1	6 1/2J 36
	215/60R17	96H	360	B	A	8.1	6 1/2J 36
	225/60R17	99V	360	B	A	8.1	6 1/2J 41
65	225/60R18	100V	360	B	A	8.1	6 1/2J 41
	235/60R18	107V XL	360	B	A	8.5	7J 42
	165/65R13	77T	360	B	A	7.1	5.00B 36
	155/65R14	75T	360	B	A	7.0	4 1/2J 36
	175/65R14	86H XL	360	B	A	7.1	5J 49
	185/65R14	86H	360	B	A	6.0	5 1/2J 36
	175/65R15	84H	360	B	A	7.6	5J 36
	185/65R15	88H	360	B	A	6.5	5 1/2J 36
	195/65R15	91H	360	B	A	8.1	6J 36
	205/65R15	94H	360	B	A	8.1	6J 36
	205/65R16	95H	360	B	A	7.0	6J 44
	215/65R16	98H	360	B	A	8.1	6 1/2J 36
70	175/70R13	82T	360	B	B	7.0	5.00B 36
	155/70R14	77T	360	B	B	6.0	4 1/2J 36
	175/70R14	84T	360	B	B	7.0	5J 36
	185/70R14	88T	360	B	B	6.8	5 1/2J 36
	205/55R16*	94V XL	360	A	A	7.0	6 1/2J 49

All the data are subject to change by the manufacturer without further notice.

* UNDER TEST



CITY SUV TIRES

COMFORT A5 H/T

CITY SUV TIRES

It belongs to one of the cross-country tire series. The design of two steel cord belts provides the tire excellent anti-puncture ability and impact resistance, while the numerous sipes give extra traction for traveling in snowy and rainy days.



SUV

SIZE	LI\SI	UTQG			TREAD DEPTH(MM)	RECOMMENDED RIM(INS)	MAX.PRESSURE (PSI)
		Treadwear	Traction	Temp			
65	P225/65R16	100H	460	B	A	8.1	6 1/2J 36
	225/65R17	102S	460	B	A	8.5	6 1/2J 36
	235/65R17	104H	460	B	A	8.5	7J 36
	245/65R17	111S XL	460	B	B	7.5	7J 42
	265/65R17	112S	460	B	B	8.5	8J 36
	275/65R17	115S	460	B	B	8.5	8J 36
	285/65R17	116S	460	B	B	8.5	8 1/2J 36
	235/65R18	106S	460	B	A	8.1	7J 36
	P275/65R18	116S	460	B	B	8.5	8J 44
70	255/70R15	108S	460	B	B	8.5	7 1/2J 44
	225/70R16	107S XL	460	B	B	8.5	6 1/2J 42
	235/70R16	106S	460	B	B	8.5	7J 36
	235/70R16	106H	460	B	B	7.0	7J 36
	245/70R16	107S	460	B	B	8.5	7J 36
	255/70R16	111S	460	B	B	8.5	7 1/2J 36
	265/70R16	112S	460	B	B	8.5	8J 36
	275/70R16	114S	460	B	B	8.5	8J 44
	245/70R17	110S	460	B	B	8.5	7J 36
	265/70R17	115S	460	B	B	8.5	8J 36
	265/70R18*	116S	460	B	B	8.5	8J 44
75	245/75R16	111S	460	B	B	8.5	7J 36
	265/75R16	116S	460	B	B	8.5	7 1/2J 36

All the data are subject to change by the manufacturer without further notice.

CITY SUV

Range

COMFORT A5 H/T



SIZE	LI\SI	UTQG			TREAD DEPTH(MM)	RECOMMENDED RIM(INS)	MAX.PRESSURE (PSI)
		Treadwear	Traction	Temp			
35	255/35ZR20	97W XL	300	A	A	8.5	9J 42
45	235/45ZR20	100W XL	300	A	A	8.1	8J 49
	245/45R20*	99V	460	A	A	8.1	8J 44
	265/45ZR20	104W	300	A	A	8.1	9J 44
	275/45R20	110V XL	460	A	A	8.5	9J 42
	265/45ZR21	104W	300	A	A	8.5	9J 44
50	225/50R18	95V	460	A	A	7.5	7J 41
	235/50R18	101V XL	460	A	A	8.5	7 1/2J 46
	245/50R20	102V	460	A	A	8.1	7 1/2J 41
	285/50R20	116V XL	460	A	A	8.1	9J 49
55	215/55R18	95H	460	A	A	7.8	7J 36
	215/55R18	99H XL	460	A	A	7.8	7J 49
	225/55R18	98V	460	A	A	8.5	7J 41
	235/55R18	100V	460	A	A	8.5	7 1/2J 41
	255/55R18	105V	460	A	A	8.5	8J 36
	225/55R19	99V	460	A	A	8.1	7J 41
	235/55R19	101V	460	A	A	8.1	7 1/2J 41
	245/55R19	103H	460	A	A	8.5	7 1/2J 36
	255/55R19	111V XL	460	A	A	8.1	8J 46
	275/55R19	111H	460	A	A	7.5	8 1/2J 36
	235/60R16	100H	460	A	A	8.5	7J 36
60	225/60R17	99V	460	A	A	8.1	6 1/2J 41
	235/60R17						COMINGSOON
	235/60R18	103H	460	A	A	8.1	7J 44
	255/60R17	106H	460	A	A	8.5	7 1/2J 36
	245/60R18	105H	460	A	A	7.5	7J 36
	255/60R18	112H XL	460	A	A	9.5	7 1/2J 42
	265/60R18	110H	460	A	A	8.5	8J 36
	285/60R18	116S	460	B	B	8.5	8 1/2J 44
	275/60R20	114H	460	A	A	7.5	8J 36
	65	215/65R17	99H	460	B	A	7.5 6 1/2J 36
	70	215/70R16	100T	460	B	B	8.5 6 1/2J 36
	75	215/75R15	100S	460	B	B	7.3 6J 36
		225/75R15	102S	460	B	B	8.0 6J 36
		235/75R15	109S XL	460	B	B	8.1 6 1/2J 42
		235/75R15	105S	460	B	B	8.1 6 1/2J 36

* UNDER TEST

LTR



SIZE	LI\SI	P R	UTQG			TREAD DEPTH(MM)	RECOMMENDED RIM(INS)	MAX.PRESSURE (PSI)
			Treadwear	Traction	Temp			
70	215/70R16C	108/106Q	6	-	-	8.5	6 1/2J	51
	225/70R16C	102/99S	6	-	-	8.5	6 1/2J	51
	LT245/70R17	119/116S	10	-	-	8.5	7J	80
	LT265/70R17	121/118S	10	-	-	8.5	8J	80
75	LT215/75R15	100/97S	6	-	-	8.5	6J	51
	LT235/75R15	104/101S	6	-	-	8.5	6 1/2J	51
	31 x 10.50R15LT	109S	6	-	-	8.5	8 1/2J	51
	LT225/75R16	118/116S	10	-	-	8.5	6J	76
	LT245/75R16	120/116S	10	-	-	8.5	7J	80
80	LT265/75R16	123/120S	10	-	-	8.5	7 1/2J	80
	LT235/80R17	120/117Q	10	-	-	8.0	6 1/2J	80
	85	LT235/85R16	120/116S	10	-	-	8.5	6 1/2J 83

All the data are subject to change by the manufacturer without further notice.

* UNDER TEST



ALL TERRAIN SUV TIRES

SMT A7 A/T

ALL TERRAIN SUV TIRES

Thickened carcass, wild pattern and deep grooves are the physical properties of this tire for improving traction and braking performance. This tire can easily deal with a variety of complicated road conditions, regardless of bumpy or soft.



SUV

SIZE	LI\SI	UTQG			TREAD DEPTH(MM)	RECOMMENDED RIM(INS)	MAX.PRESSURE (PSI)
		Treadwear	Traction	Temp			
65	235/65R17	104S	500	B	B	10.5	7J 36
	265/65R17	112S	500	B	B	10.5	8J 36
	275/65R17	115S	500	B	B	10.4	8J 36
	P275/65R18	116S	500	B	B	10.5	8J 36
70	255/70R15	108S	500	B	B	10.5	7 1/2J 36
	265/70R15	112S	500	B	B	10.5	8J 36
	225/70R16	107S XL	500	B	B	10.5	6 1/2J 42
	235/70R16	106S	500	B	B	10.5	7J 36
	245/70R16	111S XL	500	B	B	10.5	7J 42
	255/70R16	111S	500	B	B	10.5	7 1/2J 36
	265/70R16	112S	500	B	B	10.4	8J 36
	275/70R16	114S	500	B	B	10.5	8J 36
	245/70R17	110S	500	B	B	10.5	7J 36
	265/70R17	115S	500	B	B	10.5	8J 36
75	245/75R16	111S	500	B	B	10.5	7J 36
	265/75R16	116S	500	B	B	10.5	7 1/2J 36
80	175/80R14	92S XL	500	B	B	9.0	5J 41

All the data are subject to change by the manufacturer without further notice.

ALL TERRAIN SUV TIRES



SMT A7 A/T

SIZE	LI\SI	UTQG			TREAD DEPTH(MM)	RECOMMENDED RIM(INS)	MAX.PRESSURE (PSI)
		Treadwear	Traction	Temp			
60	265/60R18	110H	500	B	B	10.5	8J 36
	285/60R18	116T	500	B	B	10.5	8 1/2J 36
70	215/70R16	100S	500	B	B	10.5	6 1/2J 36
75	225/75R15	102S	500	B	B	10.5	6J 36



LTR

SIZE	LI\SI	P R	UTQG			TREAD DEPTH(MM)	RECOMMENDED RIM(INS)	MAX.PRESSURE (PSI)
			Treadwear	Traction	Temp			
70	225/70R16C	102/99S	6	-	-	10.5	6 1/2J	51
	LT245/70R17	119/116S	10	-	-	10.5	7J	80
	LT265/70R17	121/118S	10	-	-	10.5	8J	80
75	LT215/75R15	100/97S	6	-	-	11.5	6J	51
	225/75R15C	110/108S	6	-	-	10.5	6J	54
	LT235/75R15	104/101S	6	-	-	11.5	6 1/2J	51
	30 x 9.50R15LT	104S	6	-	-	10.5	7 1/2J	51
	31 x 10.50R15LT	109S	6	-	-	10.5	8 1/2J	51
	LT225/75R16	118/116S	10	-	-	10.5	6J	76
	LT245/75R16	120/116S	10	-	-	10.5	7J	80
	LT265/75R16	123/120S	10	-	-	10.5	7 1/2J	80
	LT285/75R16*	122/119S	8	-	-	10.5	8J	65
	33 x 12.50R18LT	118S	10	-	-	10.5	10J	65
80	35 x 12.50R18LT	123S	10	-	-	10.5	10J	65
	33 x 12.50R20LT	114S	10	-	-	10.5	10J	65
	35 x 12.50R20LT	121S	10	-	-	10.5	10J	65
	205R14LT	107/105Q	8	-	-	11.0	6J	65
	205R16LT	110/108Q	8	-	-	10.5	6J	65
85	235/85R16LT	120/116Q	10	-	-	10.5	6 1/2J	80

* UNDER TEST
All the data are subject to change by the manufacturer without further notice.



4x4

DEEP DIGGER M/T

It can be used in harsh environments such as rocky slopes, mud, wilderness and so on. The huge tread lugs and the deepened grooves not only enhance its gripping ability, but also prolong its life combined with the use of a special silicon technology. The tire carcass is strengthened by using two steel cord belts and two/three plies of polyester cord to increase the anti-puncture ability for safe running in complicated road conditions.



4x4

SIZE	LI\SI	P R	UTQG			TREAD DEPTH(MM)	RECOMMENDED RIM(INS)	MAX.PRESSURE (PSI)
			Treadwear	Traction	Temp			
65 275/65R20LT	1126/123Q	10	-	-	-	13.5	8J	80
70 LT305/70R16	118/115Q	8	-	-	-	13.3	9J	51
LT265/70R17	121/118Q	10	-	-	-	12.5	8J	80
LT285/70R17	121/118Q	8	-	-	-	12.5	8 1/2J	65
275/70R18LT*	125/122Q	10	-	-	-	14.0	8J	80
75 30 x 9.50R15LT	104S	6	-	-	-	13.5	7 1/2J	51
31 x 10.50R15LT	109Q	6	-	-	-	13.5	8 1/2J	51
33 x 12.50R15LT	108Q	6	-	-	-	14.0	10J	36
35 x 12.50R15LT	113Q	6	-	-	-	14.0	10J	36
LT245/75R16	120/116Q	10	-	-	-	12.5	7J	80
LT265/75R16	123/120Q	10	-	-	-	12.5	7 1/2J	80
285/75R16LT	122/119Q	8	-	-	-	12.5	8J	65
LT315/75R16	121Q	8	-	-	-	14.0	8 1/2J	51
35 x 12.50R17LT	121Q	10	-	-	-	14.0	10J	65
33 x 12.50R18LT	118Q	10	-	-	-	12.5	10J	65
35 x 12.50R18LT	123Q	10	-	-	-	12.5	10J	65
33 x 12.50R20LT	114Q	10	-	-	-	12.5	10J	65
35 x 12.50R20LT	121Q	10	-	-	-	12.5	10J	65
37 x 13.50R20LT	127Q	10	-	-	-	14.5	11J	65
37 x 13.50R22LT	123Q	10	-	-	-	17.0	11J	65

* UNDER TEST

All the data are subject to change by the manufacturer without further notice.

PASSENGER CAR RADIAL TIRES

SU-830

PASSENGER CAR RADIAL TIRES

- * The SU-830 non direction tread design brings both comfort, low road noise and the ability to maximize tyre life.
- * The SU-830 four rib straight tread design allows for maximum water dispersion greatly improving wet weather performance



PCR

SIZE	LI\SI	UTQG			TREAD DEPTH(MM)	RECOMMENDED RIM(INS)	MAX.PRESSURE (PSI)
		Treadwear	Traction	Temp			
50 195/50R15	82V	360	A	A	8.1	6J	36
55 205/55R16	91V	360	A	A	8.1	6 1/2J	44
215/55R16	93V	360	A	A	8.1	7J	44
60 185/60R14	82H	360	A	A	8.5	5 1/2J	36
195/60R14	86H	360	A	A	8.5	6J	36
185/60R15	84H	360	A	A	8.1	5 1/2J	36
205/60R16	92H	360	A	A	8.1	6J	36
215/60R16	95H	360	A	A	8.1	6 1/2J	44
225/60R16	98H	360	A	A	8.1	6 1/2J	36
65 175/65R14	82H	360	B	A	8.5	5J	36
175/65R14	86T	360	B	A	8.5	5J	42
185/65R14	86H	360	B	A	8.5	5 1/2J	36
185/65R15	88H	360	B	A	8.5	5 1/2J	36
195/65R15	91H	360	B	A	8.1	6J	36
215/65R15	96H	360	B	A	8.1	6 1/2J	36
215/65R16	98H	360	B	A	8.1	6 1/2J	44
70 175/70R13	82T	360	B	B	8.5	5.00B	36
185/70R13	86T	360	B	B	8.5	5.50B	36
175/70R14	84T	360	B	B	7.5	5J	36
175/70R14	88S	360	B	B	7.5	5J	42
185/70R14	88T	360	B	B	8.5	5 1/2J	36
195/70R14	91T	360	B	B	8.5	6J	36
205/70R14	95T	360	B	B	8.5	6J	36
205/70R15	96T	360	B	B	8.1	6J	36
215/70R15	98T	360	B	B	8.1	6 1/2J	36
80 165/80R13	83T	360	B	B	7.5	4.50B	35



LTR

SIZE	LI\SI	P R	UTQG			TREAD DEPTH(MM)	RECOMMENDED RIM(INS)	MAX.PRESSURE (PSI)
			Treadwear	Traction	Temp			
60 215/60R16C	108/106S	8	-	-	-	8.1	6 1/2J	65
65 205/65R15LT	94/90S	6	-	-	-	8.1	6J	51
215/65R15C	104/102S	6	-	-	-	8.1	6 1/2J	51
215/65R16LT	109/107S	8	-	-	-	8.1	6 1/2J	65
70 175/70R14C	95/93T	6	-	-	-	7.5	5J	54
205/70R15C	106/104S	8	-	-	-	8.1	6J	65
80 165R13C	94/93S	8	-	-	-	7.5	4.50B	65

* UNDER TEST

All the data are subject to change by the manufacturer without further notice.

NT 3000

This is an economic tire designed for cabs and light trucks with features of energy saving, improved wear and rolling resistance. A special anti-wear formula is adopted to improve tire's wear resistance, side-slip protection and heat dissipation.



SIZE	LI\SI	P R	UTQG			TREAD DEPTH(MM)	RECOMMENDED RIM(INS)	MAX.PRESSURE (PSI)
			Treadwear	Traction	Temp			
65	195/65R16C	104/102S	8	—	—	10.0	6J	69
	205/65R16LT	101/98S	8	—	—	10.2	6J	65
	215/65R16LT	109/107S	8	—	—	10.6	6 1/2J	65
	225/65R16C*	112/110S	8	—	—	10.6	6 1/2J	65
	235/65R16C	115/113S	8	—	—	10.6	7J	65
70	205/70R15C	106/104S	8	—	—	10.2	6J	65
	215/70R15LT							COMINGSOON
75	185/75R16C	104/102S	8	—	—	10.0	5J	65
	195/75R16C	107/105S	8	—	—	10.2	5 1/2J	65
	205/75R16C	110/108S	8	—	—	10.4	5 1/2J	65
	215/75R16C	113/111S	8	—	—	10.6	6J	65
80	175/80R14	92S XL	—	360	B B	7.8	5J	41
	175R13C	97/95S	8	—	—	7.5	5.00B	65
	165R14LT	96/95S	8	—	—	7.5	4 1/2J	65
	165R14LT	91/90S	6	—	—	7.5	4 1/2J	51
	175R14LT	99/97R	8	—	—	7.8	5J	65

* UNDER TEST

All the data are subject to change by the manufacturer without further notice.



SU-810

SIZE	LI\SI	P R	UTQG			TREAD DEPTH(MM)	RECOMMENDED RIM(INS)	MAX.PRESSURE (PSI)
			Treadwear	Traction	Temp			
65	155/65R13	73T	—	360	B A	7.5	4.50B	36
	165/65R13	77T	—	360	B A	8.7	5.00B	36
	185/65R15	88H	—	360	B A	9.5	5 1/2J	36
	205/65R15	94H	—	360	B A	9.5	6J	36
	165/70R13	79T	—	360	B B	8.7	5.00B	36
70	165/70R14	81T	—	360	B B	5.8	5J	36
	195/70R15	97H XL	—	360	B B	11.0	6J	42
	165/70R13C	88/86S	6	—	—	8.7	5.00B	54
	195/70R15C	104/102S	8	—	—	11.0	6J	65
	225/70R15LT							COMINGSOON
80	185/80R14	95S XL	—	360	B B	8.1	5J	41
	155R12LT							COMINGSOON
	5.50R13LT	99/97P	12	—	—	9.0	4.00B	91
	155R13LT	90/88S	8	—	—	6.0	4.50B	65
	185R14C	102/100T	8	—	—	9.7	5 1/2J	65
	185R14LT	97/95S	6	—	—	6.5	5 1/2J	51
	185R14LT	102/100T	8	—	—	6.5	5 1/2J	65
	185R14LT							COMINGSOON
	185R15C	103/102S	8	—	—	10.5	5 1/2J	65
	195R14LT							COMINGSOON
	195R15LT							COMINGSOON

* UNDER TEST

All the data are subject to change by the manufacturer without further notice.

WINTER TIRES

GRIP 60ice

A designated gum is used in production especially for snow tires to improve tire's flexibility and mobility. There are numerous sipes distributed on tread to increase traction for driving safety. In practice, this tire significantly prevents slips or loss of control and shortens braking distance on snowy roads.

SIZE	LI\SI	PR	UTQG			TREAD DEPTH(MM)	RECOMMENDED RIM(INS)	MAX.PRESSURE (PSI)
			Treadwear	Traction	Temp			
40	225/40R18	92T XL	—	—	—	9.8	8J	49
	245/40R18	97T XL	—	—	—	9.8	8 1/2J	49
45	215/45R17	87T	—	—	—	9.8	7J	44
	225/45R17	94T XL	—	—	—	9.8	7 1/2J	42
	235/45R17	97T XL	—	—	—	9.8	8J	49
	225/45R18	95T XL	—	—	—	9.8	7 1/2J	49
	245/45R18	100T XL	—	—	—	9.8	8J	49
50	205/50R17	93T XL	—	—	—	9.8	6 1/2J	49
	215/50R17	95T XL	—	—	—	9.8	7J	42
	225/50R17	98T XL	—	—	—	9.8	7J	49
	225/50R18	95T	—	—	—	9.8	7J	44
	235/50R18	101T XL	—	—	—	9.8	7 1/2J	49
55	185/55R15	86T XL	—	—	—	9.8	6J	42
	205/55R16	94T XL	—	—	—	9.8	6 1/2J	42
	215/55R17	98T XL	—	—	—	9.8	7J	49
	225/55R17	97T	—	—	—	9.8	7J	36
	235/55R17	103T XL	—	—	—	9.8	7 1/2J	49
60	225/55R18	98T	—	—	—	9.8	7J	36
	235/55R18	104T XL	—	—	—	9.8	7 1/2J	49
	185/60R15	88T XL	—	—	—	9.8	5 1/2J	42
	205/60R16	92T	—	—	—	9.8	6J	36
	215/60R16	95T	—	—	—	9.8	6 1/2J	36
	215/60R17	96T	—	—	—	9.8	6 1/2J	44
	225/60R17	99T	—	—	—	9.8	6 1/2J	36
	235/60R17	102T	—	—	—	9.8	7J	44
	235/60R18	107S XL	—	—	—	9.8	7J	49
	265/60R18	114S XL	—	—	—	9.8	8J	42
65	175/65R14	82T	—	—	—	9.8	5J	36
	185/65R14	86T	—	—	—	9.8	5 1/2J	36
	185/65R15	88T	—	—	—	9.8	5 1/2J	36
	195/65R15	91T	—	—	—	9.8	6J	36
	205/65R15	94T	—	—	—	9.8	6J	44
	205/65R16	95T	—	—	—	9.8	6J	44
	215/65R16	98T	—	—	—	9.8	6 1/2J	36
	225/65R16	100T	—	—	—	9.8	6 1/2J	36
	225/65R17	102S	—	—	—	9.8	6 1/2J	36
	235/65R17	104S	—	—	—	11.5	7J	36
70	265/65R17	112S	—	—	—	9.8	8J	36
	185/70R14	88T	—	—	—	9.8	5 1/2J	44
	205/70R15	96T	—	—	—	9.8	6J	44
	215/70R16	100S	—	—	—	9.8	6 1/2J	36
	225/70R16	107S XL	—	—	—	9.8	6 1/2J	42
	235/70R16	106S	—	—	—	9.8	7J	36
	P265/70R17	115S	—	—	—	9.8	8J	36
75	LT245/75R16	120/116S	10	—	—	9.8	7J	80

* UNDER TEST

All the data are subject to change by the manufacturer without further notice.



GRIP 20

LTR

STUDLESS
WINTER TIRES



SIZE	LI\SI	P R	UTQG			TREAD DEPTH(MM)	RECOMMENDED RIM(INS)	MAX.PRESSURE (PSI)
			Treadwear	Traction	Temp			
60 195/60R16LT	99/97Q	6	–	–	–	8.5	6J	51
65 195/65R16C	104/102S	8	–	–	–	9.0	6J	69
205/65R16C	107/105Q	8	–	–	–	11.0	6J	65
215/65R16C	109/107Q	8	–	–	–	8.5	6 1/2J	65
235/65R16C	115/113S	8	–	–	–	8.5	7J	65
70 165/70R13C	88/86S	6	–	–	–	8.1	5.00B	54
195/70R15C	104/102S	8	–	–	–	10.0	6J	65
205/70R15C	106/104S	8	–	–	–	8.1	6J	65
215/70R15C	109/107S	8	–	–	–	8.1	6 1/2J	65
225/70R15C	112/110S	8	–	–	–	8.5	6 1/2J	69
225/70R16C	102/99S	6	–	–	–	8.5	6 1/2J	51
LT245/70R17	119/116S	10	–	–	–	8.5	7J	80
LT265/70R17	121/118S	10	–	–	–	8.5	8J	80
75 LT215/75R15	100/97S	6	–	–	–	8.5	6J	51
LT235/75R15	104/101S	6	–	–	–	8.5	6 1/2J	51
31 × 10.50R15LT	109S	6	–	–	–	8.5	8 1/2J	51
185/75R16C	104/102S	8	–	–	–	9.0	5J	65
195/75R16C	107/105S	8	–	–	–	9.0	5 1/2J	65
205/75R16C	110/108S	8	–	–	–	11.0	5 1/2J	65
215/75R16C	113/111S	8	–	–	–	11.0	6J	65
LT225/75R16	118/116S	10	–	–	–	8.5	6J	76
LT245/75R16	120/116S	10	–	–	–	8.5	7J	80
LT265/75R16*	123/120S	10	–	–	–	8.5	7 1/2J	80
80 185R14C	102/100Q	8	–	–	–	9.0	5 1/2J	65
195R15C	106/104Q	8	–	–	–	10.0	5 1/2J	65
85 LT235/85R16*	120/116S	10	–	–	–	8.5	6 1/2J	83

PCR

SIZE	LI\SI	UTQG			TREAD DEPTH(MM)	RECOMMENDED RIM(INS)	MAX.PRESSURE (PSI)
		Treadwear	Traction	Temp			
40 225/40R18	92H XL	–	–	–	8.1	8J	42
245/40R18	97H XL	–	–	–	8.5	8 1/2J	46
255/40R18	95H	–	–	–	8.5	9J	41
45 205/45R17	88H XL	–	–	–	8.1	7J	42
215/45R17	87H	–	–	–	8.5	7J	41
225/45R17	94H XL	–	–	–	8.1	7 1/2J	42
235/45R17	97H XL	–	–	–	8.5	8J	46
225/45R18	95H XL	–	–	–	8.1	7 1/2J	42
245/45R18	100T XL	–	–	–	8.1	8J	42
265/45R20	108T XL	–	–	–	8.1	9J	42
50 205/50R16	87H	–	–	–	8.1	6 1/2J	36
205/50R17	93H XL	–	–	–	8.5	6 1/2J	46
215/50R17	95H XL	–	–	–	8.5	7J	46
225/50R17	98H XL	–	–	–	8.1	7J	46
245/50R17	99H	–	–	–	8.5	7 1/2J	41
225/50R18	95T	–	–	–	8.5	7J	36
235/50R18	101T XL	–	–	–	8.5	7 1/2J	46
255/50R19	107T XL	–	–	–	8.1	8J	42
245/50R20	102T	–	–	–	8.1	7 1/2J	36
255/50R20	109T XL	–	–	–	8.5	8J	46
55 195/55R15	85H	–	–	–	8.7	6J	36
205/55R16	91H	–	–	–	8.5	6 1/2J	36
215/55R16	93H	–	–	–	8.5	7J	36
225/55R16	95H	–	–	–	8.5	7J	36
215/55R17	98H XL	–	–	–	8.1	7J	42
225/55R17	101T XL	–	–	–	8.5	7J	46
235/55R17	103T XL	–	–	–	8.5	7 1/2J	46
215/55R18	95H	–	–	–	8.1	7J	36
225/55R18	98T	–	–	–	8.5	7J	36
235/55R18	104T XL	–	–	–	8.5	7 1/2J	42
245/55R18	103T	–	–	–	8.5	7 1/2J	41
255/55R18	109T XL	–	–	–	8.5	8J	46
225/55R19	99H	–	–	–	8.5	7J	41
245/55R19	103T	–	–	–	8.5	7 1/2J	36

All the data are subject to change by the manufacturer without further notice. * UNDER TEST

GRIP 20

PCR



SIZE	LI\SI	UTQG			TREAD DEPTH(MM)	RECOMMENDED RIM(INS)	MAX.PRESSURE (PSI)
		Treadwear	Traction	Temp			
60 185/60R14	82H	–	–	–	8.5	5 1/2J	36
195/60R14	86H	–	–	–	8.5	6J	36
185/60R15	88H XL	–	–	–	8.1	5 1/2J	42
195/60R15	88H	–	–	–	8.5	6J	36
205/60R15	91H	–	–	–	8.1	6J	36
195/60R16	89H	–	–	–	8.5	6J	36
205/60R16	96H XL	–	–	–	8.1	6J	42
215/60R16	95T	–	–	–	8.5	6 1/2J	36
225/60R16	98T	–	–	–	8.1	6 1/2J	36
215/60R17	96T	–	–	–	8.5	6 1/2J	36
225/60R17	99T	–	–	–	8.5	6 1/2J	36
235/60R17	102T	–	–	–	8.1	7J	36
275/60R17*	110S	–	–	–	8.5	8J	36
225/60R18	100T	–	–	–	8.5	6 1/2J	36
235/60R18	107S XL	–	–	–	10.3	7J	42
245/60R18	105S	–	–	–	8.5	7J	36
265/60R18	114S XL	–	–	–	8.5	8J	42
155/65R14	75T	–	–	–	8.1	4 1/2J	36
175/65R14	82H	–	–	–	8.5	5J	36
65 185/65R14	86H	–	–	–	8.5	5 1/2J	36
175/65R15	84T	–	–	–	8.1	5J	36
185/65R15	88H	–	–	–	8.5	5 1/2J	36
195/65R15	91H	–	–	–	8.1	6J	36
205/65R15	94S	–	–	–	8.5	6J	36
205/65R16	95T	–	–	–	11.0	6J	36
215/65R16	98S	–	–	–	8.5	6 1/2J	36
225/65R16	100S	–	–	–	8.5	6 1/2J	36
235/65R16	103S	–	–	–	8.5	7J	36
215/65R17	99T	–	–	–	8.5	6 1/2J	36
225/65R17	102S	–	–	–	10.3	6 1/2J	36
235/65R17	108S XL	–	–	–	8.5	7J	46
245/65R17	111S XL	–	–	–	8.5	7J	42
265/65R17	112S	–	–	–	8.5	8J	36
275/65R17	115S	–	–	–	8.5	8J	36
285/65R17	116S	–	–	–	8.5	8 1/2J	36
235/65R18	110S XL	–	–	–	8.5	7J	46
70 165/70R13	79T	–	–	–	8.1	5.00B	36
175/70R13	82T	–	–	–	8.1	5.00B	36
165/70R14	81T	–	–	–	8.1	5J	36
175/70R14	84T	–	–	–	8.1	5J	36
185/70R14	88T	–	–	–	8.5	5 1/2J	36
195/70R14	91S	–	–	–	8.5	6J	36
205/70R15	96T	–	–	–	8.1	6J	36
215/70R15	98S	–	–	–	8.1	6 1/2J	36
225/70R15	100S	–	–	–	8.5	6 1/2J	36
215/70R16	100S	–	–	–	8.5	6 1/2J	36
225/70R16	107S XL	–	–	–	8.5	6 1/2J	42
235/70R16	106S	–	–	–	8.5	7J	36
245/70R16	107S	–	–	–	8.5	7J	36
255/70R16	111S	–	–	–	8.5	7 1/2J	36
265/70R16	112S	–	–	–	8.5	8J	36
275/70R16	114S	–	–	–	8.5	8J	36
245/70R17	110S	–	–	–	8.5	7J	36
265/70R17	115S	–	–	–	8.5	8J	36
75 215/75R15	100S	–	–	–	8.5	6J	36
225/75R15	102S	–	–	–	8.5	6J	36
235/75R15	105S	–	–	–	8.5	6 1/2J	36
225/75R16	104S	–	–	–	8.5	6J	36
245/75R16*	111S	–	–	–	8.5	7J	36
80 155/80R13	79T	–	–	–	8.1	4.50B	35

* UNDER TEST
All the data are subject to change by the manufacturer without further notice.