

CONTENTS:

Armguards 15
Arrows, Aluminum 8-9 Arrows, "Switch-A-Point" 8-9 Arrows, Fiberglass 8-9
Arrows, "Switch-A-Point" 8-9
Arrows, Fiberglass 8-9
Arrows, Wood 8-9
Arrows, Wood 8-9 Arrow Making Materials
And Tools 12-13
Arrow Nocks
Arrow Rests
Books, Instructional 21
Bows, Hunting 5
Bows Target 3
Bows, Target
Bow Cases
Parifishing
Bow Guiver
Bow Quiver
Bow Sights 19-20
Bow Square 16
Bow Stringer. 17 Bow Strings 16 Bowstring Wax 17 Brush Buttons 18 Buck Scent 18 Camouflage Items 18
Bow Strings 16
Bowstring Wax 17
Brush Buttons 18
Buck Scent
Camouflage Items
Cements
Camouflage Items 18 Cements 13 Clicker 16 Dealer Aids 20
Dealer Aids
Films
Gloves
Hunting Accessories 17-18
Hunting Points
Kisser Button 16
Knife and File
Leather Goods 14-15
Nocking Points 16
Panic Button
Panic Button
Teep Signt
Quiver
Sets (Packaged)
Shirts, Wing Official20
Shirt and Blouse Protector 15
Sling <td< td=""></td<>
Stabilizers
String Server
String Silencers
Stabilizers 17 String Server 17 String Silencers 18 Tabs 15
Tackle Box
Target Faces 21
Tip Protectors

A MESSAGE FROM BOB LEE

Archery can be the most challenging and personally rewarding sport in your life.

Because it is such a challenge, I feel that the archer should have but one variable to deal with: himself. In other words, the archer should settle for no less than the ultimate in precision and accuracy from his tackle.

And that's what you'll find in Wing bows and other equipment in this catalog. Precise, consistent performance that only exacting manufacturing techniques and rigid quality control can assure.


We've long realized that our products have to be exceptional to earn your confidence and to protect the reputation we've built over the last 21 years. And we've directed our total efforts toward that goal.


All of us at Wing Archery Company are excited and pleased with the equipment in this catalog. I'm confident you'll share our enthusiasm, especially when you see and handle Wing tackle at your nearest sporting goods store.

Good shooting!

President

AMF/Wing Archery Division





WING TARGET BOWS

PRESENTATION II

Wing's standard bearer, the Presentation II doesn't act like a standard bow. The ultimate achievement in bow making, Wing's Presentation II looks, feels, and performs like no other bow made.

The Presentation II features Wing's exclusive limb coupling system that allows quick and easy changing of limbs. Three sets of limbs are available in a variety of draw weights for maximum versatility.

Presentation II versatility really comes home when the seasons change! When Target season is over, just replace the target limbs with your choice of hunting limbs and you have the same familiar bow geared for a different kind of trophy — and back again when it's tournament trophy time!

Five stabilizer positions and a builtin stabilizer insert adapter are provided for exact mass and stability adjustments. A sight window cut well past center allows plenty of adjustment for any size arrow. The carefully designed grip of Presentation II discourages torquing during draw, thus greatly improving consistency and accuracy.

STANDARD EQUIPMENT includes: Padded Vinyl Case (specify long or short), Stabilizer Insert Adapter, Wing Flip Rest, Pro String with monofilament serving.

OPTIONAL EQUIPMENT: Wing Stabilizer (p.19), Wing Sight Extension (p.19), Wing Adjustable, Spring-Loaded Panic Button (p.17), Bow Quiver (p.17), Quick-Attach Fishing Reel (p.16), Custom Carrying Case (p.14), Bow Stringer (p.17).

AMO Lengths: 62", 68", 70" 68" and 70" - 25 to 50 lbs.

Weights: 62" - stocked in 40, 45, 50 and 55 lbs. For 35, 60 and 65 lbs., please allow additional delivery time.

Riser: WINGWOOD in attractive Black and Rose color with a decorative Ebony and Pearl cap.

Glass Color: 70" and 68" - White; 62" - Black.

Catalog Order: 115 (complete)
Handle only: 116
Limbs only: 117 (pair)

All specifications in this catalog are in accordance with standards of the Archery Manufacturers Organization.

WHITE WING

If you're looking for excellence at a competitive price, the White Wing is the bow for you.

Duplicating many of the superb features of Presentation II, the White Wing is more economically priced. A riser section of high-density WingWood® makes White Wing both eye-catching and functional. The sight window cut well past center insures maximum performance with any arrow. The exclusive Wing grip design fits your hand in such a way that torquing effects are greatly minimized.

White Wing — an outstanding hall-mark of excellence at a price you can afford.

STANDARD EQUIPMENT includes: Padded Vinyl Bow Case, Stabilizer Insert Adapter, Wing Flip Rest, Pro String with monofilament serving.

OPTIONAL EQUIPMENT: Wing Stabilizer (p.19), Wing Sight Extension (p.19), Wing Adjustable, Spring-Loaded Panic Button (p.17), Bow Stringer (p.17).

AMO Lengths: 68" and 70".

Weights: 25 to 50 lbs. at 28" draw length.

Riser: Black and Brown WINGWOOD with
contrasting color cap.

Glass Color: White
Catalog Order: 118

SWIFT WING

A ladies' Tournament bow, a fine target bow, an excellent choice in hunting bows, Swift Wing is also an economically priced bow. A riser of high-density WingWood makes Swift Wing an exceptionally handsome bow as well. Heavily influenced by the design of Presentation II, Swift Wing has features found only on more expensive counterparts. Swift Wing meets all standards of excellence — Hunting-Target-Tournament!

Target-Tournament!
STANDARD EQUIPMENT includes: Built-In Stabilizer Insert Adapter, Wing Flip Rest, No. 701 Bow String

OPTIONAL EQUIPMENT: Padded Vinyl Case (p.14), Wing Stabilizer (p. 19), Wing Sight Extension (p.19), Wing Adjustable, Spring-Loaded Panic Button (p.17), Pro String with monofilament serving (p.16), Bow Stringer (p. 17)

AMO Length: 66".
Weights: 25 to 40 lbs. at 28" draw length
(also available in hunting weights 45, 50,
and 55 lbs.)

Riser: WINGWOOD Glass Color: White Catalog Order: 119





WING HUNTING BOWS

PRESENTATION II HUNTER

For consistency, speed and accuracy the Presentation II Hunter is one of bowhunting's most admired trophy

The added mass of a WingWood riser section contributes to increased accuracy, increased consistency.

AMO 62", 68" and 70" limb lengths coupled with the smoothness of advanced limb design give the Presentation II maximum speed and maximum ver-

Standard equipment includes such extras as a padded vinyl bow case (specify long or short), stabilizer insert adapter, and bow quiver adapter

The ultimate in convenience is the exclusive limb-coupling feature of Pre-sentation II, quickly converting the bow from a fine target model to a superb hunting bow.
With limbs broken down, transpor-

tation to the field is easier than ever.

Hunting or Target - the Presentation II sets a standard that's hard to

OPTIONAL EQUIPMENT: Wing Stabilizer (p.19), Wing Sight Extension (p.19), Wing Adjustable, Spring-Loaded Panic Button (p.17), Wing Hunting Sight (p.19), Wing Bow Quiver (p.17), Wing Quick-Attach Fishing Reel (p.16), Custom Carrying Case (p. 14), Bow Stringer (p.17).

AMO Lengths: 62"

Weights: 62" - stocked in 40, 45, 50 and 55 lbs. For 35, 60, and 65 lbs. please allow additional delivery time

Riser: WINGWOOD in attractive Black and Rose color with a decorative Ebony and Pearl cap.

Glass Color: Black.

Catalog Order: 115 (complete) Handle only: 116 Limbs only: 117 (pair)

THUNDERBIRD

With a distinctive riser section of exclusive high-density WingWood and plenty of mass for added accuracy, Thunderbird is rugged, masculine - an all-bowhunter's bow.

Thunderbird's advanced limb design provides the perfect combination of smoothness and maximum cast.

Available in AMO 54" length for real compactness in tight areas, or AMO 62" for the added stability of a longer bow.

Included as standard equipment are insert adapters to accommodate the ultra-lite Wing Bow Quiver and Quick Attach Bow Fishing Reel.

OPTIONAL EQUIPMENT: Wing Bow Quiver (p.17), Wing Hunting Sight (p.19), Wing Quick-Attach Fishing Reel (p. 16), Bow Stringer (p.17). AMO Lengths: 54" and 62"

Weights: Stocked in 40, 45, 50, 55 lbs. For 35, 60, 65, and 70 lbs. please allow addi-

tional delivery time. Riser: Black WINGWOOD Glass Color: Black. Catalog Order: 120 (62") and 121 (54")

RED WING HUNTER

Reliable. Functional. Red Wing Hunter. Consistently, the professional game hunter's choice!

Since it's introduction the Red Wing Hunter has received acclaim and respect because of its consistent performance.

Without fancy frills, the Red Wing Hunter has strength, accuracy, and stability.

Standard equipment includes inserts for Wing's Bow Quiver and Quick-Attach Bow Fishing Reel.

Comes in two lengths to suit any hunter's needs - both lengths travel compactly and easily.

Red Wing Hunter styling features glass of natural brown.

OPTIONAL EQUIPMENT: Wing Bow Quiver (p.17), Wing Hunting Sight (p.19), Wing Quick-Attach Fishing Reel (p.16), Bow Stringer (p.17). AMO Lengths: 52" and 58"

Weights: Stocked in 40, 45, 50 and 55 lbs. For 35, 60, 65 and 70 lbs., please allow additional delivery time.

Riser: Exotic Hardwoods Glass Color: Brown Catalog Order: 122 (58") and 123 (52")



WING UTILITY BOWS

FALCON

Beautiful! Dependable! Falcon has design features usually found only in a more expensive bow. Full working recurves, a form-fitting handle, wide overdraw and full-center sight window make Falcon much more than just a beginner's bow. A riser section of exotic hardwoods combines strength and beauty in a bow that adds real excitement to archery. All Falcon bows 40 lbs. and over will have bow quiver inserts as standard equipment. AMO Lengths: 62"

Weights: 20-25-30-35-40-45 lbs. at 28" draw length. Riser: Exotic Hardwood

Glass Color: Assorted Catalog Order: 124

NIGHTHAWK

Ideal for beginners, Nighthawk helps develop technique, easily, gradually the way it should be done. Semirecurved limbs deliver extra accuracy and cast. A Hardwood Maple Riser, form-fitting handle and attractive glass colors make the Nighthawk a beautiful, yet inexpensive bow.

AMO Lengths: 60" Weights: 15-20-25-30-35 lbs. at 28" draw length.

Riser: Maple Glass Color: Assorted Catalog Order: 125

LITTLE WING

The beginning bow for the archer who doesn't want to look like a beginner. Little Wing is perfect for the youngster who's just starting. With a riser of tropical Hardwood, glass and Maple laminated limbs, contoured handle, center shot sight window, and performance that won't quit - Little Wing looks just like Mom and Dad's bow. Little Wing - this is the way to build an archer! AMO Lengths: 48" Weight: 15 lbs. at 24" draw length, Draw limit: 28" Riser: Exotic Hardwood Glass Color: Assorted Catalog Order: 126

YOUTH STARTER SETS

WING COMPLETE YOUTH SET

Perfect for the beginner! Includes a 50", 15 lb. Recurved Glass Bow, four Cedar Target Arrows, Shooting Tab and Armguard with Belt Quiver to match. Instruction Booklet and Target

Three to a box - minimum dealer pack. Catalog Order: 901

WING EXPLORER SET

Designed especially for the teen-ager and young adult. Perfect for scouting. Includes a 56", 25 lb. Recurved Glass Bow, six 26" Target Arrows, Shooting Tab and Armguard, Belt Quiver, Instruction Booklet and fourcolor Target.

Three to a box - minimum dealer pack. Catalog Order: 902

WING BOWHUNTER SET

Start the beginning bowhunter off right! Includes a 56", 45 lb. Recurved Glass Bow, four matched Hunting Arrows, Shooting Tab and Armguard, Bow Quiver, Instruction Booklet and four-color Target Face.

Three to a box - minimum dealer pack. Catalog Order: 903

LITTLE WING BEGINNER SET

The complete instructional set for the young beginning archer who wants the very best. Features the Little Wing bow, plus six 26" Target Arrows, Shooting Tab and Armguard, Belt Quiver, Instruction Booklet and fourcolor Target.

Three to a box - minimum dealer pack. Catalog Order: 127

WING YOUTH BOW

Solid Glass Recurved Bow. 50", 15 lb. Packed six to a carton. Catalog Order: 904

WING EXPLORER BOW

Solid Glass Recurved Bow. 56", 25 lb. Packed four to a carton. Catalog Order: 905

WING HUNTER BOW

Solid Glass Recurved Bow. 56", 45 lb. Packed four to a carton. Catalog Order: 906









901

902

903

127

WING ARROWS: SHAFTS AND POINTS

Precisely matched and uniform, Wing arrows are straight on target every time. That's why from bowhunting to top target shooting, you can depend on Wing arrows to make their mark.

Wing manufactures three basic types of arrows - aluminum, fiberglass and wood. In aluminum shafts, Wing offers its popular Red Wing arrow, and Wing aluminum Target arrows. Both feature Easton's shafting for professional grade aluminum arrows. Two grades of fiberglass arrows, Wing Custom Glass and Wing Glass, offer the archer a choice in price ranges of a straight, tough shaft, unaffected by normal temperature or moisture. Wing's Port Orford Cedar wood arrows are manufactured using the finest Cedar stock available, and offer economy in a carefully spine and weight-matched wood arrow.

All arrows are measured in accordance with AMO Standards.

203/204. WING TARGET ALUMI-NUM. 24 SRT-X. Sizes: 1616, 1716, 1816, 1916, 1718, 1818.

203 - Full length, points unattached, Specify Bow Weight.

204 - Cut to length, Target Points installed, Specify Bow Weight and Draw Length.

RED WING ALUMINUM HUNT-ING ARROWS

Dull red anodizing eliminates glare. Sizes: 1916, 1918, 2016, 2018, 2020, 2219. Specify Bow Weight and Draw Length.

205/206. Full length. Broadhead adapters included but unattached. Specify Bow Weight.

205 - CRESTED. 206 - UNCRESTED.

207/208. Cut to length. Broadhead adapters installed. Specify Bow Weight and Draw Length.

207 - CRESTED. 208 - UNCRESED.

209/210. Cut to length. Field Points installed. Specify Bow Weight and Draw Length.

209 - CRESTED. 210 - UNCRESTED.

211/212. Cut to length. Single-Blade Razorheads installed. Specify Bow Weight and Draw Length. 211 - CRESTED.

212 - UNCRESTED.

213/214. Cut to length. 3-Blade Hi-Precision Hunting Points installed. Specify Bow Weight and Draw Length.

213 - CRESTED. 214 - UNCRESTED.

215/216. Cut to length. 4-Blade Razorheads installed. Specify Bow Weight and Draw Length.

215 - CRESTED.

216 - UNCRESTED.

217/218. Cut to length, with Six 4-Blade Razorheads installed and Six Field Points installed. Specify Bow Weight and Draw Length.

217 - CRESTED. 218 - UNCRESTED.

WING CUSTOM GLASS and WING GLASS ARROWS

Wing Custom Glass arrows feature attractive dip and multi-colored cresting, plus full 5" helical fletching. Wing Glass is made of the same fine material as Custom Glass, but does not have dip or cresting. Wing Glass arrows have full 5" fletching, and are available in sizes identical to Wing Custom Glass arrow. Both are available in weights from 30 to 75 lbs.

WING CUSTOM GLASS and GLASS TARGET ARROWS Sizes A thru K. Weights: 20 to 70 lbs.

220/221. Full length. Target Points included but unattached. Specify Bow

220 - CRESTED. 221 - UNCRESTED.

224/225. Cut to length. Target Points installed. Specify Bow Weight and Draw Length.

224 - CRESTED. 225 - UNCRESTED.

WING CUSTOM GLASS and GLASS HUNTING ARROWS

Sizes F thru K. Weights: 40 to 70 lbs. 222/223. Full length. Broadhead adapters included but unattached. Specify Bow Weight.

222 - CRESTED. 223 - UNCRESTED.

226/227. Cut to length. Broadhead adapters installed. Specify Bow Weight and Draw Length.

226 - CRESTED. 227 - UNCRESTED.

228/229. Cut to length. Field Points installed. Specify Bow Weight and Draw Length.

228 - CRESTED. 229 - UNCRESTED.

230/231. Cut to length. Single-Blade Razorheads installed. Specify Bow Weight and Draw Length.

230 - CRESTED. 231 - UNCRESTED.

232/233. Cut to length. 3-Blade Hi-Precision Broadheads installed. Specify Bow Weight and Draw Length. 232 - CRESTED.

233 - UNCRESTED.

234/235. Cut to length, 4-Blade Razorheads installed. Specify Bow Weight and Draw Length.

234 - CRESTED. 235 - UNCRESTED.



236/237. Cut to length, with Six 4-Blade Razorheads and Six Field Points installed. Specify Bow Weight and Draw Length. 236 - CRESTED.

237 - UNCRESTED.

WING HAWK ARROWS

A top quality wood arrow with full painted shaft and standard two-color crest. Full 5" helical fletch. Spine matched to within 5 lbs.

240. Full length, no points. Available in weights 35 to 70 lbs. in 5-lb. incre-

ments. Specify Bow Weight. 241. Cut to length. Target Points installed. Available in 26" thru 30" lengths. 30 to 50 lbs. in 5-lb. increments. Specify Bow Weight and Draw Lengths.

WING HAWK HUNTING ARROWS

Available in 28", 29", 30" and 31" lengths. Weights 35 to 70 lbs. in 5-lb. increments. Specify Bow Weight and Draw length.

242. Cut to length, Field Points installed.

243. Cut to length, Single-Blade Razorheads installed.

244. Cut to length, 3-Blade Hi-Precision Broadheads installed.

245. Cut to length, 4-Blade Razorheads installed.

246. Cut to length, with Six 4-Blade Razorheads and Six Field Points installed.

WING OWL ARROWS

An economical arrow suitable for the beginner and the experienced archer alike. It has diagonal 5" fletch, with attractive cresting. Spine matched to within 10 lbs. Available both in dozens

or ½ gross display cartons. 247. Full length, no points. Available in weights 30 to 60 lbs. in 10-lb. increments. Specify Bow Weight.

248. Cut to length, with Target Points installed. Available in 26" through 30" lengths. 30 to 60 lbs. in 10-lb. increments. Specify Bow Weight and Draw Length.

WING OWL HUNTING

ARROWS Available in 28", 29" and 30" lengths. Weights 30 to 60 lbs. in 10-lb. increments. Specify Bow Weight and Draw Length.

249. Cut to length, Field Points installed.

250. Cut to length, Single-Blade Razorheads installed. 251. Cut to length, 3-Blade Hi-Pre-

cision Broadheads installed. 252. Cut to length, 4-Blade Razorheads installed.

253. Cut to length with six 4-Blade

Razorheads and Six Field Points in-

254. WING FLU-FLU. 125 grain Blunt Points installed. Available in 29" length only. Weights: 35 to 70 lbs. in 5-lb. increments. Packaged 4 to a box. Specify Bow Weight.

255. WING RAVEN. Target Points installed. Available in 26" and 28" lengths only. Suitable only for bows UNDER 40 lbs. Packaged in ½ gross boxes. Specify Draw Lengths, i.e. . . . half 26" and half 28", or all 26" or all 28".

WING "SWITCH-A-POINT" HUNTING ARROWS

Now one arrow can do the work of three! Wing's new "switch-a-point" allows you to "switch-a-point" simply by unscrewing the point on the arrow and replacing it with another. It's done with aluminum inserts in Wing Red Wing Aluminum and Glass arrows. From now on, you don't have to own a lot of extra arrows - just a handful of points! Wing 'switch-a-point" arrows - the most versatile, economical way to buy arrows!

RED WING ALUMINUM

"SWITCH-A-POINT" ARROWS Your best value aluminum hunting arrow, featuring Easton's 24 SRT shafting, dull red anodizing to eliminate glare and helical fletching of appropriate length. Sizes: 1916, 1918, 2016, 2018, 2020, 2219, Specify Bow Weight and Draw Length.

260/261. Full length, with "switch-apoint" inserts included. Specify Bow Weight only.

260 - CRESTED. 261 - UNCRESTED.

262/263. Cut to length, "switch-apoint inserts installed. No points. 262 - CRESTED.

263 - UNCRESTED.

276/277. Cut to length, with "switcha-point" Broadhead Adapters installed. No points.

276 - CRESTED. 277 - UNCRESTED.

264/265. Cut to length, "switch-apoint" 125 grain Field Points installed. 264 - CRESTED.

265 - UNCRESTED.

266/267. Cut to length, "switch-apoint" 125 grain Blunt Points installed. 266 - CRESTED.

267 - UNCRESTED.

268/269. Cut to length, "switch-apoint" Single Blade Razorheads installed.

268 - CRESTED. 269 - UNCRESTED.

270/271. Cut to length, "switch-apoint" 3-Blade Hi-Precision Broadheads installed.

270 - CRESTED.

271 - UNCRESTED. 272/273. Cut to length, "switch-apoint" 4-Blade Razorheads installed.

272 - CRESTED. 273 - UNCRESTED.

274/275. Cut to length, with six "switch-a-point" 4-Blade Razorheads and Six "switch-a-point" 125 grain Field Points installed.

274 - CRESTED. 275 - UNCRESTED.

WING "SWITCH-A-POINT" **CUSTOM GLASS ARROWS**

Through the versatility of Wing's "switch-a-point" system, you can have the superior performance character-istics of Wing Custom Glass arrows plus the economy of Wing Glass arrows. Both Wing Custom Glass and Wing Glass arrows are available in "switch-a-point" sizes F thru K, weights, 40 to 75 lbs. Specify Bow weight and Draw Length. Wing Custom Glass is dipped and crested, Wing Glass is not.

280/281. Full length, with "switch-apoint" inserts included but not installed. No points included. Specify Bow weight only.

280 - ČRESTÉD.

281 - UNCRESTED. 282/283. Cut to length, "switch-apoint" inserts installed. No points.

282 - CRESTED. 283 - UNCRESTED.

296/297. Cut to length, with Broadhead Adapters installed. No points.

296 - CRESTED. 297 - UNCRESTED.

284/285. Cut to length, "switch-a-point" 125 grain Field Points installed. 284 - CRESTED.

285 - UNCRESTED.

286/287. Cut to length, "switch-apoint" 125 grain Blunt Points installed.

286 - CRESTED.

287 - UNCRESTED.

288/289. Cut to length, "switch-a-point" Single-Blade Razorheads installed. 288 - CRESTED.

289 - UNCRESTED.

290/291. Cut to length, "switch-apoint" 3-Blade Hi-Precision Broadheads installed.

290 - CRESTED. 291 - UNCRESTED.


292/293. Cut to length, "switch-apoint" 4-Blade Razorheads installed.

292 - CRESTED. 293 - UNCRESTED,

294/295. Cut to length, with Six "switch-a-point" 4-Blade Razorheads and Six "switch-a-point" 125 grain Field Points installed.

294 - CRESTED.

295 - UNCRESTED.



WING ARROW-MAKING MATERIALS AND TOOLS



WING AND EASTON RAW ALUMINUM SHAFTS, POINTS AND ADAPTERS

Raw Shafts, points included: 301. EASTON X7, sizes 1614, 1714, 1814, 1914, 2014, 1616, 1716, 1816, 1916, 1516.

353. EASTON XX75, sizes 1416, 1516, 1518, 1616, 1618, 1713, 1716, 1718, 1813, 1816, 1818, 1820, 1913, 1916, 1918, 1920, 2013, 2016, 2018, 2020, 2114, 2213, 2219.

354. EASTON 24SRT-X, sizes same as XX75 plus 1413, 2117, (no 2113).

302. WING TARGET, sizes 1516, 1616, 1716, 1816, 1916, 1718, 1818.

303. RED WING HUNTING, sizes 1916, 1918, 2016, 2018, 2020, 2219, (No points. Broadhead adapters included).

355. EASTON Swift Raw Shafts, Target Points or Broadhead Adapters included. Sizes: 1416, 1516, 1616, 1716, 1816, 1916, 2016, 1518, 1618, 1718, 1818, 1918, 2018, 1820, 1920, 2020, 2117, 2219, 1413.

305. EASTON X7 INSERT TARGET POINTS.

306. - 2 PIECE INSERT TAR-GET POINTS.



307. SPECIAL HEAVY INSERT TARGET POINTS.

356. SWIFT INSERT TARGET POINTS.

308. BROADHEAD ADAPT-ERS, 5 taper.

WING GLASS SHAFTS POINTS AND ADAPTERS WING GLASS - the finest

shafts available. Unaffected by heat or moisture. Extremely strong. Full length only.

304. WING GLASS SHAFTS. sizes A through K (corresponds to sizes 1 through 11).



309. NOCK INSERTS, specify shaft size. 310. TARGET POINTS, specify

shaft size. 311. BROADHEAD ADAPT-

ERS, specify shaft size.

WING CEDAR SHAFTS

WING CEDAR – top grade Port Orford cedar. Parallel shafts. Matched in spine and weight. Specify Bow Weight. 349. 21/64" CEDAR SHAFTS.

NEW WING "SWITCH-A-POINTS"

packaged by the dozen.

The following inserts, points and adapters fit "switch-a-point" arrows and arrow shafts, as designated on pages 8 and 9.

Aluminum shaft sizes: 1916, 1918, 2016, 2018, 2020, and

Glass shaft sizes: F through K (corresponds to 6 through 11).



"switch-a-point" INSERTS: 312 - For Aluminum shafts. 313 - For Glass shafts.



"switch-a-point" 125 grain FIELD POINTS:

314 – For Aluminum shafts. 315 - For Glass shafts.



"switch-a-point" 125 grain BLUNT POINTS:

316 - For Aluminum shafts. 317 - For Glass shafts.



"switch-a-point" BROADHEAD ADAPTERS:

318 - Fits all sizes, Aluminum and Glass shafts.



HAMILTON PLASTIC VANES:

Increase trajectory and eliminate wind drift with Hamilton Plastic Vanes. Specify color: white, fluorescent orange or fluorescent

319 - (P-22) 2 - ¼" regular 320 - (P-26) 2 - ¾" parabolic 321 - Mini-vanes



MILLER MASTER FLETCHER:

The perfect precision fletcher for the archer who likes to build | FLETCHING his own arrows. All the features of the best equipment available, including magnetic clampholders, feather spacing of 90°, 120°, and 75° - 105°.

322 - With Straight Clamp 323 - With Helical Clamp (left wing)

324 - Extra Straight Clamp 325 - Extra Helical Clamp (left wing)



MILLER STANDARD FLETCHER

326. A low-priced, precision fletching tool with feather spacing adjustments usually found only on higher priced fletchers. Comes complete with straight clamp.



FLEETWOOD FEATHER TRIMMER KIT

329. Economical feather burner kit with mounting board included. All holes pre-drilled.

330 - Extra Wire.



TAPERING TOOL

331. Available with 1/4", 9/32", 5/16" and 11/32" bushings. Uses regular injector-type razor blades.



FLEX-FLETCH

Revolutionary Flex-Fletch Fletching springs back to life even when your arrow complete-ly penetrates the target. Amazingly flexible and durable, Flex-Fletch Fletching can be pushed or pulled through the butt if the arrow hits a soft spot. Absolutely waterproof and unaffected by temperature, can be easily applied with jig or cement, and so sturdy it usually outlasts the arrow!

360 - Parabolic - 2 in. 361 - Parabolic - 3 in.

362 - Hunting & Field - 4 in. Colors - White, Green, Brown, Fluorescent Red, Orange, Yellow. 1 dozen/pak - each pak has one color fletching only.



CEMENTS

332. BOHNING FLETCH-TITE CEMENT. Superior fletching cement for aluminum or wood. Air-dries rapidly and does not become brittle with age. Waterproof.

333. ROBIN HOOD FLETCH-ING CEMENT. Excellent for feathers, vanes and nocks.

334. EASTON 24SRT-X CE-MENT. Specially formulated for aluminum arrows. For nocks, feathers or vanes.




335/336. BOHNING FERR-L-TITE. The perfect cement for attaching points to arrows. Either liquid or stick.

335 - Liquid. 336 - Stick.



348. POINT FAST EPOXY AD-HESIVE. Perfect for attaching nocks and points to glass shafts. Also excellent for any repair work.



BJORN NOCKS

Most precise nocks made. More comfortable because of the smooth design. Has snap action on string. Specify size: 1/4", 9/32" or 5/16".

337 - White or Black 338 - Fluorescent Orange, Fluorescent Green, Ruby or Blue.



MYCRO INDEX NOCKS

339. Specify size: 1/4", 9/32", 5/16", or 11/32". Specify color: Red, Yellow, Black, White, Blue, Orange or Green.



FIELD POINTS

125 grain. Tapered hole, with blued finish.

340 - 11/32". 341 - 5/16".



Parallel hole. Zinc-plated steel.

342 - 5/16". 343 - 11/32".



TAPERED BLUNTS

125 grain. Tapered hole. 344 - 11/32". 345 - 5/16".



TARGET POINTS

Parallel hole. Zinc-plated steel. 346 - 11/32". 347 - 5/16".




FEATHERS

Die cut; left wing; top-quality ground base. Parabolic shape. Specify grey-barred, dye-barred, white or dyed-white. Specify color: Black, Red, Orange, Blue, Green, Yellow or White. 350 - 3" Feathers.

351 - 4" Feathers. 352 - 5" Feathers.

Packed three dozen to a package.



12

WING LEATHER GOODS

401/404. WING PRO QUIVER. An excellent side quiver of top grain leather. Designed to pro specifications. Complete with belt clips, score card pocket and large zippered pocket for accessories. Leather divider strap. Black only. Specify right or left. 401 - Leather

404 - Same as 401, but Vinyl.

402. WING HOLSTER OUIVER. Quality vinyl and comfortable styling make this a popular holster quiver. Beautifully trimmed and stitched. Large accessory pocket with Velcro closing flap. Score card and pencil pockets. Divider loop. Black only. Specify right or left.

vinyl. Economically priced. 405. STUDENT BELT QUIVER. Tough, leather-like material. Belt loop. Holds 6 - 8 arrows.

403. WING TOURNAMENT

snaps on or off without having

to remove belt. Light weight,

QUIVER. Handy belt quiver

406. PADDED BOW CASE. Leather-grained vinyl with 3/8' padded lining. With carrying handle. Specify length - 52", 62" or 66" (66" case will accommodate bows to 7.2").

407. FLANNEL BOW CASE. Durable flannel with soft nap finish. Tie-down flap. 6" wide. Specify length - 63" or 72".




deluxe tackle box for breakdown bows! Quality vinyl covering. Holds Presentation II or other breakdown bow handle, two sets of limbs, quiver, up to 2 dozen arrows, plus plenty of room left over for all the other tackle you would normally need to carry. This attractive tackle box holds bows firmly and safely in foam, and keeps all tackle in perfect condition.

quiver holds six broadheads that

can be drawn in a moment's

431. METAL GROUND QUIV-ER. Holds arrows while shooting,





410. TAN DOUBLE-SEAM GLOVE. Closed end, soft leather tip. Specify size: S, M, L or XL.



411. BROWN SINGLE-SEAM GLOVE. Open end with heavyduty elastic. Specify size: S, M, L or XL.



412/413. PRO GLOVE. Topquality, form-fitting, doubleseam glove with closed end tips. Elastic webbing insures perfect fit. Black; comes in Cowhide or Corfam. Specify size: S, M, L or

412 - Cowhide. 413 - Corfam.



414. WILSON TAB. New, improved tab from Wilson is cut to fit more comfortably than ever. Felt finger fenders provide excellent protection. Right or left hand, S, M or L.



415. RING TAB. The most comfortable tab available. Two size rings with each tab to insure fit. Eliminates finger irritation. Soft, leather-backed. Available in Cordovan or Hair; right or left hand; size S, M or L. Please specify.



416. COWHIDE TAB. Soft leather-backed. Specify right or left hand; size S, M or L.



427. UNI-TAB. For closer arrow control, bow fishing or just plain durability, Uni-Tab. is longerwearing, moisture-resistant and releases faster. Can be used by either right or left-handed shooters. Colors: Red, Blue, Green, Gold, Black, and White, (Orange available for rental equipment). Will not curl. Gives clean, fast releases every time.



417. ARM GUARD – JUNIOR. Split leather. Two elastic loops. Jiffy hook fastener.



418. ARM GUARD – LADIES AND YOUTH. Top-quality leather and stitching. One steel reinforcement rod. Velcro fast-



419. ARM GUARD - VENTI LATED. Field or hunting guard ventilated for comfort. Three steel reinforcement rods. Velcro fasteners.



420. ARM GUARD - HUNT ING. Larger arm guard for hunting, with three steel reinforcement rods. Velcro fasteners.



421. ARM GUARD - RANGE. For maximum protection. 11-1/2' long. Four steel reinforcement rods. Ventilated. Velcro fasten-



430. bre-zee ventilated ARM GUARD. Features cool, open design. Made of tough polyurethane to resist cracking or curling. Attaches easily and is instantly adjustable. Ideal for school use. Colors: Sunset Red, Autumn Yellow, Fern Green, Blue, Brown, Camo Green, White, Black. Standard Dealer Pak. 12.



423. STANDARD BOW SLING. A must for tournament shooters. Keeps bow securely in hand. Has self-adhesive. Fastens easily on bow.



424. BOW SADDLE. Self-adhesive. Installs in seconds. Eliminates bow slipping in hand.



425. CHEST PROTECTOR. The only really cool protector available. Elastic lacing allows perfect fit. Completely adjustable. Specify size: S or L; right or left handed. Specify color: Black or White.

WING BOWFISHING ACCESSORIES WING BOWSTRINGS, ARROW RESTS,

WING BOWFISHING KIT

Everything you need to enjoy the exciting sport of bowfishing is in Wing's Complete Bowfishing kit. A 50-foot line of strong braided nylon, a smooth-feeding reel with attached bracket for easy taping to bow (or, a new Quick-Attach model that's screwed onto all Wing Hunting Bows), and the toughest fiberglass arrow made complete with easy-off, case-hardened harpoon head make up Wing's complete bowfishing kit.



601. COMPLETE KIT (excluding bow) with double-barbed point (No. 607) and new, improved tape-on reel and line (No. 604).

602. Same as No. 601 with Quick-Attach Reel (No. 603). 603. New, improved QUICK-ATTACH REEL AND LINE.

Complete with 50-feet of nylon line. Quickly screws into the lower bow quiver adapter on all Wing Hunting Bows.

604. New, improved TAPE-ON REEL AND LINE, complete with 50-feet of nylon line. Fits all hunting bows.

605. LAYFLETCHED ARROW with Easy-Off point (No. 607). 606. LAYFLETCHED ARROW without point.



607. Double-Barbed EASY-OFF HARPOON HEAD with casehardened Easy-Off tip. 608. Extra Double-Barbed

EASY-OFF TIP. 609. Extra EASY-OFF SHANK. 610. 50-Feet braided NYLON


LINE. 611. Extra LAYFLETCH.



614. STINGAREE FISH POINT. Double barbed Point. No time lost removing point. Closes completely for removal from fish. Automatically opens to 2" on drawback when retrieving game. Perfect for the big ones!



613. MAC'S BOW REEL. A sturdy 11-¼" diameter solid steel reel with detachable, tape-on brackets. Reel mounts so that arrow is shot through center of reel, assuring even feed-off of line. Complete with 70-feet of 80-pound test nylon line. Fits all



701. CUSTOM BOWSTRINGS. Made of finest Dacron. This continuous fiber Dacron thread insures longer string life. Specify lengths: 52", 54", 56", 58", 60", 62", 64", 66", 68", 69" and 70". Specify bow weight: 15 through 80 lbs. Strings for hunting bows these lengths: 62", 60", 58", 56", 54" and 52" (and 12 strands and over) will be black.

STRAND CHART Up to 25 lb. - 8

25 - 35 lb. - 10 $35 - 45 \, \text{lb.} - 12$

45 - 55 lb. - 14

55 lb. and up - 16

702. PROFESSIONAL BOW-STRINGS. For the exacting archer. Extra-strong doubleloop black Dacron string with full monofilament serving. Specify length: 66", 68", 69", 70" and 72". Specify bow weight: 15 through 55 lbs.

730. DOUBLE LOOP BOW-STRING. With center serving. Specify lengths: 48", 50", 52". 54", 56". Weight up to 40 lbs.

POSI-NOCK. Positive nocking points. Positions string peep. Easy to clamp on string.



731 - For 11/32" nock. 732 - For 5/16" nock. 733 - For 9/32" nock.



735 - Single. For all nock sizes.



703. PRO-TECTO-TIP. Lightweight plastic protects bow tip. Holds string securely in place. Specify size: Standard (red), or Large (blue).



704. NOCK-RITE. Insures fast, accurate shooting with no slippage of arrows on string.



706. NOK-SET. Positive nocking point, guaranteed not to slip. Adjusts to any bowstring diameter. Package of 5. Specify size: T (target), or H (hunting). 707 - Dealer Package of 100.



709. KISSER BUTTON. Slips onto string easily. Adjusts merely by turning. Insures proper anchor. 12 on display card.



710. MARK 3 BOW SQUARE. Helps you measure brace height, locate nocking point. Also helps locate kisser button and peep



711. HOYT KLICKER, Easily mounted on bow. Perfect draw check. Self-Adhesive. A sure help for freezing.



723. "TICKER" DRAW CHECK. Adjusts to any angle to fit arrow length and draw. "Tick" tells you when you reach full draw. Improves timing and gives the same amount of draw for each shot. Excellent for target shoots. 5" long. Precision made of stainless steel base and tempered steel ticker spring. Self-adhesive base attaches to bow in any position.

STRING ACCESSORIES



712. WING FLIP REST. New from Wing. Ideal for either target shooting or hunting. Specify right or left hand.



713. WING FEATHER REST. New Wing feather rest insures smooth arrow flight. Horizontal feathers mounted on leather with self-adhesive for easy installation. Specify right or left



714. HOYT PRO REST. Noninterfering rest with pressure plate provides for positive clearance of vanes or feathers. Magic retaining finger prevents arrow from falling off of rest. Flexible shaft prevents arrow bounce. Self-adhesive backing. Specify right or left hand.



715. ARROW PLATE AND REST. Adhesive-backed arrow plate and arrow rest insure quiet drawing and shooting for hunt-



722. "SWINGER" ARROW REST. Precision made of stainless steel and tempered spring wire. No springs to break. Torque action lets arrow pass with minimum interference. Returns to same position for each shot. Easily attached to bow with adhesive-backed plate. Use on bows with or without pressure button. Target or hunting. Right or left hand models. Increases accuracy for competitive shoots.

717. TYPE "B" DACRON. Pre-Waxed Dacron insures that you will make the longest-lasting, finest strings possible.



718. "SPEED-SPIN" STRING SERVER. Complete with nylon thread. Provides fast, perfect ser-

719. EXTRA NYLON THREAD. Specify color: Red, Black, Blue, Green, Yellow, White.

720. EXTRA MONOFILAMENT SERVING THREAD.




721. BOWSTRING WAX. Will make your bow strings last longer.



727. WING PANIC BUTTON. Adjustable for windage and plunger spring tension. Most popular tuning aid for the precision shooter.



716. WING BOW STRINGER. A must for any archer. The only way to insure safe bow stringing. Anyone can string heavy bows with ease. Prevents limb twisting while protecting archer. New en-larged pockets to easily accommodate any tip.



WING HUNTING ACCESSORIES

501

501. WING BOW QUIVER, The most popular bow quiver made. Light in weight, but rugged enough for lasting service, this quiver is the standard of the industry. Made of aluminum and nylon, the unique design makes arrows rattleproof. It won't scratch, mar your bow, or interfere with shooting. The arrow clamp securely holds six arrows of any size. Right or left-handed archers can use the same quiver. The Wing Bow Quiver is easy to attach and load, keeps arrows right at hand for quick, smooth take-out. Comes with adjustable sliding brackets to attach to any Wing Hunting bow in seconds – also, comes with tape-on pads for all other bows.

502 - Arrow Clamp. 503 - Rod Clamps and Screws 504 - Tape-on Pads

505 - Cup Insert

506 - Brackets (complete)

507 - Allen Wrench



508 - PRESENTATION II BOW QUIVER ADAPTERS. For use in place of limb bolt on Presentation II models, to accomodate Wing Bow Quiver (No. 501).

509. RAZORHEAD KIT. Since its introduction, more trophy kills have been recorded with the Razorhead than with any other broadhead.

510 - Razorheads, less Auxilary Blades.

511 - Auxiliary Razorhead Blades.




512. HI-PRECISION HEADS. 11/32" 3-Blade Broadheads. 125 grain. Six per package.

513. HI-PRECISION HEADS. 5/16" 3-Blade Broadheads. 100 grain. Six per package.




WING HUNTING ACCESSORIES



514/515. BRUSH BUTTONS. Brush-proof your bow and quiet the string noise. Made of soft rubber. Attach easily and do not

interfere with shooting.
514 - Regular.
515 - Super.



ARROW HOLDER. Holds arrow in bow for hunting. Releases instantly on draw. Keeps arrow always ready for action.



517. KWIKEE STRING SILEN CER. Eliminates bowstring noise. A must for the hunter. Packaged by the pair.



518. BOHNING DRI-TITE WATERPROOFING. Protect your feathers by waterproofing them. A liquid when applied, protects the whole feather when dry. The best waterproofing for target or hunting arrows. 12 bottles per box.

519. KWIKEE KWIVER. The lightweight bow quiver that snaps on and off in seconds. Six pair in display carton.

520. KWIKEE KOVER. Attaches instantly. Covers broadheads and protects hunter from injury.



521. BUCK LURE. Attracts deer and camouflages human scent at the same time.



522/523/524. BURNHAM GAME CALLS. "Calling-est calls made." Made of unbreakable tenite plastic.

522 - Long-Range Varmint Call.
523 - Close-Range Varmint Call.
524 - Instruction Record.



825. WING PATCH. Official sewon patch. Distinctive. Colorful.



525. KAMO MAKE-UP KIT. Easy-to-apply camouflage paste. Use very small amount. Easily removed with soap and water, yet not affected by rain or perspiration. Contains insect repellent, too. Two tubes - Forest Brown and Leaf Green - in plastic box.

530. CAMOUFLAGE BOW COVER. Made of genuine five-color camouflage cotton cloth.

531. HEAD NET. Fits over cap and face. Bars insects. Easy to see out. Drawstring adjustment.



532. KNIFE AND FILE KIT. 532. KNIFE AND FILE KIT. A must for every bowhunter. File and whetstone for sharpening broadheads and hunting knife. Olson knife with 4-34" Solingen steel blade. Leather carrying case has pocket for accessories. Snap-on belt loop allows on or off action.

WING BOW SIGHTS AND STABILIZERS




801. CAVALIER BOW SIGHT. Positive windage and elevation locks. All-metal construction. Unique, wide-locking nut works easily and efficiently. Hooded pin aperture. Will accommodate any two-wire aperture.



802. REYNOLDS BOW SIGHT. New, removable, double-adjustable bow sight. 10 to 100 yards elevation adjustment. Sight takes prism, pins or double-wire apertures. Vertical adjustment further compensates on "heavy" days. 803 - Extra Base.



804. CAVALIER BASIC SIGHT. All metal construction. Wind and elevation adjustments with positive lock. Post sight with red pin.



805. RAINBOW HUNTING SIGHT. For instant and accurate sighting in the field, the Rainbow Hunting Sight with color-coded pins pre-sets for five distances. Blue, red, yellow, white and black dots can be seen easily on a plastic range finder. Fits any size bow for easy installation.



806. WING SIGHT EXTEN-SION. Easily mounted on side of bow. Can be extended forward or backward, and has vertical adjustment to align sight with bow string. A must for tournament shooters who want perfection.



807 - UNIVERSAL ADAPT-ER BAR for Wing Sight Extension. For longer sight bases.

808 - SIGHT EXTENSION

BASE only. 809 - SIGHT EXTENSION, HEXAGONAL ROD, PLATE AND NUT.



810/811. STRING PEEP SIGHT Unbreakable hard vinyl. Inserts easily in string. Serves as rear sight.

810 - Round Hole. 811 - Slotted Hole.



823. WING HUNTING STABI-LIZER. Improves accuracy and quiets your bow. Flex-coupling gives both stabilization and smoothness. Fits Wing Stabilizer



824. FLEXI-COUPLER. For a 824. FLEXI-COUPLER. For a consistently accurate shooting average, the Wing Flexi-Coupler allows the bow to move during the shooting sequence while the lightweight tubular rod and weighted head remain relatively stable for added stability and truer flight for your arrow. The Flexi-Coupler faster dampening action decreases the shock and wibration of the bow limbs after vibration of the bow limbs after the arrow is released. Available in black and gold.



SIGHT APERTURES. All have 5/8" diameter hood. Mounting wires all chrome-plated and permanently attached.

812. CROSS HAIR.

813. DROP PIN.

814. CENTERLESS CROSS HAIR with LEVEL.

815. PIN with LEVEL.



WING STABILIZER. Fits any bow. The dynamically designed head and black-anodized aluminum rod puts stability into your shooting and lets you adjust to different conditions. Rod fastens easily into the bow insert adapter.

816. Stabilizer Set: One Rod - Specify long (22") or short (15"), and


One Weight.

817. Rod only, Specify long (22") or short (15").

818. Weight, 3-\(^4\) oz.

819. Weight, 6 oz.

820. Insert Adapter.



822. FULLY ADJUSTABLE, QUICK-ATTACH BOW SIGHT. Four completely adjustable sighting bars. Set all four for pre-determined distances. It's quicker, more accurate and more dependable. Each sighting pin is color coded for immediate distance recognition. All four pins adjust both vertically and horizontally. Sight attaches quickly to any model bow using mounting screws that are furnished with sight. Specify right or left hand.

Shown installed on sight.

KILLIAN SIGHT

To zero in on target every time, the Killian Sight features windage adjustment, bubble level adjustment, and yardage pin corrector. The sight is made of sturdy black anodized aluminum and is suitable for either right or left hand. Fits Chek-It Bar and other existing sight bars, is easy to mount on most any bow. A must for hunting or target!

880. Killian Sight (Sight Block and Sight Bar)

881. 8" Extension and Mounting 882. Adapter Plate for Wing Sight Extension

883. Aperture and Level 884. Drop Pin and Level

885. Sight Bar Only

886. Block and Sight

887. Mini-Block 888. Micrometer Adjustment, Complete. Fits all Killian "Chek-It" extended bars with nylon slide bar. Easy to install.

DEALER AIDS

Get in the Wing of things this year with Wing Archery Com-pany's expanded dealer aids! A full line of in-store displays is matched by a wide selection of films, books and other items for schools, archery clubs and civic groups. Wing dealer aids - this is the way to build local interest (and sales in archery equipment!)



390. WING DEALER ACCES-SORY DISPLAY. Features fastmoving accessory items packaged in attractive, plastic-bubble cards. Sturdy steel rack design holds up to 120 cards. "Wing Archery Headquarters" banner sign attaches to rack.



726. WING DEALER BOW-STRING RACK. A functional and appealing sturdy wire rack. Designed to hold 75 Wing bowstrings in plastic tubes. Wing banner sign attached. Strings for hunting bows these lengths: 62", 60", 58", 56", 54", and 52" (and 12 strands and over), will be black.



255. WING RAVEN ARROW DEALER PACK. Attractive packaging of Raven wood practice arrows, each with crest, full painted shaft and 3" fletch. . Target points only. Packed in ½ gross display cartons containing 3 dozen each of 26", and 28" arrows unless otherwise specified (not recommended for bows over 40 lbs.).




874. PEG BOARD BOW HANG-ER. Single bow hanger. Saves space and removes pressure on bow limbs to prevent warping.

SHIRTS



535/536/537. OFFICIAL WING SHIRTS. This is the activity shirt with the Wing name embroidered on the chest. The La Coste cotton polyester knit sportshirt has the remarkable characteristics of a porous surface. This allows the shirt to breathe for exceptional comfort for energetic sportsmen. Comes in three sizes, three colors. Specify color: Red, White or

535 - Small 536 - Medium 537 - Large



TARGETS

Printed in full color, targets and target faces are available in two types of stock: Tear-resistant tag stock; and Toughenized to last BOB LEE. 19 m much longer than regular faces.



COLOR TARGETS

Toughenized: 835. 16" square


836. 24" square 837. 36" square

839. 48" square, official NAA

Tear-resistant tag stock: 840. 16" square

841. 24" square 842. 36" square

843. 48" square, official NAA





COLOR FACES Printed on extra-heavy paper. 845. 24" deer, 2 per pack 846. 18" fox, 3 per pack

847. 12" bobcat, 4 per pack 844. 24" square, 2 per pack

FILMS AND BOOKS

FEATURING BOB LEE:

829. SHARK HUNTING WITH BOB LEE. 19 minutes of hardhitting action, spine-tingling excitement as Bob Lee stalks the man-eater shark on a bowfishing expedition in the Gulf of Mexico. Sure to create new interest and stimulate sales. Order yours to-

830. HONDO JAVELINA, We took our cameras along to capture on film an incredible contest of skill between Wing's Bob Lee and the wiles of the ferocious fighter, the savage Javelina. Don't miss it! Make reservations today for your archery club, civic or community-action clubs.

831. WING INSTRUCTIONAL FILM. An excellent way to teach beginning archery. Comprehensive instructions on how to shoot and bow and arrow production are thoroughly covered in this entertaining and enlightening film for the classroom, civic or community-action clubs, or archery group.

Send your reservations to: WING FILM SERVICE Route 1

Jacksonville, Texas 75766 Please include \$5 rental fee. Please include alternate dates in case we are unable to meet your deadline.

BOOKS CAN ADD HOURS OF ENJOYMENT TO ARCHERY AS WELL AS IMPROVE YOUR SKILLS!

828. ANSWERS TO ARCHERY BOOKLET. Anyone can learn to shoot and here's how! ANSWERS TO ARCHERY con-

tains detailed instructions and a glossary of terms for the beginning archer. All the information you need to start off right!

833. ARCHERY TIPS FOR THE COACH AND TEACHER BOOK-LET. Warm up, stance, nocking, string alignment, aiming, releasing, follow through . . . all you need to know about shooting and more! ARCHERY TIPS FOR THE COACH AND TEACHER, by Jim Ploen, also contains principles of muscular physiology that can be applied to archery, basic archery shooting analysis, equipment needs and isometric exercises to get | PLEASE NOTE: you in shape for shooting. Excellent for classroom and archerv clubs.

832. WINNER OR LOSER. The pressures, problems and psychological aspects of sporting competition. WINNER OR LOSER is a factual analysis based on 16 vears experience of a successful competition shooter, Shig Honda. A must for advanced archers!

WARRANTY:

Every Wing Bow is numbered and accompanied by a registration card which must be filled out and mailed within 10 days after the date of purchase. Should failure occur in a bow so registered, the Wing Archery Company will repair, or replace it if repair is not feasible, with the same model or the closest model available.

If failure should occur within 6 months of the purchase date, replacement will be made at no charge unless models have changed or list prices have increased, in which case the customer will be charged for the difference in models or difference in list price.

The bow must show no evidence of misuse or improper handling, and the serial number must be intact. After 6 months and up to 3 years, and provided the bow has not been misused or mishandled, repair or replacement will be made for 50% of the list price at time of purchase unless models have changed or list prices have increased, in which case the customer will be charged for the difference in models or difference in list price.

No adjustment will be made until the damaged bow is returned to the factory for inspection. Replacement will be made with a bow of the same model and weight, as near as possible.

This guarantee is valid only when purchase has been made through an authorized Wing Dealer. Dealers are not authorized to make adjustment, but will be glad to handle correspondence and shipping. All complaints and adjustments serviced by Wing Archery Company, Jacksonville, Texas.

The words WING and WINGWOOD are registered trademarks of AMF Incorporated.

Wing orders are filled with all care and speed possible. To avoid delays, please check your order carefully before mailing to make sure you have furnished all catalog numbers, bow weights and lengths, as applicable. Also, be sure arrow information is complete, including arrow lengths. and bow weights.

Your local Wing dealer takes pride in helping you select proper equipment. If no dealer is nearby, write us and we will direct you to the nearest dealer.



AMF/Wing Archery Division Route 1 Tacksonville, Texas 75766

ARCHERY ORGANIZATIONS

National Field Archery Association (NFAA) Route 2 Box 514 Redlands, California 92373

National Archery Association (NAA) 2833 Lincoln Hiway East Ronks, Pennsylvania 17572

American Indoor Archery Association (AIAA) P. O. Box 174 Grayling, Michigan 49738

Archery Manufacturers Organization (AMO) 618 Chalmers Flint, Michigan 48503

Professional Archers Association 1500 N. Chatsworth St. St. Paul, Minnesota 55117

The Pope and Young Club P. O. Box 1 Squaw Valley, California 93646

9528 East Imperial Highway Downey, California 90242



Route 1, Jacksonville, Texas 75766 214/586-2416 AMF INCORPORATED

EXPORT SALES OFFICE

SPORTS PRODUCTS GROUP—International Division 777 Westchester Avenue, White Plains, New York 10604 Phone (914) 694-9000 • Cable AMMAFOCO White Plains