Product LT-2600

Revision Date 05/17/2017

Revision 2



Safety Data Sheet

SECTION I: IDENTIFICATION

Product Name LT-2600

Identifier Uses Closed Loop Treatment.

Supplier Clear Water Technologies

I 3560 Colombard Court Fontana, California 92337 Tel: 844-429-8324

Contact Person info@clearwater.tech

EmergencyTelephone 24-HOUR EMERGENCY TELEPHONE: INFOTRAC: I-800-535-5053 INTERNATIONAL#: I-

352-323-3500

SECTION 2: HAZARDS IDENTIFICATION

Appearance Clear Colorless liquid.

Color Clear.
Odor Odorless.

Pictogram(s)



Signal Word Danger

Hazard Statements H318 Causes skin irritation

H315 Causes serious eye damage. H335 May cause respiratory irritation.

Precautionary Statements P234 Keep only in original container.

P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves/ protective clothing/eye protection/face protection.

P303 + P361 + P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated

clothing. Rinse skin with water/shower

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.
P310 Immediately call a POISON CENTER or doctor/physician
P312 Call a POISON CENTER or doctor/physician if you feel unwell.

Contains Silicic acid, sodium salt

GHS Classification

Physical and Chemical Hazards Me. Corr I - H290

Human Health Skin Corr. IB - H314, STOT SE 3 - H335,

Environment Not classified

OSHA Regulatory Status This product is Hazardous under the OSHA Hazard communication Standard.

Inhalation Inhalation of vapors or fumes may be irritating to mucous membranes and respiratory tract.

Avoid contact.

Ingestion Exposure to liquid product may cause irritation to gastrointestinal tract. Symptoms of

exposure may include severe pain, vomiting, diarrhea and collapse. Product is considered

moderately toxic. Do NOT ingest.

Skin contact Exposure to liquid product may cause moderate irritation to skin. Symptoms of exposure may

include redness, itching or swelling. Effects of contact may be delayed. Avoid contact.

Exposure to liquid product may cause moderate irritation to eyes. Symptoms of exposure

may include redness, burning, swelling, tearing or pain. Effects of contact may be delayed.

Avoid contact.

Routes of Exposure No Information available.

SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS

Composition Comments Confidential business information has been removed without affecting the overall safety

information on the safety data sheet.

SECTION 4: FIRST AID MEASURES

Description of first aid measures

General Information General first aid, rest, warmth and fresh air.

Inhalation If this product is inhaled and symptoms occur, move the exposed person to fresh air

promptly. If the exposed person is not breathing, give artificial respiration. If breathing is

difficult, give oxygen. Seek medical attention if symptoms persist.

Ingestion If this product is ingested, drink small amounts of water and seek medical attention

promptly. Do NOT induce vomiting unless directed to do so by medical personnel. Never give

anything by mouth to an unconscious person.

Skincontact If this product contacts the skin, immediately flush the affected area with soap and water for

> at least fifteen (15) minutes. If the product penetrates the clothing, promptly remove the contaminated clothing or shoes, and flush the affected area as described. Seek medical

attention if irritation persists.

Eye contact If this product contacts the eyes, immediately flush eyes with plenty of clean running water

for at least fifteen (15) minutes, lifting the upper and lower eyelids occasionally. Remove

contact lenses if worn. Seek medical attention if irritation persists.

Most important symptoms and effects, both acute and delayed

General Information No information available

Inhalation Inhalation of vapors or fumes may be irritating to mucous membranes and respiratory tract.

Avoid contact.

Ingestion Exposure to liquid product may cause irritation to gastrointestinal tract. Symptoms of

exposure may include severe pain, vomiting, diarrhea and collapse. Product is considered

moderately toxic. Do NOT ingest.

Skincontact Exposure to liquid product may cause moderate irritation to skin. Symptoms of exposure may

include redness, itching or swelling. Effects of contact may be delayed. Avoid contact.

Eye contact Exposure to liquid product may cause moderate irritation to eyes. Symptoms of exposure

may include redness, burning, swelling, tearing or pain. Effects of contact may be delayed.

Avoid contact.

Routes of Exposure No Information available.

Most important symptoms and effects, both acute and delayed

Notes to the Physician Treatment of overexposure should be directed at the control of symptoms and the clinical

condition of the patient.

SECTION 5: FIREFIGHTING MEASURES

Auto Ignition Temperature (°C) No Information available. Flammability Limit-Lower (%) No Information available. Flammability Limit - Upper (%) No Information available. Flashpoint No Information available.

Extinguishing Media Use water, foam, dry chemical or carbon dioxide to extinguish fire.

Hazardous combustion products Combustion may lead to the release of hydrogen.

Unusual Fire & Explosion Hazards This material is non-combustible.

Special Fire Fighting Procedures Use water to cool containers exposed to a fire.

Protective equipment for fire-Fire fighters should wear full protective equipment, including a self-contained breathing fighters

apparatus.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal Precautions Use proper personal protection (refer to Section 8).

Environmental Precautions Run off from fire control or dilution water may cause pollution. Keep out of drains, municipal

sewers, open bodies of water and water course.

Spill Clean Up Methods

Safely stop source of spill. Clean up spills immediately. Restrict non-essential personnel from the area. Wear protective clothing, goggles and respirator if ventilation is not adequate. Dike

spill area and soak up material with sand or other absorbent. Place into chemical waste container for disposal according to local, state or federal regulations. Flush spill area with

water.

SECTION 7: HANDLING AND STORAGE

Handling Use proper personal protection when handling (refer to Section 8). Use under well-ventilated

conditions. Avoid contact with eyes, skin and clothing. Avoid breathing vapors and mists. Avoid prolonged or repeated contact. Do NOT ingest. Wash thoroughly after handling. Rinse

container before disposal.

Usage Description Use only according to directions.

Storage Precautions The recommended shelf life is two (2) years. It is recommended that products be retested if

stored for more than two (2) years. Under ideal storage conditions, the shelf life is almost indefinite. The recommended storage temperature is above 32°F, preferably at room

temperature (70°F).

Specific End Use(s) The identified uses are in section 1 of this Safety Data Sheet.

SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

Protective Equipment



Ingredient Comments No information for the control parameters

Process Conditions Keep container tightly sealed when not in use. Provide eyewash, quick drench.

Engineering Measures General mechanical ventilation is recommended for enclosed areas.

Respiratory Equipment Use of respirator protection is not generally required. However, if exposure is above the

stated limits or ventilation is inadequate, use a NIOSH approved acid gas/organic vapor respirator to reduce potential for inhalation exposure. When using respirator cartridges, they

must be changed frequently to assure breakthrough exposure does not occur.

Hand Protection Use rubber or plastic gloves to minimize skin contact.

Eye ProtectionTo avoid contact with eyes, use safety glasses. Eye wash station should be available in the

work area.

Hygiene Measures DO NOT SMOKE IN WORK AREA! Wash hands at the end of each work shift and before

eating, smoking and using the toilet. Wash promptly if skin becomes wet or contaminated. Promptly remove any clothing that becomes contaminated. When using do not eat, drink or

smoke.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Information on Basic Physical and Chemical Properties

Appearance Clear Colorless liquid.

ColorClear.OdorOdorless.

Odor Threshold -Lower No Information available.

Odor Threshold - Upper No Information available.

pH-Value, Conc. Solution 12.9

Melting point 32.0 °F

Initial boiling point and boiling

range

212.0 °F

Flash point No Information available.

Evaporation rate No Information available.

Flammability State No Information available.

Flammability Limit-Lower (%) No Information available.

Flammability Limit-Upper (%) No Information available.

 Vapor pressure
 No Information available.

Vapor Density (air=1) No Information available.

Relative density 1.53 @ 68.0 °F

Bulk Density No Information available.

Solubility Completely soluble in water.

Decomposition temperature No Information available.

Partition coefficient; n-octanol/water No Information available.

Auto Ignition Temperature (°C) No Information available.

Viscosity No Information available.

Explosive Properties No information available.

Oxidizing Properties No Information available.

Molecular Weight No Information available.

Volatile Organic Compound No Information available.

SECTION 10: STABILITY AND REACTIVITY

Reactivity Reaction may occur with acids, ammonium salts, hydrogen.

Stability This product is stable at ambient temperatures and atmospheric pressures.

Hazardous Polymerization Hazardous polymerization is not expected to occur under normal temperatures and

pressures.

Hazardous Decomposition Products Hydrogen.

Conditions to Avoid Avoid contact with acids, ammonium salts, hydrogen.

Materials to Avoid Keep away from acids, ammonium salts, hydrogen.

SECTION 11: TOXICOLOGICAL INFORMATION

Toxicological Information No toxicological information for the overall finished product.

Acute Toxicity (Oral LD50) >3200.00mg/kg Rat
Acute Toxicity (Dermal LD50) No Information available.
Acute Toxicity (Inhalation LC50) No Information available.

Skin Corrosion/Irritation No Information available.

Respiratory Sensitization No Information available.

Skin Sensitization Reproductive Toxicity: Germ Cell Mutagenicity: Genotoxicity - In Vitro Genotoxicity - In Vivo No Information available. No Information available.

Carcinogenicity:

Carcinogenicity No Information available.

NTP - Carcinogenicity

OSHA - Carcinogenicity

IARC Carcinogenicity

The product and its components are not listed.

The product and its components are not listed.

The product and its components are not listed.

Specific Target Organ Toxicity - Single Exposure:

STOT - Single Exposure No Information available.

Specific Target Organ Toxicity - Repeated Exposure:

STOT - Repeated Exposure No Information available.

SECTION 12: ECOLOGICAL INFORMATION

Ecotoxicity No Information available.

Acute Toxicity - Fish LC50 96 Hours >2320.00 Brachydanio rerio (Zebra Fish)
Acute Toxicity - No Information available.

Aquatic Invertebrates

Acute Toxicity - Aquatic Plants No Information available.

Degradability No information available.

Bioaccumulative Potential No data available on bioaccumulation.

Mobility No information available

Results of PBT and vPvB Assessment No information available.

Other Adverse Effects No information available

SECTION 13: DISPOSAL CONSIDERATIONS

Waste Management When handling waste, consideration should be made to the safety precautions applying to

handling of the product.

Disposal Methods Do NOT dump into any sewers, on the ground or into any body of water. Rinse containers

before disposal. Since emptied containers contain product residue, follow label warnings even after container is emptied. Dispose in accordance with all applicable federal, state and

local laws and regulations.

SECTION 14: TRANSPORT INFORMATION

UN No. (DOT/TDG) 1760 - CORROSIVE LIQUID, (Silicic acid)

UN No. (IMDG) 1760 - CORROSIVE LIQUID, (Silicic acid)

UN No. (ICAO) 1760 - Corrosive liquid (Silicic acid)

DOT Proper Shipping Name 1760 - CORROSIVE LIQUID, (Silicic acid)

TDG Proper Shipping Name 1760 - CORROSIVE LIQUID, (Silicic acid)

DOT Hazard Class 8

DOT Hazard Label Class 8 - Corrosive

TDG Class 8

TDG Label(s) 8

IMDG Class 8

ICAO Class 8

Transport Labels



DOT PackGroup III

IMDG Pack Group III

Air Pack Group III

EMS F-A, S-B

Environmentally Hazardous Substance/Marine Pollutant

SECTION 15: REGULATORY INFORMATION

US Federal Regulations

SARA Section 302 Extremely Hazardous Substances Tier II Threshold Planning Quantities

The Following ingredients are listed None Listed.

CERCLA/Superfund, Hazardous Substances/Reportable Quantities (EPA)

Νo

The Following ingredients are listed None Listed.

SARA Extremely Hazardous Substances EPCRA Reportable Quantities

The Following ingredients are listed None Listed.

SARA 313 Emission Reporting

The Following ingredients are listed None Listed.

CAA Accidental Release Prevention

The Following ingredients are listed None Listed.

OSHA Highly Hazardous Chemicals

The Following ingredients are listed None Listed.

US State Regulations

California Proposition 65 Carcinogens and Reproductive Toxins

The Following ingredients are listed None Listed.

California Air Toxics "Hot Spots" (A-I)

The Following ingredients are listed None Listed.

California Air Toxics "Hot Spots" (A-Ii)

The Following ingredients are listed None Listed.

Massachusetts "Right To Know" List

The Following ingredients are listed None Listed.

Rhode Island "Right To Know" List

The Following ingredients are listed None Listed.

Minnesota "Right To Know" List

The Following ingredients are listed $\,\,$ None Listed.

New Jersey "Right To Know" List


The Following ingredients are listed None Listed.

Pennsylvania "Right To Know" List

The Following ingredients are listed None Listed.

SECTION 16: OTHER INFORMATION

NATIONAL FIRE PROTECTION ASSOCIATION (NFPA)



HAZARDOUS MATERIAL INFORMATION SYSTEM (HMIS)

Health	3
Flammability	0
Physical Hazard	0
Personal Protection	С

Disclaimer

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.