


# NUTS

## FINISHED HEX NUTS

- Most-used general purpose nut; standard height and hex dimensions.
- Plated finish protects against rust and corrosion.



USS		
J&B #	SIZE	QTY
8200	1/4-20	100
8201	5/16-18	100
8202	3/8-16	100
8203	7/16-14	50
24000	7/16-14	100
** 8204 **	7/16-14	50
8205	1/2-13	50
24001	1/2-13	100
8206	9/16-12	25
8207	5/8-11	25
24002	5/8-11	50
8208	3/4-10	20
24003	3/4-10	50
8209	7/8-9	15
25133	7/8-9	50
8210	1-8	10
24004	1-8	20
25135	1-8	50
8211	1-1/8-7	5
8212	1-1/4-7	5
* 24009	1-3/8-6	5
8213	1-1/2-6	3
8214	1-3/4-5	2
* 8215	2-4-1/2	2

SAE		
J&B #	SIZE	QTY
8220	1/4-28	100
8221	5/16-24	100
8222	3/8-24	100
8223	7/16-20	50
24005	7/16-20	100
** 8224 **	7/16-20	50
8225	1/2-20	50
24006	1/2-20	100
8226	9/16-18	25
8227	5/8-18	25
24007	5/8-18	50
8228	3/4-16	20
25017	3/4-16	50
8229	7/8-14	15
25132	7/8-14	50
8230	1-14	10
25134	1-14	50
* 8231	1-1/8-12	5
8232	1-1/4-12	5
24008	1-3/8-12	5
8233	1-1/2-12	3
* 8234	1-3/4-12	3
* 8235	2-12	2

\* Plain Finish

\*\* Automotive Size 5/8" Wrench

**WARNING:** Remember that because the upper two threads of the nut support 90% of the load, never re-use a nut or you'll drastically reduce the strength of the assembly.

# NUTS

## FINISHED HEX NUTS Grade 8

- Yellow zinc plating protects against rust and corrosion.
- High Tensile Strength.
- Heat Treated.



USS		
J&B #	SIZE	QTY
8240	1/4-20	100
8241	5/16-18	50
8242	3/8-16	50
8243	7/16-14	25
8244	1/2-13	25
8245	9/16-12	25
8246	5/8-11	25
8247	3/4-10	20
8248	7/8-9	15
8249	1-8	10
8250	1-1/8-7	5
8251	1-1/4-7	5
8252	1-3/8-6	4
8253	1-1/2-6	3

SAE		
J&B #	SIZE	QTY
8260	1/4-28	100
8261	5/16-24	50
8262	3/8-24	50
8263	7/16-20	25
8264	1/2-20	25
8265	9/16-18	25
8266	5/8-18	25
8267	3/4-16	20
8268	7/8-14	15
8269	1-14	10
8270	1-1/8-12	5
8271	1-1/4-12	5
8273	1-1/2-12	3

## HIGH NUTS

- Double heat treated.
- These fine-thread nuts have the same approximate width as a full-finished nut, but with twice the amount of thread engagement.



J&B #	SIZE	HEIGHT	QTY
10991	7/16-20	9/16"	25
10992	1/2-20	5/8"	25
10993	9/16-18	3/4"	25
10994	5/8-18	13/16"	20
10995	3/4-16	15/16"	15
10996	7/8-14	1-1/8"	10
10997	1-14	1-1/4"	5

# NUTS

## NYLON INSERT LOCK NUTS

Plated




- Vibration and shock-proof-provides 100% lock up to 250°F; won't damage bolt threads.
- Fully re-usable....leak-proof seal against water, grease, corrosion.

USS		
J&B #	SIZE	QTY
10890	4-40	100
10885	6-32	50
10886	8-32	50
10887	10-24	50
10888	10-32	50
10889	12-24	50
8310	1/4-20	100
8311	5/16-18	50
25019	5/16-18	100
8312	3/8-16	50
25020	3/8-16	100
8313	7/16-14	25
25021	7/16-14	100
8314	1/2-13	25
25022	1/2-13	100
8315	9/16-12	25
8316	5/8-11	25
25168	5/8-11	100
8317	3/4-10	20
8318	7/8-9	15
8319	1-8	10
24059	1-1/8-7	5
24060	1-1/4-7	5

SAE		
J&B #	SIZE	QTY
8320	1/4-28	100
8321	5/16-24	50
25024	5/16-24	100
8322	3/8-24	50
25025	3/8-24	100
8323	7/16-20	25
25026	7/16-20	100
8324	1/2-20	25
25027	1/2-20	100
8325	9/16-18	25
8326	5/8-18	25
8327	3/4-16	20
8328	7/8-14	15
8329	1-14	10
24061	1-1/8-12	5
25098	1-1/4-12	5

## NYLON INSERT LOCK NUTS

Grade 8



- Vibration and shock-proof-provides 100% lock up to 250°F; won't damage bolt threads.
- Fully re-usable....leak-proof seal against water, grease, corrosion.

J&B #	SIZE	QTY
10022	1/4-20	100
10023	5/16-18	50
10024	3/8-16	50
10028	7/16-14	25
10025	1/2-13	25
10037	9/16-12	25
10026	5/8-11	25
10027	3/4-10	20
10040	7/8-9	10
10029	1-8	10

J&B #	SIZE	QTY
10042	1/4-28	100
10043	5/16-24	50
10032	3/8-24	50
10044	7/16-20	25
10033	1/2-20	25
10038	9/16-18	25
10034	5/8-18	25
10035	3/4-16	20
10046	7/8-14	10
10047	1-14	10

# NUTS

## THIN NYLON INSERT LOCK NUTS

Plated

- Vibration and shock-proof - provides 100% lock up to 250° F.
- Fully re-usable....leak-proof seal against water, grease and corrosion.
- Won't damage bolt threads.



USS		
J&B #	SIZE	QTY
45470	1/4-20	100
45471	5/16-18	50
45472	3/8-16	50
45473	7/16-14	25
45474	1/2-13	25
45476	5/8-11	25
45477	3/4-10	20


SAE		
J&B #	SIZE	QTY
45480	1/4-28	100
45481	5/16-24	50
45482	3/8-24	50
45483	7/16-20	25
45484	1/2-20	25
45486	5/8-18	25
45487	3/4-16	20

## FLANGE NUTS

Plain

- Grade 8 plain
- Non-Locking.

J&B #	SIZE	QTY
41600	3/4-10	20



# NUTS

## MACHINE SCREW HEX NUTS

- Plated finish protects against rust and corrosion.
- For general purpose applications, these are the lightest pattern nuts for small screw sizes.





J&B #	SIZE	QTY
10598	2-56	100
10601	4-40	100
10602	5-40	100
10603	6-32	100
10604	8-32	100
10605	10-24	100
10606	10-32	100
10630	12-24	100
24066	1/4-20	100

SMALL PATTERN HEX NUTS		
J&B #	SIZE	QTY
38175	10-32	100
38387	10-24 5/16 W.A.F.	100

## STOVER LOCKNUTS

- Downward thread deflection, rather than inward thread deflection, eliminates thread mutilation of fasteners.
- Grade C construction permits use at high temperatures.
- Never works loose; absorbs vibration and shock loads.
- Re-usable.



(FULL COLLAR)

USS		
J&B #	SIZE	QTY
8330	1/4-20	100
8331	5/16-18	50
8332	3/8-16	50
8333	7/16-14	25
8334	1/2-13	25
8335	9/16-12	25
8336	5/8-11	25
8337	3/4-10	20
8338	7/8-9	15
8339	1-8	10
* 41204	1-1/8-7	5
* 41205	1-1/4-7	5
* 41207	1-1/2-6	3

SAE		
J&B #	SIZE	QTY
8340	1/4-28	100
8341	5/16-24	50
8342	3/8-24	50
8343	7/16-20	25
8344	1/2-20	25
8345	9/16-18	25
8346	5/8-18	25
8347	3/4-16	20
8348	7/8-14	15
8349	1-14	10

\* FULL COLLAR STYLE

# NUTS

## HEAVY HEX NUTS

- Plated finish protects against rust and corrosion.
- Extra width to increase bearing surface and wrenchability.
- Stronger for more heavy-duty applications.
- A563A 90M-100M PSI proofload.



USS		
J&B #	SIZE	QTY
8280	1/4-20	100
8281	5/16-18	100
8282	3/8-16	100
8283	7/16-14	50
8284	1/2-13	50
24063	1/2-13	100
8285	9/16-12	25
2376	5/8-11	25
2377	3/4-10	25
8288	7/8-9	15
8289	1-8	10
* 24062	1-1/8 - 7	10
* 24086	1-1/4 - 7	10

\*\*Wheel Nuts  
(A563C grade 5  
equivalent) located  
on page 58

\* Plain Finish

## WING NUTS

- Plated finish protects against rust and corrosion.
- Permit rapid assembly and disassembly by hand.
- Make fine adjustments in the field.




J&B #	SIZE	QTY
10754	6-32	50
10755	8-32	50
10756	10-32	50
10757	10-24	50
24057	12-24	50
10758	1/4-20	50
10760	5/16-18	50
10761	3/8-16	25
24058	1/2-13	25
25012	5/8-11	25

# NUTS

## CASTELLATED NUTS

Zinc Plated

- Cylindrical tops on these nuts have six slots milled through for use with cotter pins to hold nuts securely and to keep them from turning.
- Use these nuts for general-purpose fastening or where precise adjustment is essential.




SAE		
J&B #	SIZE	QTY
8300	1/4-28	100
8301	5/16-24	50
8302	3/8-24	50
8303	7/16-20	25
8304	1/2-20	25
8305	9/16-18	25
8306	5/8-18	25
8307	3/4-16	20
8308	7/8-14	15
8309	1-14	10

## SLOTTED NUTS

Zinc Plated

- Washer faced; aligned slots and full formed precision threads.
- Use with cotter pins to hold nuts securely.




J&B #	SIZE	QTY
24047	1/4-20	100
24048	5/16-18	100
24049	3/8-16	100
24050	7/16-14	50
24051	1/2-13	50
24052	9/16-12	50
24053	5/8-11	50
24054	3/4-10	25
24055	7/8-9	25
24056	1-8	25

# NUTS

## FINISHED HEX JAM NUTS

- Jam nuts are thin nuts used under full sized nuts to develop locking action.
- Used for tight and compact assemblies.
- Plated finish protects against rust and corrosion.



USS		
J&B #	SIZE	QTY
24066	1/4-20	100
24067	5/16-18	100
24068	3/8-16	100
24069	7/16-14	100
24070	1/2-13	100
24071	9/16-12	50
24072	5/8-11	50
24073	3/4-10	25
24074	7/8-9	25
24075	1-8	25
*24088	1-1/4-7	5
*32118	1-1/2-6	5

SAE		
J&B #	SIZE	QTY
24076	1/4-28	100
24077	5/16-24	100
24078	3/8-24	100
24079	7/16-20	100
24080	1/2-20	100
24081	9/16-18	50
24082	5/8-18	50
24083	3/4-16	25
24084	7/8-14	25
24085	1-14	25
* 38379	1-1/4-12	5
* 38380	1-1/2-12	5

\* Plain Finish

\* Plain Finish

## LEFT HAND THREAD FINISHED HEX NUTS

USS		
J&B #	SIZE	QTY
38480	1/4-20	1
38482	5/16-18	1
38484	3/8-16	1
38486	7/16-14	1
38488	1/2-13	1
38490	9/16-12	1
38492	5/8-11	1
38494	3/4-10	1
38496	7/8-9	1
38497	1-8	1


SAE		
J&B #	SIZE	QTY
38481	1/4-28	1
38483	5/16-24	1
38485	3/8-24	1
38487	7/16-20	1
38489	1/2-20	1
38491	9/16-18	1
38493	5/8-18	1
38495	3/4-16	1



# NUTS

## ROD COUPLING NUTS

- Fully threaded nuts used with threaded rod, leveling feet, spacing and jig fixtures.
- Also known as extension nuts and can be used to join two or more studs for a desired length.
- Plated finish protects against rust and corrosion.



J&B #	SIZE	QTY
12157	10-24	25
12149	1/4-20	25
55830	1/4-28	25
12150	5/16-18	25
55831	5/16-24	10
12151	3/8-16	20
55832	3/8-24	20
12153	1/2-13	15
55833	1/2-20	15
12154	5/8-11	15
12155	3/4-10	10
12156	1-8	5

## KEPS NUTS

- Preassembled unit consists of nut with external-tooth, free-spinning lock-washer that bites into both nut and the base metal.
- Resists loosening from vibration.
- Plated finish protects against rust and corrosion.



J&B #	SIZE	QTY
38375	4-40	100
38346	6-32	100
38347	8-32	100
38348	10-24	100
38349	10-32	100
38122	12-24	100
38350	1/4-20	100
38376	1/4-28	100
38351	5/16-18	100
38352	5/16-24	100
38445	3/8-16	100

# HEX FLANGE NUTS

## SERRATED FLANGE NUTS (Zinc-Plated)

- Fully re-usable nuts cover oversize holes with their flange distributing their load over a greater area.
- Better grip, hold longer and require more torque to remove than to install.




USS		
J&B #	SIZE	QTY
40002	8-32	100
10829	10-24	100
10830	1/4-20	100
*V46760	1/4-20	100
10831	5/16-18	100
*V46761	5/16-18	100
10868	3/8-16	100
*V46762	3/8-16	100
10548	7/16-14	50
45685	1/2-13	50
39078	5/8-11	25
39079	3/4-10	25

SAE		
J&B #	SIZE	QTY
40003	10-32	100
40004	1/4-28	100
40005	5/16-24	100
40006	3/8-24	100
40007	7/16-20	50

\* = Yellow zinc plated

## STOVER FLANGE NUTS (Grade G Locknuts)

- Offer greater bearing area than regular hex nuts; top of nut is compressed to create a locking zone.
- Flange stiffens the nut to reduce dilation and possible thread shear.
- Zinc plated.



USS		
J&B #	SIZE	QTY
39077	1/4-20	100
39089	5/16-18	50
39093	3/8-16	50
39091	7/16-14	25
39100	1/2-13	25
39102	5/8-11	25
39103	3/4-10	20
39071	7/8-9	15
39072	1-8	10

SAE		
J&B #	SIZE	QTY
40008	1/2-20	25
40010	5/8-18	25
40011	3/4-16	20
39073	7/8-14	15
39074	1-14	10

# NUTS

## ACORN CAP NUTS

Nickel Plated

J&B #	SIZE	QTY
39791	6-32	100
39792	8-32	100
39793	10-24	100
39794	10-32	100
39795	1/4-20	100
39796	5/16-18	50
39797	3/8-16	50



## TEE NUTS


Zinc Plated

J&B #	SIZE	# OF PRONGS	QTY
13500	6-32 x 1/4	3	100
13501	8-32 x 1/4	3	100
13502	10-24 x 5/16	4	50
13504	10-32 x 5/16	4	50
13506	1/4-20 x 5/16	4	100
13508	1/4-20 x 7/16	4	100
13510	5/16-18 x 3/8	4	50
13512	5/16-18 x 5/8	4	50
13514	3/8-16 x 7/16	4	50




## SQUARE NUTS

- Plated finish protects against rust and corrosion.
- Used where material being fastened is such that the square side is held against the material.
- No wrench is needed to hold the nut while tightening and loosening.



J&B #	SIZE	QTY
25013	10-24	100
25014	1/4-20	100
25015	5/16-18	100
25016	3/8-16	100



































### J&B Fleet - Industrial Supply

22428 Harrisburg-Westville Rd. Alliance, Ohio 44601 Phone: (330) 821-6342 Fax: (330) 821-0411


[www.jbfleet.com](http://www.jbfleet.com)

PART # 2025

## SMALL NUTS & FLATS

 <b>#4 FLATWASHER</b> 20	 <b>#6 LOCKWASHER</b> 100	 <b>10598 2-56 NUT</b> 100	 <b>10603 6-32 NUT</b> 100	 <b>10630 12-24 NUT</b> 50	 <b>10754 6-32 WING NUT</b> 10	 <b>10885 6-32 NYLON LOCKNUT</b> 50	 <b>38346 6-32 KEPS NUT</b> 10
 <b>#6 FLATWASHER</b> 100	 <b>#8 LOCKWASHER</b> 100	 <b>10600 4-36 NUT</b> 100	 <b>10604 8-32 NUT</b> 100	 <b>10829 10-24 FLANGE NUT</b> 10	 <b>10755 8-32 WING NUT</b> 10	 <b>10886 8-32 NYLON LOCKNUT</b> 50	 <b>38347 8-32 KEPS NUT</b> 10
 <b>#8 FLATWASHER</b> 100	 <b>#10 LOCKWASHER</b> 100	 <b>10601 4-40 NUT</b> 100	 <b>10605 10-24 NUT</b> 50	 <b>25013 10-24 SQUARE NUT</b> 10	 <b>10756 10-32 WING NUT</b> 10	 <b>10887 10-24 NYLON LOCKNUT</b> 25	 <b>38348 10-24 KEPS NUT</b> 10
 <b>#10 FLATWASHER</b> 100	 <b>#12 LOCKWASHER</b> 100	 <b>10602 5-40 NUT</b> 100	 <b>10606 10-32 NUT</b> 50	 <b>24057 12-24 WING NUT</b> 10	 <b>10757 10-24 WING NUT</b> 10	 <b>10888 10-32 NYLON LOCKNUT</b> 25	 <b>38349 10-32 KEPS NUT</b> 10




















# J&B Fleet - Industrial Supply


22428 Harrisburg-Westville Rd. Alliance, Ohio 44601 Phone: (330) 821-6342 Fax: (330) 821-0411

[www.jbfleet.com](http://www.jbfleet.com)

PART # 2232

## COARSE LOCKNUTS

<p><b>8330</b> <sup>1</sup></p>  <p><b>1/4-20 STOVER</b></p> <p>10</p>	<p><b>8331</b> <sup>2</sup></p>  <p><b>5/16-18 STOVER</b></p> <p>10</p>	<p><b>8332</b> <sup>3</sup></p>  <p><b>3/8-16 STOVER</b></p> <p>10</p>	<p><b>8333</b> <sup>4</sup></p>  <p><b>7/16-14 STOVER</b></p> <p>5</p>	<p><b>8334</b> <sup>5</sup></p>  <p><b>1/2-13 STOVER</b></p> <p>5</p>	<p><b>8339</b> <sup>12</sup></p>  <p><b>1-8 STOVER</b></p> <p>2</p>
<p><b>8310</b> <sup>13</sup></p>  <p><b>1/4-20 NYLON</b></p> <p>10</p>	<p><b>8311</b> <sup>14</sup></p>  <p><b>5/16-18 NYLON</b></p> <p>10</p>	<p><b>8312</b> <sup>15</sup></p>  <p><b>3/8-16 NYLON</b></p> <p>10</p>	<p><b>8313</b> <sup>16</sup></p>  <p><b>7/16-14 NYLON</b></p> <p>5</p>	<p><b>8314</b> <sup>17</sup></p>  <p><b>1/2-13 NYLON</b></p> <p>5</p>	<p><b>8317</b> <sup>22</sup></p>  <p><b>3/4-10 NYLON</b></p> <p>2</p>
<p><b>8316</b> <sup>20</sup></p>  <p><b>5/8-11 NYLON</b></p> <p>4</p>	<p><b>8317</b> <sup>22</sup></p>  <p><b>3/4-10 NYLON</b></p> <p>2</p>	<p><b>8319</b> <sup>24</sup></p>  <p><b>1-8 NYLON</b></p> <p>2</p>			




























# J&B Fleet - Industrial Supply


www.jbfleet.com

22428 Harrisburg-Westville Rd. Alliance, Ohio 44601 Phone: (330) 821-6342 Fax: (330) 821-0411

PART # 2024

## NYLON STOP NUTS

<p><b>10885</b> 1</p>  <p>10 <b>6-32</b></p>	<p><b>10886</b> 2</p>  <p>10 <b>8-32</b></p>	<p><b>10888</b> 3</p>  <p>10 <b>10-32</b></p>	<p><b>8320</b> 4</p>  <p>10 <b>1/4-28</b></p>	<p><b>8321</b> 5</p>  <p>10 <b>5/16-24</b></p>	<p><b>8322</b> 6</p>  <p>5 <b>3/8-24</b></p>
<p><b>8323</b> 7</p>  <p>5 <b>7/16-20</b></p>	<p><b>8324</b> 8</p>  <p>5 <b>1/2-20</b></p>	<p><b>8325</b> 9</p>  <p>4 <b>9/16-18</b></p>	<p><b>8326</b> 10</p>  <p>4 <b>5/8-18</b></p>	<p><b>8327</b> 11</p>  <p>3 <b>3/4-16</b></p>	<p><b>8328</b> 12</p>  <p>2 <b>7/8-14</b></p>
<p><b>10887</b> 13</p>  <p>10 <b>10-24</b></p>	<p>14</p>	<p><b>8310</b> 15</p>  <p>10 <b>1/4-20</b></p>	<p><b>8311</b> 16</p>  <p>10 <b>5/16-18</b></p>	<p><b>8312</b> 17</p>  <p>5 <b>3/8-16</b></p>	<p><b>8313</b> 18</p>  <p>5 <b>7/16-14</b></p>
<p><b>8314</b> 19</p>  <p>5 <b>1/2-13</b></p>	<p><b>8315</b> 20</p>  <p>4 <b>9/16-12</b></p>	<p><b>8316</b> 21</p>  <p>4 <b>5/8-11</b></p>	<p><b>8317</b> 22</p>  <p>3 <b>3/4-10</b></p>	<p><b>8318</b> 23</p>  <p>2 <b>7/8-9</b></p>	<p><b>8319</b> 24</p>  <p>1 <b>1-8</b></p>





























### J&B Fleet - Industrial Supply

www.jbfleet.com


22428 Harrisburg-Westville Rd. Alliance, Ohio 44601 Phone: (330) 821-6342 Fax: (330) 821-0411

**PART # 2290**

## NYLON STOP NUTS GRADE 8

 <b>10022</b> 1 10 <b>1/4-20</b>	 <b>10023</b> 2 10 <b>5/16-18</b>	 <b>10024</b> 3 10 <b>3/8-16</b>	 <b>10028</b> 4 5 <b>7/16-14</b>	 <b>10025</b> 5 5 <b>1/2-13</b>	 <b>10037</b> 6 4 <b>9/16-12</b>
 <b>10026</b> 7 4 <b>5/8-11</b>	 <b>10027</b> 8 3 <b>3/4-10</b>	 <b>10040</b> 9 2 <b>7/8-9</b>	 <b>10029</b> 10 2 <b>1-8</b>	 <b>10042</b> 11 10 <b>1/4-28</b>	 <b>10029</b> 12 5 <b>1/2-20</b>
 <b>10043</b> 13 4 <b>5/8-18</b>	 <b>10044</b> 14 3 <b>3/4-16</b>	 <b>10032</b> 15 10 <b>3/8-24</b>	 <b>10046</b> 16 2 <b>7/8-14</b>	 <b>10033</b> 17 5 <b>1/2-20</b>	 <b>10034</b> 18 4 <b>5/8-18</b>
 <b>10035</b> 19 3 <b>3/4-16</b>	 <b>10035</b> 20 3 <b>3/4-16</b>	 <b>10047</b> 21 2 <b>1-14</b>	 <b>10047</b> 22 2 <b>1-14</b>	 <b>10047</b> 23 2 <b>1-14</b>	 <b>10047</b> 24 2 <b>1-14</b>
























# J&B Fleet - Industrial Supply


www.jbfleet.com

22428 Harrisburg-Westville Rd. Alliance, Ohio 44601 Phone: (330) 821-6342 Fax: (330) 821-0411

**PART #2840**

## THIN NYLON LOCKNUTS

<p><b>45480</b> <sup>1</sup></p>  <p><b>1/4 - 28</b></p> <p>50</p>	<p><b>45481</b> <sup>2</sup></p>  <p><b>5/16 - 24</b></p> <p>25</p>	<p><b>45482</b> <sup>3</sup></p>  <p><b>3/8 - 24</b></p> <p>25</p>	<p><b>45483</b> <sup>4</sup></p>  <p><b>5/16 - 20</b></p> <p>10</p>	<p><b>45484</b> <sup>5</sup></p>  <p><b>1/2 - 20</b></p> <p>10</p>	<p><b>45486</b> <sup>6</sup></p>  <p><b>5/8 - 18</b></p> <p>10</p>
<p><b>45487</b> <sup>7</sup></p>  <p><b>3/4 - 16</b></p> <p>5</p>	<p><b>57302</b> <sup>8</sup></p>  <p><b>6-32 STAINLESS</b></p> <p>50</p>	<p><b>57303</b> <sup>9</sup></p>  <p><b>8-32 STAINLESS</b></p> <p>50</p>	<p><b>57304</b> <sup>10</sup></p>  <p><b>10-24 STAINLESS</b></p> <p>50</p>	<p><b>57305</b> <sup>11</sup></p>  <p><b>10-32 STAINLESS</b></p> <p>50</p>	<p><b>57305</b> <sup>12</sup></p>  <p><b>10-32 STAINLESS</b></p> <p>50</p>
<p><b>45470</b> <sup>13</sup></p>  <p><b>1/4 - 20</b></p> <p>50</p>	<p><b>45471</b> <sup>14</sup></p>  <p><b>5/16 - 18</b></p> <p>25</p>	<p><b>45472</b> <sup>15</sup></p>  <p><b>3/8 - 16</b></p> <p>25</p>	<p><b>45473</b> <sup>16</sup></p>  <p><b>7/16 - 14</b></p> <p>10</p>	<p><b>45474</b> <sup>17</sup></p>  <p><b>1/2 - 13</b></p> <p>10</p>	<p><b>45476</b> <sup>18</sup></p>  <p><b>5/8 - 11</b></p> <p>10</p>
<p><b>45477</b> <sup>19</sup></p>  <p><b>3/4 - 10</b></p> <p>5</p>					































# J&B Fleet - Industrial Supply


22428 Harrisburg-Westville Rd. Alliance, Ohio 44601 Phone: (330) 821-6342 Fax: (330) 821-0411












[www.jbfleet.com](http://www.jbfleet.com)

PART # 2100

## STOVER LOCKNUTS

<p><b>8330</b> <sup>1</sup></p>  <p><b>1/4-20</b></p> <p>10</p>	<p><b>8331</b> <sup>2</sup></p>  <p><b>5/16-18</b></p> <p>10</p>	<p><b>8332</b> <sup>3</sup></p>  <p><b>3/8-16</b></p> <p>5</p>	<p><b>8333</b> <sup>4</sup></p>  <p><b>7/16-14</b></p> <p>5</p>	<p><b>8334</b> <sup>5</sup></p>  <p><b>1/2-13</b></p> <p>5</p>	<p><b>8335</b> <sup>6</sup></p>  <p><b>3/4-12</b></p> <p>5</p>
<p><b>8336</b> <sup>7</sup></p>  <p><b>5/8-11</b></p> <p>3</p>	<p><b>8336</b> <sup>8</sup></p>  <p><b>5/8-11</b></p> <p>3</p>	<p><b>8336</b> <sup>9</sup></p>  <p><b>5/8-11</b></p> <p>3</p>	<p><b>8337</b> <sup>10</sup></p>  <p><b>3/4-10</b></p> <p>2</p>	<p><b>8337</b> <sup>11</sup></p>  <p><b>3/4-10</b></p> <p>2</p>	<p><b>8339</b> <sup>12</sup></p>  <p><b>1-8</b></p> <p>1</p>
<p><b>8340</b> <sup>13</sup></p>  <p><b>1/4-28</b></p> <p>10</p>	<p><b>8341</b> <sup>14</sup></p>  <p><b>5/16-24</b></p> <p>10</p>	<p><b>8342</b> <sup>15</sup></p>  <p><b>3/8-24</b></p> <p>5</p>	<p><b>8343</b> <sup>16</sup></p>  <p><b>7/16-20</b></p> <p>5</p>	<p><b>8344</b> <sup>17</sup></p>  <p><b>1/2-20</b></p> <p>5</p>	<p><b>8345</b> <sup>18</sup></p>  <p><b>3/4-16</b></p> <p>5</p>
<p><b>8346</b> <sup>19</sup></p>  <p><b>5/8-18</b></p> <p>3</p>	<p><b>8346</b> <sup>20</sup></p>  <p><b>5/8-18</b></p> <p>3</p>	<p><b>8346</b> <sup>21</sup></p>  <p><b>5/8-18</b></p> <p>3</p>	<p><b>8347</b> <sup>22</sup></p>  <p><b>3/4-16</b></p> <p>2</p>	<p><b>8347</b> <sup>23</sup></p>  <p><b>3/4-16</b></p> <p>2</p>	<p><b>8349</b> <sup>24</sup></p>  <p><b>1-14</b></p> <p>1</p>





























**J&B Fleet - Industrial Supply**  
 22428 Harrisburg-Westville Rd. Alliance, Ohio 44601 Phone: (330) 821-6342 Fax: (330) 821-0411


[www.jbfleet.com](http://www.jbfleet.com)

**PART# 2824**

**FINISHED HEX JAM NUTS**

<p><b>24066</b> <sup>1</sup></p>  <p><b>1/4 - 20</b></p> <p>25</p>	<p><b>24067</b> <sup>2</sup></p>  <p><b>5/16 - 18</b></p> <p>25</p>	<p><b>24068</b> <sup>3</sup></p>  <p><b>3/8 - 16</b></p> <p>25</p>	<p><b>24069</b> <sup>4</sup></p>  <p><b>7/16 - 14</b></p> <p>20</p>	<p><b>24070</b> <sup>5</sup></p>  <p><b>1/2 - 13</b></p> <p>20</p>	<p><b>24071</b> <sup>6</sup></p>  <p><b>3/4 - 12</b></p> <p>20</p>
<p><b>24072</b> <sup>7</sup></p>  <p><b>5/8 - 11</b></p> <p>15</p>	<p><b>24073</b> <sup>8</sup></p>  <p><b>3/4 - 10</b></p> <p>10</p>	<p><b>24074</b> <sup>9</sup></p>  <p><b>1 - 8</b></p> <p>5</p>	<p><b>24075</b> <sup>10</sup></p>  <p><b>1 - 8</b></p> <p>5</p>	<p><b>24076</b> <sup>11</sup></p>  <p><b>1 - 8</b></p> <p>5</p>	<p><b>24077</b> <sup>12</sup></p>  <p><b>1 - 8</b></p> <p>5</p>
<p><b>24078</b> <sup>13</sup></p>  <p><b>1/4 - 28</b></p> <p>25</p>	<p><b>24079</b> <sup>14</sup></p>  <p><b>5/16 - 24</b></p> <p>25</p>	<p><b>24080</b> <sup>15</sup></p>  <p><b>3/8 - 24</b></p> <p>25</p>	<p><b>24081</b> <sup>16</sup></p>  <p><b>7/16 - 20</b></p> <p>20</p>	<p><b>24082</b> <sup>17</sup></p>  <p><b>1/2 - 20</b></p> <p>20</p>	<p><b>24083</b> <sup>18</sup></p>  <p><b>3/4 - 16</b></p> <p>10</p>
<p><b>24084</b> <sup>19</sup></p>  <p><b>5/8 - 18</b></p> <p>15</p>	<p><b>24085</b> <sup>20</sup></p>  <p><b>3/4 - 16</b></p> <p>10</p>	<p><b>24086</b> <sup>21</sup></p>  <p><b>3/4 - 16</b></p> <p>10</p>	<p><b>24087</b> <sup>22</sup></p>  <p><b>3/4 - 16</b></p> <p>10</p>	<p><b>24088</b> <sup>23</sup></p>  <p><b>1 - 14</b></p> <p>5</p>	<p><b>24089</b> <sup>24</sup></p>  <p><b>1 - 14</b></p> <p>5</p>
























# J&B Fleet - Industrial Supply


www.jbfleet.com

22428 Harrisburg-Westville Rd. Alliance, Ohio 44601 Phone: (330) 821-6342 Fax: (330) 821-0411

**PART #2840**


## THIN NYLON LOCKNUTS

<p><b>45480</b> <sup>1</sup></p>  <p><b>1/4 - 28</b></p> <p>50</p>	<p><b>45481</b> <sup>2</sup></p>  <p><b>5/16 - 24</b></p> <p>25</p>	<p><b>45482</b> <sup>3</sup></p>  <p><b>3/8 - 24</b></p> <p>25</p>	<p><b>45483</b> <sup>4</sup></p>  <p><b>5/16 - 20</b></p> <p>10</p>	<p><b>45484</b> <sup>5</sup></p>  <p><b>1/2 - 20</b></p> <p>10</p>	<p><b>45486</b> <sup>6</sup></p>  <p><b>5/8 - 18</b></p> <p>10</p>
<p><b>45487</b> <sup>7</sup></p>  <p><b>3/4 - 16</b></p> <p>5</p>	<p><b>57302</b> <sup>8</sup></p>  <p><b>6-32 STAINLESS</b></p> <p>50</p>	<p><b>57303</b> <sup>9</sup></p>  <p><b>8-32 STAINLESS</b></p> <p>50</p>	<p><b>57304</b> <sup>10</sup></p>  <p><b>10-24 STAINLESS</b></p> <p>50</p>	<p><b>57305</b> <sup>11</sup></p>  <p><b>10-32 STAINLESS</b></p> <p>50</p>	<p><b>57305</b> <sup>12</sup></p>  <p><b>10-32 STAINLESS</b></p> <p>50</p>
<p><b>45470</b> <sup>13</sup></p>  <p><b>1/4 - 20</b></p> <p>50</p>	<p><b>45471</b> <sup>14</sup></p>  <p><b>5/16 - 18</b></p> <p>25</p>	<p><b>45472</b> <sup>15</sup></p>  <p><b>3/8 - 16</b></p> <p>25</p>	<p><b>45473</b> <sup>16</sup></p>  <p><b>7/16 - 14</b></p> <p>10</p>	<p><b>45474</b> <sup>17</sup></p>  <p><b>1/2 - 13</b></p> <p>10</p>	<p><b>45476</b> <sup>18</sup></p>  <p><b>5/8 - 11</b></p> <p>10</p>
<p><b>45477</b> <sup>19</sup></p>  <p><b>3/4 - 10</b></p> <p>5</p>					



LET US HELP YOU MAKE THE CONNECTION

PART # 3029



# ACORN CAP NUTS




J & B FLEET-INDUSTRIAL SUPPLY  
PHONE: 330-821-6342

<b>39791</b>  6-32  10	<b>39792</b>  8-32  10	<b>39793</b>  10-24  10	<b>39794</b>  10-32  10	<b>39795</b>  1/4-20  10	<b>39796</b>  5/16-18  5
<b>39797</b>  3/8-16  5					

LET US HELP YOU MAKE THE CONNECTION

PART # 3030



# TEE NUTS



J & B FLEET-INDUSTRIAL SUPPLY  
PHONE: 330-821-6342

<b>13500</b>  6-32 X 1/4  10	<b>13501</b>  8-32 X 1/4  10	<b>13502</b>  10-24 X 5/16  10	<b>13504</b>  10-32 X 5/16  10	<b>13506</b>  1/4-20 X 5/16  10	<b>13508</b>  1/4-20 X 7/16  10
<b>13510</b>  5/16-18 X 3/8  5	<b>13512</b>  5/16-18 X 5/8  5	<b>13514</b>  3/8-16 X 7/16  5			