


NUTS

FINISHED HEX NUTS

- Most-used general purpose nut; standard height and hex dimensions.
- Plated finish protects against rust and corrosion.



USS		
J&B #	SIZE	QTY
8200	1/4-20	100
8201	5/16-18	100
8202	3/8-16	100
8203	7/16-14	50
24000	7/16-14	100
** 8204 **	7/16-14	50
8205	1/2-13	50
24001	1/2-13	100
8206	9/16-12	25
8207	5/8-11	25
24002	5/8-11	50
8208	3/4-10	20
24003	3/4-10	50
8209	7/8-9	15
25133	7/8-9	50
8210	1-8	10
24004	1-8	20
25135	1-8	50
8211	1-1/8-7	5
8212	1-1/4-7	5
* 24009	1-3/8-6	5
8213	1-1/2-6	3
8214	1-3/4-5	2
* 8215	2-4-1/2	2

SAE		
J&B #	SIZE	QTY
8220	1/4-28	100
8221	5/16-24	100
8222	3/8-24	100
8223	7/16-20	50
24005	7/16-20	100
** 8224 **	7/16-20	50
8225	1/2-20	50
24006	1/2-20	100
8226	9/16-18	25
8227	5/8-18	25
24007	5/8-18	50
8228	3/4-16	20
25017	3/4-16	50
8229	7/8-14	15
25132	7/8-14	50
8230	1-14	10
25134	1-14	50
* 8231	1-1/8-12	5
8232	1-1/4-12	5
24008	1-3/8-12	5
8233	1-1/2-12	3
* 8234	1-3/4-12	3
* 8235	2-12	2

* Plain Finish

** Automotive Size 5/8" Wrench

WARNING: Remember that because the upper two threads of the nut support 90% of the load, never re-use a nut or you'll drastically reduce the strength of the assembly.

NUTS

FINISHED HEX NUTS Grade 8

- Yellow zinc plating protects against rust and corrosion.
- High Tensile Strength.
- Heat Treated.



USS		
J&B #	SIZE	QTY
8240	1/4-20	100
8241	5/16-18	50
8242	3/8-16	50
8243	7/16-14	25
8244	1/2-13	25
8245	9/16-12	25
8246	5/8-11	25
8247	3/4-10	20
8248	7/8-9	15
8249	1-8	10
8250	1-1/8-7	5
8251	1-1/4-7	5
8252	1-3/8-6	4
8253	1-1/2-6	3

SAE		
J&B #	SIZE	QTY
8260	1/4-28	100
8261	5/16-24	50
8262	3/8-24	50
8263	7/16-20	25
8264	1/2-20	25
8265	9/16-18	25
8266	5/8-18	25
8267	3/4-16	20
8268	7/8-14	15
8269	1-14	10
8270	1-1/8-12	5
8271	1-1/4-12	5
8273	1-1/2-12	3

PLAIN FINISH HEX NUTS Grade 8

- High Tensile Strength.
- Heat Treated.



USS		
J&B #	SIZE	TY
76000	1/4-20	100
76001	5/16-18	50
76002	3/8-16	50
76004	1/2-13	25
76006	5/8-11	25
76007	3/4-10	20

NUTS

NYLON INSERT LOCK NUTS

Plated




- Vibration and shock-proof-provides 100% lock up to 250°F; won't damage bolt threads.
- Fully re-usable....leak-proof seal against water, grease, corrosion.

USS		
J&B #	SIZE	QTY
10890	4-40	100
10885	6-32	50
10886	8-32	50
10887	10-24	50
10888	10-32	50
10889	12-24	50
8310	1/4-20	100
8311	5/16-18	50
25019	5/16-18	100
8312	3/8-16	50
25020	3/8-16	100
8313	7/16-14	25
25021	7/16-14	100
8314	1/2-13	25
25022	1/2-13	100
8315	9/16-12	25
8316	5/8-11	25
25168	5/8-11	100
8317	3/4-10	20
8318	7/8-9	15
8319	1-8	10
24059	1-1/8-7	5
24060	1-1/4-7	5

SAE		
J&B #	SIZE	QTY
8320	1/4-28	100
8321	5/16-24	50
25024	5/16-24	100
8322	3/8-24	50
25025	3/8-24	100
8323	7/16-20	25
25026	7/16-20	100
8324	1/2-20	25
25027	1/2-20	100
8325	9/16-18	25
8326	5/8-18	25
8327	3/4-16	20
8328	7/8-14	15
8329	1-14	10
24061	1-1/8-12	5
25098	1-1/4-12	5

NYLON INSERT LOCK NUTS

Grade 8



- Vibration and shock-proof-provides 100% lock up to 250°F; won't damage bolt threads.
- Fully re-usable....leak-proof seal against water, grease, corrosion.

J&B #	SIZE	QTY
10022	1/4-20	100
10023	5/16-18	50
10024	3/8-16	50
10028	7/16-14	25
10025	1/2-13	25
10037	9/16-12	25
10026	5/8-11	25
10027	3/4-10	20
10040	7/8-9	10
10029	1-8	10

J&B #	SIZE	QTY
10042	1/4-28	100
10043	5/16-24	50
10032	3/8-24	50
10044	7/16-20	25
10033	1/2-20	25
10038	9/16-18	25
10034	5/8-18	25
10035	3/4-16	20
10046	7/8-14	10
10047	1-14	10

NUTS

THIN NYLON INSERT LOCK NUTS

Plated

- Vibration and shock-proof - provides 100% lock up to 250° F.
- Fully re-usable....leak-proof seal against water, grease and corrosion.
- Won't damage bolt threads.



USS		
J&B #	SIZE	QTY
45470	1/4-20	100
45471	5/16-18	50
45472	3/8-16	50
45473	7/16-14	25
45474	1/2-13	25
45476	5/8-11	25
45477	3/4-10	20


SAE		
J&B #	SIZE	QTY
45480	1/4-28	100
45481	5/16-24	50
45482	3/8-24	50
45483	7/16-20	25
45484	1/2-20	25
45486	5/8-18	25
45487	3/4-16	20

FLANGE NUTS

Plain

- Grade 8 plain
- Non-Locking.


J&B #	SIZE	QTY
41600	3/4-10	20



HIGH NUTS

- Double heat treated.
- These fine-thread nuts have the same approximate width as a full-finished nut, but with twice the amount of thread engagement.


J&B #	SIZE	HEIGHT	QTY
10991	7/16-20	9/16"	25
10992	1/2-20	5/8"	25
10993	9/16-18	3/4"	25
10994	5/8-18	13/16"	20
10995	3/4-16	15/16"	15
10996	7/8-14	1-1/8"	10
10997	1-14	1-1/4"	5



NUTS

MACHINE SCREW HEX NUTS

- Plated finish protects against rust and corrosion.
- For general purpose applications, these are the lightest pattern nuts for small screw sizes.





J&B #	SIZE	QTY
10598	2-56	100
10601	4-40	100
10602	5-40	100
10603	6-32	100
10604	8-32	100
10605	10-24	100
10606	10-32	100
10630	12-24	100
24066	1/4-20	100

SMALL PATTERN HEX NUTS		
J&B #	SIZE	QTY
38175	10-32	100
38387	10-24 5/16 W.A.F.	100

STOVER LOCKNUTS

- Downward thread deflection, rather than inward thread deflection, eliminates thread mutilation of fasteners.
- Grade C construction permits use at high temperatures.
- Never works loose; absorbs vibration and shock loads.
- Re-usable.



(FULL COLLAR)

USS		
J&B #	SIZE	QTY
8330	1/4-20	100
8331	5/16-18	50
8332	3/8-16	50
8333	7/16-14	25
8334	1/2-13	25
8335	9/16-12	25
8336	5/8-11	25
8337	3/4-10	20
8338	7/8-9	15
8339	1-8	10
* 41204	1-1/8-7	5
* 41205	1-1/4-7	5
* 41207	1-1/2-6	3


SAE		
J&B #	SIZE	QTY
8340	1/4-28	100
8341	5/16-24	50
8342	3/8-24	50
8343	7/16-20	25
8344	1/2-20	25
8345	9/16-18	25
8346	5/8-18	25
8347	3/4-16	20
8348	7/8-14	15
8349	1-14	10

* FULL COLLAR STYLE

NUTS

HEAVY HEX NUTS

- Plated finish protects against rust and corrosion.
- Extra width to increase bearing surface and wrenchability.
- Stronger for more heavy-duty applications.
- A563A 90M-100M PSI proofload.



USS		
J&B #	SIZE	QTY
8280	1/4-20	100
8281	5/16-18	100
8282	3/8-16	100
8283	7/16-14	50
8284	1/2-13	50
24063	1/2-13	100
8285	9/16-12	25
2376	5/8-11	25
2377	3/4-10	25
8288	7/8-9	15
8289	1-8	10
* 24062	1-1/8 - 7	10
* 24086	1-1/4 - 7	10

**Wheel Nuts
(A563C grade 5
equivilant) located
on page 58

* Plain Finish

WING NUTS

- Plated finish protects against rust and corrosion.
- Permit rapid assembly and disassembly by hand.
- Make fine adjustments in the field.




J&B #	SIZE	QTY
10754	6-32	50
10755	8-32	50
10756	10-32	50
10757	10-24	50
24057	12-24	50
10758	1/4-20	50
10760	5/16-18	50
10761	3/8-16	25
24058	1/2-13	25
25012	5/8-11	25

NUTS

CASTELLATED NUTS

Zinc Plated

- Cylindrical tops on these nuts have six slots milled through for use with cotter pins to hold nuts securely and to keep them from turning.
- Use these nuts for general-purpose fastening or where precise adjustment is essential.




SAE		
J&B #	SIZE	QTY
8300	1/4-28	100
8301	5/16-24	50
8302	3/8-24	50
8303	7/16-20	25
8304	1/2-20	25
8305	9/16-18	25
8306	5/8-18	25
8307	3/4-16	20
8308	7/8-14	15
8309	1-14	10

SLOTTED NUTS

Zinc Plated

- Washer faced; aligned slots and full formed precision threads.
- Use with cotter pins to hold nuts securely.




J&B #	SIZE	QTY
24047	1/4-20	100
24048	5/16-18	100
24049	3/8-16	100
24050	7/16-14	50
24051	1/2-13	50
24052	9/16-12	50
24053	5/8-11	50
24054	3/4-10	25
24055	7/8-9	25
24056	1-8	25

NUTS

FINISHED HEX JAM NUTS

- Jam nuts are thin nuts used under full sized nuts to develop locking action.
- Used for tight and compact assemblies.
- Plated finish protects against rust and corrosion.



USS		
J&B #	SIZE	QTY
24066	1/4-20	100
24067	5/16-18	100
24068	3/8-16	100
24069	7/16-14	100
24070	1/2-13	100
24071	9/16-12	50
24072	5/8-11	50
24073	3/4-10	25
24074	7/8-9	25
24075	1-8	25
*24088	1-1/4-7	5
*32118	1-1/2-6	5

SAE		
J&B #	SIZE	QTY
24076	1/4-28	100
24077	5/16-24	100
24078	3/8-24	100
24079	7/16-20	100
24080	1/2-20	100
24081	9/16-18	50
24082	5/8-18	50
24083	3/4-16	25
24084	7/8-14	25
24085	1-14	25
* 38379	1-1/4-12	5
* 38380	1-1/2-12	5

* Plain Finish

* Plain Finish

LEFT HAND THREAD FINISHED HEX NUTS


USS		
J&B #	SIZE	QTY
38480	1/4-20	1
38482	5/16-18	1
38484	3/8-16	1
38486	7/16-14	1
38488	1/2-13	1
38490	9/16-12	1
38492	5/8-11	1
38494	3/4-10	1
38496	7/8-9	1
38497	1-8	1

SAE		
J&B #	SIZE	QTY
38481	1/4-28	1
38483	5/16-24	1
38485	3/8-24	1
38487	7/16-20	1
38489	1/2-20	1
38491	9/16-18	1
38493	5/8-18	1
38495	3/4-16	1

NUTS

ROD COUPLING NUTS


- Fully threaded nuts used with threaded rod, leveling feet, spacing and jig fixtures.
- Also known as extension nuts and can be used to join two or more studs for a desired length.
- Plated finish protects against rust and corrosion.



J&B #	SIZE	QTY
12157	10-24	25
12149	1/4-20	25
55830	1/4-28	25
12150	5/16-18	25
55831	5/16-24	10
12151	3/8-16	20
55832	3/8-24	20
12153	1/2-13	15
55833	1/2-20	15
12154	5/8-11	15
12155	3/4-10	10
12156	1-8	5

KEPS NUTS

- Preassembled unit consists of nut with external-tooth, free-spinning lock-washer that bites into both nut and the base metal.
- Resists loosening from vibration.
- Plated finish protects against rust and corrosion.



J&B #	SIZE	QTY
38375	4-40	100
38346	6-32	100
38347	8-32	100
38348	10-24	100
38349	10-32	100
38122	12-24	100
38350	1/4-20	100
38376	1/4-28	100
38351	5/16-18	100
38352	5/16-24	100
38445	3/8-16	100

HEX FLANGE NUTS

SERRATED FLANGE NUTS (Zinc-Plated)

- Fully re-usable nuts cover oversize holes with their flange distributing their load over a greater area.
- Better grip, hold longer and require more torque to remove than to install.




USS		
J&B #	SIZE	QTY
40002	8-32	100
10829	10-24	100
10830	1/4-20	100
*V46760	1/4-20	100
10831	5/16-18	100
*V46761	5/16-18	100
10868	3/8-16	100
*V46762	3/8-16	100
10548	7/16-14	50
45685	1/2-13	50
39078	5/8-11	25
39079	3/4-10	25

SAE		
J&B #	SIZE	QTY
40003	10-32	100
40004	1/4-28	100
40005	5/16-24	100
40006	3/8-24	100
40007	7/16-20	50
40001	1/2-20	50

* = Yellow zinc plated

STOVER FLANGE NUTS (Grade G Locknuts)

- Offer greater bearing area than regular hex nuts; top of nut is compressed to create a locking zone.
- Flange stiffens the nut to reduce dilation and possible thread shear.
- Zinc plated.



USS		
J&B #	SIZE	QTY
39077	1/4-20	100
39089	5/16-18	50
39093	3/8-16	50
39091	7/16-14	25
39100	1/2-13	25
39102	5/8-11	25
39103	3/4-10	20
39071	7/8-9	15
39072	1-8	10

SAE		
J&B #	SIZE	QTY
40008	1/2-20	25
40010	5/8-18	25
40011	3/4-16	20
39073	7/8-14	15
39074	1-14	10

NUTS

ACORN CAP NUTS

Nickel Plated

J&B #	SIZE	QTY
39791	6-32	100
39792	8-32	100
39793	10-24	100
39794	10-32	100
39795	1/4-20	100
39796	5/16-18	50
39797	3/8-16	50



TEE NUTS


Zinc Plated

J&B #	SIZE	# OF PRONGS	QTY
13500	6-32 x 1/4	3	100
13501	8-32 x 1/4	3	100
13502	10-24 x 5/16	4	50
13504	10-32 x 5/16	4	50
13506	1/4-20 x 5/16	4	100
13508	1/4-20 x 7/16	4	100
13510	5/16-18 x 3/8	4	50
13512	5/16-18 x 5/8	4	50
13514	3/8-16 x 7/16	4	50




SQUARE NUTS

- Plated finish protects against rust and corrosion.
- Used where material being fastened is such that the square side is held against the material.
- No wrench is needed to hold the nut while tightening and loosening.



J&B #	SIZE	QTY
25013	10-24	100
25014	1/4-20	100
25015	5/16-18	100
25016	3/8-16	100



































J&B Fleet - Industrial Supply


22428 Harrisburg-Westville Rd. Alliance, Ohio 44601 Phone: (330) 821-6342 Fax: (330) 821-0411


www.jbfleet.com

PART # 2025

SMALL NUTS & FLATS

 #4 FLATWASHER 20	 #6 LOCKWASHER 100	 10598 2-56 NUT 100	 10603 6-32 NUT 100	 10630 12-24 NUT 50	 10754 6-32 WING NUT 10	 10885 6-32 NYLON LOCKNUT 50	 38346 6-32 KEPS NUT 10
 #6 FLATWASHER 100	 #8 LOCKWASHER 100	 10600 4-36 NUT 100	 10604 8-32 NUT 100	 10829 10-24 FLANGE NUT 10	 10755 8-32 WING NUT 10	 10886 8-32 NYLON LOCKNUT 50	 38347 8-32 KEPS NUT 10
 #8 FLATWASHER 100	 #10 LOCKWASHER 100	 10601 4-40 NUT 100	 10605 10-24 NUT 50	 25013 10-24 SQUARE NUT 10	 10756 10-32 WING NUT 10	 10887 10-24 NYLON LOCKNUT 25	 38348 10-24 KEPS NUT 10
 #10 FLATWASHER 100	 #12 LOCKWASHER 100	 10602 5-40 NUT 100	 10606 10-32 NUT 50	 24057 12-24 WING NUT 10	 10757 10-24 WING NUT 10	 10888 10-32 NYLON LOCKNUT 25	 38349 10-32 KEPS NUT 10




















J&B Fleet - Industrial Supply


22428 Harrisburg-Westville Rd. Alliance, Ohio 44601 Phone: (330) 821-6342 Fax: (330) 821-0411

www.jbfleet.com

PART # 2232

COARSE LOCKNUTS

<p>8330 ¹</p>  <p>1/4-20 STOVER</p> <p>10</p>	<p>8331 ²</p>  <p>5/16-18 STOVER</p> <p>10</p>	<p>8332 ³</p>  <p>3/8-16 STOVER</p> <p>10</p>	<p>8333 ⁴</p>  <p>7/16-14 STOVER</p> <p>5</p>	<p>8334 ⁵</p>  <p>1/2-13 STOVER</p> <p>5</p>	<p>8339 ¹²</p>  <p>1-8 STOVER</p> <p>2</p>
<p>8310 ¹³</p>  <p>1/4-20 NYLON</p> <p>10</p>	<p>8311 ¹⁴</p>  <p>5/16-18 NYLON</p> <p>10</p>	<p>8312 ¹⁵</p>  <p>3/8-16 NYLON</p> <p>10</p>	<p>8313 ¹⁶</p>  <p>7/16-14 NYLON</p> <p>5</p>	<p>8314 ¹⁷</p>  <p>1/2-13 NYLON</p> <p>5</p>	<p>8317 ²²</p>  <p>3/4-10 NYLON</p> <p>2</p>
<p>8316 ²⁰</p>  <p>5/8-11 NYLON</p> <p>4</p>	<p>8317 ²²</p>  <p>3/4-10 NYLON</p> <p>2</p>	<p>8319 ²⁴</p>  <p>1-8 NYLON</p> <p>2</p>			




























J&B Fleet - Industrial Supply

www.jbfleet.com

22428 Harrisburg-Westville Rd. Alliance, Ohio 44601 Phone: (330) 821-6342 Fax: (330) 821-0411

PART # 2024

NYLON STOP NUTS

<p>10885 1</p>  <p>10 6-32</p>	<p>10886 2</p>  <p>10 8-32</p>	<p>10888 3</p>  <p>10 10-32</p>	<p>8320 4</p>  <p>10 1/4-28</p>	<p>8321 5</p>  <p>10 5/16-24</p>	<p>8322 6</p>  <p>5 3/8-24</p>
<p>8323 7</p>  <p>5 7/16-20</p>	<p>8324 8</p>  <p>5 1/2-20</p>	<p>8325 9</p>  <p>4 9/16-18</p>	<p>8326 10</p>  <p>4 5/8-18</p>	<p>8327 11</p>  <p>3 3/4-16</p>	<p>8328 12</p>  <p>2 7/8-14</p>
<p>10887 13</p>  <p>10 10-24</p>	<p>14</p>	<p>8310 15</p>  <p>10 1/4-20</p>	<p>8311 16</p>  <p>10 5/16-18</p>	<p>8312 17</p>  <p>5 3/8-16</p>	<p>8313 18</p>  <p>5 7/16-14</p>
<p>8314 19</p>  <p>5 1/2-13</p>	<p>8315 20</p>  <p>4 9/16-12</p>	<p>8316 21</p>  <p>4 5/8-11</p>	<p>8317 22</p>  <p>3 3/4-10</p>	<p>8318 23</p>  <p>2 7/8-9</p>	<p>8319 24</p>  <p>1 1-8</p>





























J&B Fleet - Industrial Supply

www.jbfleet.com


22428 Harrisburg-Westville Rd. Alliance, Ohio 44601 Phone: (330) 821-6342 Fax: (330) 821-0411

PART # 2290

NYLON STOP NUTS GRADE 8

 10022 1 10 1/4-20	 10023 2 10 5/16-18	 10024 3 10 3/8-16	 10028 4 5 7/16-14	 10025 5 5 1/2-13	 10037 6 4 9/16-12
 10026 7 4 5/8-11	 10027 8 3 3/4-10	 10040 9 2 7/8-9	 10029 10 2 1-8	 10042 11 10 1/4-28	 10043 12 10 5/16-24
 10044 13 5 7/16-20	 10032 14 10 3/8-24	 10033 15 5 1/2-20	 10034 16 4 5/8-18	 10035 17 3 3/4-16	 10046 18 2 7/8-14
 10047 19 2 1-14	 10048 20 4 5/8-18	 10049 21 3 3/4-16	 10050 22 2 7/8-14	 10051 23 2 1-14	 10052 24 4 5/8-18





J&B Fleet - Industrial Supply


www.jbfleet.com

22428 Harrisburg-Westville Rd. Alliance, Ohio 44601 Phone: (330) 821-6342 Fax: (330) 821-0411

PART #2840

THIN NYLON LOCKNUTS

<p>45480 ¹</p>  <p>1/4 - 28</p> <p>50</p>	<p>45481 ²</p>  <p>5/16 - 24</p> <p>25</p>	<p>45482 ³</p>  <p>3/8 - 24</p> <p>25</p>	<p>45483 ⁴</p>  <p>5/16 - 20</p> <p>10</p>	<p>45484 ⁵</p>  <p>1/2 - 20</p> <p>10</p>	<p>45486 ⁶</p>  <p>5/8 - 18</p> <p>10</p>
<p>45487 ⁷</p>  <p>3/4 - 16</p> <p>5</p>	<p>57302 ⁸</p>  <p>6-32 STAINLESS</p> <p>50</p>	<p>57303 ⁹</p>  <p>8-32 STAINLESS</p> <p>50</p>	<p>57304 ¹⁰</p>  <p>10-24 STAINLESS</p> <p>50</p>	<p>57305 ¹¹</p>  <p>10-32 STAINLESS</p> <p>50</p>	<p>57305 ¹²</p>  <p>10-32 STAINLESS</p> <p>50</p>
<p>45470 ¹³</p>  <p>1/4 - 20</p> <p>50</p>	<p>45471 ¹⁴</p>  <p>5/16 - 18</p> <p>25</p>	<p>45472 ¹⁵</p>  <p>3/8 - 16</p> <p>25</p>	<p>45473 ¹⁶</p>  <p>7/16 - 14</p> <p>10</p>	<p>45474 ¹⁷</p>  <p>1/2 - 13</p> <p>10</p>	<p>45476 ¹⁸</p>  <p>5/8 - 11</p> <p>10</p>
<p>45477 ¹⁹</p>  <p>3/4 - 10</p> <p>5</p>					





























J&B Fleet - Industrial Supply

22428 Harrisburg-Westville Rd. Alliance, Ohio 44601 Phone: (330) 821-6342 Fax: (330) 821-0411












www.jbfleet.com

PART # 2100

STOVER LOCKNUTS

<p>8330 ¹</p>  <p>1/4-20</p> <p>10</p>	<p>8331 ²</p>  <p>5/16-18</p> <p>10</p>	<p>8332 ³</p>  <p>3/8-16</p> <p>5</p>	<p>8333 ⁴</p>  <p>7/16-14</p> <p>5</p>	<p>8334 ⁵</p>  <p>1/2-13</p> <p>5</p>	<p>8335 ⁶</p>  <p>3/4-12</p> <p>5</p>
<p>8336 ⁷</p>  <p>5/8-11</p> <p>3</p>	<p>8336 ⁸</p>  <p>5/8-11</p> <p>3</p>	<p>8336 ⁹</p>  <p>5/8-11</p> <p>3</p>	<p>8337 ¹⁰</p>  <p>3/4-10</p> <p>2</p>	<p>8337 ¹¹</p>  <p>3/4-10</p> <p>2</p>	<p>8339 ¹²</p>  <p>1-8</p> <p>1</p>
<p>8340 ¹³</p>  <p>1/4-28</p> <p>10</p>	<p>8341 ¹⁴</p>  <p>5/16-24</p> <p>10</p>	<p>8342 ¹⁵</p>  <p>3/8-24</p> <p>5</p>	<p>8343 ¹⁶</p>  <p>7/16-20</p> <p>5</p>	<p>8344 ¹⁷</p>  <p>1/2-20</p> <p>5</p>	<p>8345 ¹⁸</p>  <p>3/4-16</p> <p>5</p>
<p>8346 ¹⁹</p>  <p>5/8-18</p> <p>3</p>	<p>8346 ²⁰</p>  <p>5/8-18</p> <p>3</p>	<p>8346 ²¹</p>  <p>5/8-18</p> <p>3</p>	<p>8347 ²²</p>  <p>3/4-16</p> <p>2</p>	<p>8347 ²³</p>  <p>3/4-16</p> <p>2</p>	<p>8349 ²⁴</p>  <p>1-14</p> <p>1</p>





















J&B Fleet - Industrial Supply
 22428 Harrisburg-Westville Rd. Alliance, Ohio 44601 Phone: (330) 821-6342 Fax: (330) 821-0411


www.jbfleet.com

PART# 2824

FINISHED HEX JAM NUTS

<p>24066 ¹</p>  <p>1/4 - 20</p> <p>25</p>	<p>24067 ²</p>  <p>5/16 - 18</p> <p>25</p>	<p>24068 ³</p>  <p>3/8 - 16</p> <p>25</p>	<p>24069 ⁴</p>  <p>7/16 - 14</p> <p>20</p>	<p>24070 ⁵</p>  <p>1/2 - 13</p> <p>20</p>	<p>⁶</p>
<p>24072 ⁷</p>  <p>5/8 - 11</p> <p>15</p>	<p>⁸</p>	<p>24073 ⁹</p>  <p>3/4 - 10</p> <p>10</p>	<p>¹⁰</p>	<p>24075 ¹¹</p>  <p>1 - 8</p> <p>5</p>	<p>¹²</p>
<p>24076 ¹³</p>  <p>1/4 - 28</p> <p>25</p>	<p>24077 ¹⁴</p>  <p>5/16 - 24</p> <p>25</p>	<p>24078 ¹⁵</p>  <p>3/8 - 24</p> <p>25</p>	<p>24079 ¹⁶</p>  <p>7/16 - 20</p> <p>20</p>	<p>24080 ¹⁷</p>  <p>1/2 - 20</p> <p>20</p>	<p>¹⁸</p>
<p>24082 ¹⁹</p>  <p>5/8 - 18</p> <p>15</p>	<p>²⁰</p>	<p>24083 ²¹</p>  <p>3/4 - 16</p> <p>10</p>	<p>²²</p>	<p>24085 ²³</p>  <p>1 - 14</p> <p>5</p>	<p>²⁴</p>





J&B Fleet - Industrial Supply


www.jbfleet.com

22428 Harrisburg-Westville Rd. Alliance, Ohio 44601 Phone: (330) 821-6342 Fax: (330) 821-0411

PART #2840


THIN NYLON LOCKNUTS

<p>45480 ¹</p>  <p>1/4 - 28</p> <p>50</p>	<p>45481 ²</p>  <p>5/16 - 24</p> <p>25</p>	<p>45482 ³</p>  <p>3/8 - 24</p> <p>25</p>	<p>45483 ⁴</p>  <p>5/16 - 20</p> <p>10</p>	<p>45484 ⁵</p>  <p>1/2 - 20</p> <p>10</p>	<p>45486 ⁶</p>  <p>5/8 - 18</p> <p>10</p>
<p>45487 ⁷</p>  <p>3/4 - 16</p> <p>5</p>	<p>57302 ⁸</p>  <p>6-32 STAINLESS</p> <p>50</p>	<p>57303 ⁹</p>  <p>8-32 STAINLESS</p> <p>50</p>	<p>57304 ¹⁰</p>  <p>10-24 STAINLESS</p> <p>50</p>	<p>57305 ¹¹</p>  <p>10-32 STAINLESS</p> <p>50</p>	<p>57305 ¹²</p>  <p>10-32 STAINLESS</p> <p>50</p>
<p>45470 ¹³</p>  <p>1/4 - 20</p> <p>50</p>	<p>45471 ¹⁴</p>  <p>5/16 - 18</p> <p>25</p>	<p>45472 ¹⁵</p>  <p>3/8 - 16</p> <p>25</p>	<p>45473 ¹⁶</p>  <p>7/16 - 14</p> <p>10</p>	<p>45474 ¹⁷</p>  <p>1/2 - 13</p> <p>10</p>	<p>45476 ¹⁸</p>  <p>5/8 - 11</p> <p>10</p>
<p>45477 ¹⁹</p>  <p>3/4 - 10</p> <p>5</p>					



LET US HELP YOU MAKE THE CONNECTION

PART # 3029



ACORN CAP NUTS




J & B FLEET-INDUSTRIAL SUPPLY
PHONE: 330-821-6342

39791 6-32 10	39792 8-32 10	39793 10-24 10	39794 10-32 10	39795 1/4-20 10	39796 5/16-18 5
39797 3/8-16 5					

LET US HELP YOU MAKE THE CONNECTION

PART # 3030



TEE NUTS



J & B FLEET-INDUSTRIAL SUPPLY
PHONE: 330-821-6342

13500 6-32 X 1/4 10	13501 8-32 X 1/4 10	13502 10-24 X 5/16 10	13504 10-32 X 5/16 10	13506 1/4-20 X 5/16 10	13508 1/4-20 X 7/16 10
13510 5/16-18 X 3/8 5	13512 5/16-18 X 5/8 5	13514 3/8-16 X 7/16 5			