

EnviroMatrix



Analytical, Inc.

01 June 2017

Wynola Water District
Attn: Tim Taschler
PO Box 193
Santa Ysabel, CA 92070

EMA Log #: 17E0717

Project Name: WYNOLA WATER DISTRICT

Project Desc./#: PS 3701837

Enclosed are the results of analyses for samples received by the laboratory on 05/22/17 11:17. Samples were analyzed pursuant to client request utilizing EPA or other ELAP approved methodologies. I certify that this data is in compliance both technically and for completeness.

A handwritten signature in black ink, appearing to read 'Dan Verdon', is written over a light gray circular stamp.

Dan Verdon
Laboratory Director

CA ELAP Certification #: 2564

4340 Viewridge Avenue, Suite A - San Diego, California 92123 - (858) 560-7717 - Fax (858) 560-7763
Analytical Chemistry Laboratory

Client Name: Wynola Water District
Project Name: WYNOLA WATER DISTRICT

EMA Log #: 17E0717

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
370-1837-4701 MB	17E0717-01	Drinking Water	05/22/17 08:38	05/22/17 11:17

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

EnviroMatrix



Analytical, Inc.

Client Name: Wynola Water District
 Project Name: WYNOLA WATER DISTRICT

EMA Log #: 17E0717

Microbiological Parameters by Standard Methods

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Date Prepared Date Analyzed	Method	Notes
370-1837-4701 MB (17E0717-01) Drinking Water Sampled: 05/22/17 08:38 Received: 05/22/17 11:17								
Total Coliforms	ND	1	MPN/100 ml	1	7052252	05/22/17 12:00 05/23/17 12:51	SM9223	
E. Coli	ND	1	"	"	"	05/22/17 12:00 05/23/17 12:51	"	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

EnviroMatrix



Analytical, Inc.

Client Name: Wynola Water District
Project Name: WYNOLA WATER DISTRICT

EMA Log #: 17E0717

Notes and Definitions

ND Analyte NOT DETECTED at or above the reporting limit
NR Not Reported
RPD Relative Percent Difference

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

EnviroMatrix



Analytical, Inc.

17 E 6717

EnviroMatrix Analytical, Inc.



4340 Viewridge Ave., Ste. A - San Diego, CA 92123 - Phone (858) 560-7717 - Fax (858) 560-7763

CHAIN-OF-CUSTODY RECORD

EMA LOG #: _____
Client: WYNOLA WATER DISTRICT
Attn: TIM TESCHLER
Samplers(s): DAN THONER
Address: 1234 LAKE DALE RD.,
 SANTA YSABEL, CA 92070
Phone: (760) 315-6300
Email: Tim.teschler@gmail.com
Billing Address: _____

Project ID: 3701837
Project #: _____
PO #: _____

ID #	Client Sample ID	Sample Date	Sample Time	Sample Matrix	Container # / Type
1	370-1837-4701MB	5/22	8:58 AM	DW	120
2					
3					
4					
5					
6					
7					
8					
9					
10					

Matrix Codes: A = Air, DW = Drinking Water, GW = Groundwater, SW = Storm Water
 WW = Wastewater, S = Soil, SED = Sediment, SD = Solid, T = Tissue, O = Oil, L = Liquid
Shipped By: Courier UPS FedEx Client Drop Off Other
Turn-Around-Time: Same Day 1 day 2 day 3 day 4 day 5 day STD (7 day)
Reporting Requirements: Fax PDF Excel Geotracker/EDF Hard Copy EDT
Sample Disposal: By Laboratory Return to Client: P/U or Delivery Archive
Sample Integrity
 Correct Containers: No N/A
 Custody Seals Intact: Yes No N/A
 COC/Labels Agree: Yes No N/A
 Sampled By: Client EMA Autosampler

Project/Sample Comments:

Requested Analysis	REINQUIRED BY	DATE/TIME	RECEIVED BY
Oil & Grease <input type="checkbox"/> 413.1 <input type="checkbox"/> 413.2 <input type="checkbox"/> 1664	Signature: Dan Thoner Print: DAN THONER Company:	5/22/17 11:17 AM	Signature: _____ Print: _____ Company: _____
8015 (TPH) <input type="checkbox"/> Gas <input type="checkbox"/> Diesel <input type="checkbox"/> Ext			
625/8270 (SVOC) <input type="checkbox"/> PAH only			
608/8081 (Organochlorine Pesticides)			
608/8082 (Polychlorinated Biphenyls)			
8141 (Organophosphorus Pesticides)			
TBT (Organotin Compounds)			
pH <input type="checkbox"/> EC <input type="checkbox"/> TSS <input type="checkbox"/> TDS			
Nitrate <input type="checkbox"/> Nitrite <input type="checkbox"/> TKN <input type="checkbox"/> NH3			
CAC Title 22/CAM17 Metals <input type="checkbox"/> TTLC <input type="checkbox"/> STLC			
TCLP (RCRA) <input type="checkbox"/> Metals <input type="checkbox"/> Organics			
Cd <input type="checkbox"/> Cr <input type="checkbox"/> Cu <input type="checkbox"/> Pb <input type="checkbox"/> Ni <input type="checkbox"/> Ag <input type="checkbox"/> Zn <input type="checkbox"/> Dissolved			
Coliform, <input type="checkbox"/> Total (MTF) <input type="checkbox"/> Fecal (MTF)			
Colifer, T+E, Coli <input type="checkbox"/> P/A Enumeration			
Enterococcus, <input type="checkbox"/> MTF <input type="checkbox"/> Enterolert			
Heterotrophic Plate Count (HPC)			
BOD <input type="checkbox"/> COD <input type="checkbox"/> Cyanide			

¹ Additional costs may apply. Please note there is a \$35 minimum charge for all clients.
² EMA reserves the right to return any samples that do not match our waste profile.
 NOTE: By relinquishing samples to EMA, Inc., client agrees to pay for the services requested on this COC form and any additional analyses performed on this project. Payment for services is due within 30 days from date of invoice. Samples will be disposed of 7 days after report has been finalized unless otherwise noted. All work is subject to EMA's terms and conditions.