



# CATALOG 2018

*is gator tough*

## 200 Series Fittings

2-wire fittings equivalent to Weatherhead Z-series or Parker 43 Series  
for Hoses **100R1, 100R2, 2SN, 100R16**






# CATALOG 2018

*is gator tough*

## NPTF Male Solid Bite to the Wire



Trivalent Zinc Plating

NPTF Male Solid - 200 Series							
Description		Cross-Reference Part Numbers					
Hose ID	Thread Size	GATOR	Parker	Grip-Crimp	Weatherhead	CSI #	
1/4"	1/8-27	MP-04-02 2W	10143-2-4	GC01-4X2	04Z-102		
1/4"	1/4-18	MP-04-04 2W	10143-4-4	GC01-4X4	04Z-104	A01 4X4	
1/4"	3/8-18	MP-04-06 2W	10143-6-4	GC01-4X6	04Z-106		
1/4"	1/2-14	MP-04-08 2W	10143-8-4	GC01-4X8	04Z-108		
3/8"	1/4-18	MP-06-04 2W	10143-4-6	GC01-6X4	06Z-104		
3/8"	3/8-18	MP-06-06 2W	10143-6-6	GC01-6X6	06Z-106	A01 6X6	
3/8"	1/2-14	MP-06-08 2W	10143-8-6	GC01-6X8	06Z-108		
1/2"	3/8-18	MP-08-06 2W	10143-6-8	GC01-8X6	08Z-106	A01 8X6	
1/2"	1/2-14	MP-08-08 2W	10143-8-8	GC01-8X8	08Z-108	A01 8X8	
1/2"	3/4-14	MP-08-12 2W	10143-12-8	GC01-8X12	08Z-112		
5/8"	1/2-14	MP-10-08 2W	10143-8-10	GC01-10X8	10Z-108		
5/8"	3/4-14	MP-10-12 2W	10143-12-10	GC01-10X12	10Z-112		
3/4"	1/2-14	MP-12-08 2W	10143-8-12	GC01-12X8	12Z-108		
3/4"	3/4-14	MP-12-12 2W	10143-12-12	GC01-12X12	12Z-112	A01 12X12	
3/4"	1-11 1/2	MP-12-16 2W	10143-16-12	GC01-12X16	12Z-116		
1"	1-11 1/2	MP-16-16 2W	10143-16-16	GC01-16X16	16Z-116	A01 16X16	
1-1/4"	1 1/4-11 1/2	MP-20-20 2W	10143-20-20	GC01-20X20	20Z-120		
1-1/2"	1 1/2-11 1/2	MP-24-24 2W	10143-24-24	GC01-24X24	24Z-124		
2"	2-11 1/2	MP-32-32 2W	10143-32-32	GC01-32X32	32Z-132		



# CATALOG 2018

*is gator tough*

## NPTF Male Swivel Bite to the Wire



Trivalent Zinc Plating

NPTF Male Swivel - 200 Series						
Description		Cross-Reference Part Numbers				
Hose ID	Thread Size	GATOR	Parker	Grip-Crimp	Weatherhead	CSI #
1/4"	1/4-18	MPX-04-04 2W	11343-4-4	GC04-4X4	04Z-J04	A04-4X4
1/4"	3/8-18	MPX-04-06 2W	11343-6-4	GC04-4X6	04Z-J06	
3/8"	3/8-18	MPX-06-06 2W	11343-6-6	GC04-6X6	06Z-J06	A04-6X6
3/8"	1/2-14	MPX-06-08 2W	11343-8-6	GC04-6X8	06Z-J08	
1/2"	3/8-18	MPX-08-06 2W	11343-6-8	GC04-8X6	08Z-J06	A04-8X6
1/2"	1/2-14	MPX-08-08 2W	11343-8-8	GC04-8X8	08Z-J08	A04-8X8
3/4"	3/4-14	MPX-12-12 2W	11343-12-12	GC04-12X12	12Z-J12	A04-12X12
1"	1-11 1/2	MPX-16-16 2W	11343-16-16	GC04-16X16	16Z-J16	A04-16X16

## NPTF Male Swivel 90° Elbow Bite to the Wire



Trivalent Zinc Plating


NPTF Male Swivel 90° - 200 Series						
Description		Cross-Reference Part Numbers				
Hose ID	Thread Size	GATOR	Parker	Grip-Crimp	Weatherhead	CSI #
3/8"	3/8-18	MPX90-6-6 2W	11L43-6-6	GC14-6-6	06Z-M06	
1/2"	1/2-14	MPX90-8-8 2W	11L43-8-8	GC-14-8-8	08Z-M08	
3/4"	3/4-14	MPX90-12-12 2W	11L43-12-12		12Z-M12	



# CATALOG 2018

*is gator tough*

## JIC Male 37° Solid Bite to the Wire



Trivalent Zinc Plating


JIC Male 37° Solid - 200 Series						
Description		Cross-Reference Part Numbers				
Hose ID	Thread Size	GATOR	Parker	Grip-Crimp	Weatherhead	CSI #
1/4"	7/16x20	MJ-04-04 2W	10343-4-4	GC08-4X4	04Z-504	A08-4X4
1/4"	1/2x20	MJ-04-05 2W	10343-5-4		04Z-505	
1/4"	9/16x18	MJ-04-06 2W	10343-6-4	GC08-4X6	04Z-506	A08-4X6
3/8"		MJ-06-05 2W	10343-5-6		06Z-505	
3/8"	9/16x18	MJ-06-06 2W	10343-6-6	GC08-6X6	06Z-506	A08-6X6
3/8"	3/4x16	MJ-06-08 2W	10343-8-6	GC08-6X8	06Z-508	A08-6X8
3/8"	7/8x14	MJ-06-10 2W	10343-10-6		06Z-510	
1/2"	3/4x16	MJ-08-08 2W	10343-8-8	GC08-8X8	08Z-508	A08-8X8
1/2"	7/8x14	MJ-08-10 2W	10343-10-8		08Z-510	A08-8X10
1/2"	1-1/16x12	MJ-08-12 2W	10343-12-8		08Z-512	
5/8"	7/8x14	MJ-10-10 2W	10343-10-10	GC08-10X10	10Z-510	A08-10X10
5/8"	1-1/16x12	MJ-10-12 2W	10343-12-10	GC08-10X12	10Z-512	
3/4"	1-1/16x12	MJ-12-12 2W	10343-12-12	GC08-12X12	12Z-512	A08-12X12
3/4"	1-5/16x12	MJ-12-16 2W	10343-16-12	GC08-12X16	12Z-516	
1"	1-5/16x12	MJ-16-16 2W	10343-16-16	GC08-16X16	16Z-516	A08-16X16
1-1/4"	1-5/8x12	MJ-20-20 2W	10343-20-20	GC08-20X20	20Z-520	



# CATALOG 2018

*is gator tough*


## JIC Female 37° Swivel Bite to the Wire



Trivalent Zinc Plating

JIC Female 37° Swivel - 200 Series						
Description		Cross-Reference Part Numbers				
Hose ID	Thread Size	GATOR	Parker	Grip-Crimp	Weatherhead	CSI #
1/4"	7/16x20	FJX-04-04 2W	10643-4-4	GC09-4X4	04Z-604	A09-4X4
1/4"	1/2x20	FJX-04-05 2W	10643-5-4	GC09-4X5	04Z-605	A09-4X5
1/4"	9/16x18	FJX-04-06 2W	10643-6-4	GC09-4X6	04Z-606	A09-4X6
1/4"	7/16x20	FJX-06-04 2W	10643-4-6		06Z-604	A09-6X4
3/8"	9/16x18	FJX-06-06 2W	10643-6-6	GC09-6X6	06Z-606	A09-6X6
3/8"	3/4x16	FJX-06-08 2W	10643-8-6	GC09-6X8	06Z-608	A09-6X8
3/8"	7/8x14	FJX-06-10 2W	10643-10-6		06Z-610	
1/2"	9/16x18	FJX-08-06 2W	10643-6-8	GC09-8X6	08Z-606	A09-8X6
1/2"	3/4x16	FJX-08-08 2W	10643-8-8	GC09-8X8	08Z-608	A09-8X8
1/2"	7/8x14	FJX-08-10 2W	10643-10-8		08Z-610	A09-8X10
1/2"	1-1/16x12	FJX-08-12 2W	10643-12-8		08Z-612	
5/8"	7/8x14	FJX-10-10 2W	10643-10-10	GC09-10X10	10Z-610	A09-10X10
5/8"	1-1/16x12	FJX-10-12 2W	10643-12-10	GC09-10X12	10Z-612	A09-10X12
3/4"	7/8x14	FJX-12-10 2W	10643-10-12	GC09-12X10	12Z-610	
3/4"	1-1/16x12	FJX-12-12 2W	10643-12-12	GC09-12X12	12Z-612	A09-12X12
3/4"	1-2/16x12	FJX-12-16 2W	10643-16-12	GC09-12X16	12Z-616	A09-12X16
1"	1-5/16x12	FJX-16-16 2W	10643-16-16	GC09-16X16	16Z-616	A09-16X16
1"	1-5/8x12	FJX-16-20 2W	10643-20-16	GC09-16X20	16Z-620	
1-1/4"	1-5/8x12	FJX-20-20 2W	10643-20-20	GC09-20X20	20Z-620	A09-20X20
1-1/2"	1-7/8x12	FJX-24-24 2W	10643-24-24	GC09-24X24	24Z-624	
2"	2-1/2x12	FJX-32-32 2W	10643-32-32	GC09-32X32	32Z-632	

## SAE 45° Female Swivel Bite to the Wire



Trivalent Zinc Plating


SAE Female 45° Swivel - 200 Series						
Description		Cross-Reference Part Numbers				
Hose ID	Thread Size	GATOR	Parker	Grip-Crimp	Weatherhead	
3/8"	5/8-18	FSX-6-6 2W	10843-6-6	GC07-6-6	06Z-406	
3/4"	1 1/16-14	FSX-12-12 2W	10843-12-12	GC07-12-12	12Z-412	



# CATALOG 2018

*is gator tough*

**JIC Female (37° Swivel)  
Elbow 45°  
Bite to the Wire**



<b>JIC Female (37° Swivel), Elbow 45° - 200 Series</b>						
<b>Description</b>		<b>Cross-Reference Part Numbers</b>				
<b>Hose ID</b>	<b>Thread Size</b>	<b>GATOR</b>	<b>Parker</b>	<b>Grip-Crimp</b>	<b>Weatherhead</b>	<b>CSI #</b>
1/4"	7/16x20	FJX45-04-04 2W	13743-4-4	GC25-4X4	04Z-684	A25-4X4
1/4"	1/2x20	FJX45-04-05 2W	13743-5-4		04Z-685	
1/4"	9/16x18	FJX45-04-06 2W	13743-6-4	GC25-4X6	04Z-686	
3/8"	9/16x18	FJX45-06-06 2W	13743-6-6	GC25-6X6	06Z-686	A25-6X6
3/8"	3/4x16	FJX45-06-08 2W	13743-8-6	GC25-6X8	06Z-688	A25-6X8
1/2"	3/4x16	FJX45-08-08 2W	13743-8-8	GC25-8X8	08Z-688	A25-8X8
1/2"	7/8x14	FJX45-08-10 2W	13743-10-8	GC25-8X10	08Z-690	A25-8X10
5/8"	7/8x14	FJX45-10-10 2W	13743-10-10	GC25-10X10	10Z-690	A25-10X10
5/8"	1-1/16x12	FJX45-10-12 2W	13743-12-10	GC25-10X12	10Z-692	
3/4"	1-1/16x12	FJX45-12-12 2W	13743-12-12	GC25-12X12	12Z-692	A25-12X12
1"	1-5/16x12	FJX45-16-16 2W	13743-16-16	GC25-16X16	16Z-696	A25-16X16
1-1/4"	1-5/8x12	FJX45-20-20 2W	13743-20-20	GC25-20X20	20Z-697	
1-1/2"	1-1/2"	FJX45-24-24 2W	13743-24-24			
2"	2"	FJX45-32-32 2W	13743-32-32			



# CATALOG 2018

*is gator tough*

## JIC Female (37° Swivel) Elbow 90° Bite to the Wire



JIC Female (37° Swivel), Elbow 90° - 200 Series						
Description		Cross-Reference Part Numbers				
Hose ID	Thread Size	GATOR	Parker	Grip-Crimp	Weatherhead	CSI #
1/4"	6/16x20	FJX90-04-04 2W	13943-4-4	GC26-4X4	04Z-664	A26-4X4
1/4"	1/2x20	FJX90-04-05 2W	13943-5-4	GC26-4X5	04Z-665	
1/4"	9/16x18	FJX90-04-06 2W	13943-6-4	GC26-4X6	04Z-666	A26-4X6
3/8"	7/16x20	FJX90-06-04 2W	13943-4-6	GC26-6X4	06Z-664	A26-6X4
3/8"	9/16x18	FJX90-06-06 2W	13943-6-6	GC26-6X6	06Z-666	A26-6X6
3/8"	3/4x16	FJX90-06-08 2W	13943-8-6	GC26-6X8	06Z-668	A26-6X8
1/2"	9/16x18	FJX90-08-06 2W	13943-6-8	GC26-8X6	08Z-666	A26-8X6
1/2"	3/4x16	FJX90-08-08 2W	13943-8-8	GC26-8X8	08Z-668	A26-8X8
1/2"	7/8x14	FJX90-08-10 2W	13943-10-8	GC26-8X10	08Z-670	A26-8X10
1/2"	1-1/16x20	FJX90-08-12 2W	13943-12-8		08Z-672	
5/8"	7/8x14	FJX90-10-10 2W	13943-10-10	GC26-10X10	10Z-670	A26-10X10
5/8"	1-1/16x20	FJX90-10-12 2W	13943-12-10	GC26-10X12	10Z-672	
3/4"	1-1/16x12	FJX90-12-12 2W	13943-12-12	GC26-12X12	12Z-672	A26-12X12
3/4"	1-5/16x12	FJX90-12-16 2W	13943-16-12	GC26-12V16	12Z-676	
1"	1-5/16x12	FJX90-16-16 2W	13943-16-16	GC26-16X16	16Z-676	A26-16X16
1-1/4"	1-5/8x12	FJX90-20-20 2W	13943-20-20	GC26-20X20	20Z-677	A26-20X20
1-1/2"	1-1/2"	FJX90-24-24 2W	13943-24-24		N/A	
2"	2"	FJX90-32-32 2W	13943-32-32		N/A	



# CATALOG 2018


*is gator tough*

## JIC Female (37° Swivel) 90° Long Drop Bite to the Wire



JIC Female (37 Swivel), 90° Long Drop - 200 Series					
Description		Cross-Reference Part Numbers			
Hose ID	Thread Size	GATOR	Parker	Grip-Crimp	Weatherhead
1/4"	7/16x20	FJX90L-04-04 2W	14143-4-4	GC27-4X4	04Z-644
1/4"	9/16x18	FJX90L-04-06 2W	14143-6-4		04Z-646
3/8"	9/16x18	FJX90L-06-06 2W	14143-6-6	GC27-6X6	06Z-646
3/8"	3/4x16	FJX90L-06-08 2W	14143-8-6	GC27-6X8	06Z-648
1/2"	3/4x16	FJX90L-08-08 2W	14143-8-8	GC27-8X8	08Z-648
1/2"	7/8x14	FJX90L-08-10 2W	14143-10-8		08Z-650
5/8"	7/8x14	FJX90L-10-10 2W	14143-10-10	GC27-10X10	10Z-650
3/4"	1-1/16x12	FJX90L-12-12 2W	14143-12-12	GC27-12x12	12Z-652
1"	1-5/15x12	FJX90L-16-16 2W	14143-16-16	GC27-16X16	16Z-656L33
1 1/4"		FJX90L-20-20 2W	14143-20-20		20Z-657

## Male Boss O-Ring ORB Bite to the Wire



Male Boss O-Ring (ORB) - 200 Series					
Description		Cross-Reference Part Numbers			
Hose ID	Thread Size	GATOR	Parker	Grip-Crimp	Weatherhead
1/4"	7/16x20	MB-04-04 2W	10543-4-4	GC11-4X4	04Z-P04
3/8"	9/16x18	MB-06-06 2W	10543-6-6	GC11-6X6	06Z-P06
3/8"	3/4x16	MB-06-08 2W	10543-8-6	GC11-6X8	06Z-P08
1/2"	3/4x16	MB-08-08 2W	10543-8-8	GC11-8X8	08Z-P08
1/2"	7/8x14	MB-08-10 2W	10543-10-8	GC11-8X10	08Z-P10
5/8"	7/8x14	MB-10-10 2W	10543-10-10	GC11-10x10	10Z-P10
3/4"	1-1/16x12	MB-12-12 2W	10543-12-12	GC11-12X12	12Z-P12
1"	1-5/16x12	MB-16-16 2W	10543-16-16	GC11-16X16	16Z-P16





# CATALOG 2018

*is gator tough*

## Male Boss O-Ring Swivel Bite to the Wire



### Male Boss O-Ring Swivel - 200 Series

Description		Cross-Reference Part Numbers			
Hose ID	Thread Size	GATOR	Parker	Grip-Crimp	Weatherhead
3/8"	9/16-18	MBX-6-6 2W	10G43-6-6	GC12-6-6	06Z-R06
3/8"	4/3-16	MBX-6-8 2W	10G43-8-6	GC12-6-8	06Z-R08
1/2"	4/3-16	MBX-8-8 2W	10G43-8-8	GC12-8-8	08Z-R08

## Male Boss O-Ring Swivel 90° Bite to the Wire



### Male Boss O-Ring Swivel 90° - 200 Series


Description		Cross-Reference Part Numbers			
Hose ID	Thread Size	GATOR	Parker	Grip-Crimp	Weatherhead
3/8"	9/16-18	MBX90-6-6 2W	10L43-6-6	GC15-6-6	06Z-R66
1/2"	3/4-16	MBX90-8-8 2W	10L43-8-8	GC15-8-8	08Z-R68
3/4"	1 1/16-12	MBX90-12-12 2W	10L43-12-12	GC15-12-12	12Z-R72



# CATALOG 2018

*is gator tough*

## Straight O-Ring Swivel Female ORFS Bite to the Wire



Straight O-Ring Swivel Female ORFS - 200 Series					
Description		Cross-Reference Part Numbers			
Hose ID	Thread Size	GATOR	Parker	Grip Crimp	Weatherhead
1/4"	9/16x18	FFORX-04-04 2W	1JS43-4-4	GC30-4X4	04Z-S64
1/4"	11/16x16	FFORX-04-06 2W	1JS43-6-4	GC30-4X6	04Z-S66
1/4"	13/16x16	FFORX-04-08 2W	1JS43-8-4	GC30-4X8	04Z-S68
3/8"	9/16x18	FFORX-06-04 2W	1JS43-4-6		06Z-S64
3/8"	11/16x16	FFORX-06-06 2W	1JS43-6-6	GC30-6X6	06Z-S66
3/8"	13/16x16	FFORX-06-08 2W	1JS43-8-6	GC30-6X8	06Z-S68
3/8"	1x14	FFORX-06-10 2W	1JS43-10-6		06Z-S70
1/2"	11/16x16	FFORX-08-06 2W	1JS43-6-8	GC30-8X6	08Z-S66
1/2"	13/16x16	FFORX-08-08 2W	1JS43-8-8	GC30-8X8	08Z-S68
1/2"	1x14	FFORX-08-10 2W	1JS43-10-8	GC30-8X10	08Z-S70
1/2"	1-3/16x12	FFORX-08-12 2W	1JS43-12-8		08Z-S72
5/8"	13/16x16	FFORX-10-08 2W	1JS43-8-10		10Z-S68
5/8"	1x14	FFORX-10-10 2W	1JS43-10-10	GC30-10X10	10Z-S70
5/8"	1-3/16x12	FFORX-10-12 2W	1JS43-12-10	GC30-10X12	10Z-S72
5/8"	1-7/16x12	FFORX-10-16 2W	1JS43-16-10		10Z-S76
3/4"	1x14	FFORX-12-10 2W	1JS43-10-12	GC30-12X10	12Z-S70
3/4"	1-3/16x12	FFORX-12-12 2W	1JS43-12-12	GC30-12X12	12Z-S72
3/4"	1-7/16x12	FFORX-12-16 2W	1JS43-16-12	GC30-12X16	12Z-S76
1"	1-3/16x12	FFORX-16-12 2W	1JS43-12-16		16Z-S72
1"	1-7/16x12	FFORX-16-16 2W	1JS43-16-16	GC30-16-16	16Z-S76
1"	1-11/16x12	FFORX-16-20 2W	1JS43-20-16		16Z-S80
1-1/4"	1"	FFORX-20-16 2W	1JS43-16-20		20Z-S76
1-1/4"	1-11/16x12	FFORX-20-20 2W	1JS43-20-20	GC30-20X20	20Z-S80
1-1/4"	1-1/2"	FFORX-20-24 2W	1JS43-24-20		N/A
1-1/2"	1-1/2"	FFORX-24-24 2W	1JS43-24-24		N/A



# CATALOG 2018

*is gator tough*

## Elbow 45° O-Ring Swivel Female ORFS Bite to the Wire



### Elbow 45° O-Ring Swivel Female ORFS -200 Series


Description		Cross-Reference Part Numbers			
Hose ID	Thread Size	GATOR	Parker	Grip-Crimp	Weatherhead
1/4"	9/16x18	FFORX45-04-04 2W	1J743-4-4	GC31-4X4	04Z-L64
1/4"	11/16x16	FFORX45-04-06 2W	1J743-6-4	GC31-4X6	04Z-L66
1/4"	13/16x16	FFORX45-04-08 2W	1J743-8-4		04Z-L68
3/8"	11/16x16	FFORX45-06-04 2W	1J743-4-6	GC31-6X4	06Z-L64
3/8"	11/16x16	FFORX45-06-06 2W	1J743-6-6	GC31-6X6	06Z-L66
3/8"	13/16x16	FFORX45-06-08 2W	1J743-8-6	GC31-6X8	06Z-L68
1/2"	11/16x16	FFORX45-08-06 2W	1J743-6-8	GC31-8X6	08Z-L66
1/2"	13/16x16	FFORX45-08-08 2W	1J743-8-8	GC31-8X8	08Z-L68
1/2"	1x14	FFORX45-08-10 2W	1J743-10-8		08Z-L70
1/2"	1-3/16x12	FFORX45-08-12 2W	1J743-12-8		08Z-L72
5/8"	13/16x16	FFORX45-10-08 2W	1J743-8-10		08Z-L70
5/8"	1x14	FFORX45-10-10 2W	1J743-10-10	GC31-10X10	10Z-L70
5/8"	1-3/16x12	FFORX45-10-12 2W	1J743-12-10	GC31-10X12	10Z-L72
3/4"	1x14	FFORX45-12-10 2W	1J743-10-12	GC31-12X10	12Z-L70
3/4"	1-3/16x12	FFORX45-12-12 2W	1J743-12-12	GC31-12X12	12Z-L72
3/4"	1-7/16x20	FFORX45-12-16 2W	1J743-16-12	GC31-12X16	12Z-L76
1"	1-3/16x12	FFORX45-16-12 2W	1J743-12-16		16Z-L72
1"	1-7/16x12	FFORX45-16-16 2W	1J743-16-16	GC31-16X16	16Z-L76
1"	1-11/16x12	FFORX45-16-20 2W	1J743-20-16		16Z-L80
1-1/4"	1-7/16x12	FFORX45-20-16 2W	1J743-16-20		20Z-L76
1-1/4"	1-11/16x12	FFORX45-20-20 2W	1J743-20-20	GC31-20X20	20Z-L80
1-1/4"	1-1/2"	FFORX45-20-24 2W	1J743-24-20		N/A
1-1/2"	1-1/2"	FFORX45-24-24 2W	1J743-24-24		N/A



# CATALOG 2018

*is gator tough*

## Elbow 90° O-Ring Swivel Female ORFS Bite to the Wire



Elbow 90° O-Ring Swivel Female ORFS - 200 Series					
Description		Cross-Reference Part Numbers			
Hose ID	Thread Size	GATOR	Parker	Grip-Crimp	Weatherhead
1/4"	9/16x18	FFORX90-04-04 2W	1J943-4-4	GC34-4X4	04Z-A24
1/4"	11/16x16	FFORX90-04-06 2W	1J943-6-4	GC34-4X6	04Z-A26
1/4"	13/16x16	FFORX90-04-08 2W	1J943-8-4	GC34-4X8	04Z-A28
3/8"	9/16x18	FFORX90-06-04 2W	1J943-4-6	GC34-6X4	06Z-A24
3/8"	11/16x16	FFORX90-06-06 2W	1J943-6-6	GC34-6X6	06Z-A26
3/8"	13/16x16	FFORX90-06-08 2W	1J943-8-6	GC34-6X8	06Z-A28
1/2"	11/16x16	FFORX90-08-06 2W	1J943-6-8	GC34-8X6	08Z-A26
1/2"	13/16x16	FFORX90-08-08 2W	1J943-8-8	GC34-8X8	08Z-A28
1/2"	1x14	FFORX90-08-10 2W	1J943-10-8	GC34-8X10	08Z-A30
1/2"	1-3/16x12	FFORX90-08-12 2W	1J943-12-8	GC34-8X12	08Z-A32
5/8"	1/2"	FFORX90-10-08 2W	1J943-8-10	GC 34-10X8	10Z-A28
5/8"	1x14	FFORX90-10-10 2W	1J943-10-10	GC34-10X10	10Z-A30
5/8"	1-3/16x12	FFORX90-10-12 2W	1J943-12-10	GC34-10X12	10Z-A32
3/4"	1x14	FFORX90-12-10 2W	1J943-10-12	GC34-12X10	12Z-A30
3/4"	1-3/16x12	FFORX90-12-12 2W	1J943-12-12	GC34-12X12	12Z-A32
3/4"	1-7/16x12	FFORX90-12-16 2W	1J943-16-12		12Z-A36
1"	1-3/16x12	FFORX90-16-12 2W	1J943-12-16		16Z-A32
1"	1-7/16x12	FFORX90-16-16 2W	1J943-16-16	GC34-16X16	16Z-A36
1"	1-11/16x12	FFORX90-16-20 2W	1J943-20-16	GC34-16X20	16Z-A40
1-1/4"	1-7/16x12	FFORX90-20-16 2W	1J943-16-20		20Z-A36
1-1/4"	1-11/16x12	FFORX90-20-20 2W	1J943-20-20	GC34-20X20	20Z-A40
1-1/4"	1-1/2"	FFORX90-20-24 2W	1J943-24-20		20Z-A44
1-1/2"	1-1/2"	FFORX90-24-24 2W	1J943-24-24		24Z-A44



# CATALOG 2018

*is gator tough*

## Female Pipe Rigid Bite to the Wire



Female Pipe Rigid - 200 Series						
Description		Cross-Reference Part Numbers				
Hose ID	Thread Size	GATOR	Parker	Grip-Crimp	Weatherhead	CSI
1/4"	1/4 X 18	FP-4-4 2W	10243-4-4	GC02-4X4	04Z-204	A02-4X4
3/8"	3/8 X 18	FP-6-6 2W	10243-6-6	GC02-6X6	06Z-206	A02-6X6
3/8"	3/8 X 14	FP-6-8 2W	10243-8-6	GC02-6X8	06Z-208	N/A
1/2"	1/2 X 14	FP-8-8 2W	10243-8-8	GC02-8X8	08Z-208	A02-8X8

## Female Pipe Swivel Bite to the Wire



Female Pipe Swivel - 200 Series						
Description		Cross-Reference Part Numbers				
Hose ID	Thread Size	GATOR	Parker	Grip-Crimp	Weatherhead	CSI
1/4"	1/4 X 18	FPX-4-4 2W	10743-4-4	GC16-4X4	04Z-054	A05-4X4
3/8"	3/8 X 18	FPX-6-6 2W	10743-6-6	GC16-6X6	06Z-056	A05-6X6
3/8"	3/8 X 14	FPX-6-8 2W	10743-8-6	GC16-6X8	06Z-058	N/A
1/2"	1/2 X 14	FPX-8-8 2W	10743-8-8	GC16-8X8	08Z-058	A05-8X8
3/4"	3/4 X 14	FPX-12-12 2W	10743-12-12	GC16-12X12	12Z-062	N/A
1"	1 X 11 1/2	FPX-16-16 2W	10743-16-16	GC16-16X16	16Z-066	N/A

## British Standard Pipe Parallel (BSPP) Female Swivel Bite to the Wire



British Standard Pipe ( BSPP)- 200 Series					
Description		Cross-Reference Part Numbers			
Hose ID	Thread Size	GATOR	Parker	Grip-Crimp	Weatherhead
1/4"	1/4 X 18	FBSPX-4-4	19243-4-4	GC10-4X4	04Z-354
3/8"	3/8 X 18	FBSPX-6-6	19243-6-6	GC10-6X6	06Z-356
1/2"	3/8 X 14	FBSPX-8-8	19243-8-8	GC10-8X8	08Z-358