

**TOWN OF STRATTON  
INVITATION TO BID  
Gravel**

The Town of Stratton is accepting bids for crushed gravel. Please include bid price of gravel F.O.B., in pit and bid price of gravel delivered to Town roads. Trucks must be capable of uniform tailgate spreading as requested by the Road Foreman.

4” Base Gravel must conform to the current requirements of the State of Vermont, Agency of Transportation Specifications, Section 704.05A.

1” Surface or Shoulder Gravel must conform to the current requirements of the State of Vermont, Agency of Transportation Specifications, Section 704.12A.

Surface course and Shoulder Stone Aggregate as per State of Vermont Agency of Transportation Specifications 704.12:

Sieve Designation	Percent by Weight passing Square Mesh Sieves
1 inch	100
No. 4	45 – 65
No. 100	15
No. 200	12

Sealed bids, plainly marked “Gravel” must be received by the Stratton Board of Selectmen, 9 West Jamaica Road, Stratton, Vermont 05360, no later than 7:30PM, Monday, May 10, 2021. Bids will be opened at that time in the presence of the Board of Selectmen. The Board has the right to reject any and all bids.

Certificate of Insurance (Liability, Workmen’s Comp. or waiver) and W9 Required

**TOWN OF STRATTON  
INVITATION TO BID  
Roadside Mowing**

The Town of Stratton is seeking bids for approximately 65 hours of roadside mowing. Please submit your bid based on an hourly rate.

Sealed bids marked "Mowing" must be received by the Stratton Board of Selectmen, 9 West Jamaica Road, Stratton, VT 05360 no later than 7:30PM, MONDAY May 10, 2021. The Board reserves the right to reject any and all bids.

Certificate of Insurance (Liability, Workmen's Comp. or waiver) and W9 Required

**TOWN OF STRATTON  
INVITATION TO BID  
Winter Sand**

The Board of Selectmen of the Town of Stratton is requesting bids for 2021 / 22 winter sand. Approximately 1000 cubic yards of  $\frac{9}{16}$ " or  $\frac{3}{4}$ " winter sand are to be delivered to the Town Garage by October 1<sup>st</sup>. Specifications are available at the Town Office Monday thru Thursday 9:00 to 3:00 or call 896-6184. Sealed bids marked "Winter Sand" must be received by the Board of Selectmen no later than 7:30PM Monday, May 10, 2021. The Board reserves the right to reject any and all bids.

**Winter Sand Specifications**

Sieve Designation	Percent by Weight passing Square Mesh Sieves
$\frac{3}{4}$ inch	100
No. 4	90 – 100
No. 100	2 – 10

Winter sand shall consist of clean, hard, screened sand particles uniformly graded from coarse to fine and shall be reasonably free from silt, loam, or clay. The fundamental requirement is that it will not clog commonly used spreaders when wet.

Certificate of Insurance (Liability, Workmen's Comp. or waiver) and W9 Required

# TOWN OF STRATTON INVITATION TO BID Pavement

The Town of Stratton is seeking bids for paving to be completed by August 30, 2021. The award of this bid is contingent upon the Town receiving a Paving Grant from the State. Measurements given are approximate and not guaranteed. Contact the Road Foreman for locations and additional information at (802) 896-6224.

Project: 1.2 miles of Mountain Rd. from the Brazers Way intersection south to the Kidder Brook Bridge, to include one mile to be reclaimed, graded and compacted.

For reclaimed section only – pavement shall be 2.5” Type 2 Base.

Entire Road Overlay – 1.5” of Type 4 asphalt – 50 gyrations – 58/28 liquid.

Emulsion RS-1 shall be applied prior to placement of bituminous concrete over existing pavement. The use of a distributor truck at a rate of 0.025 gallons per square yard is required.

Surface and base mixture must conform to the current requirements of the State of Vermont, Agency of Transportation Specifications, Section 406. Bid prices should be per ton and include hauling and placing material, signing and traffic control during placing operation and preparatory compaction.

Gravel Shoulders:

2’ wide, 4” deep both sides of road for 1.2 miles in length.

- 1) Shoulder mixture must conform to current requirements of the State of Vermont, Agency of Transportation Specifications, Section 704.05A 1” gravel.
- 2) Surface course and shoulder stone aggregate as per State of Vermont, Agency of Transportation Specifications 704.12:

Sieve Designation	Percent by Weight Passing square mesh sieves
1 inch	100
No. 4	45-65
No. 100	15
No. 200	12

Bid price should be per yard and include hauling, placing material and compaction flush with pavement per State of Vermont Agency of Transportation Specifications 402.10. Signing and traffic control is the responsibility of the Contractor during completion of operation.

Bid price for separate shoulder materials will be reflected in all bids.

**Sealed bids, plainly marked “Paving” must be received by the Stratton Board of Selectmen, 9 West Jamaica Rd., Stratton, VT 05360 no later than 7:30PM on Monday, May 10, 2021. Bids will be opened at that time in the presence of the Board of Selectmen. The Board reserves the right to reject any and all bids.**

Certificate of Insurance (Liability, Workmen’s Comp. or waiver) and W9 Required.