



# 2021 Canadian Price List



[www.fcracetires.com](http://www.fcracetires.com)

Tel: (905)641-8633

Email: [info@fcracetires.com](mailto:info@fcracetires.com)

# GENERAL INFORMATION

## No Warranty

Due to the conditions under which they operate, Goodyear MAKES NO WARRANTY AND SPECIFICALLY DISCLAIMS ANY WARRANTY (INCLUDING ANY WARRANTY AS TO MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE), EITHER EXPRESSED OR IMPLIED, with respect to Goodyear racing tires, tubes, safety spares or air containers and shall not be liable for any damages whatsoever including, without limitation, consequential or special damages, arising out of their use. Goodyear racing tires are designed and compounded solely for racing purposes and are not tested or labeled to meet FMVSS/ECE Regulations. It is therefore not only dangerous, but also illegal to sell for use or use race tires on public streets or highways.

## Pressure Recommendations

Consult your Goodyear Racing Tire Distributor for specific recommendations for your local track.

Tire changing should be done by trained personnel using proper tools and procedures. NEVER attempt to install and inflate a tire of one diameter on a rim or wheel of another diameter. All Goodyear racing tires are designed to be used on wheels or rims that are manufactured to Tire and Rim Association (T&RA) specifications and tolerances. Use of Goodyear racing tires on damaged or improper rims can cause the assembly to explode with force sufficient to cause injury or death. When inflating, always lock wheel on mounting machine or place in safety cage and use extension gauge and hose with clip on air chuck.

**STAND BACK. NEVER EXCEED 35 PSI TO SEAT BEADS.**

## Tire Care

Goodyear racing tires should not be stored near high temperatures, in direct sunlight, around welding areas, in overhead garage areas or around high-voltage electric motors.

NEVER attempt to patch or repair a Goodyear racing tire.

NEVER attempt to chemically or physically treat or alter a Goodyear racing tire.

NEVER re-use a Goodyear racing tire involved in a vehicle fire under ANY circumstances.

## Tire Specifications

Size designations on Goodyear racing tires show nominal outside diameter, tread width and bead diameter (ie. 27.0x 9.0 -15). All dimensions are taken from an inflated tire under no load conditions.

Our comprehensive line of Goodyear racing tires brings versatility to the racing fraternity. Each type of racing activity is provided with a choice of tires affording the ultimate in performance during acceleration, cornering and braking.

The increasing successes of the Goodyear racing tires in worldwide competition give testimony to the effort in development, design and production of this extensive line.

A choice of compounds is available for some types of racing to best suit given track conditions. Consult your nearest Goodyear Racing Tire Distributor for specific recommendations for any particular vehicle or track in your area.


## Additional Information

Additional information can be found at [www.racegoodyear.com](http://www.racegoodyear.com) or by contacting Fairchild Race Tires at [www.fcracetires.com](http://www.fcracetires.com).

**\*Prices in this catalogue are subject to change without notice based on exchange rates.**

## Eagle Dragway Special

Eagle Dragway Special



### TOP FUEL, FUNNY CAR

Size	Product Code	Tire Code Matl No.	Compound	Comments	Rim	Overall Diam.	Avg. Circum.	Section Width	Tread Width	Weight (lbs)	2021 CDN Price
36.0x17.5-16	808-018-081	2747 231233	D-2H	BL, LW	16.0	36.6	115.0	21.8	17.3	48.0	<b>\$1,150.00</b>

### PRO MOD, ALCOHOL, PRO STOCK

34.5x17.0-16	808-117-081	3122 229258	D-2G		16.0	34.8	109.0	21.3	17.0	43.0	<b>\$680.00</b>
33.5x17.0-16	808-043-081	2433 233411	D-4A	SS, BL	16.0	33.4	105.0	21.5	17.7	43.0	<b>\$840.00</b>

### STOCK, SUPER STOCK, SUPER GAS

32.0x14.0-15	808-178-081	1984 23556	D-5	MS	14.0	32.4	101.0	17.0	14.4	39.3	<b>\$465.00</b>
32.0x14.5-15	808-163-081	1672 23540	D-5	MS	14.0	32.8	103.0	17.7	14.8	39.4	<b>\$465.00</b>
32.0x16.0-15	808-184-081	1408 23558	D-5	MS	15.0	32.4	102.0	18.4	16.0	39.6	<b>\$470.00</b>
33.0x15.0-15	808-260-081	2078 192212	D-5	MS	14.0	33.2	104.0	17.5	15.0	40.6	<b>\$495.00</b>
33.0x17.0-15	808-031-081	2053 191202	D-4A	SS	15.0	32.8	102.0	20.6	17.3	42.9	<b>\$570.00</b>
28.0x9.0-15	808-735-081	2790 210598	D-5		8.0	28.0	88.0	10.7	9.0	21.3	<b>\$270.00</b>
28.0x10.0-15	808-736-081	2791 210599	D-5		10.0	28.0	88.0	12.0	10.0	23.1	<b>\$280.00</b>
29.0x11.0-15	808-174-081	2796 210596	D-5		10.0	29.0	91.0	12.8	10.9	25.1	<b>\$335.00</b>
29.0x12.0-15	808-188-081	2797 210597	D-5		11.0	29.0	91.0	13.9	11.8	25.1	<b>\$340.00</b>
30.0x9.0-15	<b>NEW</b>	1909 23623	D-5		8.0	30.7	96.5	12.4	9.0	25.0	<b>\$360.00</b>
31.0x13.0-15	808-096-081	2018 190161	D-5	MS	12.0	30.6	96.0	15.6	12.8	33.4	<b>\$455.00</b>
31.0x14.0-15	808-097-081	2019 190162	D-5	MS	12.0	31.0	97.0	16.2	14.0	35.8	<b>\$460.00</b>
33.5x17.0-16	<b>NEW</b>	2211 228522	D-4A	BL, SS	16.0	33.4	105.0	21.2	17.5	42.5	<b>\$575.00</b>

### COMP, SUPER COMP

26.0x8.0-15	<b>NEW</b>	2976 23653	D-6	LW	9.0	26.4	83.0	10.5	8.9	16.0	<b>\$250.00</b>
31.0x12.0-15	808-095-081	2585 206637	D-3		12.0	30.8	96.5	15.2	12.0	22.6	<b>\$470.00</b>
33.0x12.0-15	808-921-081	1288 23654	D-7	HG	12.0	32.4	102.0	16.5	12.3	28.8	<b>\$485.00</b>
32.0x14.5-15	808-163-081	1911 193992	D-1		14.0	32.2	101.0	17.7	15.0	34.1	<b>\$490.00</b>

## Eagle Dragway Special

### COMP, SUPER COMP cont.

Size	Product Code	Tire Code Matl No.	Compound	Comments	Rim	Overall Diam.	Avg. Circum.	Section Width	Tread Width	Weight (lbs)	2021 CDN Price
33.0x14.5-15	808-164-081	2070 190163	D-6		14.0	32.8	104.0	18.9	14.9	34.1	\$485.00
33.0x16.0-15	808-942-081	2533 215174	D-2A		15.0	32.4	106.0	19.9	16.3	39.6	\$465.00
33.0x16.0-15	808-942-081	2052 190167	D-6		15.0	32.8	102.0	19.6	16.1	38.0	\$480.00
33.0x17.0-15	808-031-081	2534 215232	D-2A		15.0	32.4	104.0	20.5	17.4	39.5	\$475.00
33.0x17.0-15	808-031-081	2051 190102	D-4A	LW,SS	15.0	32.5	100.0	20.8	17.2	41.1	\$575.00
33.5X17.0-16	808-391-081	2775 227639	D-2A	BL	16.0	33.5	105.0	21.1	16.8	40.3	\$540.00
33.5X17.0-16	808-393-081	2776 235137	D-2A	BL	16.0	33.5	105.0	21.1	16.8	45.1	\$550.00
35.0x15.0-16	<b>NEW</b>	2719 242495	D-2H		16.0	35.0	110.0	18.8	14.8	42.0	\$585.00

### EAGLE FRONTRUNNER

22.0x2.5-17	808-102-089	1445 177193	Hard	ET	2.5	22.0	69.9	2.5	1.5	4.5	\$230.00
22.0x4.0-17	808-130-089	2904 215560	Hard		2.5	22.9	72.0	3.4	3.1	5.2	\$340.00
23.0x5.0-15	<b>NEW</b>	2989 240982	Hard		4.0	23.0	72.7	6.8	5.0	12.2	\$300.00
23.0x5.0-15	808-243-089	1961 189891	Hard		4.0	23.0	72.7	6.8	5.0	12.7	\$260.00
24.0x5.0-15	808-730-089	1962 189955	Hard		4.0	24.0	75.8	6.8	5.0	11.3	\$240.00
25.0x4.5-15	808-028-089	2991 215499	Hard	LW	4.0	25.0	78.5	6.5	4.5	11.6	\$265.00
26.0x4.5-15	808-062-089	1964 190130	Hard		4.0	26.0	81.2	6.3	4.5	10.8	\$245.00
27.0x4.5-15	808-181-089	1965 197495	Hard		4.0	27.0	84.8	7.9	4.5	13.5	\$245.00
28.0x4.5-15	808-729-089	1966 189822	Hard		4.0	28.0	89.1	7.7	5.1	12.4	\$245.00

### DRAG RADIAL

30.0x9.0-15	<b>NEW</b>	4902 240012	D-1A		9.0	29.6	93.1	12.4	9.8	21.5	\$375.00
30.0x9.0-15	<b>NEW</b>	4904 240059	D-1A		9.0	30.1	94.7	12.8	9.8	21.7	\$375.00
30.0x9.0-15	388-717-097	4892 236033	D-1A	LW	9.0	29.5	92.5	11.8	9.1	21.1	\$385.00
30.0x9.0-15	388-717-097	4894 236035	D-1A	LW	9.0	30.0	94.0	12.0	9.1	21.4	\$385.00
30.0x10.5-15	388-361-097	4915 237694	D-8		10.0	29.6	93.0	13.3	10.5	23.5	\$385.00
31.0x13.5-15	388-250-097	4909 237692	D-8		14.0	31.7	99.5	16.9	13.8	33.0	\$445.00
31.0x16.0-15	388-387-097	4917 237741	D-8		15.0	31.0	101.0	19.4	16.3	37.3	\$510.00
32.0x14.0-15	388-178-097	4911 219042	D-8		14.0	32.1	101.0	17.2	13.8	32.4	\$480.00
33.0x14.5-15	388-164-097	4463 220522	D-8		14.0	33.0	103.0	17.4	14.5	36.4	\$500.00

## Eagle Dragway Special

### EAGLE LANDSPEED

Size	Product Code	Tire Code Matt No.	Rim	Width	Overall	Diam.	Section Width	Tread Width	Weight (lbs)	Min. Inflation (psi)	Max Load (lbs)	Max Speed (MPH)	2021 CDN Price
21.0x5.0-15	808-975-090	2952 234517		4.5	21.3		5.4	4.1	10.0	50.0	1200	300	<b>\$790.00</b>
23.0x5.0-15	808-243-090	2953 234515		4.5	23.1		7.0	5.0	12.0	70.0	1700	300	<b>\$820.00</b>
25.0x4.5-15	808-028-090	2954 234514		4.5	24.8		6.7	4.0	12.0	70.0	1700	300	<b>\$830.00</b>
28.0x4.5-15	808-682-089	2956 234516		4.5	27.8		7.7	4.5	13.0	70.0	1700	300	<b>\$860.00</b>
28.0x10.0-15	NEW	2934 225063		9.5	28.3		13.6	10.0	22.0	70.0	1700	300	<b>\$290.00</b>
24.5x7.5-16	NEW	2860 239857		5.5	24.5		7.4	5.5	14.2	70.0	2300	320	<b>\$890.00</b>
30.0x9.0-18	808-425-090	2870 233188		6.5	30.0		8.5	3.0	16.5	70.0	2300	320	<b>\$920.00</b>

### LIFEGUARD SAFETY SPARE

PR-16	185-244-515	2912 230874		#	#	#	#	#	#	#	#	#	<b>\$220.00</b>
-------	-------------	----------------	--	---	---	---	---	---	---	---	---	---	-----------------

### DRAG TIRE COMPOUND DATA

**Listed in order from softest to hardest.**

Note that in some cases, a softer compound is not necessarily more tractive due to the nature of Goodyear's drag racing compounds.

- D-8** High grip compound for high horsepower radial tire applications
- D-2A** High grip compound used for TAD and some bracket applications
- D-2G** For Pro Mod and T AFC. High level of grip that can also sustain wheelspeed
- D-2H** For TF/FC and other high horsepower applications
- D-1** For use on Dragsters and other lightweight cars.
- D-4B** For Stock Eliminator. Slightly more tractive than D-4A.
- D-4A** Good for hot and/or slick track conditions.
- D-4** Excellent wear/longevity for heavy applications, +3,000 lbs.
- D-1A** For use on Stock and Super Stock Radials
- D-6** Works well on Dragsters and 1,500 - 2,500 lbs. cars.
- D-5** Works well on Dragsters and 2,000 - 3,200 lbs. cars.
- D-7** Limited application compound. Designed to eliminate shake.
- D-3** For heavy manual and automatic cars
- HARD** Frontrunners

### COMMENT KEY

R - Radial, **HG** - High Growth, **LW** - Lightweight, **MS** - Medium Stiff Sidewall, **SS** - Stiff Sidewall,  
**ET** - Extended Tread Life, **BL** - Beadlock Wheel Required

## Eagle Sports Car Special



### FORMULA AND SPORTSCAR - BIAS

Size	R160	R250	R255	R310	R430	R465	R470	Application/ Tread Design	Rim Width	Overall Diam.	Section Width	Tread Width	Weight (lbs)	2021 CDN Price
20.0x7.0-13		2756 234776						S2000 G-19	6.0-8.0	20.5	9.0	7.2	9.5	\$305.00
20.0x7.0-13							2659 228938	FM Spec G-19	6.0-8.0	20.5	9.0	7.2	9.5	\$300.00
20.0x9.5-13	2640 221592							Vintage Fm ATL G-19	10.0	20.3	10.9	9.1	11.9	\$330.00
21.0x8.0-13		2767 237144					2769 235624	G-19	9.0	21.5	10.0	8.5	11.0	\$370.00
22.0x9.0-13		2757 234777						S2000 G-19	8.0-10.0	22.5	11.3	9.2	11.9	\$355.00
22.0x9.0-13							2660 228985	FM Spec G-19	8.0-10.0	22.5	11.3	9.2	11.9	\$350.00
22.0x11.0-13		2768 237145					2770 235085	G-19	11.0	22.7	12.5	10.75	13.6	\$395.00
23.0x13.0-13	2453 221813							Vintage Fm ATL G-19	14.0	23.0	16.1	12.3	19.3	\$405.00
20.0x8.0-13	2138 237143			2140 236865				Prod/Canilever G-19	6.0	20.2	9.3	8.2	14.3	\$320.00
20.0x9.5-13				2162 236866				Prod/Canilever G-19	7.0	20.1	10.5	9.5	16.0	\$325.00
23.0x9.0-15				2185 236599	2189 237142			Prod/Canilever G-19	7.0	23.0	10.4	9.3	18.0	\$380.00
23.5x10.5-16				1651 221579				GT/Production G-19	11.0	23.3	11.8	10.1	18.0	\$550.00
25.0x13.0-16	1980 221721			1570 221561				GT/Production G-19	12.0	24.5	13.7	12.4	22.5	\$575.00
27.0x14.0-16	1981 221804			1571 221562				GT/Production G-19	14.0	26.6	15.9	13.7	26.5	\$610.00

### VINTAGE FORMULA / SPORTSCAR - BIAS

Size	R250	R310	R645	R655	Firm	Rim Width	Overall Diam.	Section Width	Tread Width	Weight (lbs)	2021 CDN Price			
5.00-15			1664 237033					Blue Streak G-12A	5.0	24.5	7.6	5.6	16.0	\$415.00
6.00-15			2724 238711	1725 221565				Blue Streak G-7	8.0	25.5	10.6	8.4	17.0	\$315.00
6.00-15W			2726 238696					Blue Streak G-7	10.0	25.5	11.6	9.4	19.3	\$320.00
26.5x8.0-15				2546 221811				Cobra G-15M	8.0	26.5	11.0	7.9	17.8	\$395.00
26.5x10.0-15				2547 230168				Cobra G-15M	10.0	27.0	12.9	10.2	22.3	\$400.00
7.00-15			2728 238712					Blue Streak G-7	9.0	26.8	12.0	8.7	18.7	\$335.00
8.00-15			2729 238713					Blue Streak G-7	10.0	26.8	13.1	10.1	19.7	\$340.00
23.5x10.5-15	2225 221728							F 5000/INDY G-19	10.0	23.4	11.8	10.4	16.9	\$550.00
27.0x14.0-15	2226 221730							F 5000/INDY G-19	17.0	27.0	18.5	14.8	25.8	\$610.00

## Eagle Sports Car Special



### FORMULA AND SPORTSCAR - RADIAL

	R160	R210	R250	R255G	R310	R430	R465		Rim Width	Overall Diam.	Section Width	Tread Width	Weight (lbs)	2021 CDN Price
<b>21.5x8.0-13</b>	<b>4572</b> 242221			<b>4582</b> 237146			<b>4540</b> 226363	Formula	9.0	21.6	9.8	8.2	13.1	<b>\$455.00</b>
<b>22.5x11.0-13</b>	<b>4573</b> 242222			<b>4583</b> 237147			<b>4541</b> 226364	Formula	11.0	22.6	12.2	10.6	16.5	<b>\$485.00</b>
<b>25.5x14.0-16</b>			<b>4364</b> 236109			<b>4533</b> 240035		GT1	12.0	25.5	14.1	14.0	25.0	<b>\$660.00</b>
<b>28.5x14.5-16</b>			<b>4365</b> 236110			<b>4534</b> 240036		GT1	13.0	28.5	15.4	14.8	28.5	<b>\$705.00</b>
<b>25.5x12.0-18</b>			<b>4848</b> 242375					<b>NEW</b>	13.5	25.6	14.25	12.8	24.0	<b>\$660.00</b>
<b>28.5x14.5-18</b>			<b>4849</b> 242376					<b>NEW</b>	14.5	28.5	16.0	14.5	30.0	<b>\$685.00</b>

### VINTAGE - RADIAL

	R160	R210	R250	R255G	R310	R430	R465		Rim Width	Overall Diam.	Section Width	Tread Width	Weight (lbs)	
<b>23.5x10.5-16</b>	<b>4482</b> 219472	<b>4483</b> 219473						Radial G-19	10.0	23.5	11.2	10.6	18.0	<b>\$525.00</b>
<b>25.5x12.0-16</b>		<b>4480</b> 219447						Radial G-19	12.0	25.5	13.5	12.2	24.5	<b>\$605.00</b>
<b>25.5x14.0-16</b>		<b>4481</b> 219471						Radial G-19	14.0	25.4	15.2	14.0	25.0	<b>\$620.00</b>
<b>25.5x12.0-18</b>					<b>4535</b> 232432			Radial G-19	13.0	25.6	13.5	12.25	23.0	<b>\$620.00</b>
<b>25.5x12.5-18</b>					<b>4575</b> 234480			Radial G-19	13.5	25.6	14.25	12.75	24.0	<b>\$670.00</b>
<b>28.0x12.5-18</b>					<b>4570</b> 239364			Radial G-19	13.0	28.0	13.5	12.5	24.0	<b>\$680.00</b>
<b>28.5x14.5-18</b>					<b>4536</b> 232433			Radial G-19	14.5	28.5	16.0	14.5	30.0	<b>\$690.00</b>

### MODERN ERA RADIAL

	SOFT	MED	HARD	WET		Rim Width	Diameter MM	Width MM	Tread MM	
<b>200/580R15</b>			<b>5025</b> 240182		<b>NEW</b>	7.0	583	216	195	<b>\$250.00</b>
<b>200/580R15</b>				<b>5026</b> 240181	<b>NEW RAIN</b>	7.0	583	216	195	<b>\$265.00</b>
<b>235/620R17</b>		<b>5029</b> 239403			<b>NEW</b>	9.0	608	245	226	<b>\$375.00</b>
<b>245/650R18</b>		<b>5013</b> 239406			<b>NEW</b>	9.0	650	257	238	<b>\$575.00</b>
<b>265/660R18</b>		<b>5015</b> 239279			<b>NEW</b>	10.0	658	281	258	<b>\$600.00</b>
<b>285/660R18</b>		<b>5017</b> 239278			<b>NEW</b>	11.0	655	301	277	<b>\$625.00</b>
<b>305/660R18</b>		<b>5019</b> 239280			<b>NEW</b>	12.5	656	332	290	<b>\$720.00</b>
<b>305/680R18</b>		<b>5021</b> 239275	<b>5027</b> 240165		<b>NEW</b>	12.0	685	333	290	<b>\$735.00</b>
<b>310/710R18</b>		<b>5024</b> 239416	<b>5028</b> 240166		<b>NEW</b>	13.0	706	354	308	<b>\$750.00</b>
<b>305/660R18</b>		<b>5061</b> 239028			<b>NEW</b>	12.5	656	332	290	<b>\$780.00</b>
<b>312/705R18</b>		<b>5063</b> 239030			<b>NEW</b>	13.0	706	354	308	<b>\$790.00</b>



## Eagle Sports Car Special

### FORMULA AND SPORTSCAR - BIAS, RAIN

	R065 G-18	R085 F1		Rim Width	Overall Diam.	Section Width	Tread Width	Weight (lbs)	2021 CDN Price
20.0x6.5-13	2661 226343		G-18 Rain	6.0-8.0	21.0	7.7	5.9	10.5	\$310.00
22.0x9.0-13	2662 226351		G-18 Rain	8.0-10.0	22.4	11.1	8.8	13.0	\$370.00
20.5x7.5-13		1079 221803	Cantilever Eagle F1 Rain	6.0-7.0	20.7	8.2	6.6	11.3	\$340.00
23.0x8.0-15		1275 221807	Cantilever Eagle F1 Rain	7.0	22.7	10.0	8.3	14.9	\$400.00

### FORMULA, SPORTSCAR AND VINTAGE - RADIAL, RAIN

	R065	R085		Rim Width	Overall Diam.	Section Width	Tread Width	Weight (lbs)	
21.5x8.0-13	4544 226361		Formula F1 Rain	9.0	21.6	9.8	8.2	13.1	\$500.00
22.5x11.0-13	4545 226340		Formula F1 Rain	11.0	22.6	12.2	10.6	16.5	\$520.00
23.5x10.5-16	4484 219474		Eagle F1 Carved Rain	10.0	23.5	11.2	10.6	17.0	\$590.00
25.5x12.0-16	4485 219476		Radial Rain G-18	12.0	25.5	13.5	12.2	24.5	\$610.00
25.5x14.0-16		6672 240508	Eagle F1 Carved Rain	12.0	25.5	14.1	14.0	30.0	\$700.00
28.5x14.5-16		6673 240509	Eagle F1 Carved Rain	13.0	28.5	15.4	15.4	36.6	\$750.00
25.5x12.5-18		4975 242373	Eagle F1 Carved Rain	13.5	25.6	14.25	12.75	24.0	\$730.00
28.5x14.5-18		4936 242374	Eagle F1 Carved Rain	14.5	28.5	16.0	14.5	30.0	\$785.00

### D.O.T RADIAL

	RCMD		Rim Width	Overall Diam.	Section Width	Tread Width	Weight (lbs)		
205/50ZR15	4850 242197		2 Grooves	7.0	23.1	8.8	8.0	18.5	\$220.00

### FORMULA SAE

	DRY	RAIN		Rim Width	Overall Diam.	Section Width	Tread Width	Weight (lbs)	
22.0x7.0-13	2704 221573		FSAE G-19	7.0	20.4	7.9	6.9	8.9	\$305.00
22.0x7.0-13		2703 239261	FSAE Rain F-1 Carved	7.0	20.4	7.9	6.9	8.9	\$315.00