



## **ATX GRIP Panther Foxy Pro Crane**

**Austin Office:**  
9201 Brown Ln Suite 290  
Austin, Tx 78754  
**Austin Office Phone:**  
512-537-4201  
832-651-3053  
**Austin Office Email:**  
Rentals@atxgrip.com

**Foxy Pro crane can be built with 4 front sections and one rear, making a max length of 23', and max Mitchell height of 24'.**

### **Panther Foxy Pro Crane**

**Foxy Base with pneumatic tyres**

**Foxy Pyramid (optional dolly base with post kit)**

**Panther Weight Trolley X3 (10 per trolley)**

**Weight Bucket Standard**

**Optional Weight Bar with Round Weights (Foxy Jib Mode)**

### **Crane Builds**

**Remote (Mitchell Nose)**

**Note: Front = length from fulcrum to nose**

#### **Build 1: 8'**

**Front Length 8' (no brace)**

**Max Load 176lbs**

**Max Hight 11.5'**

**Rear Length 5.5' (weight bucket) 5' (weight bar = Foxy Jib Mode)**

**Overall Length 13.5' (weight bucket) 13' (weight bar = Foxy Jib Mode)**

**Panther Base Length 55"**

**Panther Base width 39"**

**Minimum Height Built Base + Crane 75" (no brace)**

#### **Build 2: 13'**

**Front Length 13' (no brace)**

**Max Load 176lbs**

**Max Hight 15.5'**

**Rear Length 5.5' (weight bucket) 5' (weight bar = Foxy Jib Mode)**

**Overall Length 18.5' (weight bucket) 18' (weight bar = Foxy Jib Mode)**  
**Panther Base Length 55"**  
**Panther Base width 39"**  
**Minimum Height Built Base + Crane 75" (no brace)**

**Build 2.1: 13'**  
**Front Length 13' (with brace)**  
**Max Load 176lbs**  
**Max Hight 15.5'**  
**Rear Length 5.5' (weight bucket) 5' (weight bar = Foxy Jib Mode)**  
**Overall Length 18.5' (weight bucket) 18' (weight bar = Foxy Jib Mode)**  
**Panther Base Length 55"**  
**Panther Base width 39"**  
**Minimum Height Built Base + Crane 7' (with brace)**

**Build 3: 18'**  
**Front Length 18' (no brace)**  
**Max Load 176lbs**  
**Max Hight 20'**  
**Rear Length 5.5' (weight bucket) 5' (weight bar = Foxy Jib Mode)**  
**Overall Length 23.5' (weight bucket) 23' (weight bar = Foxy Jib Mode)**  
**Panther Base width 39"**  
**Minimum Height Built Base + Crane 75" (no brace)**

**Build 3'1: 18'**  
**Front Length 18' (with brace) Max Load 176lbs**  
**Max Hight 20'**  
**Rear Length 5.5' (weight bucket) 5' (weight bar = Foxy Jib Mode)**  
**Overall Length 23.5' (weight bucket) 23' (weight bar = Foxy Jib Mode)**  
**Panther Base width 39"**  
**Minimum Height Built Base + Crane 7' (with brace)**


**Build 4: 23'**  
**Front Length 23' (no brace)**  
**Max Load 110lbs**  
**Max Hight 24'**  
**Rear Length 5.5' (weight bucket)**  
**Overall Length 28.5' (weight bucket)**

**Panther Base Length 55"**  
**Panther Base width 39"**  
**Minimum Height Built Base + Crane 75" (no brace)**


**Build 4:1 23'**  
**Front Length 23' (with brace)**  
**Max Load 110lbs**  
**Max Hight 24'**  
**Rear Length 5.5' (weight bucket)**  
**Overall Length 28.5' (weight bucket)**  
**Panther Base Length 55"**  
**Panther Base width 39"**  
**Minimum Height Built Base + Crane 7' (with brace)**

**Remote Versions:**


Note: Deduct 30cm(1ft.)from max. height if used without pyramid extension.  
 Hinweis: Die max. Höhe reduziert sich um 30cm, wenn die Pyramidenverlängerung nicht benutzt wird.



**max. height/Höhe = 4,7m(15.5ft.)**



**max. height/Höhe = 6,1m(20ft.)**



**max. height/Höhe = 7,3m(24ft.)**

