



MISSOURI DEPARTMENT OF HEALTH AND SENIOR SERVICES
BUREAU OF ENVIRONMENTAL HEALTH SERVICES
FOOD ESTABLISHMENT INSPECTION REPORT

TIME IN 7:25	TIME OUT 10:00
PAGE 1 of 2	

BASED ON AN INSPECTION THIS DAY, THE ITEMS NOTED BELOW IDENTIFY NONCOMPLIANCE IN OPERATIONS OR FACILITIES WHICH MUST BE CORRECTED BY THE NEXT ROUTINE INSPECTION, OR SUCH SHORTER PERIOD OF TIME AS MAY BE SPECIFIED IN WRITING BY THE REGULATORY AUTHORITY. FAILURE TO COMPLY WITH ANY TIME LIMITS FOR CORRECTIONS SPECIFIED IN THIS NOTICE MAY RESULT IN CESSATION OF YOUR FOOD OPERATIONS.

ESTABLISHMENT NAME: <u>Barnyard Feed More</u>		OWNER: <u>Tiffany Guillemin</u>	PERSON IN CHARGE:
ADDRESS: <u>HC 169 Box 70 State Highway T</u>		COUNTY: <u>Douglas</u>	
CITY/ZIP: <u>Oldfield MO 65720</u>	PHONE: <u>417-683-2017</u>	FAX: <u>-</u>	P.H. PRIORITY: <input type="checkbox"/> H <input type="checkbox"/> M <input type="checkbox"/> L
ESTABLISHMENT TYPE <input type="checkbox"/> BAKERY <input checked="" type="checkbox"/> C. STORE <input type="checkbox"/> CATERER <input checked="" type="checkbox"/> DELI <input type="checkbox"/> GROCERY STORE <input type="checkbox"/> INSTITUTION <input type="checkbox"/> RESTAURANT <input type="checkbox"/> SCHOOL <input type="checkbox"/> SENIOR CENTER <input type="checkbox"/> TEMP. FOOD <input type="checkbox"/> TAVERN <input type="checkbox"/> MOBILE VENDORS			
PURPOSE <input type="checkbox"/> Pre-opening <input checked="" type="checkbox"/> Routine <input type="checkbox"/> Follow-up <input type="checkbox"/> Complaint <input type="checkbox"/> Other			
FROZEN DESSERT <input type="checkbox"/> Approved <input type="checkbox"/> Disapproved <input checked="" type="checkbox"/> Not Applicable License No. _____		SEWAGE DISPOSAL <input type="checkbox"/> PUBLIC <input checked="" type="checkbox"/> PRIVATE	WATER SUPPLY <input type="checkbox"/> COMMUNITY <input checked="" type="checkbox"/> NON-COMMUNITY <input type="checkbox"/> PRIVATE Date Sampled _____ Results _____

RISK FACTORS AND INTERVENTIONS

Risk factors are food preparation practices and employee behaviors most commonly reported to the Centers for Disease Control and Prevention as contributing factors in foodborne illness outbreaks. Public health interventions are control measures to prevent foodborne illness or injury.

Compliance	Demonstration of Knowledge	COS	R	Compliance	Potentially Hazardous Foods	COS	R
IN OUT	Person in charge present, demonstrates knowledge, and performs duties			IN OUT N/O N/A	Proper cooking, time and temperature		
	Employee Health			IN OUT N/O N/A	Proper reheating procedures for hot holding		
IN OUT	Management awareness; policy present			IN OUT N/O N/A	Proper cooling time and temperatures		
IN OUT	Proper use of reporting, restriction and exclusion			IN OUT N/O N/A	Proper hot holding temperatures		
	Good Hygienic Practices			IN OUT N/A	Proper cold holding temperatures		
IN OUT N/O	Proper eating, tasting, drinking or tobacco use			IN OUT N/O N/A	Proper date marking and disposition		
IN OUT N/O	No discharge from eyes, nose and mouth			IN OUT N/O N/A	Time as a public health control (procedures / records)		
	Preventing Contamination by Hands				Consumer Advisory		
IN OUT N/O	Hands clean and properly washed			IN OUT N/A	Consumer advisory provided for raw or undercooked food		
IN OUT N/O	No bare hand contact with ready-to-eat foods or approved alternate method properly followed				Highly Susceptible Populations		
IN OUT	Adequate handwashing facilities supplied & accessible			IN OUT N/A N/A	Pasteurized foods used, prohibited foods not offered		
	Approved Source				Chemical		
IN OUT	Food obtained from approved source			IN OUT N/A	Food additives: approved and properly used		
IN OUT N/O N/A	Food received at proper temperature			IN OUT	Toxic substances properly identified, stored and used		
IN OUT	Food in good condition, safe and unadulterated				Conformance with Approved Procedures		
IN OUT N/O N/A	Required records available: shellstock tags, parasite destruction			IN OUT N/A	Compliance with approved Specialized Process and HACCP plan		
	Protection from Contamination			The letter to the left of each item indicates that item's status at the time of the inspection. IN = in compliance OUT = not in compliance N/A = not applicable N/O = not observed COS = Corrected On Site R = Repeat Item			
IN OUT N/A	Food separated and protected						
IN OUT N/A	Food-contact surfaces cleaned & sanitized						
IN OUT N/O	Proper disposition of returned, previously served, reconditioned, and unsafe food						

GOOD RETAIL PRACTICES

Good Retail Practices are preventative measures to control the introduction of pathogens, chemicals, and physical objects into foods.

IN	OUT	Safe Food and Water	COS	R	IN	OUT	Proper Use of Utensils	COS	R
X		Pasteurized eggs used where required			X		In-use utensils: properly stored		
X		Water and ice from approved source			X		Utensils, equipment and linens: properly stored, dried, handled		
		Food Temperature Control			X		Single-use/single-service articles: properly stored, used		
X		Adequate equipment for temperature control			X		Gloves used properly		
X		Approved thawing methods used					Utensils, Equipment and Vending		
X		Thermometers provided and accurate			X		Food and nonfood-contact surfaces cleanable, properly designed, constructed, and used		
		Food Identification			X		Warewashing facilities: installed, maintained, used; test strips used		
X		Food properly labeled; original container			X		Nonfood-contact surfaces clean		
		Prevention of Food Contamination					Physical Facilities		
X		Insects, rodents, and animals not present			X		Hot and cold water available; adequate pressure		
X	X	Contamination prevented during food preparation, storage and display	X		X		Plumbing installed; proper backflow devices		
X		Personal cleanliness: clean outer clothing, hair restraint, fingernails and jewelry			X		Sewage and wastewater properly disposed		
X		Wiping cloths: properly used and stored			X		Toilet facilities: properly constructed, supplied, cleaned		
X		Fruits and vegetables washed before use			X		Garbage/refuse properly disposed; facilities maintained		
					X		Physical facilities installed, maintained, and clean		

Person in Charge / Title: <u>Kenny Fleetwood</u>		Date: <u>7/10/25</u>	
Inspector: <u>Kenny Fleetwood</u>	Telephone No. <u>417-683-4174</u>	EPHS No. <u>1969</u>	Follow-up: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
		Follow-up Date: _____	



TIME IN 9:25	TIME OUT 10:10
PAGE 2 of 2	

[illegible]



Collection Location	Collector and Phone fleetwood, kenny	Client Reference	Accession # 1251415
HC 69 BOX 70 STATE HWY T OLDFIELD, MO 65720	Collected 2025-07-10 10:00	Received 2025-07-11 08:15	Project
Report To	KENNY FLEETWOOD DOUGLAS COUNTY HEALTH DEPARTMENT PO BOX 940 603 SPRINGFIELD ROAD AVA, MO 65608		Sample Description SINK
			Sample Type Drinking Water
			Sample Source
			Sample Note(s)

ADDITIONAL SAMPLE INFORMATION

Bottle Number: 11700
County: DOUGLAS
GPS Latitude: Not Provided
GPS Longitude: Not Provided
Owner: TIFFANY GUILLIAMS- BARNYARD FOOD
Owner Telephone Number: 417/683-2017
Supply Type: Not Provided

Location Type: Grocery/Convenience Store
Location Establishment Number: Not Provided
Construction Type: Drilled Well
Sewage Disposal: Not Provided
Resample After Treatment: Not Provided
No Charge Justification: Government Entity

RESULTS OF ANALYSIS - FINAL REPORT

TEST	RESULT	ANALYSIS NOTE(S)
Total Coliform and E.coli Bacteria, 9223B-PA Total Coliform Bacteria E.coli	Absent, Bacterially Safe Absent	1

SAMPLE AND ANALYSIS NOTES

1. Interpretation: If the total coliform result is "Present, Bacterially Unsafe" and/or the E. coli result is "Present", the sample is considered UNSATISFACTORY for drinking water purposes and you should consider disinfecting your well. Well disinfection instructions can be found at the Bureau of Environmental Epidemiology's website at 'health.mo.gov/private-drinking-water'. For further assistance, please call 573-751-6102.

If the total coliform result is "Absent, Bacterially Safe" and/or and E. coli tests are reported "Absent", the sample is considered SATISFACTORY for drinking water purposes.

Results interpretations are based on U.S. Environmental Protection Agency standards and Missouri Department of Health and Senior Services guidelines for bacteria in drinking water.

Method: SM 9223B Enzyme Substrate (Idexx Colilert 24-Hour PA - 100 ml sample) for Total Coliform and E. coli bacteria, Standard Methods for the Examination of Water and Wastewater, American Public Health Association, 21st ed., 2005.

ANALYSIS INFORMATION

TEST	ANALYZED	SITE	RELEASED	ANALYSIS PREP
1. Total Coliform and E.coli Bacteria, 9223B-PA	2025-07-11 09:11 JP	2	2025-07-14 09:24 RW	

SITE(S) PERFORMING TESTING

2 MSPHL, 101 N CHESTNUT STREET, PO BOX 570, JEFFERSON CITY, MO 65102; Phone 573/751-3334; Adam Perkins, Laboratory Director