



Ambient Collector
with HEPA




Source Collector
with HEPA

High performance mist collectors for ambient or source capture designed to filter mist, smoke, dust, fume, and odors from grinding, wet machining, soldering and other metalworking applications.


- Modular design customizes unit to specific application
- Offers a variety of design layouts and filter choices for both flexibility and expandability
- Wide range of power packs, prefilters, filters, and module options
- Ceiling mount, horizontal design saves valuable floor space
- Design features provide easy filter changeout and simple maintenance
- Available in ambient or source capture models
- Provides a cleaner work environment for maximum productivity
- Helps support OSHA Clean Air Standards

FEATURES & BENEFITS



- 40% ASHRAE MULTI-VEE**
 Prefilter for dry or slightly wet dust or gas and vapor. Measurements: 24 x 24 x 4 inches (609.6 x 609.6 x 101.6 millimeters)
- IMPINGER**
 4-inch (101.6-millimeter) for light to heavy mist or dust collection in wet and dry grinding
- ALUMINUM MESH PREFILTER**
 Aluminum mesh filter works to trap large particles. Measurements: 24 x 24 x 2 inches (609.6 x 609.6 x 25.4 millimeters)
- OPTIONAL FIRST-STAGE HIGH EFFICIENCY FILTER**
 4-inch (101.6-millimeter) prefilter for heavy mist applications
- PRIMARY FILTER MODULE**
 Primary filter module for filtering mist, smoke, dust, and fumes
- 95% ASHRAE VEE-BAG**
 36-inch (914.4-millimeters) fiberglass vee-bag captures the remaining mist particles
- HEPA FILTER MODULE**
 Secondary afterfilters for heavy smoke, dust, and fume
- POWER PACK WITH DIRECT DRIVE FANS**
- POWDER COAT FINISH**
 Powder coating finish is durable and chemical resistant
- 10-YEAR WARRANTY**

DIMENSIONS & SPECIFICATIONS FOR SOURCE CAPTURE MODELS




Model	Description	Nominal Airflow*		1st Stage	2nd Stage	Inlet Collars**		Dimensions						Shipping Weight	
		cfm	m ³ /h			in	mm	A		B		C		lb	kg
								in	mm	in	mm	in	mm		
HS-1A	One module, dual drainage hoppers, 3 hp power pack	1200/1600	2038/2718	4" (101.6 mm) Impinger, 1" (25.4 mm) Aluminum Mesh	Vee-Bag 126 sq. ft. (11.7 m ²)	10 12 14	254.0 304.8 355.6	126.5	3213.1	31.8	807.7	29.5	749.3	575	260.8
HS-1B	One module, dual drainage hoppers, 3 or 5 hp (for HEPA module) power pack	2000	3397	4" (101.6 mm) Impinger, 1" (25.4 mm) Aluminum Mesh	Vee-Bag 126 sq. ft. (11.7 m ²)	10 12 14	254.0 304.8 355.6	126.5	3213.1	31.8	807.7	29.5	749.3	575	260.8
HS-2A	Two modules, dual drainage hoppers, 5 hp (for HEPA module) power pack	1800/2300	3058/3907	4" (101.6 mm) Impinger (2), 1" (25.4 mm) Aluminum Mesh (2)	Vee-Bag (2) 252 sq. ft. (23.4 m ²)	10 12 14 16	254.0 304.8 355.6 406.4	126.5	3213.1	32.3	820.4	54.0	1371.6	825	374.2
HS-2B	Two modules, dual drainage hoppers, 5 or 10 hp power pack	3000/3500	5096/5945	4" (101.6 mm) Impinger (2), 1" (25.4 mm) Aluminum Mesh (2)	Vee-Bag (2) 252 sq. ft. (23.4 m ²)	10 12 14 16	254.0 304.8 355.6 406.4	126.5	3213.1	32.3	820.4	54.0	1371.6	825	374.2

* Based on clean filters.
 ** Supplied with up to two inlet collars.

EQUIPMENT OPTIONS FOR SOURCE COLLECTOR MODULES

First-stage high efficiency filter, 24 x 24 x 4 inches (609.6 x 609.6 x 101.6 millimeters)	Multiple power pack options, including explosion-proof motors
First-stage multi-vee filter, 24 x 24 x 4 inches (609.6 x 609.6 x 101.6 millimeters)	P-Trap assembly
HEPA/95% DOP filter module, 24 x 24 x 11.5 inches (609.6 x 609.6 x 292.1 millimeters)	P-Trap with Y-Strainer assembly
Carbon filter module	1-Gallon (3.8-Liter) container

DIMENSIONS & SPECIFICATIONS FOR AMBIENT MODELS



Model	Description	Nominal Airflow*		1st Stage	2nd Stage	Dimensions						Shipping Weight	
		cfm	m³/h			A		B		C		lb	kg
						in	mm	in	mm	in	mm		
HA-1A	One module, drainage hopper, 1 or 1.5 hp (for HEPA module) power pack	1400	2378	4" (101.6 mm) Multi-Vee	Vee-Bag 126 sq. ft. (11.7 m²)	108.4	2753.4	32.3	820.4	29.5	749.3	525	238.1
HA-1B	One module, drainage hopper, 3 or 5 hp (for HEPA module) power pack	3000/ 3400	5096/ 5775	4" (101.6 mm) Multi-Vee	Vee-Bag 126 sq. ft. (11.7 m²)	108.4	2753.4	32.3	820.4	29.5	749.3	525	238.1
HA-2A	Two modules, drainage hopper, 5 hp (for HEPA module) power pack	3000/ 3400	5096/ 5775	4" (101.6 mm) Multi-Vee (2)	Vee-Bag (2) 252 sq. ft. (23.4 m²)	108.4	2753.4	31.9	810.3	54.0	1371.6	775	351.5
HA-2B	Two modules, drainage hopper, 15 hp power pack	5800/ 6200	9852/ 10532	4" (101.6 mm) Multi-Vee (2)	Vee-Bag (2) 252 sq. ft. (23.4 m²)	108.4	2753.4	31.9	810.3	54.0	1371.6	775	351.5

* Based on clean filters.

EQUIPMENT OPTIONS FOR AMBIENT COLLECTOR MODULES

First-stage high efficiency filter, 24 x 24 x 4 inches (609.6 x 609.6 x 101.6 millimeters)	Multiple power pack options, including explosion-proof motors
First-stage multi-vee filter, 24 x 24 x 4 inches (609.6 x 609.6 x 101.6 millimeters)	P-Trap assembly
HEPA/95% DOP filter module, 24 x 24 x 11.5 inches (609.6 x 609.6 x 292.1 millimeters)	P-Trap with Y-Strainer assembly
Carbon filter module	1-Gallon (3.8-Liter) container

Significantly improve the performance of your collector with genuine Donaldson Torit replacement filters and parts. **Call Donaldson Torit today 800-365-1331.**



Tel 800-365-1331 (USA)
Tel 800-343-3639 (within Mexico)

donaldsontorit@donaldson.com
donaldsontorit.com

Donaldson Company, Inc.
Torit
P.O. Box 1299
Minneapolis, MN
55440-1299 U.S.A.

EXACTLY WHAT YOU NEED.™

Modular MediaFilter - Horizontal Series (11/12)
© 2002 Donaldson Co., Inc. All Rights Reserved. All products, product specifications, and data (airflow, capacity, dimensions, or availability) are subject to change without notice, and may vary by region or country. Donaldson Torit is a registered trademark of Donaldson Company, Inc. Contains Donaldson proprietary technology.