



**PARIS TEXAS
HARDWARE**

Heavy Duty Traverse Order Form

| | | | |
|-------------|------------------|-----------------|-------------|
| PO # | Side Mark | Ship via | Date |
|-------------|------------------|-----------------|-------------|

| Company Information | | | | | Shipping Information | | | | | | | |
|---------------------|--|--|--------|--|----------------------|--|------|--------|--|-------|--|-----|
| Company Name | | | Acct # | | Company Name | | | Acct # | | | | |
| Contact Person | | | | | Contact Person | | | | | | | |
| Street Address | | | | | Street Address | | | | | | | |
| City | | | State | | ZIP | | City | | | State | | ZIP |
| Email | | | | | Email | | | | | | | |
| Phone | | | Fax | | Phone | | | Fax | | | | |

HEAVY-DUTY TRAVERSE SYSTEMS - Consult Price List for detailed specifications.
Specified custom cut length includes pulleys or end caps. For mitered returns, see page 79.

| Item # | Fascia Type | System Length (per 2') | Custom Cut Length (inches) | Fascia Finish Code | Bracket Preference | Draw Preference | | Cord Location | Cord Length (standard 120") | Baton Draw Option* | Glides | | Qty | Price per Unit | Subtotal |
|--------|-------------|------------------------|----------------------------|--------------------|--------------------|--------------------------|-------------------------------------------------------|-------------------------------------------------------|-----------------------------|--------------------|---------------------------------------------------------|--|-----|----------------|----------|
| | | | | | | Center | One-Way | | | | Pinch Pleat or Ripplefold* | | | | |
| | | | | | | <input type="checkbox"/> | <input type="checkbox"/> L <input type="checkbox"/> R | <input type="checkbox"/> L <input type="checkbox"/> R | | | <input type="checkbox"/> PP <input type="checkbox"/> RF | | | | |
| | | | | | | <input type="checkbox"/> | <input type="checkbox"/> L <input type="checkbox"/> R | <input type="checkbox"/> L <input type="checkbox"/> R | | | <input type="checkbox"/> PP <input type="checkbox"/> RF | | | | |
| | | | | | | <input type="checkbox"/> | <input type="checkbox"/> L <input type="checkbox"/> R | <input type="checkbox"/> L <input type="checkbox"/> R | | | <input type="checkbox"/> PP <input type="checkbox"/> RF | | | | |
| | | | | | | <input type="checkbox"/> | <input type="checkbox"/> L <input type="checkbox"/> R | <input type="checkbox"/> L <input type="checkbox"/> R | | | <input type="checkbox"/> PP <input type="checkbox"/> RF | | | | |

HEAVY-DUTY TRAVERSE COORDINATING ACCESSORIES AND ADDITIONAL FEES
Order finials, mitered returns, and accessories here.

| Item # | Finish Code | Description | Qty | Price per Unit | Subtotal |
|--------|-------------|-------------|-----|----------------|----------|
| | | | | | |
| | | | | | |
| | | | | | |

Additional Information

| Quantity included per system based on cut track length | 4' | 6' | 8' | 10' | 12' | 14' | 16' | 18' | 20' |
|------------------------------------------------------------------------------|----|----|----|-----|-----|-----|-----|-----|-----|
| Pinch Pleat Glides [4 per foot, includes master carriers (2) & end caps (2)] | 16 | 24 | 32 | 40 | 48 | 56 | 64 | 72 | 80 |
| Brackets (1 per every 3-4 feet) | 2 | 3 | 4 | 4 | 5 | 6 | 6 | 7 | 8 |

* Baton draw option available; batons sold separately.

TOTAL

Special Instructions

*** When ordering Ripplefold carriers, answer these questions:**

1. Select Ripplefold fullness: 60% 80% 100% 120%

2. Select Ripplefold masters: Overlap Butt Master



Ph: 866-753-1113 email: customerservice@porterpreston.com



Manual Metal Traverse Collection Order Form

| | | | |
|-------------|------------------|-----------------|-------------|
| PO # | Side Mark | Ship via | Date |
|-------------|------------------|-----------------|-------------|

| Company Information | | | | Shipping Information | | | |
|---------------------|--|--------|-----|----------------------|--|--------|-----|
| Company Name | | Acct # | | Company Name | | Acct # | |
| Contact Person | | | | Contact Person | | | |
| Street Address | | | | Street Address | | | |
| City | | State | ZIP | City | | State | ZIP |
| Email | | | | Email | | | |
| Phone | | Fax | | Phone | | Fax | |

METAL TRAVERSE SYSTEMS - Consult Price List for detailed specifications.

| Item # | Finish Code | System Length (per 1') | Custom Cut Length (inches) | Draw Preference | | Baton (sold separately) | Glides Pinch Pleat or Ripplefold* | Qty | Price per Unit | Subtotal |
|--------|-------------|------------------------|----------------------------|--------------------------|-------------------------------------------------------|-------------------------|---------------------------------------------------------|-----|----------------|----------|
| | | | | Center | One-Way | | | | | |
| | | | | <input type="checkbox"/> | <input type="checkbox"/> L <input type="checkbox"/> R | | <input type="checkbox"/> PP <input type="checkbox"/> RF | | | |
| | | | | <input type="checkbox"/> | <input type="checkbox"/> L <input type="checkbox"/> R | | <input type="checkbox"/> PP <input type="checkbox"/> RF | | | |
| | | | | <input type="checkbox"/> | <input type="checkbox"/> L <input type="checkbox"/> R | | <input type="checkbox"/> PP <input type="checkbox"/> RF | | | |
| | | | | <input type="checkbox"/> | <input type="checkbox"/> L <input type="checkbox"/> R | | <input type="checkbox"/> PP <input type="checkbox"/> RF | | | |

METAL TRAVERSE COORDINATING ACCESSORIES AND ADDITIONAL FEES
Order finials, cuffs, batons, additional brackets and accessories here.

| Item # | Finish Code | Description | Qty | Price per Unit | Subtotal |
|--------|-------------|-------------|-----|----------------|----------|
| | | | | | |
| | | | | | |
| | | | | | |

| Glide and Bracket Information | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------------------------------------------|----|----|----|----|----|----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|--|--|
| Quantity included per system based on cut track length | 4' | 5' | 6' | 7' | 8' | 9' | 10' | 11' | 12' | 13' | 14' | 15' | 16' | 17' | 18' | 19' | 20' | 21' | 22' | 23' | 24' | | |
| Glides [4 per foot, includes master carriers & end caps (2)] | 16 | 20 | 24 | 28 | 32 | 36 | 40 | 44 | 48 | 52 | 56 | 60 | 64 | 68 | 72 | 76 | 80 | 84 | 88 | 92 | 96 | | |
| Brackets | 2 | 3 | 4 | 4 | 4 | 5 | 5 | 5 | 5 | 6 | 6 | 6 | 6 | 7 | 7 | 7 | 8 | 8 | 8 | 8 | 8 | | |

Answer These Questions

1. Select Ripplefold fullness:
 60% 80% 100% 120%

2. Select Ripplefold masters:
 Butt Master Overlap

Special Instructions

* Must specify Ripplefold carrier fullness.

TOTAL _____



Metal Motorized Traverse Order Form



| | | | |
|-------------|------------------|-----------------|-------------|
| PO # | Side Mark | Ship via | Date |
|-------------|------------------|-----------------|-------------|

| Company Information | | | | | Shipping Information | | | | |
|---------------------|--|-------|--------|-----|----------------------|--|-------|--------|-----|
| Company Name | | | Acct # | | Company Name | | | Acct # | |
| Contact Person | | | | | Contact Person | | | | |
| Street Address | | | | | Street Address | | | | |
| City | | State | | ZIP | City | | State | | ZIP |
| Email | | | | | Email | | | | |
| Phone | | | Fax | | Phone | | | Fax | |

MOTORIZED TRAVERSE SYSTEMS - Consult Price List for detailed specifications.
Specified custom cut length indicates track length including pulleys.

| Item # | R-TEC Motor | Power Option <small>**see additional R-TEC options below</small> | System Length (sold by 1') | Custom Cut Length (inches) | Finish Code | Draw Preference | | | Glides pinch pleat OR Ripplefold® style* | Qty | Price per Unit | Subtotal |
|--------|-------------|-----------------------------------------------------------------------------------|-------------------------------|-------------------------------|-------------|--------------------------|-------------------------------------------------------|-------------------------------------------------------|---------------------------------------------------------|-----|----------------|----------|
| | | | | | | Center | Motor Location | One-Way | | | | |
| | Slim | <input type="checkbox"/> Li-ion Battery <input type="checkbox"/> 110v AC/DC Power | | | | <input type="checkbox"/> | <input type="checkbox"/> L <input type="checkbox"/> R | <input type="checkbox"/> L <input type="checkbox"/> R | <input type="checkbox"/> PP <input type="checkbox"/> RF | | | |
| | Slim | <input type="checkbox"/> Li-ion Battery <input type="checkbox"/> 110v AC/DC Power | | | | <input type="checkbox"/> | <input type="checkbox"/> L <input type="checkbox"/> R | <input type="checkbox"/> L <input type="checkbox"/> R | <input type="checkbox"/> PP <input type="checkbox"/> RF | | | |
| | Slim | <input type="checkbox"/> Li-ion Battery <input type="checkbox"/> 110v AC/DC Power | | | | <input type="checkbox"/> | <input type="checkbox"/> L <input type="checkbox"/> R | <input type="checkbox"/> L <input type="checkbox"/> R | <input type="checkbox"/> PP <input type="checkbox"/> RF | | | |
| | Slim | <input type="checkbox"/> Li-ion Battery <input type="checkbox"/> 110v AC/DC Power | | | | <input type="checkbox"/> | <input type="checkbox"/> L <input type="checkbox"/> R | <input type="checkbox"/> L <input type="checkbox"/> R | <input type="checkbox"/> PP <input type="checkbox"/> RF | | | |

MOTORIZED TRAVERSE COORDINATING ACCESSORIES AND ADDITIONAL FEES
Order finials, cuffs & collars, additional brackets and accessories here.

**Power Options for R-TEC Motor (SRP)
ADDITIONAL: solar panel \$188; 20' cord \$130 - specify total feet; plug \$43

| Item # | Finish Code | Description | Qty | Price per Unit | Subtotal |
|--------|-------------|-------------|-----|----------------|----------|
| | | | | | |
| | | | | | |
| | | | | | |

| Glide and Bracket Information | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------------------------------------------|----|----|----|----|----|----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|--|--|
| Quantity included per system based on cut track length | 4' | 5' | 6' | 7' | 8' | 9' | 10' | 11' | 12' | 13' | 14' | 15' | 16' | 17' | 18' | 19' | 20' | 21' | 22' | 23' | 24' | | |
| Glides [4 per foot, includes master carriers & end caps (2)] | 16 | 20 | 24 | 28 | 32 | 36 | 40 | 44 | 48 | 52 | 56 | 60 | 64 | 68 | 72 | 76 | 80 | 84 | 88 | 92 | 96 | | |
| Brackets | 2 | 3 | 4 | 4 | 4 | 5 | 5 | 5 | 5 | 6 | 6 | 6 | 6 | 7 | 7 | 7 | 8 | 8 | 8 | 8 | 8 | | |

*When ordering Ripplefold carriers, answer these questions

1. Select Ripplefold fullness:
 60% 80% 100% 120%

2. Select Ripplefold masters:
 Butt Master Overlap

Special Instructions

TOTAL _____



Motorized Traverse Order Form



| | | | |
|-------------|------------------|-----------------|-------------|
| PO # | Side Mark | Ship via | Date |
|-------------|------------------|-----------------|-------------|

| Company Information | | | | | | Shipping Information | | | | | |
|---------------------|--|-------|--------|-----|--|----------------------|--|-------|--------|-----|--|
| Company Name | | | Acct # | | | Company Name | | | Acct # | | |
| Contact Person | | | | | | Contact Person | | | | | |
| Street Address | | | | | | Street Address | | | | | |
| City | | State | | ZIP | | City | | State | | ZIP | |
| Email | | | | | | Email | | | | | |
| Phone | | | Fax | | | Phone | | | Fax | | |

MOTORIZED TRAVERSE SYSTEMS - Consult Price List for detailed specifications.
 Specified custom cut length indicates track length including drive gears; Mitered fascia will be up to 3" longer than track length, depending on the profile ordered.

| Item # | Motor | Power Option **see additional R-TEC options below | Fascia Type | System Length Up to 36' (per 1') | Custom Cut Track Length (inches) | Fascia Finish Code | Bracket Preference | Draw Preference | | Motor Location | Glide Style pinch pleat or Ripplefold®* | Qty | Price per Unit | Subtotal |
|--------|-------|-----------------------------------------------------------------------------------|-------------|----------------------------------------|-------------------------------------|--------------------|--------------------|--------------------------|-------------------------------------------------------|-------------------------------------------------------|---------------------------------------------------------|-----|----------------|----------|
| | | | | | | | | Center | One-Way | | | | | |
| | | <input type="checkbox"/> Li-ion Battery <input type="checkbox"/> 110v AC/DC Power | | | | | | <input type="checkbox"/> | <input type="checkbox"/> L <input type="checkbox"/> R | <input type="checkbox"/> L <input type="checkbox"/> R | <input type="checkbox"/> PP <input type="checkbox"/> RF | | | |
| | | <input type="checkbox"/> Li-ion Battery <input type="checkbox"/> 110v AC/DC Power | | | | | | <input type="checkbox"/> | <input type="checkbox"/> L <input type="checkbox"/> R | <input type="checkbox"/> L <input type="checkbox"/> R | <input type="checkbox"/> PP <input type="checkbox"/> RF | | | |
| | | <input type="checkbox"/> Li-ion Battery <input type="checkbox"/> 110v AC/DC Power | | | | | | <input type="checkbox"/> | <input type="checkbox"/> L <input type="checkbox"/> R | <input type="checkbox"/> L <input type="checkbox"/> R | <input type="checkbox"/> PP <input type="checkbox"/> RF | | | |
| | | <input type="checkbox"/> Li-ion Battery <input type="checkbox"/> 110v AC/DC Power | | | | | | <input type="checkbox"/> | <input type="checkbox"/> L <input type="checkbox"/> R | <input type="checkbox"/> L <input type="checkbox"/> R | <input type="checkbox"/> PP <input type="checkbox"/> RF | | | |

MOTORIZED TRAVERSE COORDINATING ACCESSORIES AND ADDITIONAL FEES **Power Options for R-TEC Motor (SRP)
 Order finials, mitered returns, and accessories here. **ADDITIONAL: solar panel \$188; 20' cord \$130 - specify total feet; plug \$43**

| Item # | Finish Code | Description | Qty | Price per Unit | Subtotal |
|--------|-------------|-------------|-----|----------------|----------|
| | | | | | |
| | | | | | |
| | | | | | |

| Additional Information | NOTE: Minimum track length for R-TEC is 4' and for Somfy is 6' | | | | | | | | | | | | | | | | |
|------------------------------------------------------------------------------|----------------------------------------------------------------|----|----|----|----|----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| Quantity included per system based on cut track length | 4' | 5' | 6' | 7' | 8' | 9' | 10' | 11' | 12' | 13' | 14' | 15' | 16' | 17' | 18' | 19' | 20' |
| Pinch Pleat Glides [4 per foot, includes master carriers (2) & end caps (2)] | 21 | 27 | 24 | 28 | 32 | 36 | 40 | 44 | 48 | 52 | 56 | 60 | 64 | 68 | 72 | 76 | 80 |
| Brackets (1 per every 3-4 feet) | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 5 | 5 | 5 | 6 | 6 | 6 | 7 | 7 | 7 | 8 |

TOTAL

Special Instructions

*** When ordering Ripplefold carriers, answer these questions:**

1. Select Ripplefold fullness: 60% 80% 100% 120%

2. Select Ripplefold masters: Overlap Butt Master