





RUMFOLA

Sales & Service

Better Products. Better Service



Sales - Parts - Service - Accessories
2026



Our Team at Rumfola Sales & Service
knows the importance of getting products
and tools to our customers so that they can do their jobs well.
We offer quality American made parts at a reasonable price.

Our Technicians have over 125 years combined knowledge
and can get you through just about any sewer related issue.
Rumfola Sales & Service is known nationwide for a
Service Department that is second to none!

We would love to add you to our list of Satisfied Customers.

You can't go wrong with our
100% Customer Satisfaction Guarantee!

Sincerely,
Charles Rumfola

Table of Contents

• Table of Contents	Page 1
• Line Sheet	Page 2
• Services & Repairs	Page 3-4
• Ridgid Camera Repairs	Page 5
• Complete Pumps, Parts & Kits	Page 6
• Regulators, Relief Valves & Unloaders	Page 7
• Valves	Page 8
• Jetter Replacement Parts	Page 9
• Truck Replacement Parts	Page 10
• Vacuum Tubes, Boom hoses & Clamps	Page 11
• Accessories	Page 12 - 13
• Sewer Cleanout Tools	Page 14
• Smoke Testing	Page 15
• Pipe Plugs	Page 16
• Nozzles, Hydro-Excavating	Page 17 - 24
• Root Cutters	Page 25
• Inspection Equipment	Page 26 - 27
• Jetter Hose, Swage Tools, Dies & Fittings	Page 28 - 31
• Jetting Equipment	Page 32 - 33

Don't see what you're looking for?

Give us a call!

225-757-5339

Sales

Levie Wright
levie@rumfolasales.com

RUMFOLA

Sales & Service

Better Products, Better Service

225-757-5339

Sales

Chase Reed
Chase@rumfolasales.com

Camera / Repairs



Jetter / Repairs



Pump Repairs & Parts

Myers Pumps Apex Pumps
FMC Pumps Giant Pumps
Vactor Pumps General Pumps
Udor Pumps

Replacement Parts

Regulators / Unloaders
Ball Valves
Hose Reel Swivels
Throttle Cables
Pressure & Vacuum Gauges
Hose Reel Motors
Strainers / Handguns



Accessories

Sewer cameras
Hose Mending Tools / Fittings
Root Cutters / Saw Blades
Performance & Steel Drilled Nozzles
Tiger Tails / Hydrant Hoses
Manhole Hooks / Prybars
Upper / Lower Manhole Rollers
Boom Hoses / Vacuum Tubes
Pipe Plugs / Smoke Blowers
Piranha Hose



Complete Repair Facility

To Schedule Repairs or Equipment Rentals

Call: 225-757-5339

**Quality
Service**



**Satisfaction
Guaranteed**



Combination truck repairs
Most makes and models



Jetter repairs
Most makes and models



Equipment refurb
Most makes and models



Water pump repairs
All makes and models




Repairs

Free Estimates on all:
Sewer Cameras - Swage tools
Nozzles - Root cutters

Quality Products



Quality Service



Large inventory of parts available
ready to ship



Nozzle Repairs
All brands



**Video Inspection
Repairs**
Most brands



**Swage Tool / Root Cutter
Repairs**
Most brands



Sewer Camera Repairs



Authorized Service Center

Free Estimates!

Possible loaners!



Replacement Parts, Quality work

*****Same day service in some cases*****

Complete Pumps, Parts & Kits

Myers®
Pentair Water

G
GENERAL PUMP

UDOR
U S A

GIANT

New and Rebuilds



Myers



Giant



Myers



Udor



Vactor



General



Udor



Giant



FMC

Regulators, Relief Valves & Unloaders



Giant Pressure Regulator



**Myers Pressure Regulator
B3 Style**



**Myers Pressure Regulator
C5 Style**



Baird MP Pressure Regulator



Baird HP Pressure Regulator



**Baird Repair Kit
For MP & HP Pressure Regulators**



Handgun Pressure Relief Valve



Mono-Block Unloader



Udor Pressure Regulator



Giant Relief Valve



General Pressure Regulator



Udor Pressure Regulator

Valves



Ball Valves
3-way 5000 psi



Ball Valves
2-way 5000 psi



Ball Valves
2-way 3000 psi



Ball Valves
2-way 3000 psi



Ball Valves
2-way 3000 psi



Drain Valves
2-way Full Flow



Gate Valves
Lever Style 3" to 6"



Gate Valves
Knife Style 3" to 6"



Butterfly Valves
Lever style 3" to 8"



Vacuum Relief Valves
Fits Vactor, Vacall
Vac-Con & Super Products



Flow Control Valves
Fits Vac-Con & Pipe Hunter



Multi flow Valves
Fits Vactor

Jetter Replacement Parts



Pressure Gauges



TM Style Reel Swivels

Repair kits available



SS Reel Swivels



Y-Strainers



T-Strainers



Strainer Screens



Poly Tank Lids



Poly Tank Baskets



Clutches and Clutch Packs



Throttle / Choke Controls



Tattletale Switches & Gauges



Level Wind & Components

Truck Replacement Parts



Float Ball Cages



Float Balls



Rodder Pump Parts



Hydraulic Valves



Electrical Air / Hyd. Valves



Hydraulic Hose Reel Motors



Hose Reel Bearings



Hose Reel Components



Hydraulic Cylinders



Pendant Controls



Level Winds



Arrow Boards / Strobe Lights

Vacuum Tubes, Hoses & Clamps

Available in various sizes & lengths



Aquatech Tubes



Camel / Vacall / Gapvax Tubes



Vac-Con / Vactor Tubes



Boom Elbows



Flanges for Boom Hose



Boom Hoses

Sold in cuffed & by the foot



Compression Boot



Power Clamp



Spiral Clamp



Bandlock Style Clamp



Flange Style Clamp w/ Ring



Flange Style Clamp w/ J-Hook

Accessories



High Pressure Portable Reels

Available with 1/4", 3/8" & 1/2" Hose



Floor Draining Kit

1/8" Stainless Steel Braid or
Thermoplastic Hose
Available in 50' and 75'



Super Duty Lateral Cart

Includes 200' of 1/2" Piranha Hose
with Emergency Shut Off Valve



Fill Hose

2-1/2" Male x 2-1/2" Female Swivel NST
Available in 25' or 50'



Fill Hose

2-1/2" F Camlock x 2.5" Female Swivel NST
Available in 25' or 50'



Leader Hose

Available in 1/2", 3/4" & 1"
Stocked Lengths 10' & 20'
Custom sizes upon request



High Performance Spray Gun with 21" Barrel



Hand Gun / Shut Off

10@5000



Handgun Hose

Max. 4000 PSI

3/8" x 50' 1/2" MxM Ends



Stainless Steel Lances

Various sizes available



Handgun Kit

Max 4000 PSI

25' or 50' hose assembly, spray gun with swivel inlet,
36" insulated spray wand, tip protector
& quick couplers.



Industrial Spray Tips

Stainless steel heat treated
replacement tips for use in wash down guns
and some nozzles.

Manhole Accessories



Hydrant Wrench



Manhole Lifter Magnet



Magnetic Manhole Lifter



Manhole Pry Bar

Available in 36"



Manhole Double Pick

Available in 36"



Manhole Cover Hooks

Available in 36" Straight and 90°



Lower Manhole Roller



Manhole Roller Cover

Heavy Duty w/ Poly Roller



Upper Manhole Roller

Heavy Duty w/ Poly Roller
Aluminum Roller available



Tiger Tails

Available in 2" and 3"
Other sizes available!



Manhole Guard

Available Hose Guide
Lid or Bypass Kit



Dye Tablets

Available in Red or Yellow
100 Tablets per Bottle
Also available in Powder form!

Sewer Cleanout Tools



Debris Basket

With 25' of Rope
Available in 6"-24"
Available with Pole



Debris Cylinder

With 25' of Rope
Available in 6"-12"



Debris Grit Catcher

With 25' of Rope
Available in 6"-24"



Aluminum Debris Trap

Available in 6"-18"
For use with Fiberglass Poles



Catch Basin Spoon Made of ash hardwood

Available in 6'-24'
*Fiberglass Poles Available
upon request*



Fiber Glass Poles

With Quick-Connect Ends
Available with Threaded
Ends



Vac Traps

Available 6"- 18" in Vactor, Vacall,
Camel and Aquatech



Sand Trap

With 25' of Rope
Available in 6"- 20"



Telescopic Debris Grabber Steel

Available in 15'-24'



Telescopic Claw Grabber Fiberglass

Available in 12'-24'



Handy-Clam

Available in 6'-25' with 12" or
16" Bucket



Handy-Clam Bucket

Available in 12" or 16"

Superior[®] SMOKE



Smoke Candle (Single Wick)

Sold by the dozen



Smoke Candle (Double Wick)

Sold by the dozen



Smoke Fluid

1 Gallon Container



Smoke Fluid

(4) 1 Gallon Containers



Smoke Fluid

5 Gallon Container



Smoke Fluid

55 Gallon Drum



Air/Smoke Blower

Available in Liquid or Smoke



Manhole Liquid Smoke Blower



5-E Electric Blower



Distributed by
Rumfola Sales & Service



**Inflation Hose w/ Monitoring
 Gauge & Ball Valve - 20' Long**



**Telescopic Aluminum
 Placement Pole w/ adaptor**



**Pneumatic Single Size
 Plug**

Available from 4"-21"
 Blocks pipes 4"-21"



**Pneumatic Single Size
 Plug with Bypass**

Available from 4"-21"
 Blocks pipes 4"-18"



**Aluminum Mechanical
 Pipe Plug**

Available from 6"-18"



**Aluminum Mechanical
 pipe Plug with Bypass**

Available from 6"-18"



Multi-Size Plug

Available from 4"- 96"
 Blocks pipes 4"- 96"



**Multi-Size Back Plug/
 Leak Locators**

Available form 4"-96"
 Blocks pipe 4"-96"



Flow Diverters

Available in bypass sizes
 2,3,4,6, & 10"Blocks
 pipes 4"-60"



**Lateral Plug/
 Short Cleanout**

Available 1.5"-4"



**Lateral Plug/
 Long Cleanout**

Available in 2"-6"

Complete Plug catalog available upon request.



rumfolasales.com

Tel: (225)757-5339

Honest

Reliable

Experience!

Stainless Nozzles

Button



Its short body and smooth round nose make it ideal for tight turns in P traps and elbows, reducing hang ups.
3 to 6 rear jets @ 25°, 35°, 45° or 55°

Available in 1/8", 1/4", 3/8" and 1/2"
Flows from 3 to 10 GPM
Pressures up to 4000
Style: F or P

Thruster



The wider head design allows for rear jet angles as steep at 15-degrees which means more pulling power.
3, 4 or 6 rear jets @ 15° or 20°

Available in 1/8", 1/4", 3/8" and 1/2"
Flows from 3 to 10 GPM
Pressures up to 4000
Style: F or P

Jet



The longer length nose acts as a piercing rod in sewer & drain cleaning applications.
3 to 6 rear jets @ 35°, 45° or 60°

Available in 1/8", 1/4", 3/8" and 1/2"
Flows from 3 to 30 GPM
Pressures up to 4000
Style: F

Large



A general purpose dual angle nozzle combining the forces of both thrust and flush for superior pulling power.
6 to 8 rear jets @ 18°, 30°, 35° or 65°


Available in 1/2", 3/4" and 1"
Flows from 8-80 GPM
Pressures up to 4000
Style: F or P

Rotator



This rotating nozzle utilizes the combined forces of 0° & 45° angles creating a continuous "wall of water" to maximize line restoration.

Available in 1/8", 1/4", 3/8" 1/2", and 3/4"
Flows from 18-65 GPM
Pressures up to 4000
Style: F



PSI Chart:			
A.	1250	D.	2500
B.	1500	E.	3000
C.	2000	F.	4000

Replacement Carbide Inserts &
Flow Guides available!

Performance Nozzles



Sand & Silt

This nozzle is suited for general heavy cleaning of most debris in 15" to 36" lines.
10 rear jets @ 15° and 20°

Available in 1"
Flows from 60 to 80 GPM
Pressures up to 2000
Style: P



Ultimate

This nozzle is best suited for heavy cleaning of 12" to 30" lines.
5 rear jets @ 12°
1/2"- 4 lbs , 3/4"- 9 lbs , 1"- 12.5 lbs

Available in 1/2" , 3/4" & 1"
Flows from 18 to 80 GPM
Pressures up to 2000
Style: P



Invader

Best for removing sand, gravel, dirt and grease from lines 8" to 30".
3 rear jets @ 12°
15 lbs

Available in 3/4" and 1"
Flows from 40 to 80 GPM
Pressures up to 3000
Style: P



Small Culvert

This nozzle is best suited for heavy cleaning of 10" to 36" lines.
12 rear jets @ 17° and 24°
11.5 lbs


Available in 1"
Flows from 60 to 80 GPM
Pressures up to 2000
Style: P



Large Culvert

Excellent for cleaning pipes in 18" to 60" storm and sanitary pipes.
12 rear jets @ 17° and 24°
28 lbs

Available in 1"
Flows from 65 to 80 GPM
Pressures up to 2000
Style: P



PSI Chart:

A.	1250	D.	2500
B.	1500	E.	3000
C.	2000	F.	4000



Ball

This nozzle has rounded edges for easy maneuverability and ideal for cleaning service laterals.

Suitable from 1" to 6" lines

Available in 1/4", 3/8" & 1/2"
 Flows from 5 to 25 GPM
 Pressures up to 4000



Forward Jet

This nozzle is appropriate for jobs where moving debris away from the residence or business is essential. This nozzle is best used to prevent debris backup.

Available in 1/2"
 15, 20 or 30 GPM
 Pressures up to 700



Standard

The Standard nozzles are maneuverable, small nozzles suitable for residential sewer cleaning applications from 2" to 12" pipe.

Available in 1/4" thru 1-1/4"
 Flows from 18 to 80 GPM
 Pressures up to 2000



Egg

This nozzle is an upgrade from the Standard nozzle, instead of drilled jets, it comes with replaceable inserts. Also light and agile all round nozzle with replaceable inserts.

Available in 1/4" thru 1-1/4"
 Flows from 5 to 80 GPM
 Pressures up to 2000
 15° or 30° angles



Egg Devastator

This nozzle is light and agile for service lines as well as mains. Good all around nozzle with replaceable inserts.

Available in 3/8", thru 1-1/4"
 Flows from 8 to 80 GPM
 Pressures up to 2000
 30° angle

*** Complete catalog available upon request ***

Replacement Ceramic
Inserts available!



The Difference Is Performance!

Sewer Flush

This nozzle is designed for heavy duty cleaning and standard maintenance. With 15° and 25° jet angles it gives the operator high wall force with a wide water pattern necessary to clean large diameter pipes up to 24".

Available in 1/4" thru 1-1/4"
Flows from 5 to 120 GPM
Pressures up to 4000
15 ° & 25° angles

Traction

This nozzle is an excellent multi-purpose nozzle. The Traction is highly-efficient in cleaning damaged pipe without causing further damage in pipes up to 12" .

Available in 3/8" thru 1-1/4"
Flows from 8 to 120 GPM
Pressures up to 2000
8 ° & 12° angles

Cleaning

This cleaning nozzle is an everyday workhorse nozzle. With its wider 15°/20° or 25°/40° jet pattern, the cleaning provides excellent wall force to remove debris from pipes up to 40".

Available in 3/8" thru 1"
Flows from 5 to 120 GPM
Pressures up to 2000
15°/20° or 25°/40° angles

Torpedo

This nozzle has extreme pipe cleaning power with highest fluid mechanical efficiency and unequalled cleaning power for the operator, saving fuel, water and man-hours as well. This nozzle pays for itself over and over again.

Available in 3/4" thru 1-1/2"
Flows from 35 to 120 GPM
Pressures up to 2000
12° & 18° angles

Sewer

This nozzle is a heavy duty cleaning nozzle designed for standard maintenance cleaning. The power of the Sewer Flush gives the operator high wall force with a wide water pattern necessary to clean pipes up to 24".

Available in 3/4" thru 1-1/4"
Flows from 35 to 120 GPM
Pressures up to 2000
15° & 20° angles

*** Complete catalog available upon request ***



rumfolasales.com

Tel: (225)757-5339

Honest

Reliable

Experience!



Equalizer

The Equalizer is one of KEG's most unique nozzles, specially designed to virtually eliminate blowing toilets. Creates an umbrella pattern blocking airflow that creates problems blowing toilets.

Available in 3/4" thru 1-1/4"
Flows from 50 to 120 GPM
Pressures up to 2500 psi



Aquapower 700

KEG's brand new rotor nozzle with automatic rotation speed limitation for perfect all around pipe cleaning and primarily intended for grease removal. It will also remove scale, crusts and deposits of all kinds .

Available in 3/4" thru 1 -1/4"
Flows from 5 to 25 GPM
Pressures up to 2500 psi



Rotator

This nozzle is excellent at removing scaling, crusts, small roots and other tender vegetation. The unique nozzle insert configuration provides both propulsion and a rotating 360 degree body action.

Available in 1/4" thru 1-1/4"
Flows from 5 to 120 GPM
Pressures up to 4000



Duce

The Duce is Keg's vibrating rotational nozzle. Using the same water driven rotation as our conventional Rotor nozzles, the Duce literally vibrates pipe deposits away.

Available in 1/2" thru 1-1/4"
Flows from 18 to 80 GPM
Pressures up to 2000



Twister

Excellent for Hydro excavating and cleaning lines. Stainless steel body with replaceable ceramic inserts. Oscillating front jet.

Available in 1/2" and 3/4"

*** Complete catalog available upon request ***

Floor Cleaner Family



KEG's floor cleaners are ideal for removing sludge, mud, and other compacted materials yet powerful enough to remove heavy debris, rocks, bricks, broken concrete, etc. Superior to other bottom nozzles in both fluid mechanics and jet angle design, our floor cleaners put the pump's power on the floor of larger diameter pipes - where the debris is! Available from 18 to 120 GPM.

Chain Cutter Family



Micro Chain Cutter

Mini Chain Cutter

Super Cutter Plus

Super nova

KEG's Chain Cutter family offers the field operator a complete range of cutters to remove roots and scaling. These are suitable for a variety of applications, ranging from root removal, scaling, tuberculation and other types of deposits and blockages. These High speed, high torque cutters use flexible conveyor chain to remove obstructions without damaging pipes from 2" to 48".

The Stallion nozzle is a medium-sized nozzle that is a fantastic flushing nozzle. With its high thrust 12° jets, this nozzle is excellent for storm drain or sewer cleaning applications where pipes are heavily exposed to debris, or where pipes are damaged or weakened. The Stallion is ideal for flushing corrugated metal, concrete, clay, or plastic pipe.



Stallion

O.M.G.

KEG's O.M.G. nozzle offers superior performance and is suitable for larger storm drains. The large shape and design of this nozzle provides optimal cleaning with maximum thrust with minimal to no damage to the integrity of the pipe. This nozzle is ideal for cleaning deteriorated pipe, corrugated metal pipe, or concrete pipe.

Replacement Ceramic
Inserts available!

Warthog Nozzles

Warthog WT-3/8



This type of nozzle can be used for cleaning lines in many applications. This nozzle is an excellent choice for cutting roots, clearing ice, and removing blockages.

Available for 3" to 6" Lines
Flows from 5-12 GPM
Pressures up to 5000

Warthog WS-1/2



This type of nozzle can be used for cleaning lines in many applications. This nozzle can remove grease easily and cut through roots, ice and soil.

Available for 4" to 8" Lines
Flows from 8-20 GPM
Pressures up to 5000

Warthog WH-1/2 & 3/4



This nozzle is commonly used with small capacity combination trucks and large trailer jetters.

Available for 6" to 18" Lines
Flows from 10-45 GPM
Pressures up to 8000

Warthog WG-1 Classic



These nozzles are ideal to handle any municipal, industrial and commercial cleaning. These provide highly productive cleaning and eliminate the need for using multiple tools to complete a job.

Available for 8" to 36" Lines
Flows from 50-80 GPM
Pressures up to 5000

Warthog WHP-3/4 and WGP-1 Puller



The WHP-3/4 and WGP-1 are designed to produce up to 40% more pulling power than our WH-3/4 and WG-1 Classic. The rear facing jets are angled more sharply and the centralizer fins have been streamlined.

Available for 8" to 36" Lines
Flows from 50-80 GPM
Pressures up to 5000

*** Rebuild kits Available ***

Ripsaw



Applications:
 Potholing
 Daylighting
 Debris Removal
 Frac Tank Cleaning

Switchblade



Ace Deuce Quad
Applications:
 Trenching / Starting Tool
 Compact Soils / Precision Digging

Aqua Rocket



Applications:
 Industrial Use
 Concrete Cleaning
 Surface Prep
 Graffiti Removal
 Heavy Equipment Wash

Machete



Applications:
 Trenching
 Hard Soils
 Bell Holing
 Finishing Tool

Reaper Nozzles



Applications:
 Municipal Sewer Cleaning
 Commercial Drain Cleaning
 Paraffin Wax and Root Removal

Marksman



Applications:
 Tanks
 Manholes
 Lift Stations
 Long Distance Cleaning

Hydro-Excavating Handgun

Stainless Steel Barrel
 Heavy Duty Trigger



Revolution



Applications:
 Built for Municipal Sewer Systems
 Blockage Removal / Fats Oils & Grease
 Removes 3X more debris
 Uses 25% less water

*** Complete catalog available upon request ***

Root Cutters & Accessories



Hi-Torque Root Cutter Kit

Kit includes: Motor , 6", 8", 10" & 12"
Skids and Saws, Tool Box , Hardware Kit & Instructions.



Lateral Root Cutter Kit

Kit includes: Motor, 3", 4", 6"
Skids & Saws, Toolbox, Hardware Kit & Instructions.



Carbide Tooth Concave Blade

Available in 6", 8", 10", 12", 15"
& 18"



Heavy Duty Concave Blade

Available in 4", 6", 8", 10",
12", 15", 18" & 20"



Heavy Duty Flat Blade

Available in ,4", 6", 8", 10",
12", 15", 18" & 20"



Heavy Duty Spiral Blade

Available in 4", 5", 6",
8", 10", 12", 15" & 18"



Super Duty Root Saw

3 Spoke with 1" Hub



Arrow Diamond Tip Cutter

Available in 6", 8", 10",
12" & 15"



Root Cutter Hub

Available in 1" & 3/4"
Fits all models



Blade Cutter Chuck

Available in 1" & 3/4"
Fits all models



PVC Lateral Cutter

Used to cut PVC pipe
Available in 6", 8", 10",
12" & 15"



Diamond Lateral Cutter

Used to cut concrete or clay pipe
Available in 6", 8", 10",
12" & 15"



Curved Heavy Duty Blades

Comes in sets of 3
Available in 4"- 18"



Cable Cutter Tool Kit

Kit includes choice of 3
Cable Cutters 6" - 30",
Cutter Blade & Chuck

TiltSense
displays

RIDGID

Authorized Service Center

TruSense
technology



Compact 2



SeeSnake



Ridgid Monitors



SeeSnake

SeeSnake

The **SeeSnake** is equipped with the largest diameter camera head. It is your go-to machine for inspecting long runs in main sewer laterals. Available TruSense technology provides a high dynamic range (HDR) image sensor and two-way communication link between the camera head and **SeeSnake CSx** series Wi-Fi enabled monitors.

The **SeeSnake Mini** with TruSense provides down pipe visibility, vastly improved with High Dynamic Range (HDR), giving more clearly defined details of the pipe characteristics. The rugged, high-intensity LEDs provide exceptional viewing and longer life. The self-leveling camera head keeps the image upright (certain models) Powerful FleXmitter® sonde has long range and preserves the camera's ability to make turns. High Dynamic Range (HDR) image sensor offers bright, clear in-pipe imaging in difficult lighting conditions. TiltSense displays the camera's pitch in a pipe on a connected **SeeSnake CSx** series monitor.

SeeSnake Standard

- The SeeSnake Standard camera reel offers unmatched reliability and performance in a ruggedized package.
- Now available with TruSense™ technology.
- The Standard has the stiffest push cable and is available in lengths up to 325' (99 m) – making it perfect for long runs, particularly in larger pipes with fewer turns.
- Rugged, high-intensity LEDs for exceptional viewing and long life.
- Self-leveling camera head keeps the image upright.
- Powerful FleXmitter® sonde has long range and preserves the camera's ability to make turns.
- High dynamic range (HDR) image sensor offers bright, clear in-pipe imaging in difficult lighting conditions.
- TiltSense displays the camera's pitch in a pipe on a connected SeeSnake CSx series monitor.

SeeSnake Mini

- The SeeSnake Mini camera reel is the smaller version of the SeeSnake Standard system.
- Now available with TruSense™ technology.
- The Mini's moderately stiff 200' (61m) push cable strikes a good balance between stiffness and the ability to navigate turns.
- Rugged, high-intensity LEDs for exceptional viewing and long life.
- Self-leveling camera head keeps the image upright.
- Powerful FleXmitter® sonde has long range and preserves the camera's ability to make turns.
- High dynamic range (HDR) image sensor offers bright, clear in-pipe imaging in difficult lighting conditions.
- TiltSense displays the camera's pitch in a pipe on a connected SeeSnake CSx series monitor.



Accessories



NaviTrack Scout

This locator is designed to solve the most demanding remote transmitter (sonde) locates using multi-directional locating technology. Features multi-directional antenna technology that sees the entire signal all of the time. No nulls or false peaks to complicate the locate. Depth is automatically calculated and displayed when over the target.



Seektech SR-20

This Locator is a lightweight, yet rugged utility line locator that provides all the information you need for locating underground cables and pipes. It features an omnidirectional antenna which captures the complete signal field for greater speed and accuracy.



NaviTrack Brick

The NaviTrack Brick is used to trace buried cable, TV lines, phone lines and other metallic lines which can carry an electromagnetic signal. Its lightweight design makes it easy to carry. Includes conductive ground rod and two 10' connectors.



NaviTrack Line Transmitter

The NaviTrack Brick is used to trace buried cable, TV lines, phone lines and other metallic lines which can carry an electromagnetic signal. Includes conductive ground rod and two 25' coiled connectors. **Optional** inductive signal clamp.



Remote Transmitter

This transmitter can be attached to a drain cleaning cable or a water jet hose to locate the remote transmitter in a line. Includes a flashing LED that indicates the sonde is transmitting. Meets FCC Class B and EN 55022 Class B requirements.



Floating Transmitter

This transmitter is used for locating underground structures like septic tanks. It is flushable, battery-powered, and has a flashing LED that indicates the sonde is transmitting.



Pipe Guides / Roller Dolly

The ball guides are used to hold the camera off the bottom of the pipe and to help keep the camera centered. The Roller Dolly is useful in larger pipes and designed for long straight inspections.



Piranha "Ready-To-Go" Stock Length Hose Assemblies

If you don't see what you need, please refer to page 11 for your "Made-To-Order" assembly length ordering instructions.

2,500 PSI



SERIES SPOR - ORANGE COVER

PART NUMBER	SIZE CODE	HOSE I.D. (INCHES)	MALE NPTF NOM. THREAD SIZE	WORKING PRESSURE (MAX PSI)	ASSEMBLED LENGTH FT.
SPOR-MM12X400	12	3/4	3/4 - 14	2,500	400
SPOR-MM12X500	12	3/4	3/4 - 14	2,500	500
SPOR-MM12X600	12	3/4	3/4 - 14	2,500	600
SPOR-MM16X400	16	1	1-11 1/2	2,500	400
SPOR-MM16X500	16	1	1-11 1/2	2,500	500
SPOR-MM16X600	16	1	1-11 1/2	2,500	600
SPOR-MM16X800	16	1	1-11 1/2	2,500	800
SPOR-MM20X600	20	1 1/4	1 1/4 - 11 1/2	2,500	600

MADE IN USA

3,000 PSI



SERIES HPBU - BLUE COVER

PART NUMBER	SIZE CODE	HOSE I.D. (INCHES)	MALE NPTF NOM. THREAD SIZE	WORKING PRESSURE (MAX PSI)	ASSEMBLED LENGTH FT.
HPBU-MM12X400	12	3/4	3/4 - 14	3,000	400
HPBU-MM12X500	12	3/4	3/4 - 14	3,000	500
HPBU-MM12X600	12	3/4	3/4 - 14	3,000	600
HPBU-MM16X500	16	1	1-11 1/2	3,000	500
HPBU-MM16X600	16	1	1-11 1/2	3,000	600
HPBU-MM16X800	16	1	1-11 1/2	3,000	800

MADE IN USA

4,000 PSI



SERIES SHBK - BLACK COVER

PART NUMBER	SIZE CODE	HOSE I.D. (INCHES)	MALE NPTF NOM. THREAD SIZE	WORKING PRESSURE (MAX PSI)	ASSEMBLED LENGTH FT.
SHBK-MM08X400	08	1/2	1/2 - 14	4,000	400
SHBK-MM08X500	08	1/2	1/2 - 14	4,000	500
SHBK-MM08X600	08	1/2	1/2 - 14	4,000	600

MADE IN USA



FOR AVAILABILITY OF PRODUCTS AND SIZES SHOWN, PLEASE REFER TO THE BACK PAGE FOR YOUR NEAREST STOCKING LOCATION. BECAUSE WE CONTINUALLY EXAMINE WAYS TO IMPROVE OUR PRODUCTS, WE RESERVE THE RIGHT TO ALTER SPECIFICATIONS OR DISCONTINUE PRODUCTS WITHOUT PRIOR NOTICE.



Jetting/Lateral Line Hose



4,000 PSI
Series - LLGR



A yellow seamless thermoplastic tube, double high tensile synthetic fiber braid reinforcement and abrasion resistant green polyether-urethane cover.

NOMINAL SPECIFICATIONS

SERIES NUMBER	NOMINAL I.D.		NOMINAL O.D.		MAX. OPERATING PRESSURE		MIN. BURST PRESSURE		MIN. BEND RADIUS		Weight LBS/FT
	INCHES	MM	INCHES	MM	PSI	BAR	PSI	BAR	INCHES	MM	
LLGR-02	1/8	3.6	0.32	8.2	4,000	275.8	10,000	689.5	1.25	31.2	0.04
LLGR-03	3/16	4.8	0.41	10.5	4,000	275.8	10,000	689.5	1.75	44.5	0.05
LLGR-04	1/4	6.4	0.50	12.6	4,000	275.8	10,000	689.5	2.50	63.5	0.06
LLGR-06	3/8	9.7	0.65	16.5	4,000	275.8	10,000	689.5	3.00	76.2	0.11
LLGR-08	1/2	12.8	0.83	21.2	4,000	275.8	10,000	689.5	4.00	101.6	0.16

MADE IN USA



HIGH BURST
4,000 PSI
Series - SHBK, LHBK



A yellow seamless thermoplastic tube, double high tensile synthetic fiber braid reinforcement and abrasion resistant black polyether-urethane cover.

NOMINAL SPECIFICATIONS

SERIES NUMBER	NOMINAL I.D.		NOMINAL O.D.		MAX. OPERATING PRESSURE		MIN. BURST PRESSURE		MIN. BEND RADIUS		Weight LBS/FT
	INCHES	MM	INCHES	MM	PSI	BAR	PSI	BAR	INCHES	MM	
SHBK-08	1/2	12.7	0.87	22.1	4,000	275.8	12,000	827.4	3.00	76.2	0.20
SHBK-10	5/8	15.9	0.91	23.0	4,000	275.8	12,000	827.4	4.00	101.6	0.16
LHBK-08	1/2	12.7	0.80	20.3	4,000	275.8	16,000	1103.2	4.00	101.6	0.15

Note: Series LHBK-08 and SHBK-10 have a single high tensile synthetic fiber braid.

MADE IN USA



5,000 PSI
Series - LLRD



A yellow seamless thermoplastic tube, double high tensile synthetic fiber braid reinforcement and abrasion resistant red polyether-urethane cover.

NOMINAL SPECIFICATIONS

SERIES NUMBER	NOMINAL I.D.		NOMINAL O.D.		MAX. OPERATING PRESSURE		MIN. BURST PRESSURE		MIN. BEND RADIUS		Weight LBS/FT
	INCHES	MM	INCHES	MM	PSI	BAR	PSI	BAR	INCHES	MM	
LLRD-04	1/4	6.4	0.50	12.6	5,000	344.7	12,500	861.8	2.50	63.5	0.05
LLRD-06	3/8	9.7	0.65	16.5	5,000	344.7	12,500	861.8	3.00	76.2	0.13
LLRD-08	1/2	12.8	0.80	20.2	5,000	344.7	12,500	861.8	4.00	101.6	0.13

Note: Series LLRD-08 has a single high tensile synthetic fiber braid.

MADE IN USA



FOR AVAILABILITY OF PRODUCTS AND SIZES SHOWN, PLEASE REFER TO THE BACK PAGE FOR YOUR NEAREST STOCKING LOCATION. BECAUSE WE CONTINUALLY EXAMINE WAYS TO IMPROVE OUR PRODUCTS, WE RESERVE THE RIGHT TO ALTER SPECIFICATIONS OR DISCONTINUE PRODUCTS WITHOUT PRIOR NOTICE.



Fittings & Accessories for Piranha Hoses

End fittings and menders for thermoplastic hose are not interchangeable. It is essential that hose, end fittings, menders and tooling are properly matched. Identification of Piranha Hose Products is simple. The inner tube of all Piranha sewer cleaning hose is yellow, as assigned by WASTEC (Waste Equipment Technology Association) to the manufacturer's identification code. To assure proper matching of all components, the hose tube material, end fittings, menders and tooling should be purchased directly from Piranha Hose Products, Inc.



MALE FITTINGS

PART NO.	USE WITH HOSE SERIES	WEIGHT
F06NPT6	LLGR, SLGR-06	.17 LBS
F08NPT8	LLBU, SLBU, LLGR, SLGR, LLRD, SLRD, LHBK, SLLHBK-08	.36 LBS
F10NPT8	SPOR, SLSPOR-10	.36 LBS
F12NPT12	SPOR, SLSPOR, HPBU, SLHPBU-12	.43 LBS
F16NPT16	SPOR, SLSPOR, HPBU, SLHPBU-16	.71 LBS
F20NPT20	SPOR, SLSPOR-20	1.00 LBS
F24NPT24	SPOR, SLSPOR-24	2.52 LBS
FAR08NPT8	LAGR-08	.34 LBS
FAR10NPT8	SAOR-10	.42 LBS
FAR12NPT12	SAOR, HABU-12	.49 LBS
FAR16NPT16	SAOR, HABU-16	.79 LBS
FAR20NPT20	SAOR-20	1.03 LBS
FHP08NPT8	SHBK, SLSHBK-08	.28 LBS
FHP10NPT8	SHBK, SLSHBK-10	.34 LBS



FEMALE ADAPTER FITTINGS

PART NO.	USE WITH HOSE SERIES	WEIGHT
A06FPX06FS	LLGR, SLGR-06	.16 LBS
A08FPX08FS	LLBU, SLBU, LLGR, SLGR, LLRD, SLRD, SHBK, SLSHBK, LHBK, SLLHBK, LAGR-08 & SPOR, SLSPOR, SHBK, SLSHBK, SAOR-10	.21 LBS
A12FPX12FS	SPOR, SLSPOR, HPBU, SLHPBU-12	.34 LBS

FEMALE FITTINGS



PART NO.	USE WITH HOSE SERIES	WEIGHT
F08FS8	LLBU, SLBU, LLGR, SLGR, LHBK, SLLHBK-08	.29 LBS
F12FS12	SPOR, SLSPOR, HPBU, SLHPBU-12	.52 LBS
F16FS16	SPOR, SLSPOR, HPBU, SLHPBU-16	.81 LBS
FAR08FS8	LAGR-08	.38 LBS
FAR12FS12	SAOR, HABU-12	.60 LBS
FAR16FS16	SAOR, HABU-16	.90 LBS
FHP08FS8	SHBK, SLSHBK-08	.32 LBS

DIES



PART NO.	USE WITH HOSE SERIES	WEIGHT
DS06	LLGR, SLGR-06	2.29 LBS
DS08	LLBU, SLBU, LLGR, SLGR, LHBK, SLLHBK-08	2.19 LBS
DS085	LLRD, SLRD-08	2.20 LBS
DS10	SPOR, SLSPOR-10	1.87 LBS
DS12	SPOR, SLSPOR, HPBU, SLHPBU-12	1.99 LBS
DS16	SPOR, SLSPOR, HPBU, SLHPBU-16	1.74 LBS
DS20	SPOR, SLSPOR-20	1.39 LBS
DSAR08	LAGR-08	2.13 LBS
DSAR12	SAOR, HABU-12	1.9 LBS
DSAR10	SAOR-10	1.97 LBS
DSAR16	SAOR, HABU-16	1.63 LBS
DSAR20	SAOR-20	1.21 LBS
DSHP08	SHBK, SLSHBK-08	2.15 LBS
DSHP10	SHBK, SLSHBK-10	2.18 LBS

MALE SWIVEL FITTING



PART NO.	USE WITH HOSE SERIES	WEIGHT
F06MSNPT6	LLGR, SLGR-06	.21 LBS



FOR AVAILABILITY OF PRODUCTS AND SIZES SHOWN, PLEASE REFER TO THE BACK PAGE FOR YOUR NEAREST STOCKING LOCATION. BECAUSE WE CONTINUALLY EXAMINE WAYS TO IMPROVE OUR PRODUCTS, WE RESERVE THE RIGHT TO ALTER SPECIFICATIONS OR DISCONTINUE PRODUCTS WITHOUT PRIOR NOTICE.



Fittings & Accessories for Piranha Hoses & Swaging Equipment

MALE PUSHERS



PART NO.	USE WITH HOSE SERIES	WEIGHT
DPT06	LLGR, SLGR-06	2.33 LBS
DPT08	LLBU, SLBU, LLGR, SLGR, LLRD, SLRD, LHBK, SLLHBK, SHBK, SLSHBK-08 & SHBK, SLSHBK, SPOR, SLSPOR-10	2.23 LBS
DPT12	SPOR, SLSPOR, HPBU, SLHPBU-12	2.11 LBS
DPT16	SPOR, SLSPOR, HPBU, SLHPBU-16	1.81 LBS
DPT20	SPOR, SLSPOR-20	1.66 LBS
DPTAR08	LAGR-08	2.19 LBS
DPTAR10	SAOR-10	2.19 LBS
DPTAR12	SAOR, HABU-12	2.07 LBS
DPTAR16	SAOR, HABU-16	1.77 LBS
DPTAR20	SAOR-20	1.39 LBS

FEMALE PUSHERS



PART NO.	USE WITH HOSE SERIES	WEIGHT
DPT08FS	LLBU, SLBU, LLGR, SLGR, LHBK, SLLHBK, SHBK, SLSHBK-08	2.18 LBS
DPT12FS	SPOR, SLSPOR, HPBU, SLHPBU-12	1.87 LBS
DPT16FS	SPOR, SLSPOR, HPBU, SLHPBU-16	2.18 LBS
DPTAR08FS	LAGR-08	2.75 LBS
DPTAR12FS	SAOR, HABU-12	2.47 LBS
DPTAR16FS	SAOR, HABU-16	2.1 LBS

NOTE: THE USE OF FITTINGS AND ASSEMBLY TOOLING OTHER THAN THAT SUPPLIED BY PIRANHA HOSE PRODUCTS IS AT THE RISK AND LIABILITY OF THE USER.

MENDERS



PART NO.	USE WITH HOSE SERIES	WEIGHT
F08MEND	SHBK, SLSHBK-08	.34 LBS
F10MEND	SPOR, SLSPOR-10	.34 LBS
F12MEND	SPOR, SLSPOR, HPBU, SLHPBU-12	.54 LBS
F16MEND	SPOR, SLSPOR, HPBU, SLHPBU-16	.77 LBS
F20MEND	SPOR, SLSPOR-20	1.22 LBS
FAR08MEND	LAGR-08	.39 LBS
FAR12MEND	SAOR, HABU-12	.69 LBS
FAR16MEND	SAOR, HABU-16	.98 LBS
FLL08MEND	LLBU, SLBU, LLGR, SLGR, LHBK, SLLHBK-08	.32 LBS
FA10MEND	SHBK, SLSHBK-10,	.44 LBS

HORIZONTAL SWAGE TOOL

A PIRANHA SUPPLIED SWAGING MACHINE IS REQUIRED FOR THE INSTALLATION OF END FITTINGS AND MENDERS. ALL ASSEMBLY TOOLING IS DESIGNED AND PRODUCED TO BE COMPATIBLE WITH THE PIRANHA HOSE PRODUCTS SUPPLIED SWAGING MACHINES.

PART NO.	WEIGHT
SWAGE HAND	25.5 LBS



HAND OPERATED HYDRAULIC SWAGING MACHINE

PART NO.	WEIGHT
SWAGE-HYDSALES	59 LBS



FOR AVAILABILITY OF PRODUCTS AND SIZES SHOWN, PLEASE REFER TO THE BACK PAGE FOR YOUR NEAREST STOCKING LOCATION. BECAUSE WE CONTINUALLY EXAMINE WAYS TO IMPROVE OUR PRODUCTS, WE RESERVE THE RIGHT TO ALTER SPECIFICATIONS OR DISCONTINUE PRODUCTS WITHOUT PRIOR NOTICE.



Portable Jetter

Small Powerful Jetters for Unstopping Sewer lines 2" - 6"
and Pressure Washing Graffiti / Parking lots.

Options

- Portable Jetter rated 5 gpm @ 3000psi
- 14 HP engine
- Heavy Duty Triplex plunger pump with stainless steel valves.
- Pumps handle fluids up to 160° degrees
- Compact durable frame
- Heavy Duty Tires & Rims
- Easy to maneuver
- Power Pulse Feature available
- Adjustable pressure
- 3/8" x 300' Jetter hose
- 2 Year warranty on Engine
- 5 Year warranty on Pump
- Lifetime warranty on frame welds



PN: RS-PJ5/3000



*** Call for more detailed information and specifications ***

High Performance Jetters



7030 SC



3518 SC



7040 T



7040 SC



3540 SC

Standard Options:

- GPMS up to 50
- Pressures from 2000 to 4000
- Rotating hose reel (most models)
- Variable speed control
- Hose sizes 1/2" to 1"
- UV polyethylene tanks
- Manhole w / screen
- Toolbox
- One Flusher Nozzle
- One Penetrator Nozzle
- Air purge system
- 12V Power supply outlet
- Level wind guide
- Leader hose
- Murphy shutdown system (most models)

Available Options:

- Arrowboard
- Fixed Strobe Light
- Fixed rotating beacon light
- Side panels painted
- Pintle hitch
- Wireless remote option
- Level wind guide with counter
- Washdown gun with 25' hose
- Cold weather recirculation
- 25' fill hose
- Steel or Aluminum diamond plate tank shroud
- 3" by 36" tiger tail
- Auto level wind guide
- Low water shut down
- Camera system

*** Government funding available! Call for more information ***



Thank you for your business!

The Rumfola Sales Team

10898 N. Dual St.
Baton Rouge, La. 70814
225-757-5339