


America's Oldest Continuous Manufacturer of Archery Tackle


stemmaier



A.



B.




C.

**A Product
Line For All
Archers**

Stemmler Woods . . .

Superior Design Combined with Modern Technology Provide the Bowhunter with the Ultimate in Beauty, Style and Performance in the Traditional All Wood Construction



SILENCER

THE STING



STEMMLER SPEED CAM



UNI-CORE LAMINATE LIMB DESIGN

SILENCER

This multi-purpose wood-handle bow utilizes tri-draw aluminum step wheels with a cable system that returns the cables to the axle, providing the shooter a 50% let-off and a three-inch range in draw length adjustment for extremely stable and precise shooting characteristics. Its 44" axle-to-axle length makes the Silencer an excellent choice for the bowhunter who would also like to do some target shooting with the same equipment, and its beautiful slate-gray finish make it a popular choice for either application.

the Sting

The highest degree of modern wood technology combined with the superior design characteristics built into all of Stemmler bows, make the Sting the ultimate all-around performer in the all-wood, programmed cam category. Our one-piece cam is machined out of strong aluminum alloy making it sturdy, quiet and rugged enough for all hunting conditions. Our speed cams provide for 50% let-off and are available in 5 different sizes, allowing draw lengths from 26" to 32" in 1-inch increments. The axle to axle length is 44" making the Sting the longest and smoothest cam bow in its category.

Centaur MAGNUM

This high quality 3-piece hunting bow features a dynamically balanced inside yoke system combined with tri-draw aluminum step wheels to provide for perfect center shot.

The tri-draw aluminum step wheels provide a 50% let off and a 3-inch range in draw length adjustment. The four position yoke button allows the draw length to be adjusted in additional 1/4" increments within each of the one-inch ranges provided by the eccentric wheel. This system provides for the ultimate in draw length adjustment to adapt to any style of shooting. Combine these features with the short 39" axle-to-axle length of the Centaur Magnum and its beautiful chestnut-brown finish and you have the ultimate wood-handled hunting bow.

The Silencer, Sting and Centaur Magnum bows are all equipped with their own rugged cable guard designed specifically for high energy bows. Its high strength comes from its aluminum and steel construction and prevents the cable tension rod, which can be adjusted to either of two positions, from being forced into the shooter's line of sight when the bow is at full draw.

Model	Model Number	Let-off	AMO Length	Bowstring Length*	Handle Color	Draw Weights	Draw Lengths
SILENCER	2421	50%	44	37"	Slate Gray	45/60 55/70	27" to 33"
STING	2423	50%	44	37"	Acorn Brown	45/60 55/70	26" to 32"
CENTAUR MAGNUM	24225	50%	39	33"	Chestnut Brown	40/55 50/65	27" to 32"


Licensed under Allen Patent 3,486,495



CENTAUR MAGNUM

Stemmler Metals For the Bowhunter... Quality Engineered in The Tradition of a Legend

If you remember the quality, grace and performance of Wing compound bows, our new metal handle compound will be strikingly familiar. The legendary Wing bows are now being manufactured by Stemmler with the same superlative styling that made Wing bows so respected and, for years, sought after by discriminating bowhunters. Improved limb and handle designs combined with innovative compound cable systems and state-of-the-art eccentrics provide the shooter with the closest thing to perfection in modern bowhunting equipment.



TRI-DRAW ALUMINUM STEP-WHEELS

THUNDERBIRD MAGNUM

THUNDERBIRD



SIERRA HUNTER

The ultimate hunting bow—The Sierra Hunter features our unique dynamically balanced outside yoke system combined with tri-draw aluminum step-wheels to provide perfect center shot and the most precisely balanced shooting system available on any piece of shooting equipment. The four position yoke button allows the bow to be adjusted over a one-inch draw length range in 1/4" increments. The tri-draw eccentrics allow for an overall three inch adjustment range in draw length. Combine these special features with our rigid cable guard, and you have a shooting system that has less than a 2% change in energy efficiency over the full 15 pound draw weight range.

SIERRA HUNTER With Speed Cams

The ultimate cam bow—The Sierra Cam utilizes the same dynamically balance outside yoke system as the Sierra Hunter with eccentric wheels. This system combined with our one-piece aluminum speed cam provides for perfect center shot and the most precisely balanced shooting system available with any speed cam bow. It's 48" axle to axle length make it an extremely smooth draw and smooth shooting cam system.

THUNDERBIRD

The Thunderbird is a two-wheel split limb compound that utilizes a wide 3-stage Delrin eccentric wheel. This top wheel provides an extremely smooth drawing, stable system that allows the bow to perform well without the use of a cable guard.

The cable ends of the Thunderbird feature exclusive 3-point string positions that permit the bow to be adjusted over a three inch draw length range in one inch increments. The Thunderbird is a high quality, lightweight, high performance bow.

THUNDERBIRD MAGNUM

This high quality hunting bow utilizes tri-draw aluminum step wheels with a cable system that returns the cable to the axle. These eccentrics allow a 3 inch draw length range in one inch increments and provide the shooter with extremely stable and precise shooting characteristics at 50% let-off. The Thunderbird Magnum is equipped with our own unique cable guard. The adjustable rod of this rigid guard is held securely in two positions. This prevents the rod from being forced into the shooter's line of sight from the pressure of the cables when the bow is at full draw. The Thunderbird Magnum comes from the factory with our special Morning Shadow Camouflage paint on the limbs and a flat black matt finish on the riser. This new camo color and pattern is perfect under all hunting conditions.

SIERRA HUNTER With Speed Cams

Model	Model Number	Let-off	AMO Length	Bowstring Length	Handle Color	Draw Weights	Draw Lengths
SIERRA HUNTER WITH SPEED CAMS	2435	50%	48	42"	High Gloss Black	35/50 45/60 55/70	26" to 32"
SIERRA HUNTER	2434	50%	48	42"	High Gloss Black	45/60 55/70	25" to 32"
THUNDERBIRD MAGNUM	2432	50%	47	42"	Flat Black With Camo Limbs	45/60 55/70	25" to 33"
THUNDERBIRD	2430	50%	48	42"	Flat Black	35/50 45/60 55/70	24" to 32"


Licensed under Allen Patent 3,486,495

Stemmler Metals for the Tournament Archer... The Tradition Continues

With the resurgence of tournament archery, Stemmler has taken a proven performer and improved it for today's more demanding competitors. The grace, quality and performance of the original Wing target compounds have been retained and combined with state-of-the-art design concepts to produce Stemmler's new line of Tournament compound bows. Our new improved limb and handle designs provide superlative performance unmatched by any manufacturer. Each Stemmler tournament compound is engineered to provide the shooter with the optimum combination of stability, smoothness of draw, quality and speed. Give yourself the winning edge, try Stemmler performance.

COMPETITION I

PRESENTATION



DYNAMICALLY
BALANCED
YOKE SYSTEM



FULL CENTER
SHOT FOR
MAXIMUM
TUNEABILITY

Competition

The Competition I combines our unique dynamically balanced outside yoke system with tri-draw aluminum step wheels to provide perfect center shot from a superbly balanced and stable shooting system.

The four position yoke button allows the bow to be adjusted in 1/4" increments over a one-inch draw length range. The tri-draw eccentrics allow draw length adjustments over a full three-inch range.

Combine these special features with our rigid cable guard system, all chrome or polished aluminum hardware, and you have a shooting system that has less than a 2% change in energy efficiency over the full 15 pound draw weight range.

Presentation

This high quality target bow utilizes tri-draw aluminum step wheels with a cable system that returns the cable to the axle. These eccentrics allow a 3 inch draw length range in one inch increments and provide the shooter with extremely stable and precise shooting characteristics. The Presentation is equipped with all chrome or polished aluminum hardware including our own unique cable guard. The adjustable rod of this rigid guard is held securely in two positions. This prevents the rod from being forced into the shooter's line of sight from pressure of the cables when the bow is at full draw. The Presentation is an excellent bow for all phases of compound tournament archery.

Competition

The ultimate target bow—The Competition III features our unique dynamically balanced outside yoke system, combined with tri-draw aluminum parallel eccentrics to provide perfect center shot and the most precisely balanced shooting system available on any piece of shooting equipment.

The Competition III is specifically designed with the finger shooter in mind and with its axle to axle length of 53" it is unequalled in stability and smoothness of draw.

The four position yoke button allows the bow to be adjusted in 1/4" increments over a one inch draw length range. The tri-draw eccentrics allows for a 3 inch overall draw length adjustment. Combine these features with all chrome or polished aluminum hardware limb bolts that are designed to accept stabilizer rods and our own rigid cable guard system and you have the ultimate tournament shooting system.

Model	Model Number	Let-off	AMO Length	Bowstring Length	Handle Color	Draw Weights	Draw Lengths
COMPETITION III	2437	50% or 35%	53	46"	White, Red, Green, Blue, Black	25/40 35/50 45/60	26" to 34"
COMPETITION I	2439	50%	48	42"	White, Red, Green, Blue, Black	25/40 35/50 45/60	24" to 32"
PRESENTATION	2438	50%	47	42"	White, Red, Green, Blue, Black	25/40 35/50 45/60	24" to 33"

Licensed under Allen Patent 3,486,495

COMPETITION III



The Len Cardinale Signature Bow

Custom Hunter Recurve Take-down

For the recurve enthusiast we have rebuilt our quality take-down hunting bow as a result of two years of field shooting by Len Cardinale on hunts from Alaska to Maine and bowfishing for shark. A beauty to own, the essence of simplicity to shoot; no wonder recurve bows are coming back into their own.

Features: Laminated Maple natural handle section. • Black glass limbs, gold graphics. • Permanently installed bushings for stabilizer, bowfishing gear, bowhunting sight and cushion plunger. • Replaceable limbs. • Right or Left Hand. • Mass weight: 3 lbs.

LEN CARDINALE

A bowhunter for some 32 years, Len has traveled throughout North America to hunt with bow and arrow. To date, he has taken five Pope and Young record class animals with Stemmler equipment. A senior member of the Pope and Young Club, Len has dedicated his life to the sport of Archery. He is currently serving as a board member of the International Bowhunting Education Foundation; a member of the NRA Bowhunting Advisory Staff as well as being a staff member of Bowhunters Who Care.

As a Pro-Shop owner for more than 20 years, Len's experience with archery equipment and his relationship with bowhunters has served to guide Stemmler in the development of its enlarged product line. The Cardinale Signature Bow has been custom designed for Len and has had three years of field experience behind it.

The Stalker

Uncompromised quality and materials, strength, stability and small size combine to produce superb results for the archer dedicated to the trouble-free recurve. Features include full working recurve, glass laminated tips for extra strength; comfort palm-fit handle; tapped for stabilizer and other bow accessories. An ideal size for the treestand hunter.

Specifications: Draw weights: 45, 50, 55 lbs. • Bow length: AM054. • Left-hand model available

Model	Model Number	AMO Length	Handle Color	Draw Weights (lbs.)
LEN CARDINALE SIGNATURE	2452	62	Natural maple laminated handle and limb core	50, 55, 60 65, 70
STALKER	2440	54	Natural maple laminated handle and limb core	45, 50, 55

In the Tradition of World Class Archery Stemmler Introduces The Competition II . . . A Proven Performer



COMPETITION II

Competition II

Choice of champions, the Competition II has proven its performance on the tournament line around the world. Engineered with the discriminating target archer in mind, this bow is unmatched in balance, performance and stability by any bow in its class.

The Competition II's classic design features a 7¼" sight window and an individual limb tiller adjustment system that allows for a full 10 pound adjustment in draw weight.

Varsity II

The Junior Olympic Archery Development Program has inspired better archery training throughout the country. Likewise, schools, camps and college archery programs have served to inspire the archery talents of shooters of all ages.

To meet the response of the growing number of new archers and the demand for better equipment Stemmler designed the Varsity II. Introduced only 7 years ago the Varsity II has been used to develop the skills of more archers than all other bows in its class combined.

Pre-drilled for sights and stabilizers the Varsity II is the number one choice for the new archer.

Model	Model Number	AMO Length	Handle Color	Draw Weights (lbs.)
COMPETITION II	2470	66 68 70	Red, Blue, Green, Black, White In high gloss metallic Imron Finish	25/35 30/40 40/50 45/55
VARSITY II	2473	60	Natural maple laminated handle and limb core	20, 25, 30, 35, 40

LEN CARDINALE

STALKER

VARSITY II

Introducing RANGER

The Newest Addition to the Stemmler Woods

Every detail of this beautiful bow has been engineered for optimum performance in the hands of the young archer or woman bowhunter. The Ranger features: all maple laminated handle and limb cores, black glass covered limbs, and split-limb construction for the eccentric wheels, making it the highest quality, best performing bow in its class.

Its 40" axle to axle length and light mass weight of 3 pounds 15 ounces is ideal. The metal tri-draw eccentrics allow for an overall draw length range of 4" making it the ideal bow for the young shooter to grow with.

Specifications:

- No. 2427
- Axle to Axle Length: 40"
- AMO String Length: 35"
- Draw Length and Draw Weights:
 - 24-26"/25-40 lbs.
 - 25-27"/30-45 lbs.
 - 26-28"/35-50 lbs.
- Right or Left Handed

Licensed under Allen Patent 3,486,495

RANGER



Archery Sets

Pick an "All-In-One" Archery package, and the backyard fun begins. Here is instant archery by Stemmler, providing enough variation of packaging to please the beginner, intermediate and expert, adult or youngster, target shooter or hunter.

No. 454 RECURVED FIBERGLASS BOW AMO40
Includes four 21" practice arrows, armguard, fingertab, target face and instructions. Draw weight: 15 lbs.

No. 456 RECURVED FIBERGLASS BOW AMO52
Fun for the whole family, including Dad. This larger bow is matched with four 26" cedar arrows. Also included are target face, armguard, fingertab, instructions and a braided Dacron bowstring. Draw weight: 25 lbs.

No. 457 RECURVED FIBERGLASS BOW AMO52
Bow features a full sight window and custom Dacron bowstring. It is perfect for hours of friendly backyard competition. Included are four 26" cedar arrows, target face, armguard, belt quiver, fingertab and instructions. Draw weight 30 lbs.

No. 458 RECURVED FIBERGLASS BOW AMO60
Sure-shot archery can be achieved with this 60" recurved fiberglass bow. Includes four 28" target arrows, armguard, target face, fingertab, belt quiver, instructions and a custom Dacron bowstring. Draw weight: 35 lbs.


No. 633 HAWK LAMINATED BOW AMO48
A perfect target archery set, featuring our HAWK Bow for a young archer. Four cedar arrows, armguard, fingertab, target face, and the ABC's of Archery. Bow length AMO 48. Specify draw weight: 25 or 30 lbs. Packed six per standard carton. Weights assorted.

No. 634 VARSITY II LAMINATED BOW AMO60
A custom crafted Varsity II Bow target archery set, great for a family outfit. High quality cedar arrows, armguards, fingertab, belt quiver, target face and complete instructions. Bow length AMO60. Specify draw weight: 30, or 35 lbs. Packed six per standard carton. Weights assorted.

Fiberglass Bows

Years of experience have resulted in our production of the finest glass bows on today's market. Recurved bows are handcrafted from pre-stressed and hand laid fiberglass strands. Our process ensures maximum arrow cast as well as bows that are practically unbreakable. These beautifully finished bows have dual arrow rests for right and left hand shooters. Molded plastic handle and braided Dacron bowstring.

Number	Bow Length	Draw Weight (in lbs.)
814	AMO40	15
815	AMO46	20
816	AMO52	20 and 25
822	AMO52	25 and 30
823	AMO60	30 and 35



SELF-SELL PACKAGING
Create an Instant Archery Department!

Stemmler Bow Hunting Sets

No. 431
This bow hunter's outfit boasts our VARSITY II, a composite bow. The modest price includes four select hunting arrows, bow quiver, armguard and finguerguard, plus practice target face and instructions. Draw weight: 40 lbs.

No. 432
Here's the JAGUAR with powerful recurve design, fiberglass laminated to wood, the perfect backwoods companion. Includes four two-blade hunting arrows, bow quiver, hunter's armguard and shooting glove, target face and instructions. Draw weight: 45 lbs.

No. 433
This top performance Bow Hunter's Set includes the STALKER, a full working limb composite bow. Includes four matched hunting arrows, bow quiver, hunter's armguard and shooting glove. Draw weight: 50 lbs.



Bow Strings and Displays

SINGLE LOOP BOWSTRINGS

For all bow lengths. Single loop and tie end. Tie end is attached to a bow with a Timber Hitch.

No. 401 Braided Dacron. Center served. For bows up to 35 lbs.

No. 22 Single loop Deluxe Dacron, center served. For bows up to 65 lbs.

DOUBLE LOOP BOWSTRINGS

No. 402 BRAIDED DACRON BOWSTRINGS

Center served. Specify bowstring length. For bows up to 35 lbs. AMO lengths: 36, 38, 40, 42, 46, 48, 50, 52, 54, 56.

No. 22T FULLY SERVED CUSTOM DACRON BOWSTRINGS.
Ply-wax finish for durability. Specify AMO bowstring length and bow draw weight. AMO lengths: 46 to 72.

No. 22TC COMPOUND BOWSTRINGS.
Monofilament serving. In stretched lengths 35", 37", 38", 39", 40", 42", 43", 44".

No. 23 BOWSTRING DISPLAY.
Thirty-six double loop Dacron Bowstrings. Professional grade quality. In popular AMO lengths for assorted draw weight bows. Each string in reusable polybag. 9 popular AMO lengths: 48 to 64.

No. 400 BOWSTRING DISPLAY.
Thirty-two double-looped braided Dacron Bowstrings for bows up to 35 lbs. draw weight. 8 popular AMO lengths for 42 Juvenile and Adult Bows.

No. 7300 TEX-TITE BOWSTRING WAX.
Formulated for synthetic fiber bow strings. Packed in handy push-out plastic container.

No. 7310 DACRON BOWSTRING THREAD.
The proper material for fine, handmade strings. 4 oz. tube.

See additional bowstring accessories on page 19.


Stemmler... A Complete Source for Arrows

As the sport of archery develops more sophisticated bows, the demand for arrow materials, styles and types becomes more varied. In order to serve these demands, we have one of the broadest arrow selections in style, price and versatility available anywhere. Ordering arrows calls for care. Here are some important things to keep in mind. The length of an arrow is measured from the bottom of the nock slot, to the back of the head. When ordering arrows complete, we need to know the arrow length, and the draw weight of the bow to be used. All of our arrows conform to AMO arrow standards. Proper arrow selection is extremely important for consistent performance.

SEE PRICE LIST FOR PACK VARIATIONS

1. STEMMLER XX75 ALUMINUM ARROWS

This Easton XX75 shaft provides the ultimate in precision and quality for the lightest conventional recurve and all compound bows. Available in both Camo and non-glare Autumn Orange anodized colors. Available in both premium turkey feather and plastic vane fletching at specified draw length or full length. See price list for specific packaging and ordering information.



2. STEMMLER GRAPHLEX XT, GRAPHITE ARROWS

The new durability secret in Graphlex XT shafts is the aerospace grade S2 Glas Circ-Wrap fiber. This fiber is used for its incredible impact resistance and "Hoop" strength. The new "Aspengold" camouflage finish enhances this rugged bow hunting shaft. See price list for specific packaging and ordering information.

3. STEMMLER ALUMINUM ARROWS

No other material lends itself to closer tolerances and better matching between spine and weight than aluminum. Experienced tournament archers and bowhunters count on aluminum shafts for these demanding qualities. A new archer delights in the difference in performance when he first steps up to aluminum. See price list for specific packaging and ordering information.

3A. STEMMLER SILVER ALUMINUM TARGET ARROWS

A good arrow to select for excellent economy, high quality and that competitive edge. Ideal for school, camps and institutional equipment.

3B. STEMMLER GAMEGETTER ALUMINUM BOWHUNTER ARROWS

These are the popular Easton Gamegetter arrows for both field and bowhunting, anodized dark green.

3C. STEMMLER CAMO-MAGNUM ALUMINUM BOWHUNTER ARROWS

This Camo Magnum arrow meets the high quality requirements of anodized camouflaged aluminum shafts demanded by bowhunters at economy prices.



3D. STEMMLER AMERICAN EAGLE ALUMINUM HUNTING ARROWS

An economy aluminum arrow anodized light green that is ideal for bowhunters with high performance consistent with its economical cost.

4. STEMMLER FIBERGLASS ARROWS

Fiberglass arrows have no match for toughness. They will not warp and for strength in the field, in schools, or in camps they are tough to beat. See price list for specific packaging and ordering information.

4A. STEMMLER YELLOW FIBERGLASS TARGET ARROWS

Durability and consistency combine to make this arrow a top performer for the accomplished archer and an economical arrow for the demands of school and camp use.

5. STEMMLER PORT ORFORD CEDAR ARROWS

The finest grade Port Orford cedar arrows are matched to close tolerances with top grade turkey feather fletching. These arrows are suitable for school, or campus competition and hunting for rugged adult use. See price list for specific packaging and ordering information.



5A. Selected and closely matched shafts ensure a quality arrow consistent with moderate cost for bows up to 40 pound draw weight.

5B. A good pre-hunting practice arrow fitted with 125 grain heads. Top quality turkey fletching for excellent flight characteristics on bows up to 60 pound draw weight.

6. STEMMLER BULK PACKED CEDAR ARROWS

Attractively displayed in self-service eye catching display boxes. Fully lacquered shafts in all popular lengths. Specific packaging information in price list.

6A. PRACTICE ARROWS

Youngsters practice arrows with metal heads, fine line crests and turkey feathers, lengths 24", 26" and 28" in each standard pack. May be ordered in any one standard length.

6B. TARGET ARROWS

Select Port Orford cedar arrows recommended for schools, camps and institutional recreational activities. Lacquered shafts, fine line crests, three inch turkey feathers and fitted with long bullet shaped points. Standard lengths: 24", 26", 28" and 30". Standard pack is 1/2-26", 1/2-28" lengths, may be ordered in any one standard length. Specific packing listed in price list.

6C. FIELD ARROWS

An adult field arrow of select Port Orford cedar for bows up to 50# draw weight. Appropriate turkey feather fletching to assure excellent flight. Draw length 30" only. Specific packaging in price list.

6D. FLU FLU ARROWS

A fine roving arrow for confined areas and as a hunting arrow for tree-perched game. Flu Flu fletching acts as an air brake. After initial flight the arrow slows quickly and dips sharply allowing its easy recovery.

Quivers

HEAVY LEATHERETTE

These quivers simulate in color and embossing the appearance of genuine leather.

No. 31 BELT QUIVER

This round 16" long belt quiver has earned great popularity with the beginning archer. Holds a dozen arrows easily. Belt loop for attaching.

No. 32 SHOULDER QUIVER

A moderately priced shoulder quiver measuring 2 1/2" round, and 18" long.

TARGET AND FIELD QUIVERS

No. 33 SIDE SLING QUIVER

Attractive vinyl quiver with comfortable side sling harness.

Quivers

No. 37P QUIVER

New style belt quiver for field and target archers. Top quality vinyl with full zipper accessory pocket and arrow divider strap. Will hold twelve field arrows easily. Adjustable harness attaches to belt for proper positioning.

No. 44 HOLSTER STYLE QUIVER

Large accessory pocket, score card holder, pencil slot, holds 6-8 arrows, divider loop.

HUNTING QUIVERS

No. 38 HUNTING QUIVER

Heavy vinyl quiver with contrasting cuff. Shoulder harness and buckle strap for comfortable shoulder carry. Large capacity for hunting arrows.

Shooting Gloves

No. 30 SHOOTING GLOVE

A well designed shooting glove, soft vinyl back, single seam finger tips, adjustable wrist strap. Specify small, medium, large, or X-large.

No. 30S DELUXE SHOOTING GLOVE

Single seam top grain leather. Wide elastic form-fitting back and adjustable wrist strap. Specify small, medium, large, or X-large.

No. 3050 As above with Velcro fasteners.

No. 3060 NEW FULL GLOVE

Soft flexible glove leather throughout; with reinforced finger stalls. Supersoft tips allow the archer to "feel" the string for a good release. Full glove panels keep hand warm; glove is durable and flexible. With Velcro fasteners only; can be used right and left hand. Specify: small, medium, large, extra large.

Extend Your Bowhunting Season— Try Bowfishing!

You can enjoy the challenge of bowhunting all year long. This year try bowfishing!

No. 3141 BOWFISHING SET


This well equipped bowfishing set includes 4 1/2" reel, line, #1450 arrow and instructions.

No. 3142 ALUMINUM BOW REEL TAPE ON

4 1/2" diameter reel for tape-on mounting.

No. 3143 ALUMINUM BOW REEL SCREW ON

4 1/2" diameter reel that mounts on stabilizer bow bushing.



Finger Tabs

No. 29 FINGER TAB

Tough, smooth vinyl. Small or large.

No. 29M FINGER TAB

Tough vinyl in popular Marshall tab design. Specify small, medium or large.

No. 2910 DOUBLE THICK FINGER TAB

Marshall tab design in tough vinyl. Specify small, medium or large.

No. 2920 SUPER SLICK TAB

Finger pinch spacer for exceptionally clean releases. Specify small, medium or large.

No. 2925 STEMMLER NO PINCH TAB

Faced with smooth calf hair. Specify small, medium or large.

Armguards

No. 2500 ARMGUARD

Youngster's armguard of thick vinyl. Elastic cord for attachment.

No. 2600 ARMGUARD

Intermediate and adult vinyl armguard, reinforced steel.

No. 2610 As above with Velcro fasteners.

No. 2800 ARMGUARD

A 7" hunting and target armguard of tough heavy vinyl. Fully lined with a reinforcing steel stay. Sturdy straps.

No. 2801 As above, but with camo pattern.

Armguards

No. 2810 VENTILATED ARMGUARD

Skeleton Design for cool comfort with maximum protection.

No. 2820 Same as No. 2800, but with Velcro fasteners.

No. 2821 As above, but with camo pattern.

No. 2830 ARMGUARD

Extra long armguard for maximum protection. Tough, heavy vinyl with steel stay and adjustable straps.

No. 3144 DOUBLE BARB SCREW ON

Removable barb for medium duty fish arrows.

No. 3145 RETRACTABLE DOUBLE BARB POINT

Extra gauge barbs spring open upon impact. Parallel hole ferrule.

No. 3146 ECONOMY FISH REEL

A good beginner's reel for light duty with 50 feet of 45# test line.

No. 3147 FIXED DOUBLE BARB FISH POINT

Unique design with heavy duty barbs fixed in ferrule parallel hole.

No. 3148 STING-A-REE FISH POINT

Heavy duty barbs reverse direction for easy extraction. Parallel hole ferrule.

No. 3149 AQUA KILLER FISH POINT

A long favorite for bow fisherman after big fish. Heavy duty parallel hole.

No. 3150 BOWFISHING LINE

75 yards, 45# test.

3152

No. 3151 SHOOT THRU REEL

8" diameter, for tape-on mounting. Large diameter allows easy line payoff.

No. 3152 KEN BROWN BOWFISHING GUIDE

The most authoritative up-to-date book. Over 125 pages of a unique and exciting sport by a professional writer and hunter.

STEMMLER BOWFISHING ARROWS

Specify 31" or 34" draw length

No. 1450 Solid fiberglass fish arrow with No. 3144 point.

No. 1460 Solid fiberglass fish arrow with No. 3145 point.

No. 1470 Solid fiberglass fish arrow with No. 3147 point.

No. 1480 Solid fiberglass fish arrow with No. 3148 point.

No. 1490 Solid fiberglass fish arrow without point.



Broadheads

No. 9620 BOHNING BLAZER
This rugged broadhead features a strong aircraft aluminum ferrule with four .025 stainless steel blades. A Blazer offers more than seven inches of blade surface that cuts on contact. Both the main blade and secondary blade are replaceable and resharpenable. Each head weighs 140 grains. Packed three to a package.

No. 9760 WASP CAM-LOK
A new Wasp design with unique features that insure great flight performance and penetration. Each blade is held in place with an innovative three step locking system insuring a positive blade attachment. Blades are vented and made of .015 thick tem-

pered steel alloy honed to razor sharpness. Available in both 3-blade and 4-blade styles. See price list for packaging availability.

No. 9800 SATELLITE
Satellite . . . A four blade replaceable razorblade broadhead that uses a unique principle to lock the blades to the shaft. A knurled screw socket in the back of the head gives positive locking to all four blades. Point is hardened steel swaged into place for strength and stability. Weight 125 grains. Packed 6 per blister card, unassembled, with instructions. Available in both 3-blade and 4-blade styles and carbon or stainless steel blades. See price list for packaging availability.



Swap-Points

No. 8809 SWAP-POINT BROADHEAD ADAPTOR
A screw-in adaptor made to accept all broadheads and tapered field points. Packed 12 per card.

No. 8904 SWAP-POINT FIELD POINT
A screw-in arrow point provides quick change to a field. Packed 12 per card.

No. 8914 SWAP-POINT TARGET POINT
A screw-in arrow point provides arrow versatility. Packed 12 per card.

No. 8920 SWAP-POINT INTERNAL ADAPTOR
Made to accept all screw-in arrow components. Packed 12 per card. Specify shaft size.

No. 8925 SWAP-POINT WOOD ARROW ADAPTOR
Internally tapered to fit all of our cedar shafts. Threading accepts field and target points. Specify shaft size.



Arrow Points and Nocks

No. 80 BULLET JACKETS*
5/16" x 1 1/32" O.D.

No. 81 PARALLEL TARGET HEADS*
5/16" Dia.

No. 84 STEEL FIELD AND ROVING POINTS*
5/16" x 1 1/32" I.D.

No. 8410 As above, packed 100.

No. 85 FINGER FORMED PLASTIC NOCKS*
5/16" & 1 1/32".

No. 8510 SNAP-ON-NOCKS TRANSLUCENT*
9/32", 5/16" and 1 1/32". 1 doz. pack. Specify size and color: Lime, orange, ruby and blue.

No. 8515 As above, packed 100.



Arrow Repair

No. 525 PRECISION FLETCHER
For fletching 3 feather arrows with feathers up to 6" long.

No. 5256 BPE FLETCHING TOOL
Constructed of sturdy Aluminum and Nylon this quality fletcher offers features found in more expensive fletching tools. This fletching machine can be adjusted for 120° three fletch or 75° x 105° four fletch.

No. 5095 FLETCH-TITE*
Special super bonding fletching cement. Excellent for archer's own repair work. 3/4 oz. tube.

No. 5996 FULL-ADJUST ALUMINUM ARROW STRAIGHTENER
A precise instrument to restore arrow straightness to one thousandth of an inch. Fast and easy to use.

PLASTIC FLETCHING VANES
No. 535 2 3/4" PLASTIC VANES
Three doz. pack.

No. 536 4" PLASTIC VANES
Three doz. pack.

No. 537 5" PLASTIC VANES
Three doz. pack.

No. 538 As above, 1,000 pack.

TURKEY FEATHERS
No. 3GBS 3" SECTIONS*
Streamlined, die-cut. Assorted colors. Sufficient cut feather sections to fletch one doz. target arrows.

No. 4GBH 5" SECTIONS*
Die-cut for hunting arrows. Assorted colors. Sufficient cut feather sections to fletch one doz. hunting arrows.

*Not illustrated

Bow Sights

No. 5950 NEW STEMMLER SIERRA PRO HUNTING SIGHT

A quality engineered sight for the discriminating bowhunter and tournament archer. This rugged sight features 4 all brass pins with independent horizontal and vertical adjustments. The five inch sight bar adjusts horizontally within a reversed dove-tail bracket that insures exact alignment of the sight on the bow every time it is removed and reattached.

No. 5951 SIERRA SIGHT PIN GUARD
This strong and sturdy pin guard attaches easily to the Sierra Pro Sight to protect the sight pins under all conditions.

No. 5952 SHIBUYA SUPER SIGHT
This top quality target sight is fast becoming the number one choice of many world class tournament archers. The elevation adjustment on the sight block is easy, quick and positive. The ten inch extension bar can be adjusted for any tournament situation. The grooved dove-tail mounting bracket provides for precise sight alignment at all times. Available in red, blue, silver, black and gold.

No. 5974 STEMMLER TARGET TRAINING SIGHT
A new sight especially designed for training purposes. The special pin allows individual elevation and windage adjustment. Fluorescent orange tip is smaller than hunting tip for precision aiming. All brass pin; powder coated white frame that has a slot large enough to accommodate any size sight window. Can be used on right or left hand bows.

No. 5975 STEMMLER HUNTING SIGHT
A simple well-designed double slot sight. 4 color pins . . . blue, white, red and green. Extra long pins (2") to accommodate sight windows of all sizes. Double slot allows finest possible yardage increments. Black plastic adjustment knobs provide positive locking that will not loosen from vibration. Allows independent elevation and windage setting. Special facing for yardage markings.

No. 59785 NEW STEMMLER RANGER SIGHT
This rugged three-pin sight is made of light weight high-strength plastic. Designed to withstand the most serious punishment under all hunting conditions, the ranger sight features double-slotted construction and sight pin blocks that allow for both horizontal and vertical adjustments and lock the pins securely in place after the pins are adjusted.



No. 5850 HUNTER LIGHTED SITE PIN
Fits hunting sight frames for use under early morn or dusk light conditions to help make that shot count.

No. 5851 BRIGHT SIGHT SCOPE APERTURE
The highest quality glass is used in the lens of this excellent target scope. The housing is fully machined of high quality aluminum with a large viewing area. Bodies are available in black, blue, green, gold or red in right or left handed. Manufactured in 0 power, .8 power.

No. 5855 PENDULUM TREESTAND SIGHT PIN
Solves the bowhunter's problem of estimating distances from a tree stand. Calibration of pendulum assembly easily provides maximum accuracy at 5 to 35 yards. Solid brass construction.

No. 5971 HOODED PEEPSIGHT
Prevents glare and designed to provide round sight hole at full draw.

No. 5972 TRUPEEP ALUMINUM PEEP-SITE
Shaded, Non-Glare, Site for accurate shots.



Arrow Rests

No. 5954 SIERRA PRO HUNTER REST

The ultimate rest for the bowhunter who wants the best. Tension can be adjusted both horizontally and vertically for maximum tuneability. The rest can be adjusted for feathers or vanes, 3 or 4 fletch, and provides maximum fletch clearance. Used with a cushion plunger or side-mounted spring.

No. 5270 FLIPPER REST II

The key to improving cast, eliminating fletch drag, and developing greater arrow velocity. Made from nylon, brass, teflon and stainless steel; materials chosen to perform in all kinds of weather. Flipper rest combines firm support with quiet action; choose from either of the two mountings.

No. 5271 STANDARD MODEL

No. 527 HOYT PRO ARROW REST

Approved by top shooters as an outstanding rest. One per package.

No. 5275 SUPER PRO HOYT ARROW REST*

One per package.

No. 5276 FLEXIBLE FINGER ARROW REST

Suitable for conventional bows as well as compound bows. Hole for cushion plunger mountings. Specify right or left hand.

No. 5278 T-300 ARROW REST

One of the most tested rests available. Both target archers and bowhunters find this T-300 rest best for accuracy, clearance and most of all, durability. Backed with pressure sensitive foam adhesive. Specify right or left hand.

No. 5279 SUPER T-300 HUNTER REST

An improved T-300 rest that includes Teflon covered arrow support arms and an adjustable spine pressure plate, truly a superior arrow rest. Backed with pressure sensitive foam adhesive. Specify right or left hand.



Bow Quivers

No. 5012 THE STEMMLER MUFFLER LIGHTWEIGHT BOW QUIVER

For recurves or compounds. Securely holds 6 arrows . . . ready for quick draw nocking. It is shipped assembled. Snap-on system is unique, no levers to hold, just twist and it's off. Hang-up hook for tree stand bowhunters.

No. 5011 KWIKEE KOMPOUND BOW QUIVER

A rugged, yet simple, bow quiver that snaps onto the bow with a patented Kwik-lok bracket. Can be removed from bow without tools. Shield is sound insulated and cannot be penetrated by broadheads. Holds six arrows that can be removed noiselessly. Fits compounds and other recurve bows, right or left hand.


No. 502 DELUXE KWIKEE KWIVER

Clings tightly to conventional bow limbs and holds four arrows snugly.

No. 504 GROUND QUIVER

Ideal for camps and schools. Rugged design. Holds both bow and arrows. A must for group participation.

*Not illustrated



Bowstring Accessories

No. 5160 CABLE SILENCERS FOR COMPOUND BOW

Stops cable twang effectively.

No. 521 KWIKEE SILENCER*

Bowstring attachment to deaden "twang" of bowstring.

No. 5165 NEET CABLE SILENCER

Stops cable slap and vibration on compound bows. No interference with cable travel. Installs in seconds with no tools, glue, or fuss.

No. 5230 MUFFS BOWSTRING AND CABLE SILENCERS

Are adhesive backed felt like material designed for compound bows. May be used on other bow parts to smother bow noise.

No. 5231 PUFFS BOWSTRING AND CABLE SILENCER

Made of yarn and leather mounting lace.

No. 5232 CAT WHISKERS

Bowstring silencers and wind detector.

No. 5120 COBRA EASY PULL COMPOUND BOWSTRING CHANGER

For use with all compounds. Stainless steel mounts fit all cable terminals. Brass pulley eliminates abrasion on servings and loops. Uses the tent rope principle to hold bow compressed . . . simple and safe, can be used in the field, fits handily in your pocket.

No. 512 BOWSTRINGER

Provides an easy and safe method to brace your bow without causing limb twist.

No. 513 BOWSTRING KEEPER*

Bowstring is kept neatly attached to unstrung bow. Twist is retained in string.

No. 5130 TEL TALE NOCK POINTS

3 Pk. for 5/16" and 1 1/32" snap-on nocks. Positive positioning assures peepsight alignment. Install with pliers.

No. 514 WILSON-ALLEN NOCK LOCKS*

These soft rubber bowstring attachments provide positive nicking point on the bowstring. Ensures consistent and quick arrow nocking.

No. 516 BRUSH NOCKS*

A must for bowhunter. Stop brush from jamming under bowstring a bow nocks.

No. 520 NO-GLOV BOWSTRING ATTACHMENT

For fast, accurate shooting. Balanced three finger action. Smooth arrow release. No slippage of arrow on string.

No. 5240 BOHNING BOWSTRING SERVER

This quality string server has two thread adjustments to assure consistently smooth and uniform string serving. Tension can be adjusted at the thread spool and the guide washer. Comes with one spool of nylon serving thread.

No. 528 NOK-SET


A positive Nocking Point that will not slip. Suitable for any size bowstring diameter. Six per package.

No. 530 NOK-SET TOOL

One per package. Necessary to apply Nok-Sets.

No. 5997 ARCHERY PLIERS

All purpose . . . Three tools in one, an efficient pair of pliers that functions as a regular pliers; nok set tool and a 3/16" Allen Wrench. Pliers are set in such a way that they can be used without removing the bow square.



Bow Accessories

No. 5170 ARROW HOLDER
Holds arrow in ready-to-shoot position while moving through woods. Releases automatically upon drawing. Great in cold weather hunting.

No. 586 KAMO BOW COVER*
Camouflage elasticized cloth cover to fit all conventional bows.

No. 5865 KAMO COMPOUND LIMB SLEEVE
Split sleeves with Velcro Fasteners. Camouflage elasticized cloth cover. Fits all compound bows.

No. 5940 STEMMLER CABLE GUARD
This rugged cable guard is perfect for any bow that requires a cable guard. The rod can be adjusted in or out and is bent at a slight angle to provide excellent fletch clearance under all conditions. Available in flat black or chrome plated.

No. 59405 SIERRA CABLE GUARD
Designed for maximum strength and durability, this quality cable guard provides maximum cable clearance under all conditions. The solid aluminum rod is secured in two positions to prevent it from being forced into the shooter's line of sight when the bow is at full draw. The rod can be adjusted in or out and can be rotated up or down providing perfect arrow clearance. Available in flat black or chrome plated.

No. 59406 As above, chrome plated.*

No. 5941 NEW DESIGN CABLE GUARD
Eliminates the problem of mounting with the sight and quiver brackets, this cable guard mounts from the stabilizer bushing. Puts the rod below the sight line. The system allows the widest adjustment range for any compound bow. Works on both right and left hand bows.

SIERRA PRO HUNTER STABILIZER SYSTEM
You can achieve perfect balance in your hunting bow with this versatile stabilizer system. Stabilizer rods are $\frac{3}{8}$ " in diameter and are available in 2, 7, and 9" lengths. Base weights are 6 ounces with each add on weight being 2 ounces each.
No. 59512 2" Rod
No. 59517 7" Rod
No. 59519 9" Rod
No. 5952 Base Weight
No. 5953 Add on Weight

EASTON'S "WORLD CLASS" STABILIZER AND WEIGHT SYSTEM
This new generation of stabilizers comes from the Precision Tube Department at Jas. D. Easton Co. The choice of many national and world champions, all Easton World Class Stabilizers are manufactured to the new AMO Standards. Manufactured in 24, 30 and 36" lengths they are available in red, blue, black, yellow, white or gold anodized finish. The Easton Vari-Weight system was designed to allow the archer to precisely balance his shooting equipment. The combined base and cap weight are 3 ounces, with each mid weight weighing 1 $\frac{1}{4}$ ounces. In bright chrome finish.
No. 5960 Easton "World Class" Stabilizers
No. 59601 Base Weight
No. 59602 Cap Weight
No. 59603 Mid Weight

No. 5961 HUNTING STABILIZER*
A small heavyweight torque eliminator designed for the hunting bow, compound or recurve. 2 $\frac{3}{4}$ " long, $\frac{7}{8}$ " in diameter. It is made of steel, finished in black nonglare phosphate finish. Weight 257 grams.



No. 5980 DELUXE PRO BOW SQUARE
If your bow is to perform as it should, this fine bow square should be used for exact brace height and nocking point. The beginning step for bow tuning; minimizes noise, vibration and arrow wobble.

No. 5991 SHIBUYA SUPER BUTTON
This silky smooth cushion plunger is extremely tuneable and remarkably consistent. Its positive locking system insures consistent shooting shot after shot. Available in red, blue, silver, black and gold.

No. 5990 CUSHION PLUNGER
A cushion plunger that is an important accessory to improve arrow launching. Developed to correct inconsistent release form. Particularly suited for compound bows, where the lighter hold develops release problems. Brass body, teflon point, adjustable spring tension for various arrow shaft sizes.

No. 5992 CAMO BOW TAPE
15 feet of 2 $\frac{1}{4}$ " Vinyl Tape. Will not mar bow finish.

*Not illustrated



Archery Field Equipment



No. 5983 COMPOUND BOW CASE WITH NEW STEMMLER LOGO
A new case especially designed for us. Made of lightweight durable nylon with 1" polyurethane padding and a heavy duty self-repairing nylon zipper. Color: O.D. Green with black trim; Red and white Stemmler logo.

No. 5985 CAMO FACE CREAM
A handy case of Camo face cream. Three colors, black, brown and green with mirror.

No. 5986 STEMMLER CAMO FANNY PACK
New exclusive design based on practical archery field experience. Made of a special 60/40 quiet cloth that is tough, durable, and waterproof, it has elastic tucks inside for holding securely bowstring wax, blade vials, tools, etc. to prevent them from rattling. Room for a quart thermos, dry socks and a ham sandwich. The buckle hardware is non-reflective and adjustable to fit over the thickest hunting outerwear. Nestles in the small of the back, leaving the archer's arms and shoulders free for the shot. 15 $\frac{1}{2}$ " L, 6 $\frac{1}{4}$ " H, 4" W, zippered

No. 5999 THE WOODSMAN . . . STEMMLER DAYPACK
A completely new design made of 400 denier urethane coated (waterproofing) camo pack cloth. The pack contains a full-length completely zippered outer storage panel with five different size pockets for bowhunting equipment as well as a zippered main storage compartment. Measures 5 $\frac{1}{2}$ " x 14" x 18", fitted with a waist belt, padded shoulder straps, and a strong cloth loop for hanging.


No. 5290 SHIBUYA CHEST GUARD
This high quality chest protector is made of cool nylon mesh. Adjustable elastic lacing allows for a perfectly comfortable fit. There are three colors to chose from, blue/white, red/white, and black/white. In right or left handed in sizes small, medium, or large.

No. 5295 STEMMLER SHOOTING SHIRT
Attractive, 50/50 blend of cotton-polyester button down sport shirt is impressive if worn on the shooting line or for a leisure night on the town. Available in yellow or white with our handsome logo in sizes small, medium, large or X-large.

No. 6200 STEMMLER EMBROIDERED 5 COLOR PATCH
Colorful for hunting jackets or jeans. "Archery for the fun of it."

ARCHERY HANDBOOKS
No. 5185 ABC'S OF ARCHERY*
No. 5186 ABC'S OF BOWHUNTING*

*Not illustrated



Targets and Accessories

REGULATION TOUGH, FIBROUS, SPARTANA INDIAN CORD GRASS TARGET MATTS OR BACKS ONLY
Chemically treated against rats, mice or other rodents. Spirally wound by machine.

No. 3520 24" diameter, 20 lbs.
No. 3522 36" diameter, 40 lbs.
No. 3523 48" diameter, 70 lbs.

TARGET EASEL AND CARRIERS

Shipped Unassembled
No. 365 Heavy welded steel frame with rubber tire wheels. For 36" and 48" targets.
No. 366 New lightweight carrier with plastic wheels for both 36" and 48" matts.

DELUXE TARGET STANDS

All new versatile target stand for indoors as well as outdoors. Constructed for heavy matts and lightweight targets. Chains provided to hold tripod in place. Shipped knocked down.

No. 6040 For 24" targets.
No. 6050 For 36" and 48" targets.

NEW BUDGET PRICED TARGETS

No. RHD-24 Polyurethane foam 24" target. Good for bows up to 35 lbs. Packed 4 per shipper.

No. RHD-36 New Polyurethane foam 36" diameter target. This resilient and tough target has a bulldog grip. A fine lightweight backyard target for bows up to 35 lbs. Comes with a 36" four color target face with cloth bind band. Packed 2 per shipper.

No. RHD-48 Same as above only 48" diameter, 15 lbs. Packed one per shipper.

ANIMAL TARGET FACES

No. CA-1 24" Deer, 12 pack.
No. 601 Bobcat Target Faces, 4 per film pack.
No. 602 Fox Target Faces, 3 per film pack.
No. 603 Deer Target Faces, 2 per film pack.

No. 5903 METAL TARGET FACE PINS

An aluminum target face pin designed specifically for TOURNAMATS and Ethafoam targets. Non rusting material that does not break. Four per pack.

No. 590 TARGET FACE PINS*

Attach target faces to target matts. Four plastic pins per blister card.

OFFICIAL FULL COLOR PAPER TARGET FACES*

Printed in red, gold, blue, and black. Fine for mounting on corrugated box or target mat to make a practical target.

P-16 Standard Pack—one doz.
P-24 (60cm) Std. Pk.—one doz.
P-36 Standard Pack—1/2 doz.
P-48 (122cm) Std. Pk.—1/4 doz.
P-24SK 24" (60cm) face w/skirt.
P-36SK 36" face w/skirt.
P-48SK 48" (122cm) face w/skirt.

SKIRTED FIBERCLOTH ALL-WEATHER TARGET FACES*

Tough waterproof Fibercloth. Regulation 4-color FITA and NAA faces.
No. 24F 24" (60cm) Polybagged face.

No. 36F 36" Polybagged face.
No. 48F 48" (122cm) Polybagged face.

FLAT ALL-WEATHER TARGET FACES*

No. 24FF 24" (60cm) Fibercloth face without skirt.

No. 36-FF 36" Fibercloth face without skirt.

No. 48-FF 48" (122cm) Fibercloth face without skirt.

TARGET COVERS*

Vinyl Cloth Target Covers. Weather resistant cover to protect target matt. Not for scoring . . . see target faces.

No. 24C To fit 24" diameter matt.
No. 36C To fit 36" diameter matt.
No. 48C To fit 48" diameter matt.

ARCHERY BACK-STOP NETTING

No. 587 9' x 10'. Ideal for target backstop indoors or outside. Heavy gauge nylon netting stops arrows without damage to inside walls or to arrows. For other sizes, request quotation.

BOX TARGETS

No. BX-24 A low priced Practice and Field Target, printed in the regulation archery colors. Made in box form of 200 lb. test corrugated. Polyfoam filled. Size 24" x 4" thick. Minimum Standard Pack—6 to shipping carton.
No. KD-24 The same target as BX-24, but in knockdown form. Standard pack—12 to a shipping carton.

IMPACT PROMAT TARGET

Target especially designed for compounds. Lightweight, compact and easy to carry for practice, for hunting or in schools. Replaceable screens, and backstops. Steel and aluminum frame. Special nylon strands are self-sealing. Arrows are very easy to remove with absolute minimum damage to the arrow. Weighs less than half of a 24" grass matt.

No. 6300 24" Promat.
No. 6301 36" Promat.
No. 6302 48" Promat.





Write for prices of replacement parts.

FOR ADDITIONAL ACCESSORIES SEE PRICE LIST


ALL TARGET MATS, AND CARRIERS F.O.B. FACTORY

*Not illustrated

Tournamat[®] See back cover.



disko archery



A New Game and Teaching Aid for 12 Participants

The new Disko Archery system improves upon the original Gallery Archery and is an excellent tool for training archers. The tough plastic discs are counter balanced so that when a hit is made, a new target pops instantly into position from below. The Instructor does not have to halt the shooting line to reposition the targets or gather arrows.

FEATURES OF DISKO ARCHERY

- 1) SAFETY** — Rubber tipped Flu Flu arrows lose power at 30 ft.
- 2) DURABILITY** — Target discs of durable, non-penetrable plastic, easily installed and replaced, handle Flu Flu arrows from bows up to 35 lbs.
- 3) MOTIVATION** — Provides immediate excitement as youngsters hit the targets.
- 4) PRACTICALITY** — Lightweight, portable, can be used indoors or outdoors in a confined space. Measures 3 ft. high by 6 ft. long.

No. 6070 DISKO ARCHERY INCLUDES:

4 No. 822 Bows @ 25 lbs.
6 Doz. Flu Flu Arrows (2 No. 7505)
12 No. 2600 Armguards
12 No. 2900 Finger Tabs
3 No. 504 Ground Quivers
1 Target Stand and Targets (No. 6076)

No. 6073 DISKO ARCHERY

Same as No. 6070 except with 4-No. 814 Bows @ 15 lbs.

No. 6074 DISKO ARCHERY

Same as No. 6070 except with 2-No. 814 Bows @ 15 lbs.
2-No. 822 Bows @ 25 lbs.

No. 6076 NEW DISKO ARCHERY TARGET AND STAND

AT LAST . . . THE FIRST MAJOR BREAKTHROUGH IN TARGET MATTS IN OVER 2000 YEARS OF TOURNAMENT SHOOTING.

Tournamat®

Licensed under Croll Patents 4,244,585 and 4,126,501

Perfect For:
COMPOUND
BOWS &
CROSS BOWS

Tournament tested! Repairable! Lighter weight! Lasts longer!

TOURNAMAT, a target matt best suited for tournaments, schools, camps, bowhunters. Made of self-sealing flexible film material. TOURNAMATS are the superior choice to heavy grass or excelsior matts for tournament competition.


An amazingly simple and creative target making concept. While ideal for target recurves and bowhunter compounds, TOURNAMAT can be used by the young and beginning archer.

Examples of outstanding performances achieved:


- 1979 Penn State Archery Association Championship
- 1980, 1981, 1982 F.I.T.A. EAST, East Stroudsburg, Pennsylvania
- 1981 N.A.A. Outdoor Championship, Miami, Ohio
- 1983 Atlantic City Archery Classic Crossbow Division

SHOT FOR SHOT A BETTER VALUE.

- Freight costs are drastically reduced.
- Not susceptible to spontaneous combustion, mold, moisture absorption, infestation by rodents or insects.
- Wear areas are repairable. Heat of ordinary iron through a silicon iron cloth will remelt surface to original holding grip.
- Does not shed, leaves a clean storage and shooting area.



As arrow penetrates, the layers of film are spread.



As arrow is withdrawn, Tournamat self-seals.

THREE SIZES AVAILABLE:

No. 3530 24" Diameter 12 Lbs.
No. 3532 36" Diameter 24 Lbs.
No. 3533 48" Diameter 42 Lbs.



PRACTICE TOURNAMAT

No. 3536

Backyard plunkers find this light weight 24" target ideal for bow hunting or family target practice. Suitable for both heavy draw weight bowhunting compounds and family target bows. Simply assemble stand and you are ready to shoot. Four per pack.



3536

stemmler

For more information write to:
STEMMLER ARCHERY, INC., 984 Southford Road, Middlebury, CT 06762

