



Low Profile Forestry Trailer
Model LP40-4

58 Cutrate Road

Phenix City, AL 36870

Phone: 334.448.8888

Fax: 334.448.3800

Email: mclsales@bellsouth.net

Low Profile Forestry Trailer – Model LP40-4

STANDARD FEATURES

Length	40'
Main Beams	21" Wide Flange I-Beam w/ 4" Drop Center
Suspensions	Hutchens – 4 Point, 3 Leaf, Heavy Duty
Axles and Spacing	2 – 25000lb. Cap – Type 30 Air Chambers, Auto Slack, WABCO ABS
Wheels	Disc – 10 Hole Disc, Hub Piloted
Tires	11R24.5 Radials
Tandem Setting	60' Standard
Kingpin Settings	20"
Kingpin Height	48"
Landing Gear	Winch Back w/ 7" Channel Foot
Bolsters	4" x 10" x 102"
STD Size	5" x 5" x 5/16"
STD Height	98" Overall
Winches	4 w/ Handles & 4" x 30" Kinedyne Straps
Winch Placement	Frame
Headboard	No
Drag Bar	Yes
Drag Brace	Yes
Cover Entire Length of Tandem	Yes, With Steel Grating
Parking Brakes	No
Grapple Bar	Yes
Tire Rack	No
Dust Shield	No
Scales	No
Sealed Wiring Harness	Yes
Paint	Black
Lights	Standard LED



OPTIONAL FEATURES

- ◆ Additional Length
- ◆ 8' 0" Wide Trailer
- ◆ 1/2" KP Plate
- ◆ Revolver Greaseless Coupling System
- ◆ Additional Bolsters
- ◆ Sliding Bolsters
- ◆ Removable Standards
- ◆ Additional Lights in Uprights
- ◆ Two-Speed Landing Gear
- ◆ Additional Winches- Cables or Straps
- ◆ Single Point Suspension
- ◆ Air Ride Suspension
- ◆ Lift Axle
- ◆ Type 30/30 Spring Breaks
- ◆ Additional Axle
- ◆ 11R22.5 Tires
- ◆ 425/60R22.5 Super Singles on Aluminum Disc Wheels
- ◆ Aluminum Wheels
- ◆ Custom Paint
- ◆ Tire Inflation System
- ◆ Air Gauge in Sealed Box
- ◆ Onboard Electronic Scales
- ◆ Onboard Air Scales
- ◆ Headboard

All specifications are subject to change without notice.

McLendon Trailers, LLC

58 Cutrate Road

Phenix City, AL 36870

Phone: 334.448.8888

Fax: 334.448.3800

Email: mclsales@bellsouth.net