



# In-person Conference25

NOVEMBER 3-6 25





# Daily DR Exercise



Mike Shorkend

Shorkend Associates



# Trademarks



The following are trademarks of the International Business Machines Corporation in the United States and/or other countries.

HiperSockets  
SafeGuard  
IBM\*  
IBM logo\*  
IMS  
DB2  
DS8890/DS8880  
CICS  
Z14,z15,z16,x17  
z/OS\*  
z/VM\*  
zSeries\*  
Metro Mirror  
Global Mirror  
XRC

\* Registered trademarks of IBM Corporation

The following are trademarks or registered trademarks of other companies.

Control-M and Control-O are trademarks of BMC  
ZDP™,SRDF,VMAX and TimeFinder are trademarks of EMC  
Hitachi Mainframe Cyber Resiliency, VSP, TrueCopy and HUR are trademarks of Hitachi

\* All other products may be trademarks or registered trademarks of their respective companies.

**GSUK<sup>™</sup>** In-person Conference 25

= Do more at the Core. Built to Learn, Engineered to Lead.



# About me

- ❑ *Independent Consultant*
- ❑ *35+ years of Mainframe Infrastructure Experience*
- ❑ *Experience includes z/OS system programming, capacity planning and control, performance tuning, software pricing, architecture, BCP/DRP, software development and support, management and training.*
- ❑ *Customers include financial institutes, government agencies, VARs, ISVs and training companies*



# DR Test everyday?

- Why?
- How?
- What do you need?
- A case study
- REXX and BCPii



# DR Test everyday?

**Why?**

GSUK

# Old Threats

WINSTON-SALEM  
JOURNAL

## Truist agrees to confidential settlement over major system outage lawsuit



### Committees

[UK Parliament](#) > [Business](#) > [Committees](#) > [Treasury Committee](#) > News Article

## More than one month's worth of IT failures at major banks and building societies in the last two years

6 March 2025

### Top Turkish Bank Suffers System Outage, Sees No Cyber Attack

People posted more than 57,000 times about the issue on Twitter, with many ridiculing the bank's technical capabilities.

Bloomberg | Jul 08, 2021



*Asli Kandemir (Bloomberg)* -- Akbank TAS, Turkey's second-largest lender by market value, said it will gradually restore operations after suffering widespread system outages since early Tuesday, which prompted it to accept a delay in payments owed by customers.

Loan and credit card payments can be made a day later without accruing any interest because an issue in the bank's mainframe computer was affecting all customer services, Akbank said in an emailed statement on Wednesday. Outages were the result of a cyber attack and said clients' data haven't

GSUK<sup>+</sup> In-person Conference 25

= Do more at the Core. Built to Learn, Engineered to Lead.



## Ransomware and the IBM Z/OS Mainframe, Big Iron


Paul F. Renda CYBER December 21, 2021

Ten years ago, I would have said that it's impossible for a mainframe to become infected with ransomware. Today, I no longer feel so confident, having read a number of articles about methodologies for how such an infection could take place.

## New Threats

### Ransomware on the Mainframe — Checkmate!

Mark Wilson  
Technical Director  
Vertali  
[markwilson@Vertali.com](mailto:markwilson@Vertali.com)



# Not GDPS related, but still a great slide for our topic

## GDPS with Logical Corruption Protection

1. GDPS now includes Logical Corruption Protection support to protect against cyber attacks and more.
2. A licensed offering that can be deployed in a range of different GDPS solutions.
  - LCP-Manager(MM) and LCP-Manager(GM)
3. Provides the ability to secure Point-In-Time captures of critical data using either FlashCopy or Safeguarded Copy.
4. These Point-In-Time captures can be used for a variety of purposes



### Catastrophic

Recover the entire environment back to the point in time of the copy as this is the only recovery option



### Forensic

Recover the copy and use the copy to investigate the problem and determine what final recovery action is required.



### Surgical

Extract data from the copy and logically restore back to the production environment



### Validation

Regular analytics on the copy to provide early detection of a problem or reassurance that the copy is a good copy prior to a further action



### Offline Backup

Backup the copy of the environment to offline media to provide a second layer of protection

With thanks to  
Terry O'Connor

# What are our goals



- Protect against logical corruption – e.g. human error, ransomware
- Protect against human error in configuration files (aka PARMLIB)
- Test DR Hardware on a regular basis
- Provide a mirror of a production environment
  - For forensics
  - For testing new software releases
  - For testing new features
  - For training




# DR Test everyday?

## How?

GSUK

# The Big Picture



# The solution and its benefits (1/2)



## Daily (or more frequent) Test

- Automate the process of taking a copy of the production DASD and then IPL the system from a separate LPAR(ideally using the DR hardware)
- Verify that the IPL completes successfully
- Improves MTTR – picks up IPL time errors
- If performed on DR hardware - a daily test that the hardware works.
- Daily test that the DASD replication is valid




# The solution and its benefits (2/2)

- On Demand IPL
- A real production environment to test
  - A new SYSRES
  - Software upgrade (DB2, CICS....)
  - Major changes
    - When last did you cold start JES?
    - Train junior staff
- Forensics
- Surgical extraction



# A Sample Topology(others are possible)



# Snapshot



- Choose a time with minimal I/O
  - Time related
  - Business related
  - Not for SafeGuard copies
- Trigger your Storage Technology to create a consistent copy of your DASD(This might freeze I/O momentarily)
- The copy can be on the local controller or at a remote site
- With SafeGuard like solutions, you can take frequent copies

# Automatic IPL



- Use your automation software to make your IPL completely automatic
- Load the target system with BCPii
- Use LOADxx logic to avoid errors and supply correct IPL parameters
- Use system symbols wherever possible
- Keep the differences between your real IPL and your test IPL to the absolute minimum

# LOADxx



CONFIGID =  
PROD

CECPRIM

SYSA



1xxx

CONFIGID =  
DAILY1

CECSEC

DAILY1



Axxx

```
-----  
*          COMMON  
-----  
NUCLEUS   1  
NUCLST    00  
SYSPARM   00  
SYSPLEX   PLEX1  
PARMLIB   SYS2.PARMLIB                               SYS001  
SYSCAT    CAT001143CCATALOG.MASTER.SYSA  
-----  
*          SPECIFIC TO PRIMARY CEC  
-----  
HWNAME    CECPRIM  
IODF      ** IODF                PROD      OA  
*          SPECIFIC TO LPAR SYSA  
LPARNAME  SYSA  
IEASYM    (00,OA,L)  
-----  
*          SPECIFIC TO SECONDARY CEC  
-----  
HWNAME    CECSEC  
*          SPECIFIC TO LPAR DAILY1  
LPARNAME  DAILY1  
IODF      ** IODF                DAILY1   OA  
IEASYM    (00,OA,D1,L)
```

# Symbols



- IP Addresses

HOME 172.16.7.&HOMEIP ETH1

- CTCs
- PARMLIB members like DEVSUPxx
- Coupling links

PATHIN DEVICE(&PATHIN0,&PATHIN1)

- Software versions

Use SYMBOLIC RELATE alias entries.

&DB2VER = V12R1M6

SYS2.SDSNLOAD points to SYS2.&DB2VER..SDSNLOAD

# Some considerations



- In a SYSPLEX, if possible, bring up the SYSPLEX.
  - If you lack the hardware, zVM can be used
- DB2 maintenance mode might be required for members in a DB2 data sharing environment, for LPARs you do not IPL (for inflight transactions).
- IMS Data sharing ? VSAM RLS?

# Some Gotchas



- You need to be really careful about leaks(the DR copy sending MQ messages, for example)
  - Consider using IPSEC or firewalls
- Writing to production “Tapes”
  - Use different DEVSUP members
  - Use security product



# DR Test everyday?

## What do you need?

# DASD Snapshot (1/2)



- Use your DASD technology to create a snapshot
  - You will need extra DASD capacity and technology
  - First choice is a resilient copy(that cannot be overwritten)
    - SafeGuard Copy(IBM)
    - Hitachi Mainframe Cyber Resiliency
    - DELL/EMC ZDP™


# DASD Snapshot (2/2)



- Second choice is one of the more traditional copy services
  - Local copy using FlashCopy(IBM), Shadow Image(Hitachi) or TimeFinder (EMC)
  - Remote copy (Metro Mirror, Global Mirror ,True Copy, XRC, HUR, SRDF etc.)
- Find a way to communicate with the replication driver. DS8K has DSCLI, Hitachi has BCM, VMAX has a batch interface.
- Automate this process using a job scheduler

Programmatically issue HMC commands from a z/OS Program in either Assembler, C ,REXX or RESTapi

## Overview - What is BCPii?



© 2021 IBM Corporation



# Automation and Scheduling Software

1. Schedule the time that the snapshot is taken
2. Perform IPL via a BCPii job after (1) has happened
3. Completely Automated IPL after (2) has completed
4. Verify that the copy is good. Could be done by running a transaction or job
5. Notify the right people in case of problems



# Project Management

- Management Buy-in
- Budget
- Sysprogs
- Storage team and vendor
- Operations
- Production Support
- Networking
- Security
- Project Manager




# DR Test everyday?

## Case Study

GSUK

# Hardware Infrastructure






# Software Infrastructure

- z/OS 2.5
- Two-way Db2 13 data sharing
- CICS TS 5.6
- BMC CONTROL-M(z/OS and Distributed) and CONTROL-O
- Spectrum Control

# The Big Picture



- When the job(on z/OS) indicating end of day processing has finished, a condition is raised by Control-M.
- This condition causes a DSCLI script to be run on the Spectrum control server that creates the flash copy.
- When the script ends, Control-M raises a condition that causes a job on z/OS to run that activates the coupling facility and the z/OS image at the DR site.
- Another job monitors the IPL console traffic

# Automated load using BCPii



- Submit job that activates the coupling facility
- Submit job that listens on console traffic (of the IPLing image)
- Submit job that activates the z/OS image (load on activation set)
- Respond to WTORs using the listener job using CONTROL/O
- ControlO/Cosmos takes over the IPL process when it can
- When the system is up, run a CICS transaction (using the MODIFY command) to verify data integrity
- Daily alternate between 2<sup>nd</sup> and 3<sup>rd</sup> sites

# Activate Coupling Facility (from a job on the production system)



```
03.52.38 J0709797 BCPIIXEQ Connect
03.52.38 J0709797 BCPIIACT Querying current Status
03.52.38 J0709797 BCPIIXEQ Driven
03.52.38 J0709797 BCPIIXEQ Main
03.52.38 J0709797 BCPIIXEQ Query
03.52.39 J0709797 BCPIIACT CPC status CECSEC.....CFSHADW..00000008.NOT_ACTIVATED
03.52.39 J0709797 BCPIIACT to ask for approval
03.52.39 J0709797 *09 LPAR Activation approval - Please reply Y or N
03.52.39 J0709797 R 9,Y
03.52.39 J0709797 BCPIIACT activating LPAR ...
03.52.39 J0709797 BCPIIXEQ Driven
03.52.39 J0709797 BCPIIXEQ Main
03.52.39 J0709797 BCPIIXEQ Command
03.52.40 J0709797 BCPIIACT Querying after activation
03.52.40 J0709797 BCPIIXEQ Driven
03.52.40 J0709797 BCPIIXEQ Main
03.52.40 J0709797 BCPIIXEQ Query
03.52.40 J0709797 BCPIIACT CPC status CECSEC.....CFSHADW..00000008 NOT_ACTIVATED
03.52.40 J0709797 BCPIIACT Waiting ...
03.52.41 J0709797 BCPIIXEQ Driven
03.52.41 J0709797 BCPIIXEQ Main
03.52.41 J0709797 BCPIIXEQ Query
03.52.42 J0709797 BCPIIACT CPC status CECSEC.....CFSHADW..00000008 NOT_ACTIVATED
03.52.42 J0709797 BCPIIACT Waiting ...
03.52.43 J0709797 BCPIIXEQ Driven
03.52.43 J0709797 BCPIIXEQ Main
03.52.43 J0709797 BCPIIXEQ Query
03.52.44 J0709797 BCPIIACT CPC status CECSEC.....CFSHADW..00000001 OPERATING
03.52.44 J0709797 BCPIIACT Disconnecting from target LPAR
03.52.44 J0709797 BCPIIXEQ Driven
03.52.44 J0709797 BCPIIXEQ Main
03.52.44 J0709797 BCPIIXEQ Disconnect
03.52.44 J0709797 BCPIIACT Disconnecting from target CPC
03.52.44 J0709797 BCPIIXEQ Driven
03.52.44 J0709797 BCPIIXEQ Main
03.52.44 J0709797 BCPIIXEQ Disconnect
03.52.44 J0709797 BCPIIACT Cleaning Up
03.52.44 J0709797 BCPIIXEQ Driven
```

# IPL Job



```
03.52.50 J0709798 *10 LPAR Activation approval - Please reply Y or N
03.52.50 J0709798 R 10,Y
03.52.50 J0709798 BCPIIACT activating LPAR ...
03.52.50 J0709798 BCPIIXEQ Driven
03.52.50 J0709798 BCPIIXEQ Main
03.52.50 J0709798 BCPIIXEQ Command
03.52.51 J0709798 BCPIIACT Querying after activation
03.52.51 J0709798 BCPIIXEQ Driven
03.52.51 J0709798 BCPIIXEQ Main
03.52.51 J0709798 BCPIIXEQ Query
03.52.52 J0709798 BCPIIACT CPC status CECSEC          DAILY1  00000008  NOT_ACTIVATED
03.52.52 J0709798 BCPIIACT Waiting ...
03.52.53 J0709798 BCPIIXEQ Driven
03.52.53 J0709798 BCPIIXEQ Main
03.52.53 J0709798 BCPIIXEQ Query
03.52.53 J0709798 BCPIIACT CPC status CECSEC          DAILY1  00000008  NOT_ACTIVATED
03.52.53 J0709798 BCPIIACT Waiting ...
03.52.54 J0709798 BCPIIXEQ Driven
03.52.54 J0709798 BCPIIXEQ Main
03.52.54 J0709798 BCPIIXEQ Query
03.52.55 J0709798 BCPIIACT CPC status CECSEC          DAILY1  00000008  NOT_ACTIVATED
03.52.55 J0709798 BCPIIACT Waiting ...
03.52.56 J0709798 BCPIIXEQ Driven
03.52.56 J0709798 BCPIIXEQ Main
03.52.56 J0709798 BCPIIXEQ Query
03.52.57 J0709798 BCPIIACT CPC status CECSEC          DAILY1  00000008  NOT_ACTIVATED
03.52.57 J0709798 BCPIIACT Waiting ...
03.52.58 J0709798 BCPIIXEQ Driven
03.52.58 J0709798 BCPIIXEQ Main
03.52.58 J0709798 BCPIIXEQ Query
03.52.59 J0709798 BCPIIACT CPC status CECSEC          DAILY1  00000002  NOT_OPERATING
03.52.59 J0709798 BCPIIACT Disconnecting from target LPAR
03.52.59 J0709798 BCPIIXEQ Driven
03.52.59 J0709798 BCPIIXEQ Main
03.52.59 J0709798 BCPIIXEQ Disconnect
03.52.59 J0709798 BCPIIACT Disconnecting from target CPC
03.52.59 J0709798 BCPIIXEQ Driven
```

# Listener Job



```
2022079 02.02.41 IEA371I SYS0.IPLPARM ON DEVICE 7BB0 SELECTED FOR
2022079 02.02.41 IEA246I LOAD ID M1 SELECTED
2022079 02.02.41 IEA246I NUCLST ID 00 SELECTED
2022079 02.02.41 IEA519I IODF DSN = IODF.IODF63
2022079 02.02.41 IEA520I CONFIGURATION ID = S50IM1 . IODF DEVICE
2022079 02.02.41 IEA091I NUCLEUS 1 SELECTED
2022079 02.02.41 IEA086I IGC203 NOT FOUND IN SYS1.NUCLEUS
2022079 02.02.41 IEA086I IGC205 NOT FOUND IN SYS1.NUCLEUS
2022079 02.02.41 IEA086I IGC206 NOT FOUND IN SYS1.NUCLEUS
2022079 02.02.41 IEA086I IGC208 NOT FOUND IN SYS1.NUCLEUS
2022079 02.02.41 IEA086I IGC225 NOT FOUND IN SYS1.NUCLEUS
2022079 02.02.43 IEA311I UNLABELED DASD ON 793E. UNIT PUT OFFLINE
2022079 02.02.45 IOS128I IPL DEVICE: 07105 VOLUME: NSR14A
2022079 02.02.45 IEA370I MASTER CATALOG SELECTED IS CATALOG.MASTER.
2022079 02.02.46 IEA009I SYMBOLIC DEFINITIONS WILL BE READ FROM:
2022079 02.02.46 IEASYM00
2022079 02.02.46 IEASYM1I
2022079 02.02.46 IEASYMSI
2022079 02.02.46 IEASYMM1
2022079 02.02.46 *IEA247I USING IEASYS00 FOR z/OS 02.04.00 HBB77C0
2022079 02.02.46 IEA007I STATIC SYSTEM SYMBOL VALUES
2022079 02.02.46 &SYSALVL. = "2"
2022079 02.02.46 &SYSCLONE. = "1I"
2022079 02.02.46 &SYSNAME. = "SYS1"
2022079 02.02.46 &SYSOSLVL. = "Z1020400"
- - - - - 197 Line(s) not Displayed
2022079 04.03.44 IXC404I SYSTEM(S) ACTIVE OR IPLING: SYSI SYSE
2022079 04.03.44 IXC419I SYSTEM(S) NOT SYNCHRONIZED: SYSI SYSE
2022079 04.03.44 * IXC420D REPLY I TO INITIALIZE SYSPLEX PLX1, OR
2022079 04.03.49 IEE600I REPLY TO 00 IS;I
2022079 04.03.50 IXC418I SYSTEM SYSI IS NOW ACTIVE IN SYSPLEX PLX1
2022079 04.03.52 IXC286I COUPLE DATA SET SYSM.PLX1.WLM.CDS01, VOL
2022079 04.03.52 IXC286I COUPLE DATA SET SYSM.PLX1.WLM.CDS02, VOL
2022079 04.03.55 IXC286I COUPLE DATA SET SYSM.PLX1.LOGR.CDS01, VO
```

# Automated load - Automation rule



```
RL: IXC420D LIB SYPO.CONTROLO.CTPO.RULES TABLE: MANKAL
COMMAND ==> SCROLL==> CRSE

+-----+-----+-----+-----+-----+-----+-----+-----+
ON SYSOUT = MESSAGES JNAME PSYLISTN JTYPE SMFID SYSTEM
PROCSTEP PGMSTEP And/Or/Not A
ON STRING = IXC420D REPLY I TO COL -
JNAME JTYPE SMFID SYSTEM USERID
ROUTE DESC CONSOLEID CONSOLE
APPEARED TIMES IN MINUTES And/Or/Not
OWNER DCONOP GROUP MODE PROD RUNTSEC
THRESHOLD
DESCRIPTION IXC420D REPLY I TO INITIALIZE SYSPLEX SYSI, OR R TO
DESCRIPTION
=====
DO SET = %%REPNUM = 00 GLOBAL N
DO SET = %%ANSWER = I GLOBAL N
DO SET = %%CPC = ISRAB GLOBAL N
DO SET = %%LPAR = %%MANKALTODAY GLOBAL N
/*
DO SET = %%ISSUECMD = %%CPC %%LPAR REPLY %%REPNUM, %%ANSWER GLOBAL N
DO TSO = EX 'SYPO.CONTROLO.CTPO.CLIST(BCPIICMN)' '%%ISSUECMD'
WAITMODE N TIMEOUT STOP Y
INITPROC SHARELOC N IMMEDIATE N
DO SHOUT = TO OPER2 URGENCY R SYSTEM CT0282I N
MESSAGE %%MANKALTODAY - IXC420D - %%ANSWER
DO
```

# Automated IPL - COSMOS



```
----- CONTROL-0 COSMOS OBJECT STATUS -----< D >----- (OC)
COMMAND ==> SCROLL==> CRSR
0 OBJECT      CURRENT  DESIRED  CLASS    MODE     STATUS
DBPIMSTR     UP        UP       DB2MSTR  FREE     STEADY UP
DBPIDBM1     UP        UP       DEPDB2   FREE     STEADY UP
DBPIDIST     UP        UP       DEPDB2   FREE     STEADY UP
DBPIIRLM     UP        UP       DEPDB2   FREE     STEADY UP
IMSPDBC      UP        UP       IMSMSTR  FREE     STEADY UP
IMSPDBRC     UP        UP       DEPIMS   FREE     STEADY UP
IMSPDSAS     UP        UP       DEPIMS   FREE     STEADY UP
PSYCICSI     UP        UP       CICS     FREE     STEADY UP
CICSPIN1     UP        UP       CICS     FREE     STEADY UP
CICSPIV1     UP        UP       CICS     FREE     STEADY UP
PSYCICSE     UP        UP       CICS     FREE     STEADY UP
CICSPTR1     DOWN     UP       CICS     FREE     CD=DU PR=CICSPIS1
CICSPIS1     DOWN     DOWN     CICS     FREE     STEADY DOWN
```



# Who uses it?


- System programmers
- Storage administrators
- DBAs
- CICS and communications specialists
- Security administrators
- Operators
- Application programmers

# Recap



## Primary Site

## Secondary Site





# DR Test everyday?

## REXX and BCPii

# System REXX



- Three types of REXX: SYSTEM,IVR,TSO. Each type supports a certain subset of BCPii commands(see manual)
- To make full advantage of BCPii REXX, System REXX should be used(TSO REXX does not support all BCPii commands)
- Grant read access to HWI.HWIREXX.rexxname in the FACILITY class



*News Flash!  
Many limitations  
lifted  
With 2.5 CD*

# System REXX



- Dedicated Address Space called AXR
- PARMLIB(ATRxx) – controls AXR
  - REXXLIB ADD DSN(SYS3.P LX2.AXR.EXEC) – this is where your REXX execs reside
- START AXRPSTRT – starts system REXX started task AXR
- Running system REXX
  - Via a command: F AXR,rexname
  - Via assembler macro AXREXX

# Job to run BCPii REXX



SYS1.SAMPLIB(HWIXMRJL)

This is a sample JOB that uses a provided program that acts as an interface to AXREXX (*for BCPii only*).

```
//STEP1 EXEC PGM=HWIREXX,REGION=1M,  
// PARM=('NAME=BCP1',           <- the name of the REXX to run  
//      'DSN=MIKE.BCP.OUTPUT', <- PDS. A member with the  
//*                               same name as the rexx gets the  
//*                               output  
//      'TSO=N',  
//      'SYNC=Y',  
//      'TIMELIM=Y',  
//      'TIME=40')  
//STEPLIB DD DSN=SYS1.LINKLIB,DISP=SHR  
//SYSPRINT DD SYSOUT=*
```

# Return Codes from HWIXMRJL



- Return codes:
  - Some are documented within the JCL
  - AXREXX - Authorized Assembler Programming Vol 1.  
(see Reference slide).
  - BCPii – return codes for each function can be found in  
Callable Services for HLL (see Reference slide).



IQIEDIT2 T SYS3.P LX2.AXR.EXEC(BCP1) - 01.12

Command ==>

\*\*\*\*\* Top of Data \*\*\*\*\*

```
000001 /*rexx*/
000002 call set_constants
000003 say "Start "
000004 cType      = HWI_CPC
000005 cValue     = "IBM390PS.CEC1 "
000006 address bcpii "hwiconn retCode inCToken outCToken cType cValue diag."
000007 say "After cpc connect, return code is " retCode
000008 if retCode <> 0 then exit
000009 inCToken = outCToken /*set CPC token */
000010 cType    = HWI_IMAGE
000011 cValue   = "SYS1 "
000012 address bcpii "hwiconn retCode inCToken outCToken cType cValue diag."
000013 say "After image connect, return code is " retCode
000014 if retCode <> 0 then exit
000015 inCToken = outCToken /*set Image token */
000016 QueryParm.0 = 1 /* get one attribute*/
000017 QueryParm.1.ATTRIBUTEIDENTIFIER = HWI_SGPIPW
000018 address bcpii "hwiquery retCode inCToken QueryParm. diag."
000019 say "After query weights, return code is " retCode
000020 if retCode <> 0 then do
000021     say "Diag_Index is"      diag.Diag_Index
000022     say "Diag_Key is"       diag.Diag_Key
000023     say "Diag_Text is"     diag.Diag_Text
000024     exit
000025 end
000026 else do
000027     say "number of attributes " QueryParm.0
000028     say "weight is " QueryParm.1.ATTRIBUTEVALUE
000029 end
000030 /*
```



- MVS Programming: Callable Services for High-Level Languages – BCPii
- MVS Programming: Authorized Assembler Services Reference, Volume 1 – AXREXX

# Thank you!



Mike Shorkend

mike@shorkend.com





# Session feedback

- Submit your feedback using the Whova app or at the conference website - <https://conferences.gse.org.uk/2025/feedback/HF>
- Make sure you are signed into Whova app or MyGSE if using the website
- The session code is **HF**



1. What is your conference registration number?

▼ This is the three digit number on the bottom of your delegate badge

2. Was the length of this presentation correct?

▼ 1 to 4 = "Too Short" 5 = "OK" 6-9 = "Too Long"

1 2 3 4 5 6 7 8 9

3. Did this presentation meet your requirements?

▼ 1 to 4 = "No" 5 = "OK" 6-9 = "Yes"

1 2 3 4 5 6 7 8 9

4. Was the session content what you expected?

▼ 1 to 4 = "No" 5 = "OK" 6-9 = "Yes"

1 2 3 4 5 6 7 8 9