

FS-6525MFP/FS-6530MFP

MONOCHROME MULTIFUNCTIONAL FOR A4/A3 FORMAT

ECOSYS stands for ECOlogy,
ECONomy and SYStem-printing.

With their long-life components, ECOSYS devices are designed to maximise durability and minimise the total cost of ownership with regard to maintenance, administration and consumables. The cartridge-free system means that only the toner has to be replaced regularly. The modular design concept allows you to add workflow-enhancing functions as required. Integrated system software provides long-term cross-network compatibility. KYOCERA's long-life components cost you and the environment less.

PRESCRIBE

With the KYOCERA page design and control language PRESCRIBE, even complex graphics, logos and forms (multipart forms) can be created independently on the system and saved and updated in the printer. Consequently, integration into print files no longer applies. They are only accessed as required and therefore relieve the load on the network.

KYOCERA NetViewer

KYOCERA NetViewer enables complete monitoring and control of all ECOSYS printers and digital KYOCERA multifunction units from any Windows® PC and thus provides ideal network administration. It also supports the standardised SNMP protocol.

Command Center RX

The 'Command Center RX' enables to control and manage various settings by accessing the device via Web browser. Eg. automatically updating of screens, customising user screens, viewing department & restriction settings.

HyPAS™ - Hybrid Platform for Advanced Solutions

KYOCERA's powerful software development platform enables users to customise the functionality and operations of the multifunctional device to their individual requirements.

General

Technology: KYOCERA ECOSYS, Mono Laser, HyPAS™ solution platform

Engine speed
FS-6525MFP: Up to 25/12 pages A4/A3 per minute
FS-6530MFP: Up to 30/15 pages A4/A3 per minute

Resolution: 600 x 600 dpi (print), 600 x 600 dpi (scan/copy)

Warm-up time: Approx. 20 seconds or less

Time to first print: Approx. 8 seconds or less

Time to first copy: Approx. 9.2 seconds or less (DP), 7.8 seconds or less (Platen Cover)

CPU: PowerPC 464 / 800 MHz

Memory: Standard 1 GB, max. 2 GB

Standard interface: USB 2.0 (Hi-Speed), USB Host 2.0, Fast Ethernet 10/100/1000Base-TX, slot for optional print server, slot for optional CompactFlash®-Card

Integrated accounting: 100 department codes

Dimensions with document processor (WxDxH):
590 x 590 x 694 mm

Weight with document processor: Approx. 52.2 kg including toner container

Power source: AC 220 ~ 240 V, 50/60 Hz

Power consumption
Printing FS-6525MFP: 530 W, FS-6530MFP: 560 W
Copying FS-6525MFP: 530 W, FS-6530MFP: 560 W
Ready-mode: 114 W
Sleep-mode: 0.9 W

Noise (sound pressure level: ISO 7779/ISO 9296)
FS-6525MFP - copying/printing: 46.8 dB(A)
FS-6530MFP - copying/printing: 47.1 dB(A)
Stand-by: 27.1 dB(A)

Safety standards: TÜV/GS, CE
This unit is manufactured according to ISO 9001 quality standard and ISO 14001 environmental standard.

Paper handling

All paper capacities quoted are based on a paper thickness of max. 0.11 mm. Please use paper recommended by KYOCERA under normal environmental conditions.

Input capacity: 100-sheet multi-purpose tray, 45-256 g/m² (52-163 g/m² for larger than A4/Letter size), A3, A4, A5, A6, B5, Letter, Legal, Folio, envelopes, Custom (98 x 148 to 297 x 432 mm)
500-sheet universal paper cassette, 60-163 g/m², A3, A4, A5, B5, Letter, Legal, Folio, max. input capacity with options: 1,600 sheets

Duplex unit: Duplex as standard supports 60-163 g/m²

Reversing document processor: 50-sheet, Simplex scan 45-160 g/m², Duplex scan 50-120 g/m², A3, A4, A5, B5, Letter, Legal, Custom (140 x 182 to 297 x 432 mm)

Output capacity: Max. 300 sheets; 250 sheets face-down (Main Tray) plus 50 sheets (Job Separator Tray)

Print functions

Controller language: PRESCRIBE

Emulations: PCL 6 (5e/XL), KPDL 3 (PostScript 3 compatible), PDF Direct Print, XPS Direct Print

Operating systems: All current Windows operating systems, MAC OS X Version 10.4 or higher, Unix, Linux as well as other operating systems on request

Fonts/barcodes: 93 outline fonts (PCL 6, KPDL3) + 8 (Windows Vista), 1 Bitmap font, 45 types of one-dimensional barcodes, 1 type of two-dimensional barcode (PDF417)

Features: encrypted PDF Direct Print, IPP printing, e-mail printing, WSD print, secure printing via SSL, IPsec, SNMPv3, Private Print

Copy functions

Max. original size: A3/Ledger

Continuous copying: 1-999

Zoom range: 25-400% in 1% steps

Preset magnification ratios: 5 Reductions / 5 Enlargements

Exposure mode: Auto, manual: 7 steps

Image adjustments: Text, photo, text + photo, graphic/map, printer output

Features: Scan-once-copy-many, electronic sort, 2in1, 4in1, job reserve, priority print, program, auto duplex copy, split copy, continuous scan, auto cassette change (PF-470 or PF-471 is required), copy density control, Prevent Bleed-Through

Scan functions

Functionality: Scan-to-Email, Scan-to-FTP, Scan-to-SMB, Scan to USB Host, Network TWAIN, WIA, WSD scan

Scan speed: 40 ipm (300 dpi, A4, b/w), 20 ipm (300 dpi, A4 colour)

Scan resolution: 600, 400, 300, 200 dpi (256 greyscales per colour)

Max. scan size: A3, Ledger

Original recognition: Text, photo, text + photo, optimised for OCR

File types: TIFF, PDF, PDF/A, JPEG, XPS

Compression method: MMR / JPEG

Features: Integrated address book, Active Directory support, encrypted data transfer, multi send (e-mail, fax, SMB/FTP folder) at once

Fax functions (optional)

Compatibility: ITU-T Super G3

Modem speed: Max. 33.6 kbps

Transmission speed: Less than 3 sec

Scanning speed: 2.0 seconds (Quick Scanning, Bitmap)

Address book: 200 (personal address) + 50 entries (group address)

Scanning density

Normal: 8 dot/mm x 3.85 line/mm

Fine: 8 dot/mm x 7.7 line/mm

Superfine: 8 dot/mm x 15.4 line/mm

Ultrafine: 16 dot/mm x 15.4 line/mm

Halftone: 256 grey scales

Maximum original size: A3, Ledger

Compression method: JBIG, MMR, MR, MH

Memory reception: 700 sheets or more

Features: Network fax, duplex transmission and reception, encrypted transmission and reception, polling transmission and reception, broadcast

Consumables

Average continuous toner yield in accordance with ISO/IEC 19752

TK-475 Toner Kit: Microfine toner black for 15,000 pages A4

Capacity of starter toner is 3,000 pages A4

Options

Fax System (U)

Paper handling

PF-470 Paper feeder: Max. 500 sheets; 60-163 g/m²; A3, A4, A5, B5, Letter, Legal, Custom (98 x 148 to 297 x 432 mm)

PF-471 Paper feeder: Max. 1,000 sheets; 60-163 g/m²; A3, A4, A5, B5, Letter, Legal, Custom (98 x 148 to 297 x 432 mm)

DF-470 Document finisher + AK-470: Max. 500 sheets

60-163g/m² (FS-6525/6530MFP); A3, A4, A5, B5, Letter, Legal, Custom (98x148 to 297x432 mm), 3 positions stapling up to 50 sheets A4 or 25 sheets A3

*Bridge unit AK-470 is required for the use of DF-470

Memory upgrade

MDDR2-1024: 1,024 MB

CompactFlash® card: CF-4 (4GB) for printing forms, fonts, logos, macro storage, and HyPAS™ applications

USB Flash Memory: Supports direct printing and scanning of PDF, XPS, TIFF, JPEG files via USB Host interface

UG-33: ThinPrint support

USB IC Card Reader + Card Authentication Kit (B): Support for various authentication keys available

Optional interface

IB-50: GigaBit-Printserver 10BaseT/100BaseTX/1000BaseT

CB-470 Cabinet: Wooden desk with storage capacity, including castors (wheels)

CB-471 Base unit: Wooden base for height increase (to be used only with PF-470 or PF-471)

CB-472 Cabinet: Metal desk with storage capacity, including castors (wheels)

CB-473 Base unit: Metal base for height increase (to be used only with PF-470 or PF-471)

Warranty

1-year warranty as standard.** KYOCERA guarantees the drum and developer for 3 years or 300,000 pages (whichever occurs sooner), provided each device is used and cleaned in accordance with the service instructions.

KYO LIFE Up to 5-year on-site warranty extensions available for product and options.

ENERGY STAR **READY**

HyPAS

ENERGY STAR **READY**

FS-6525MFP/FS-6530MFP FS-C8520MFP/FS-C8525MFP

COMPACT ECOSYS MULTIFUNCTIONALS FOR A4/A3 FORMAT

► print ► copy ► scan ► fax

IMAGINE AN EASY TO USE PROFESSIONAL MULTIFUNCTIONAL DEVICE



Product depicted includes optional extras.

KYOCERA Document Solutions Europe B.V. - Branch Office Germany - Otto-Hahn-Straße 12 - 40670 Meerbusch - Germany
Tel +49 (0) 2159 928-500 - Fax +49 (0) 2159 918-100
www.kyoceradocumentsolutions.eu - info@deu.kyocera.com

KYOCERA Document Solutions Inc. - 2-28, 1-Chome - Tamatsukuri - Chuo-Ku
Osaka 540-8585 - Japan - www.kyoceradocumentsolutions.com

* KYOCERA Document Solutions does not warrant that any specifications mentioned will be error-free. Specifications are subject to change without notice. Information is correct at time of going to press. All other brand and product names may be registered trademarks or trademarks of their respective holders and are hereby acknowledged.

** Depending on the country.

KYOCERA
Document Solutions

KYOCERA
Document Solutions

THE PROFESSIONAL MFP THAT IS EASY TO USE AND VERY ECONOMICAL TO RUN.



KYOCERA's unique ECOSYS technology cuts the cost of consumables and energy use. It also provides exceptionally low printing and whole-of-life costs. Long-life technology with longer maintenance cycles help ensure unprecedented reliability.

ECOSYS is where economy and ecology meet. It has been designed to minimise ozone emissions and reduce noise levels, whilst promoting a more comfortable office environment. Make the most of your office environment and your budget, with KYOCERA.

These devices are the smart choice for eco-friendly offices. When the toner does finally run out, it is only the toner container that needs to be replaced, instead of an entire cartridge including drum and/or developer.

DESIGNED TO MEET THE PROFESSIONAL REQUIREMENTS OF SMALL OFFICES

Just because your office is small does not mean you are less demanding. You still have professional printing requirements; you still need high-quality output and if anything, you need even greater efficiency and productivity.

Specifically designed to handle the volume demands of networks and workgroups with between 10 and 20 users, these KYOCERA MFPs offer a paper capacity of up to 1,600 pages from four sources, and the ability to process paper weights of up to 256 g/m².

Additionally, these multifunctional devices offer all the benefits of professional-level document management, including A3 format printing, and copying at up to 30 pages per minute, at a price that fits the most challenging budget.



With KYOCERA'S open software development platform HyPAS™, these MFPs deliver powerful customised business solutions. Configured to interface with your relevant applications directly at the control panel, the devices provide one-touch access to complex operations like scanning and processing documents or ID authentication.

And with such advanced colour technology, the quality of your documents will perfectly match the image of your company. An extended range of colours produce a rich, vivid clarity to your printing that sends a clear message to everyone who handles your documents.

NEED PROFESSIONAL QUALITY FULL-COLOUR PRINTING?

Together with A3 printing, these compact KYOCERA multifunctional devices offer full, professional print quality and functionality. The FS-C8520MFP and FS-C8525MFP offer vibrant, high-resolution colour printing. Our advanced toner technology combined with improved hardware ensure pin-sharp lines and clear images.

PRODUCT HIGHLIGHTS TO MEET YOUR REQUIREMENTS:

- ▶ Up to 30/15 pages A4/A3 per minutes in b/w, up to 23/13 pages A4/A3 per minutes in colour
- ▶ Minimum installation and operation requirements
- ▶ Easy to use Colour Touch Panel with wizard-style navigation
- ▶ Low power consumption saves energy
- ▶ Long-life components provide unprecedented efficiency and reliability
- ▶ HyPAS™ open solution development platform enables powerful customisation



NEED A DEVICE THAT IS **EASY** TO INSTALL, **EASY** TO SET UP AND **EASY** TO USE ?

NEED PROFESSIONAL FUNCTIONALITY WITH USER-FRIENDLY INSTRUCTIONS?

So you need to print, fax and copy data in A4 and A3? No problem. Like to scan and share documents in colour even if printing jobs are mainly done in B/W? At no extra cost? Also no problem. No more lost time on complex operations. No more frustrations trying to work out the best way to present your document's contents.

Imagine being able to scan your documents and send them direct to an individual PC, store them on a network server, or even attach to specific e-mail. In fact, simply by-pass the traditional dispatch and printing bottle necks.

Streamline your archiving by ensuring documents are stored and easily retrievable from where they belong. Use sophisticated document management functions such as logins, codes, user defined functions, colour print volume controls and access.

ADAPTS TO YOUR BUSINESS NEEDS

KYOCERA's open software development platform, HyPAS™, delivers a remarkable business benefit: it allows you to integrate the device into your workflow to meet the exact requirements of your business – transforming your device into a customised business tool that goes beyond the device's standard functionality.

Configured to interface with your relevant business applications directly at the control panel, it then provides one-touch operations for your key processes. Extra efficiency work seamlessly from paper documents to digital with optional one-click scan-to-me.

HyPAS™ makes these and many other add-on features possible, saving time, increasing efficiency and boosting productivity more reliably than ever before.



NEED EFFICIENCY, FLEXIBILITY AND INCREASED PRODUCTIVITY?

With a generous paper capacity, a fast first copy time and impressive performances in speed, you can be sure this device can handle the most demanding office printing requirements. Include a reversible document processor, and a job separator to keep the output of different users apart, and you can start to see how much more efficient and productive your office could be with one of these compact KYOCERA multifunctional devices. With a powerful controller, as well as a durable, high-speed document processor, all your copies, scans and faxes can be sent across either local or wide area networks. And despite the fact they offer the most sophisticated functionality, the KYOCERA MFPs are still incredibly easy to use.

But that's not all. These multifunctionals also stand out because of how much they save. Less wasted time. Less wasted paper. Fewer wrongly sent and misdirected documents, and less customer dissatisfaction, as well. Just fast warm up, quiet operation and professional document management in a stylish, compact design.

NEED TO KEEP YOUR INFORMATION, DOCUMENTS AND DATA SECURE?

Data security has become a high priority, and these multifunctional devices offer the latest security standards required in modern corporate network environments. They are easily integrated into your company's IT infrastructure and come with an IPsec and the SSL suite of encryption protocols, to guarantee the data travelling through your network is secured.

Active Directory network authentication delivers further security without the need to set ID access data for each single user. Simply use the preset network authentication data for managing access rights to the machine's functionalities.

You also have the option to authenticate at the device using customised ID, allowing collection of private printouts from any device in the company. The confidential document is stored safely on the server, accessible only by specified users.



NEED PROFESSIONAL FUNCTIONALITY TO FIT YOUR COMPACT, WELL-DESIGNED OFFICE ?

These KYOCERA A4/A3 MFP devices are designed with compact, well-designed offices in mind. Their 360° all-round style looks good from any direction; even in the middle of the office! You can even fine tune them to suit your unique work requirements, due to their compact design.

Additional paper cassettes with one or two paper feeders, network faxing, gigabit Ethernet card, thin print activation and an up to 500 sheet staple finisher. These ECOSYS MFPs provide big support in any small office.

Additional efficiency & cost savings

Reverse automatic document processing

Give your documents the right finish

500 sheet staple finisher

Easy to replace

Toner and waste toner box

Multitalented versatility

500 sheet cassette with 2 paper feeders



Easy to use for everyone!

Colour touch panel with wizard-type navigation

Fast & secure printing

USB host for direct printing

FS-C8520MFP/FS-C8525MFP

COLOUR MULTIFUNCTIONAL FOR A4/A3 FORMAT

ECOSYS stands for **ECO**logy, **ECON**omy and **SY**stem-printing. With their long-life components, ECOSYS devices are designed to maximise durability and minimise the total cost of ownership with regard to maintenance, administration and consumables. The cartridge-free system means that only the toner has to be replaced regularly. The modular design concept allows you to add workflow-enhancing functions as required. Integrated system software provides long-term cross-network compatibility. KYOCERA's long-life components cost you and the environment less.

PRESCRIBE

With the KYOCERA page design and control language PRESCRIBE, even complex graphics, logos and forms (multipart forms) can be created independently on the system and saved and updated in the printer. Consequently, integration into print files no longer applies. They are only accessed as required and therefore relieve the load on the network.

KYOCERA NetViewer

KYOCERA NetViewer enables complete monitoring and control of all ECOSYS printers and digital KYOCERA multifunction units from any Windows® PC and thus provides ideal network administration. It also supports the standardised SNMP protocol.

Command Center RX

The 'Command Center RX' enables to control and manage various settings by accessing the device via Web browser. E.g. automatically updating of screens, customising user screens, viewing department & restriction settings.

HyPAS™ - Hybrid Platform for Advanced Solutions

KYOCERA's powerful software development platform enables users to customise the functionality and operations of the multifunctional device to their individual requirements.

General

Technology: KYOCERA ECOSYS, COLOUR Laser, HyPAS™ solution platform

Engine speed
FS-C8520MFP: Up to 20/10 pages A4/A3 per minute in colour and b/w
FS-C8525MFP: Up to 25/13 pages A4/A3 per minute in colour and b/w

Resolution: 600 x 600 dpi, multi-bit technology for print quality of 9,600 dpi equivalent x 600 dpi

Warm-up time
FS-C8520MFP: Approx. 55 seconds or less
FS-C8525MFP: Approx. 45 seconds or less

Time to first print
FS-C8520MFP: Approx. 11 sec. or less in b/w, 14 sec. or less in colour
FS-C8525MFP: Approx. 10 sec. or less in b/w, 12 sec. or less in colour

Time to first copy
Approx. 11.7 sec. or less in b/w, 13.6 sec. or less in colour

CPU: PowerPC 464 / 800 MHz

Memory: Standard 1.5 GB, max. 2 GB

Standard interface: USB 2.0 (Hi-Speed), USB Host 2.0, Fast Ethernet 10/100/1000Base-TX, slot for optional print server, slot for optional CompactFlash™-Card

Integrated accounting: 100 department codes
Dimensions with Document processor (W x D x H) 590 x 590 x 748 mm

Weight with Document processor: Approx. 80 kg including toner container

Power source: AC 220 ~ 240 V, 50/60 Hz

Power consumption
Printing FS-C8520MFP: 557 W, FS-C8525MFP: 597 W
Copying FS-C8525MFP: 557 W, FS-C8525MFP: 597 W
Ready-mode FS-C8520MFP: 121 W, FS-C8525MFP: 125 W
Sleep-mode: 0.9 W

Noise (sound pressure level: ISO 7779/ISO 9296)
FS-C8520MFP - copying/printing: 47 dB(A)
FS-C8525MFP - copying/printing: 49 dB(A)
Stand-by: 35 dB(A)

Safety standards: TÜV/GS, CE
This unit is manufactured according to ISO 9001 quality standard and ISO 14001 environmental standard.

Paper handling

All paper capacities quoted are based on a paper thickness of max. 0.11 mm. Please use paper recommended by KYOCERA under normal environmental conditions.

Input capacity: 100-sheet multi-purpose tray, 60-256 g/m², A3, A4, A5, A6, B5, Letter, Legal, Folio, envelopes, Custom (98 x 148 to 297 x 432 mm) 500-sheet universal paper cassette, 60-256 g/m², A3, A4, A5, B5, Letter, Legal, Folio, max. input capacity with options: 1,600 sheets

Duplex unit: Duplex as standard supports 60-220 g/m²

Reversing document processor: 50-sheet, Simplex scan 45-160 g/m², Duplex scan 50-120 g/m², A3, A4, A5, B5, Ledger, Letter, Legal, Custom (140x182 to 297x432mm)

Output capacity: Max. 280 sheets; 250 sheets face-down (main tray) plus 30 sheets (job separator tray)

Print functions

Controller language: PRESCRIBE

Emulations: PCL 6 (5c/XL), KPDL 3 (PostScript 3 compatible), PDF Direct Print, XPS Direct Print

Operating systems: All current Windows operating systems, MAC OS X Version 10.4 or higher, Unix, Linux as well as other operating systems on request

Fonts/barcodes: 93 outline fonts (PCL 6, KPDL3) + 8 (Windows Vista), 1 Bitmap font, 45 types of one-dimensional barcodes, 1 type of two-dimensional barcode (PDF417)

Features: Encrypted PDF Direct Print, IPP printing, e-mail printing, WSD print, secure printing via SSL, IPsec, SNMPv3, Private Print

Copy functions

Max. original size: A3/Ledger

Continuous copying: 1-999

Zoom range: 25-400% in 1% steps

Preset magnification ratios: 5 Reductions / 5 Enlargements

Exposure mode: Auto, manual; 7 steps

Image adjustments: Text, photo, text + photo, graphic/map, printer output

Features: Scan-once-copy-many, electronic sort, 2in1, 4in1, job reserve, priority print, program, auto duplex copy, split copy, continuous scan, auto cassette change (PF-470 or PF-471 is required), copy density control, Prevent Bleed-Through

Scan functions

Functionality: Scan-to-Email, Scan-to-FTP, Scan-to-SMB, Scan to USB Host, Network TWAIN, WIA, WSD scan

Scan speed: 40ipm (300dpi, A4, b/w, colour)

Scan resolution: 600, 400, 300, 200, 400 x 200, 200 x 100 dpi (256 greyscales per colour)

Max. scan size: A3, Ledger

Original recognition: Text, photo, text + photo, optimised for OCR

File types: TIFF, PDF, PDF/A, JPEG, XPS

Compression method: MMR / JPEG

Features: Integrated address book, Active Directory support, encrypted data transfer, multi send (e-mail, fax, SMB/FTP folder) at once

Fax functions (optional)

Compatibility: ITU-T Super G3

Modem speed: Max. 33.6 kbps

Transmission speed: Less than 3 seconds.

Scanning speed: 2.0 seconds (Quick Scanning, Bitmap)

Address book: 200 (personal address) + 50 entries (group address)

Scanning density:

Normal: 8 dot/mm x 3.85 line/mm

Fine: 8 dot/mm x 7.7 line/mm

Superfine: 8 dot/mm x 15.4 line/mm

Ultrafine: 16 dot/mm x 15.4 line/mm

Halftone: 256 grey scales

Maximum original size: A3, Ledger

Compression method: JBIG, MMR, MR, MH

Memory reception: 700 sheets or more

Features: Network fax, duplex transmission and reception, encrypted transmission and reception, polling transmission and reception, broadcast

Consumables

Average continuous toner yield in accordance with ISO/IEC 19798

TK-895K Toner-Kit: Microfine toner black for 12,000 pages A4

TK-895C, TK-895M, TK-895Y, Toner-Kit: Microfine toner cyan, magenta, yellow for 6,000 pages A4

Capacity of starter toner is black 3,000 pages, cyan, magenta, yellow 1,500 pages A4

Options

Fax System (U)

Paper handling

PF-470 Paper feeder: Max. 500 sheets; 60- 256 g/m²; A3, A4, A5, B5, Letter, Legal, Custom (98x148 to 297x432mm)

PF-471 Paper feeder: Max. 1,000 sheets; 60-256 g/m²; A3, A4, A5, B5, Letter, Legal, Custom (98x148 to 297x432 mm)

DF-470 Document finisher + AK-470: Max. 500 sheets 60-256 g/m²; A3, A4, A5, B5, Letter, Legal, Custom (98x148 to 297x432 mm), 3 positions stapling up to 50 sheets A4 or 25 sheets A3

*Bridge unit AK-470 is required for the use of DF-470

Memory upgrade:

MDDR2-1024: 1024MB

CompactFlash® card: CF-4 (4GB) for printing forms, fonts, logos, macro storage, and HyPAS™ applications

USB Flash Memory: Supports direct printing and scanning of PDF, XPS, TIFF, JPEG files via USB Host interface

UG-33: ThinPrint support

USB IC Card Reader + Card Authentication Kit (B): Support for various authentication keys available

Optical interface

IB-50: Gigabit-Printserver 10BaseT/100BaseTX/1000BaseT

CB-470 Cabinet: Wooden desk with storage capacity, including castors (wheels)

CB-472 Cabinet: Metal desk with storage capacity, including castors (wheels)

Warranty

1-year warranty as standard.** KYOCERA guarantees the drum and developer for 3 years or 200,000 pages (whichever occurs sooner), provided each device is used and cleaned in accordance with the service instructions.

Up to 5-year on-site warranty extensions available for product and options.

KYO LIFE

ENERGY STAR

HyPAS

Document Solutions

NEED A PARTNERSHIP, NOT JUST A SUPPLIER? COUNT ON US.

As one of the leading manufacturers of office document solutions, KYOCERA is committed to delivering consistently high-quality products and services. We not only provide you with the most reliable hardware and software, but also offer exceptional service, comprehensive consulting and tailor-made financing. Whatever your needs – you can count on us. Want to know more? Simply get in touch with your local KYOCERA Business Partner.

Your KYOCERA Business Partner:

1101BRO_FSC8520MFP/FS-C8525MFP_EMC

KYOCERA Document Solutions Europe B.V. – Branch Office Germany – Otto-Hahn-Straße 12 – 40670 Meerbusch – Germany
Tel +49 (0) 2159 928-500 – Fax +49 (0) 2159 918-100
www.kyoceradocumentsolutions.eu – info@deu.kyocera.com

KYOCERA Document Solutions Inc. – 2-28, 1-Chome – Tamatsukuri – Chuo-Ku
Osaka 540-8585 – Japan – www.kyoceradocumentsolutions.com

* KYOCERA Document Solutions does not warrant that any specifications mentioned will be error-free. Specifications are subject to change without notice. Information is correct at time of going to press. All other brand and product names may be registered trademarks or trademarks of their respective holders and are hereby acknowledged.

** Depending on the country.

KYOCERA
Document Solutions