R

EA.

0,000

0 007

ø

Product	BT-4110
Revision Date	06/05/15

I

Revision

Safety Data Sheet

TION I: IDENTIFICA	ΓΙΟΝ
Product Name	BT-4110
Identifier Uses	Boiler Treatment
Supplier	Clear Water Technologies, LLC
	13560 Colombard Court
	Fontana, California 92337
	Tel: 844.429.8324
Contact Person	info@clearwatertech.com
Emergency Telephone	24-HOUR EMERGENCY TELEPHONE: INFOTRAC: 1-800-535-5053 INTERNATIONAL#:
	352-323-3500

SECTION 2: HAZARDS IDENTIFICATION

Appearance Color Odor	Clear, dark amber liquid. Clear, dark amber liquid. Slight Musty.
Pictogram(s)	
Signal Word	Danger
Hazard Statements	H314 Causes severe skin burns and eye damage
Precautionary Statements	P280 Wear protective gloves/ protective clothing/eye protection/face protection. P303 + P361 + P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 Immediately call a POISON CENTER or doctor/physician
Contains	sodium hydroxide
GHS Classification Physical and Chemical Hazards Human Health	Not classified
Environment	Skin Corr. I A - H314 Not classified
Environment OSHA RegulatoryStatus	
	Not classified This product is Hazardous under the OSHA Hazard communication Standard. Inhalation of vapors or fumes may cause moderate to severe irritation to mucous membranes
OSHA Regulatory Status	Not classified This product is Hazardous under the OSHA Hazard communication Standard. Inhalation of vapors or fumes may cause moderate to severe irritation to mucous membranes and respiratory tract. Avoid contact. Exposure to liquid product may cause moderate to severe irritation to inner linings of mouth,
OSHA Regulatory Status	Not classified This product is Hazardous under the OSHA Hazard communication Standard. Inhalation of vapors or fumes may cause moderate to severe irritation to mucous membranes and respiratory tract. Avoid contact.
OSHA RegulatoryStatus Inhalation Ingestion	 Not classified This product is Hazardous under the OSHA Hazard communication Standard. Inhalation of vapors or fumes may cause moderate to severe irritation to mucous membranes and respiratory tract. Avoid contact. Exposure to liquid product may cause moderate to severe irritation to inner linings of mouth, esophagus and gastrointestinal tract, and possible burns. Do NOT ingest. Exposure to liquid product may cause moderate to severe irritation to skin, and possible burns. Symptoms of exposure may include redness, itching, swelling or pain. Effects of

SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS

Composition Comments	Confidential business information has been removed without affecting the overall safety information on the safety data sheet.
SECTION 4: FIRST AID M	EASURES
Description of first aid measures	
General Information	General first aid, rest, warmth and fresh air.
Inhalation	If this product is inhaled and symptoms occur, move the exposed person to fresh air promptly. Seek medical attention if symptoms persist.
Ingestion	If this product is ingested, drink small amounts of water and seek medical attention promptly. Do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person.
Skincontact	If this product contacts the skin, immediately flush the affected area with soap and water for at least fifteen (15) minutes. If the product penetrates the clothing, promptly remove the contaminated clothing or shoes, and flush the affected area as described. Seek medical attention if irritation persists.
Eye contact	If this product contacts the eyes, immediately flush eyes with plenty of clean running water for at least fifteen (15) minutes, lifting the upper and lower eyelids occasionally. Remove contact lenses if worn. Seek medical attention if irritation persists.
Most important symptoms and effects, b	
General Information	No information available
Inhalation	Inhalation of vapors or fumes may cause moderate to severe irritation to mucous membranes and respiratory tract. Avoid contact.
Ingestion	Exposure to liquid product may cause moderate to severe irritation to inner linings of mouth, esophagus and gastrointestinal tract, and possible burns. Do NOT ingest.
Skincontact	Exposure to liquid product may cause moderate to severe irritation to skin, and possible burns. Symptoms of exposure may include redness, itching, swelling or pain. Effects of contact are typically an irritant dermatitis. Avoid contact.
Eye contact	Exposure to liquid product may cause severe irritation to eyes, and possibly burns or eye damage. Symptoms of exposure may include redness, itching, swelling, tearing or pain. Effects of contact may be delayed. Avoid contact.
Routes of Exposure	No Information available.
Most important symptoms and effects, b	
Notes To The Physician	This product is irritating to eyes, skin and mucous membranes. This product has low oral
	toxicity. Treat exposure symptomatically.

SECTION 5: FIREFIGHTING MEASURES

Auto Ignition Temperature (°C)	No Information available.
FlammabilityLimit-Lower (%)	No Information available.
Flammability Limit - Upper (%)	No Information available.
Flashpoint	No Information available.
Extinguishing Media	Use water, foam, dry chemical or carbon dioxide to extinguish fire.
Hazardous combustion products	Unknown.
Unusual Fire & Explosion Hazards	Acid will react with active metals to produce flammable hydrogen.
Special Fire Fighting Procedures	Use water to cool containers exposed to a fire.
Protective equipment for fire-	Fire fighters should wear full protective equipment, and have self-contained breathing
fighters	apparatus available.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal Precautions	Use proper personal protection (refer to Section 8).
Environmental Precautions	Run off from fire control or dilution water may cause pollution. Keep out of drains, municipal
	sewers, open bodies of water and water course.
Spill Clean Up Methods	Safely stop source of spill. Clean up spills immediately. Restrict non-essential personnel from
	the area. Wear protective clothing, goggles and respirator if ventilation is not adequate. Dike
	spill area and soak up material with sand or other absorbent. Place into chemical waste

container for disposal according to local, state or federal regulations at an approved chemical waste reprocessing facility. Neutralize the residue with lime or soda ash and flush spill area with large amounts of water.

SECTION 7: HANDLING AND STORAGE

Handling	Use proper personal protection when handling (refer to Section 8).Use under well-ventilated conditions. Avoid contact with eyes, skin and clothing. Avoid breathing vapors and mists. Avoid prolonged or repeated contact. Do NOT ingest. Wash thoroughly after handling. Rinse container before disposal. Do NOT reuse containers for other purposes.
Usage Description	Use only according to directions.
Storage Precautions	The recommended shelf life is two (2) years. It is recommended that products be retested if stored for more than two (2) years. Under ideal storage conditions, the shelf life is almost indefinite.
Specific End Use(s)	The identified uses are in section 1 of this Safety Data Sheet.

SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

Protective Equipment



Component	STD	TWA	(8 Hrs)	STEL (I 5mins)	Notes
sodium hydroxide	OSHA		2mg/m3			
Ingredient Comments	0	SHA				
Process Conditions	Pr	ovide eyewash, quicl	k drench.			
Engineering Measures	G	General mechanical ventilation is recommended for enclosed areas.				
Respiratory Equipment	Use of respirator protection is not generally required. However, if exposure is above the stated limits or ventilation is inadequate, use a NIOSH approved acid gas/organic vapor respirator to reduce potential for inhalation exposure. When using respirator cartridges, they must be changed frequently to assure breakthrough exposure does not occur.					
Hand Protection	U	Use rubber or plastic gloves to minimize skin contact.				
Eye Protection	To avoid contact with eyes, use safety glasses or chemical splash goggles and face shield. Eye wash station should be available in the work area.					
Hygiene Measures	DO NOT SMOKE IN WORK AREA! Wash hands at the end of each work shift and before eating, smoking and using the toilet. Wash promptly if skin becomes wet or contaminated. Promptly remove any clothing that becomes contaminated. When using do not eat, drink or smoke.					

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Information on Basic Physical and Chemical Properties

Appearance Color Odor	Clear, dark amber liquid. Clear, dark amber liquid. Slight Musty.
Odor Threshold -Lower	No Information available.
Odor Threshold - Upper	No Information available.
pH-Value, Conc. Solution	13.5
Melting point	32.0 °F
Initial boiling point and boiling	212.0 °F

range	
Flashpoint	No Information available.
Evaporation rate	No Information available.
Flammability State	No Information available.
FlammabilityLimit-Lower (%)	No Information available.
FlammabilityLimit-Upper (%)	No Information available.
Vapor pressure	23.8 mm Hg 0.0
Vapor Density (air=1)	No Information available.
Relative density	I.107 @ 68.0°F
Bulk Density	No Information available.
Solubility	Completely soluble in water.
Decomposition temperature	No Information available.
Partition coefficient; n-octanol/wat	er No Information available.
Auto Ignition Temperature (°C)	No Information available.
Viscosity	No Information available.
Explosive Properties	No information available.
Oxidizing Properties	No Information available.
Molecular Weight	No Information available.
Volatile Organic Compound	No Information available.

SECTION 10: STABILITY AND REACTIVITY

Reactivity	Reactions may occur with strong oxidizing agents, strong caustic materials and metals.
Stability	This product is very stable at high temperature.
Hazardous Polymerization	Hazardous polymerization is not expected to occur under normal temperatures and pressures
Hazardous Decomposition Product	ts Hydrogen and hydrogen chloride.
Conditions to Avoid	Avoid contact with strong oxidizing agents, strong caustic materials and metals.
Materials to Avoid	Keep away from strong oxidizing agents, strong caustic materials and metals.

SECTION II: TOXICOLOGICAL INFORMATION

Toxicological Information	No toxicological information for the overall finished product.
Acute Toxicity (Oral LD50)	>5414.00mg/kg Rat
Acute Toxicity (Dermal LD50)	>8663.00mg/kg Rabbit
Acute Toxicity (Inhalation LC50)	No Information available.
Skin Corrosion/Irritation	No Information available.
Respiratory Sensitization	No Information available.
Skin Sensitization	No Information available.
Reproductive Toxicity:	No Information available.
Germ Cell Mutagenicity:	

Genotoxicity - In Vitro Genotoxicity - In Vivo

Carcinogenicity:	
Carcinogenicity	No Information available.
NTP - Carcinogenicity	The product and its components are not listed.
OSHA - Carcinogenicity	The product and its components are not listed.
IARC Carcinogenicity	The product and its components are not listed.

Specific Target Organ Toxicity - Single Exposure:STOT - Single ExposureNo Information available.Specific Target Organ Toxicity - Repeated Exposure:No Information available.STOT - Repeated ExposureNo Information available.

Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
sodium hydroxide		I 350mg/kg Rabbit	
sodium chloride	3g/kg Rat	10g/kg Rabbit	42g/m3 Rat I Hours

SECTION 12: ECOLOGICAL INFORMATION

Ecotoxicity	No Information available.
Acute Toxicity - Fish Acute Toxicity - Aquatic Invertebrates	LC50 96 Hours >11167.00ppm Onchorhynchus mykiss (Rainbow Trout) LC50 48 Hours >1197.00ppm Daphnia magna
Acute Toxicity - Aquatic Plants	No Information available.
Degradability	No information available.
Bioaccumulative Potential	No data available on bioaccumulation.
Mobility	Completely soluble in water.
Results of PBT and vPvB Assessment The product does not contain any PBT or vPvB substances.	
Other AdverseEffects	None known.

Name	Acute Toxicity(Fish)	Acute Toxicity (Aquatic	Acute Toxicity (Aquatic Plants)
sodium hydroxide		EC50 100.00ppm Daphnia magna	

SECTION 13: DISPOSAL CONSIDERATIONS

Waste Management	When handling waste, consideration should be made to the safety precautions applying to handling of the product.
Disposal Methods	Do NOT dump into any sewers, on the ground or into any body of water. Rinse containers before disposal. Since emptied containers contain product residue, follow label warnings even after container is emptied. Dispose in accordance with all applicable federal, state and local laws and regulations.

SECTION 14: TRANSPORT INFORMATION

UN No. (DOT/TDG)	3266 - CORROSIVE LIQUID, BASIC, INORGANIC, (Sodium Hydroxide)
UN No. (IMDG)	3266 - CORROSIVE LIQUID, BASIC, INORGANIC, (Sodium Hydroxide)
UN No. (ICAO)	3266 - Corrosive liquid, basic, inorganic (Sodium Hydroxide)
DOT Proper Shipping Name	3266 - CORROSIVE LIQUID, BASIC, INORGANIC, (Sodium Hydroxide)
TDG Proper Shipping Name	3266 - CORROSIVE LIQUID, BASIC, INORGANIC, (Sodium Hydroxide)

8
Class 8 - Corrosive
8
8
8
8
Ш
II
Ш
F-A, S-B
No

SECTION 15: REGULATORY INFORMATION

US Federal Regulations

SARA Section 302 Extremely Hazardous Substances Tier II Threshold Planning Quantities The Following ingredients are listed None Listed.

CERCLA/Superfund, Hazardous Substances/Reportable Quantities (EPA) The Following ingredients are listed sodium hydroxide

SARA Extremely Hazardous Substances EPCRA Reportable Quantities

The Following ingredients are listed None Listed.

SARA 313 Emission Reporting

The Following ingredients are listed None Listed.

CAA Accidental Release PreventionThe Following ingredients are listedNone Listed.

OSHA Highly Hazardous Chemicals

The Following ingredients are listed None Listed.

US State Regulations

California Proposition 65 Carcinogens and Reproductive Toxins The Following ingredients are listed None Listed.

California Air Toxics "Hot Spots" (A-I) The Following ingredients are listed sodium hydroxide

California Air Toxics "Hot Spots" (A-li) The Following ingredients are listed None Listed.

 Massachusetts "Right To Know" List

 The Following ingredients are listed
 sodium hydroxide

Rhode Island "Right To Know" List The Following ingredients are listed sodium hydroxide

Minnesota "Right To Know" List	
The Following ingredients are listed	sodium

sodium hydroxide


sodium hydroxide

New Jersey "Right To Know" List The Following ingredients are listed

Pennsylvania "Right To Know" List The Following ingredients are listed sodium hydroxide

SECTION 16: OTHER INFORMATION

NATIONAL FIRE PROTECTION ASSOCIATION (NFPA)



HAZARDOUS MATERIAL INFORMATION SYSTEM (HMIS)

Health	3
Flammability	0
Physical Hazard	0
Personal Protection	D

Disclaimer

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.